
Appendix 3F

Noise Technical Report

This page is intentionally left blank

I-15; 600 NORTH TO FARMINGTON NOISE STUDY

PIN: 18857
PROJECT NUMBER: S-I15-7(369)309

PREPARED FOR:
The Utah Department of Transportation

PREPARED BY:
Horrocks

March 2024

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried-out by UDOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated May 26, 2022, and executed by FHWA and UDOT.

TABLE OF CONTENTS

ACRONYMS, ABBREVIATIONS, AND DEFINITIONS	iv
1.0 INTRODUCTION	1
2.0 DESCRIPTION OF PROJECT	1
2.1 Applicability	1
3.0 ANALYSIS OF TRAFFIC NOISE IMPACTS	3
3.1 Noise Abatement Criteria	3
3.2 Noise Sensitive Land Uses	4
3.3 Noise Measurements	7
3.4 Existing Noise	8
3.5 Action Alternative Noise	9
3.6 Existing and Action Alternative Summary	11
4.0 NOISE ABATEMENT.....	11
4.1 Noise Barriers	12
4.2 Action Alternative Barrier Analysis.....	15
5.0 CONSTRUCTION IMPACTS.....	40
6.0 INFORMATION FOR LOCAL OFFICIALS.....	40
7.0 CONCLUSION.....	40
7.1 Summary of Evaluated Walls.....	41
APPENDIX A: NOISE MEASUREMENT OVERVIEW MAP AND DATASHEETS	
APPENDIX B: SUMMARY OF EXISTING AND ACTION ALTERNATIVE NOISE LEVELS	
APPENDIX C: BUILD NOISE IMPACT MAPS	
APPENDIX D: NOISE WALL MAPS	
APPENDIX E: BARRIER ANALYSIS WORKSHEETS	

LIST OF FIGURES

FIGURE 1: STUDY AREA	2
FIGURE 2: SOUND LEVELS (IN DBA) OF COMMON SOUNDS.....	3

LIST OF TABLES

TABLE 1: NOISE ABATEMENT CRITERIA	4
TABLE 2: NOISE SENSITIVE LAND USES.....	5
TABLE 3: FIELD NOISE MEASUREMENTS	7
TABLE 4: EXISTING ROADWAY CAPACITY ESTIMATES	9
TABLE 5: ACTION ALTERNATIVE ROADWAY CAPACITY ESTIMATES	10
TABLE 6: BARRIER ANALYSIS SUMMARY.....	14
TABLE 7: SUMMARY OF WALL 1 - NORTHERN OPTION.....	15
TABLE 8: SUMMARY OF WALL 1 - SOUTHERN OPTION.....	16
TABLE 9: SUMMARY OF WALL 2 - NORTHERN OPTION.....	17
TABLE 10: SUMMARY OF WALL 2 - SOUTHERN OPTION.....	18
TABLE 11: SUMMARY OF WALL 3 - NORTHERN AND SOUTHERN OPTION .	19
TABLE 12: SUMMARY OF WALL 4 - NORTHERN AND SOUTHERN OPTION .	20
TABLE 13: SUMMARY OF WALL 5 - NORTHERN AND SOUTHERN OPTION .	21
TABLE 14: SUMMARY OF WALL 6 - NORTHERN AND SOUTHERN OPTION .	22
TABLE 15: SUMMARY OF WALL 7 - NORTHERN AND SOUTHERN OPTION .	23
TABLE 16: SUMMARY OF WALL 8 - NORTHERN AND SOUTHERN OPTION .	24
TABLE 17: SUMMARY OF WALL 9 - NORTHERN AND SOUTHERN OPTION .	25
TABLE 18: SUMMARY OF WALL 10 - NORTHERN AND SOUTHERN OPTION	26
TABLE 19: SUMMARY OF WALL 11 - NORTHERN AND SOUTHERN OPTION	27
TABLE 20: SUMMARY OF WALL 12 - NORTHERN AND SOUTHERN OPTION	28
TABLE 21: SUMMARY OF WALL 13 - NORTHERN AND SOUTHERN OPTION	29
TABLE 22: SUMMARY OF WALL 14 - NORTHERN AND SOUTHERN OPTION	30
TABLE 23: SUMMARY OF WALL 15 - NORTHERN AND SOUTHERN OPTION	31
TABLE 24: SUMMARY OF WALL 16 - NORTHERN AND SOUTHERN OPTION	32
TABLE 25: SUMMARY OF WALL 17 - NORTHERN AND SOUTHERN OPTION	33
TABLE 26: SUMMARY OF WALL 18 - NORTHERN OPTION.....	34
TABLE 27: SUMMARY OF WALL 18 - SOUTHERN OPTION.....	35
TABLE 28: SUMMARY OF WALL 19 - NORTHERN OPTION.....	36

TABLE 29: SUMMARY OF WALL 19 - SOUTHERN OPTION.....	37
TABLE 30: SUMMARY OF WALL 20 - NORTHERN AND SOUTHERN OPTION	38
TABLE 31: SUMMARY OF WALL 21 - NORTHERN AND SOUTHERN OPTION	39
TABLE 32: ACTION ALTERNATIVE EVALUATED WALLS	41

ACRONYMS, ABBREVIATIONS, AND DEFINITIONS

AASHTO	American Association of State Highway and Transportation Officials
CFR	Code of Federal Regulations
dBA	A-weighted decibel
FHWA	Federal Highway Administration
L_{eq}	equivalent steady-state noise level, which in a stated period of time would contain the same acoustical energy as the time-varying noise level during the same period
$L_{eq}(h)$	energy-average of the A-weighted noise levels occurring during a 1-hour period
LOS	Level of Service
Noise	unwanted sound
NAC	Noise Abatement Criteria
Receptor	A discrete or representative location of a noise sensitive area(s)
TNM	Traffic Noise Model
UDOT	Utah Department of Transportation

NOISE STUDY

1.0 INTRODUCTION

This Noise Analysis was prepared in accordance with the Utah Department of Transportation (UDOT) Noise Abatement Policy (UDOT 2020) and is consistent with 23 Code of Federal Regulations (CFR) 772 and Utah Administrative Code R930-3.

2.0 DESCRIPTION OF PROJECT

The Utah Department of Transportation (UDOT) has initiated an Environmental Impact Statement (EIS) for the Interstate 15 (I-15): Farmington to Salt Lake City project. The Action Alternative includes five general-purpose lanes and one high-occupancy/toll lane on mainline I-15 combined with the following concepts (see Chapter 2 of the EIS for concept summaries):

- Farmington 400 West Option
- Farmington State Street Option
- Salt Lake City 1000 North - Northern Option
- Salt Lake City 1000 North - Southern Option

The Action Alternative would have numerous cross streets and would require various cross street configurations: interchanges, overpasses, underpasses, and cul-de-sacs. The study area is comprised of an area along I-15 from the US-89 Interchange in Farmington to the north and the 400 South interchange in Salt Lake City to the south. The study area is approximately 16 miles in length and includes numerous east-west segments along 400 West and State Street in Farmington, 400 North and 500 South in Bountiful, and 1000 North in Salt Lake City.

For this analysis, the noise study area is defined as the land adjacent to I-15 between the US-89 and 400 South interchanges, and east-west cross-streets that would be affected by an increase in noise levels (see Figure 1). Two options were evaluated as part of this noise study. These options will be referred to as the Northern Option and the Southern Option.

The Northern Option includes the Farmington State Street Option and the Salt Lake City 1000 North - Northern Option.

The Southern Option includes the Farmington 400 West Option and the Salt Lake City 1000 North - Southern Option.

2.1 Applicability

The UDOT Noise Abatement Policy states that "noise abatement will be considered for all Type I projects where noise impacts are identified." Type I projects are projects that include any of the following: the construction of a highway at a new location; the physical alteration of an existing highway that substantially alters its alignment; the addition of a through traffic lane; the addition of an auxiliary lane; the addition or relocation of interchange lanes or ramps; or the addition or substantial alteration of a weigh station, rest stop, ride share lot, or toll plaza. This project is



Figure 1: Noise Study Area

considered a Type I project because of the substantial horizontal and/or vertical alteration of an existing highway, the addition of through-traffic lanes, and the relocation of interchange ramps.

3.0 ANALYSIS OF TRAFFIC NOISE IMPACTS

Traffic noise is measured in A-weighted sound levels in decibels (dBA), which most closely approximates the way the human ear hears sounds at different frequencies (see Figure 2). Since traffic noise varies over time, the sound levels for this noise analysis are expressed as “equivalent levels” or L_{eq} , representing the average sound level over a 1-hour period of time. Unless noted otherwise, all sound levels in this noise analysis are expressed in the hourly equivalent noise level.

3.1 Noise Abatement Criteria

The Federal Highway Administration (FHWA) has established Noise Abatement Criteria for several categories of land use activities (see Table 1). FHWA's noise criteria is based on sound levels that are considered to be an impact to nearby noise sensitive areas, also known as receptors. Primary consideration for noise abatement is to be given for exterior areas where frequent human use occurs.

UDOT has developed a Noise Abatement Policy for transportation projects, which conforms to FHWA noise abatement requirements outlined in 23 CFR §772.

UDOT's Noise Abatement Criteria is the noise decibel (dBA) value reflecting the approach criteria of 1 dBA below the Noise Abatement Criteria values listed in 23 CFR §772 for each land use category (see Table 1).

UDOT's Noise Abatement Policy states that a traffic noise impact occurs when either 1) the future worst case noise level is equal to or greater than the UDOT Noise Abatement Criteria for specified land use categories or 2) the future worst case noise level is greater than or equal to an increase of 10 dBA over the existing noise level.

Noise impact and abatement analyses are required within Land Use Activity Categories A, B, C, D, and E (see Table 1) only when development exists or has been permitted (formal building permit issued prior to the date the final environmental decision document is approved). Activity Categories




Figure 2: Sound Levels (in dBA) of Common Sounds
(Compiled from Federal Transit Administration and Environmental Protection Agency Data)

F and G include lands that are not sensitive to traffic noise. There are no impact criteria for these land use types, and an analysis of noise impacts is not required.

For the purposes of this noise analysis, aerial photography and on-site visits were used to identify existing land uses and structure locations.

Table 1: Noise Abatement Criteria

Activity Category	FHWA Criteria L _{eq} (h)	UDOT Criteria L _{eq} (h)	Evaluation Location	Activity Description
A	57	56	Exterior	Lands on which serenity and quiet are of extraordinary significance and serve an important public need and where the preservation of those qualities is essential if the area is to continue to serve its intended purpose.
B	67	66	Exterior	Residential.
C	67	66	Exterior	Active sports areas, amphitheaters, auditoriums, campgrounds, cemeteries, day care centers, hospitals, libraries, medical facilities, parks, picnic areas, places of worship, playgrounds, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, recreation areas, Section 4(f) sites, schools, television studios, trails, and trail crossings.
D	52	51	Interior	Auditoriums, day care centers, hospitals, libraries, medical facilities, places of worship, public meeting rooms, public or nonprofit institutional structures, radio studios, recording studios, schools, and television studios.
E	72	71	Exterior	Hotels, motels, offices, restaurants/bars, and other developed lands, properties or activities not included in A-D or F.
F	---	---	---	Agriculture, airports, bus yards, emergency services, industrial, logging, maintenance facilities, manufacturing, mining, rail yards, retail facilities, shipyards, utilities (water resources, water treatment, electrical), and warehousing.
G	---	---	---	Undeveloped lands that are not permitted.

Source: UDOT Noise Abatement Policy

3.2 Noise Sensitive Land Uses

Noise sensitive land uses within each of the Activity Categories within the study area can be seen in Table 2.

Table 2: Noise Sensitive Land Uses

Activity Category	Description of Location within Study Area
A	<ul style="list-style-type: none"> • None
B	<ul style="list-style-type: none"> • Residential locations within the study area
C	<ul style="list-style-type: none"> • Preserve Park, Farmington • Park Lane Village Basketball Courts, Farmington • Lagoon RV Park and Campground, Farmington • Ezra T. Clark Park, Farmington • Farmington Junior High School, Farmington • Farmington City Regional Park, Farmington • Farmington High School, Farmington • Covington Senior Living Picnic Area, Farmington • South Park, Farmington • Community Park, Centerville • Legacy Crossing Pool, Centerville • The Park at Legacy Trails Pool, Centerville • West Bountiful City Park, West Bountiful • West Bountiful Elementary School, West Bountiful • Meadowbrook Elementary School, Bountiful • Creekside Senior Living Recreation Area, Bountiful • Bountiful Gardens Pool, Bountiful • Washington Park, Bountiful • Woods Cross Elementary School, Woods Cross • Woods Cross High School, Woods Cross • Cherry Lane Apartments Pool, Woods Cross • Camelot Manufactured Home Community Recreation Area, North Salt Lake • Hatch Park, North Salt Lake • The Pointe at Northridge Pool, North Salt Lake • Eaglewood Lofts Park, North Salt Lake • Pony Express RV Resort, North Salt Lake • Rosewood Park, Salt Lake City • James R. Russell Headstart Program, Salt Lake City • The Village at Raintree, Salt Lake City • Downtown West, Salt Lake City • Jackson Park, Salt Lake City • Guadalupe Park, Salt Lake City • Mary W. Jackson Elementary School, Salt Lake City • Spence Eccles Boys and Girls Club Playground, Salt Lake City • Citifront Apartments Pool, Salt Lake City • 9-Line Community Garden and Bike Park, Salt Lake City
D	<ul style="list-style-type: none"> • Church of Jesus Christ of Latter-Day Saints, Farmington • CenterPoint Legacy Theatre, Centerville • Bountiful Regional Center, Bountiful • Ninja Learners Preschool, Woods Cross • Abundant Life Assembly of God, North Salt Lake • Church of Jesus Christ of Latter-Day Saints, North Salt Lake • Tam Bao Buddhist Temple, Salt Lake City • Islamic Society of Bosniaks in Utah, Salt Lake City • Our Lady of Guadalupe Church, Salt Lake City • Centro Cristiano Maranatha, Salt Lake City

E	<ul style="list-style-type: none"> • McDonald's, Centerville • In-N-Out Burger, Centerville • Chick-fil-A, Centerville • Dairy Queen, Centerville • Starbucks Coffee, Centerville • Hokulia Shave Ice, Centerville • Wendy's, Centerville • Rancherito's, Centerville • Costa Vida, Centerville • Maverick, Centerville • Country Inn and Suites, Bountiful • Culver's, Bountiful • McDonald's, Bountiful • Boba World, Bountiful • Motel 6, Woods Cross • Comfort Inn and Suites, Woods Cross • Starbucks Coffee/Smith's, Woods Cross • Zao Asian Café, Woods Cross • Starbucks Coffee, Woods Cross • McDonalds, Woods Cross • Subway, Woods Cross • Nielsen's Frozen Custard, Woods Cross • Costa Vida, Woods Cross • R&R BBQ, Woods Cross • Apollo Burger, Woods Cross • Bahama Bucks, Woods Cross • Best Western Plus Cottontree Inn, Woods Cross • Chile Amor, North Salt Lake • The Stop, North Salt Lake • El Cabrito, Salt Lake City • Santo Taco, Salt Lake City • All Star Motel, Salt Lake City • Econo Lodge Downtown, Salt Lake City • Chunga's Salt Lake City • Kings Peak Coffee Roasters, Salt Lake City
F	<ul style="list-style-type: none"> • Agricultural land • Bus yard • Industrial • Maintenance facilities • Manufacturing • Rail yard • Retail facilities • Warehousing
G	<ul style="list-style-type: none"> • Undeveloped land within the study area

The UDOT Noise Abatement Policy states that a noise impact analysis will not be required for Activity Categories F and G. However, for Activity Category G, an estimate of the distance to the approach criteria must be provided to local governments. See Section 6 of this noise study for additional information.

3.3 Noise Measurements

On-site measurements were taken from November 12 to November 19, 2021 with an Extech Instruments 407780A Type II integrating sound level meter for a duration of 20 minutes at the locations listed in Table 3 (see Attachment A for data sheets and noise measurement locations). Recorded measurements were used to validate the noise model and to ensure it is representative of existing conditions. Per FHWA guidance, the purpose of these measurements is not to define the existing noise levels for impact determination, but to allow validation of the existing model run so that the noise model can then be used with some degree of confidence to predict the existing worst noise hour levels that will be used in impact determination. To be considered valid, the field noise measurements must be within 3 dBA of the model's predicted noise. Several noise measurement locations were beyond the final noise study area and were not used in validation. These locations are noted with an asterisk in Table 3. The model validation results range between 1 and 3 dBA. The field noise measurements were within 3 dBA of the model's predicted noise level, and the model is considered valid (see Table 3).

Table 3: Field Noise Measurements

Map ID	Location	Field Noise Level (dBA)	TNM Output (dBA)	Difference
ML-1*	Park Lane Village; 500 Broadway, Farmington	-	-	-
ML-2*	Residence; 932 Spring Pond Drive, Farmington	-	-	-
ML-3	Lagoon RV Park and Campground; 375 Lagoon Drive, Farmington	66	63	-3
ML-4	Covington Senior Living; 430 South Brookside Drive, Farmington	60	60	0
ML-5	Residence; 53 West Glovers Lane, Farmington	67	64	-3
ML-6	Residence; 1138 South 110 West, Farmington	67	67	0
ML-7	South Park; 1384 South Farmington Road, Farmington	63	68	5^
ML-8	Residence; 773 West 1875 North, Centerville	70	69	-1
ML-9	Community Park; 1350 North 400 West, Centerville	73	71	-2
ML-10	McDonald's; 529 North 700 West, Centerville	66	69	3
ML-11	Maverick; 1265 West Parrish Lane, Centerville	61	59	-2
ML-12	Residence; 402 South 675 West, Centerville	62	65	3
ML-13*	West Bountiful City Park; 550 West 1600 North, West Bountiful	-	-	-
ML-14	Country Inn and Suites; 999 North 500 West, Bountiful	71	72	1
ML-15	Residence; 417 North 660 West, West Bountiful	62	65	3
ML-16	Residence; 444 West, 400 North, Bountiful	-	-	-
ML-17*	McDonald's; 500 South, West Bountiful	-	-	-
ML-18	Residence; 680 West 500 South, West Bountiful	67	70	3
ML-19	Woods Cross Elementary School; 745 West 1100 South, Woods Cross	68	69	1

Map ID	Location	Field Noise Level (dBA)	TNM Output (dBA)	Difference
ML-20	Woods Cross High School; 600 West 2200 South, Woods Cross	71	74	3
ML-21	Motel 6; 2433 South 800 West, Woods Cross	-	-	-
ML-22*	Nielsen's Frozen Custard; 570 West 2600 South, Bountiful	-	-	-
ML-23	Residence; 240 East 1100 North, North Salt Lake	-	-	-
ML-24	Residence; 106 Wilson Drive, North Salt Lake	70	69	-1
ML-25	Residence; 158 North 125 West, North Salt Lake	73	71	-2
ML-26*	Chile Amor; 220 US-89, North Salt Lake	-	-	-
ML-27*	Pony Express RV Resort; 1012 Recreation Way, North Salt Lake	-	-	-
ML-28	Rosewood Park; 1400 North 1200 West, Salt Lake City	69	70	1
ML-29	Residence; 948 Poinsettia Drive, Salt Lake City	68	70	2
ML-30	Santo Taco; 910 North 900 West, Salt Lake City	63	66	3
ML-31*	Residence; 608 North 800 West, Salt Lake City	-	-	-
ML-32	Residence; 578 North 400 West, Salt Lake City	71	72	1
ML-33	Mary W. Jackson Elementary School; 750 West 200 North, Salt Lake City	67	66	-1
ML-34*	Residence; 49 South 800 West, Salt Lake City	-	-	-
ML-35*	Chunga's; 180 South 900 West, Salt Lake City	-	-	-
ML-36*	Residence; 1033 Pierpont Avenue, Salt Lake City	-	-	-
ML-37	King's Peak Coffee Roasters; 412 South 700 West Suite 140, Salt Lake City	59	62	3
ML-38*	Residence; 844 West 500 South, Salt Lake City	-	-	-
ML-39*	Residence; 650 South 800 West, Salt Lake City	-	-	-
ML-40*	9-Line Community Garden Playground; 725 West 900 South, Salt Lake City	-	-	-

* Denotes measurement location beyond the final noise study area or not needed for validation.

^ A 17-foot tall noise wall is currently under construction in this area as part of the West Davis Connector project that is not included in the validation model.

3.4 Existing Noise

The primary source of noise in the study area is automobile and truck traffic from I-15, Legacy Highway, State Street, Grovers Lane, Parrish Lane, 400 North, 500 South, 2600 South, I-215, 1000 North, 600 North, I-80, 400 South, and other roadways in the area.

Existing noise levels were established via noise modeling for receptors located adjacent to I-15 and major cross streets within the study area. Existing traffic sound levels for receptors in this area were calculated with the FHWA Traffic Noise Model (TNM) 2.5 software using existing conditions (travel lane configurations and the posted speed limit). To be consistent with the UDOT Noise

Abatement Policy, level of service (LOS) C traffic volumes were used to determine the greatest hourly traffic noise conditions likely to occur on a regular basis.

LOS C traffic volumes and truck percentages were taken from the traffic study conducted as part of the this project (see Table 4).

Table 4: Existing Roadway Capacity Estimates

Roadway	Type	Medium Trucks (%)	Heavy Trucks (%)
I-15	10-lane suburban freeway	5-6	4-6
Legacy Parkway	4-lane suburban freeway	5-6	4-6
State Street	2-lane suburban arterial	4	2
Glovers Lane	2-lane suburban arterial	4	2
Parrish Lane	4-lane suburban arterial	4	2
400 North	4-lane suburban arterial	4	2
500 South	4-lane suburban arterial	4	2
2600 South	4-lane suburban arterial	4	2
I-215	4-lane suburban freeway	5-6	4-6
1000 North	2-lane suburban arterial	4	2
600 North	4-lane suburban arterial	4	2
I-80	6-lane suburban freeway	5-6	4-6
400 South	6-lane suburban arterial	4	2

There are existing 6- to 17-foot-tall concrete noise walls adjacent to the edge of pavement along I-15 within the study area. These walls have been included in the existing model.

3.5 Action Alternative Noise

Projected traffic noise levels for the Action Alternative were calculated with TNM 2.5 software using build conditions (travel lane configurations and traffic volumes). LOS C traffic volumes for I-15 (including interchange ramps) and other major roadways within the study area were taken from the traffic study conducted as part of this project (see Table 5).

Table 5: Action Alternative Roadway Capacity Estimates

Roadway	Type	Medium Trucks (%)	Heavy Trucks (%)
I-15	12-lane suburban freeway	5-6	4-6
Legacy Parkway	4-lane suburban freeway	5-6	4-6
State Street	2-lane suburban arterial	4	2

Roadway	Type	Medium Trucks (%)	Heavy Trucks (%)
Glovers Lane	2-lane suburban arterial	4	2
Parrish Lane	4-lane suburban arterial	4	2
400 North	4-lane suburban arterial	4	2
500 South	4-lane suburban arterial	4	2
2600 South	4-lane suburban arterial	4	2
I-215	4-lane suburban freeway	5-6	4-6
1000 North	2-lane suburban arterial	4	2
600 North	4-lane suburban arterial	4	2
I-80	6-lane suburban freeway	5-6	4-6
400 South	6-lane suburban arterial	4	2

Northern Option

Overall, exterior noise levels for the Northern Option would range from 47 dBA to 86 dBA compared to 47 dBA and 81 dBA for the existing conditions (see the Build Noise Impacts - Northern Option maps in Attachment C).

Of the 5,219 receivers, 3,284 would be impacted, including 3,163 residential locations, 5 indoor facilities, 102 recreational locations, and 14 businesses (see the Build Noise Impacts - Northern Option maps in Attachment C). These impacts occur at predominantly residential locations east and west of the Action Alternative, with several outdoor recreation locations also experiencing impacts.

Southern Option

Overall, exterior noise levels for the Southern Option would range from 47 dBA to 86 dBA compared to 45 dBA and 81 dBA for the existing conditions (see the Build Noise Impacts - Southern Option maps in Attachment C).

Of the 5,219 receivers, 3,280 would be impacted, including 3,155 residential locations, 5 indoor facilities, 106 recreational locations, and 14 businesses (see the Build Noise Impacts - Southern Option maps in Attachment C). These impacts occur at predominantly residential locations east and west of the Action Alternative, with several outdoor recreation locations also experiencing impacts.

3.6 Existing and Action Alternative Summary

Increases in noise levels under the Action Alternative are a result of the expanded footprint of I-15 and the Action Alternative's removal of most existing noise walls within the study area. The Action Alternative did not assume replacing any impacted noise walls as part of the impact analysis. Section 4.0 discusses the evaluation of replacement noise walls and new noise walls. See Attachment B for a summary of existing and build noise levels for the Action Alternative. Refer to the maps in Attachment C for receiver locations.

4.0 NOISE ABATEMENT

According to the UDOT Noise Abatement Policy, specific conditions must be met before traffic noise abatement is implemented. Noise abatement must be considered feasible and reasonable. The factors considered when determining if abatement is feasible include:

- **Engineering Considerations:** Engineering considerations such as safety, presence of cross streets, sight distance, access to adjacent properties, wall height, topography, drainage, utilities, maintenance access, and maintenance of the abatement measure must be taken into account as part of establishing feasibility. Noise abatement measures are not intended to serve as privacy fences or safety barriers. Abatement measures installed on structures will not exceed 10-feet in height measured from the top of deck or roadway to the top of the noise wall. Noise walls will not be installed on structures that require retrofitting to accommodate the noise abatement measure. Noise abatement measures will be considered if the project meets the criteria established in this policy if structure replacement is included as part of the project. Abatement measures shall be consistent with general American Association of State Highway and Transportation Officials (AASHTO) design principles.
- **Safety on Urban Non-Access Controlled Roadways:** To avoid a damaged barrier from becoming a safety hazard, in the event of a failure, barrier height shall be no greater than the distance from the back-of-curb to the face of proposed barrier. Because the distance from the back-of-curb to the face of a proposed barrier varies, barrier heights which meet this safety requirement may also vary.
- **Acoustic Feasibility:** Noise abatement must be considered "acoustically feasible." This is defined as achieving at least a 5 dBA highway traffic noise reduction for at least 50% of front-row receptors.

The factors considered when determining if mitigation is reasonable include:

- **Noise Abatement Design Goal:** Every reasonable effort should be made to obtain substantial noise reductions. UDOT defines the minimum noise reduction (design goal) from proposed abatement measures to be 7 dBA or greater for at least 35% of front-row receptors.

- **Cost Effectiveness:** The cost of noise abatement measures must be deemed reasonable in order to be included in the project. Noise abatement costs are based on a fixed unit cost of \$20 per square foot, multiplied by the height and length of the wall, in addition to the cost of any other item associated with the abatement measure that is critical to safety. The fixed unit cost is based on the historical average cost of noise walls installed on UDOT projects and is reviewed at regular intervals, not to exceed five years. The cost effectiveness of abatement is determined by analyzing the cost of a wall that would provide a noise reduction of 5 dBA or more for a benefited receptor. A reasonable cost is considered to be a maximum of \$30,000 per benefited receptor for Activity Category B and \$360 per linear foot for Activity Categories A, C, D, or E. If the anticipated cost of the noise abatement measure is less than the allowable cost, then the abatement is deemed reasonable.
- **Viewpoints of Property Owners and Residents:** As part of the final design phase, public balloting would take place if noise abatement measures appear to meet the criteria outlined in UDOT's Noise Abatement Policy.

4.1 Noise Barriers

For a noise barrier to be effective, it must be high enough and long enough to block the view of the noise source from the receptor's perspective. The FHWA's *Highway Traffic Noise: Analysis and Abatement Guidance* states that a good rule of thumb is that the noise barrier should extend four times as far in each direction as the distance from the receptor to the barrier. For instance, if the receptor is 50 feet from the proposed noise barrier, the barrier needs to extend at least 200 feet on either side of the receptor in order to shield the receptor from noise traveling past the ends of the barrier.

The anticipated cost of each wall was calculated by multiplying the wall area and the wall cost per square foot (\$20). The allowable cost was calculated using two variables: 1) Activity Category B allowable cost and, 2) Activity Category C allowable cost. The Activity Category B allowable cost was calculated by multiplying the allowable cost per benefited receptor (\$30,000) by the number of receptors benefited by the wall. The Activity Category C allowable cost was calculated by multiplying the length of the wall associated with Activity Category C land use by the allowable cost for Activity Category C land (\$360 per linear foot). These two variables, Activity Category B allowable cost and Activity Category C allowable cost, were combined to produce the allowable cost for each wall (see Attachment E for detailed wall analyses).

In an effort to provide an objective analysis of traffic noise reduction to impacted receptors, a variety of noise wall heights were considered. If multiple wall heights meet noise abatement requirements, the shortest wall height found to be both feasible and reasonable would be recommended for balloting.

Noise barriers were considered for most impacted receptors. Openings in noise barriers for driveway and cross street access greatly reduce the effectiveness of noise barriers. Therefore, impacted receptors with direct access onto local streets do not qualify for noise barriers. Due to

access for residents and businesses along the cross-streets, impacted receptors in these locations were not evaluated for mitigation (see Attachment C for locations of impacted receptors).

UDOT evaluated 21 noise barriers at locations where noise impacts would occur with the Action Alternative (see Table 6). Eight of the 21 noise barriers were new noise barriers, and 13 of the 21 noise barriers were replacement noise barriers consistent with the UDOT Noise Abatement Policy. Three of the 8 new noise barriers met the requirements of the UDOT Noise Abatement Policy. Maps showing the locations of the noise walls evaluated for the Action Alternative are located in Attachment D. More detailed information is available for each barrier in Attachment E.

Noise barriers shown in this analysis include replacement noise barriers for areas with existing noise walls and new or extended noise walls for locations modeled to have noise impacts from the Action Alternative. Analyses for areas with existing noise walls were evaluated beginning with the tallest existing noise wall height. The final height for replacement noise barriers would be at least equal to the existing height. The new noise barriers are preliminary and must meet the feasibility and reasonableness requirements of the UDOT Noise Abatement Policy.

The final lengths and heights for any of the noise barriers identified in the environmental study phase are still subject to final design and the feasibility and reasonable criteria as defined in the UDOT Noise Abatement Policy. UDOT would not make a decision whether to construct the proposed noise barrier until the project design is completed and refined utility relocation and right-of-way costs are available. Reasonableness would be evaluated using refined costs based on the final design.

UDOT will conduct balloting for the proposed noise abatement measures with the final design engineering considerations and costs that meet the feasibility criteria and reasonable design goal and cost-effectiveness criteria as defined in the UDOT Noise Abatement Policy.

Table 6: Barrier Analysis Summary

Evaluated Wall	Options	New Barrier or Replacement of Existing Barrier?	Is Barrier Feasible, Reasonable, and Recommended for Balloting (applicable to new walls only)	Recommended Barrier Height (feet)*
1	Both Options	New	No	N/A
2	Both Options	New	Yes	16/10
3	Both Options	New	No	N/A
4	Both Options	Replacement	Yes	16
5	Both Options	Replacement	Yes	17
6	Both Options	Replace in-kind	N/A	16
7	Both Options	Replace in-kind	N/A	13
8	Both Options	New	No	N/A
9	Both Options	New	No	N/A
10	Both Options	Replacement	Yes	13
11	Both Options	Replacement	Yes	14
12	Both Options	Replacement	Yes	12
13	Both Options	Replacement	Yes	14
14	Both Options	New	Yes	15
15	Both Options	New	No	N/A
16	Both Options	New	Yes	11
17	Both Options	Replacement	Yes	16
18	Both Options	Replacement	Yes	12
19	Both Options	Replacement	Yes	16
20	Both Options	Replacement	Yes	14
21	Both Options	Replace in-kind	N/A	14

* A single number indicates the same height under the Northern and Southern Options. Two numbers indicate differences in height between the Northern and Southern Options, respectively.

4.2 Action Alternative Barrier Analysis

Wall 1

Northern Option

Wall 1 would be located on the east side of I-15. The wall would extend approximately 1,313 feet between US-89 and State Street in Farmington (see Noise Wall maps in Attachment D). Wall 1 was evaluated to mitigate noise for 16 impacted receivers (representing 16 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 7, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses). Several different lengths were evaluated for this location and the wall with the best performance is detailed below.

Table 7: Summary of Wall 1 - Northern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	0	No	N/A	N/A	N/A	N/A	N/A	No
12	29	No	N/A	N/A	N/A	N/A	N/A	No
14	43	No	N/A	N/A	N/A	N/A	N/A	No
16	57	Yes	14	No	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 14 feet are not acoustically feasible. A wall 16 feet in height is acoustically feasible, however it does not meet the noise abatement design goal. Therefore, a wall 1,313 feet in length at this location is not reasonable and is not recommended for balloting.

Southern Option

Wall 1 would be located on the east side of I-15. The wall would extend approximately 1,300 feet between US-89 and State Street in Farmington (see Noise Wall maps in Attachment D). Wall 1 was evaluated to mitigate noise for 16 impacted receivers (representing 16 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 8, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 8: Summary of Wall 1 - Southern Option

Barrier Height	Feasible		Reasonable				Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	
10	0	No	N/A	N/A	N/A	N/A	N/A
14	0	No	N/A	N/A	N/A	N/A	N/A
16	0	No	N/A	N/A	N/A	N/A	N/A

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 16 feet are not acoustically feasible. Therefore, a wall 1,300 feet in length at this location is not feasible and is not recommended for balloting.

Wall 2*Northern Option*

Wall 2 would be located on the west side of the frontage road. The wall would extend approximately 1,651 feet between State Street and 200 South in Farmington (see Noise Wall maps in Attachment D). Wall 2 was evaluated to mitigate noise for 15 impacted receivers (representing 15 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 9, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses). Several different lengths were evaluated for this location and the wall with the best performance is detailed below.

Table 9: Summary of Wall 2 - Northern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	20	No	N/A	N/A	N/A	N/A	N/A	No
12	60	Yes	0	No	N/A	N/A	N/A	No
14	100	Yes	20	No	N/A	N/A	N/A	No
16	100	Yes	80	Yes	\$528,320	\$602,400	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 10 feet in height is not acoustically feasible. Walls ranging in height from 12 to 14 feet are acoustically feasible, however they do not meet the noise abatement design goal. A wall 16 feet in height is acoustically feasible, meets the noise abatement design goal and is cost reasonable. Therefore, a 16-foot tall wall for Wall 2 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Southern Option

Wall 2 would be located on the east side of the frontage road. The wall would extend approximately 1,704 feet between State Street and 200 South in Farmington (see Noise Wall maps in Attachment D). Wall 2 was evaluated to mitigate noise for 17 impacted receivers (representing 17 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 10, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses). Several different lengths were evaluated for this location and the wall with the best performance is detailed below.

Table 10: Summary of Wall 2 - Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	60	Yes	60	Yes	\$280,000	\$392,400	Yes	Yes
12	60	Yes	60	Yes	\$336,000	\$452,400	Yes	Yes
14	100	Yes	60	Yes	\$392,000	\$542,400	Yes	Yes
16	100	Yes	80	Yes	\$448,000	\$542,400	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors² 7 dBA for at least 35% of front-row receptors³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 16 feet are acoustically feasible, meet the noise abatement design goal and are cost reasonable. Therefore, a 10-foot tall wall for Wall 2 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 3*Northern and Southern Option*

Wall 3 would be located on the east side of I-15. The wall would be comprised of four segments and would extend approximately 3,970 feet between State Street and just south of Grovers Lane in Farmington (see Noise Wall maps in Attachment D). This analysis assumes that the 17-foot wall south of Grovers Lane that is being constructed as part of the West Davis Corridor project would remain in its current location. Wall 3 was evaluated to mitigate noise for 43 impacted receivers (representing 43 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 11, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 11: Summary of Wall 3 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	0	No	N/A	N/A	N/A	N/A	N/A	No
12	0	No	N/A	N/A	N/A	N/A	N/A	No
14	0	No	N/A	N/A	N/A	N/A	N/A	No
16	3	No	N/A	N/A	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 16 feet are not acoustically feasible. Therefore, a wall 3,970 feet in length at this location is not feasible and is not recommended for balloting. If portions of the existing wall south of the evaluated wall were to be removed in final design, those segments would be replaced at the existing height of 17 feet.

Wall 4*Northern and Southern Option*

Wall 4 would be located on the east side of I-15. The wall would extend approximately 4,199 feet between Grovers Lane and 1600 South in Farmington (see Noise Wall maps in Attachment D). This analysis assumes that the 17-foot wall south of Grovers Lane that is being constructed as part of the West Davis Corridor project would remain in its current location but was removed from the model to evaluate the worst case scenario under final design. The existing 5-foot tall noise wall was removed from the model. The length of the evaluated wall was extended north beyond the limits of the existing noise wall to account for all impacted receptors in the area. Wall 4 was evaluated to mitigate noise for 55 impacted receivers (representing 62 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 12, walls ranging in height from 10 to 16 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 12: Summary of Wall 4 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	0	No	N/A	N/A	N/A	N/A	N/A	No
12	50	Yes	0	No	N/A	N/A	N/A	No
14	86	Yes	14	No	N/A	N/A	N/A	No
16	86	Yes	54	Yes	\$1,343,680	\$1,656,000	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 10 feet in height is not acoustically feasible. Walls ranging in height from 12 to 14 feet are acoustically feasible, however they do not meet the noise abatement design goal. A wall 16 feet in height is acoustically feasible, meets the noise abatement design goal, and is cost reasonable. Therefore, a 16-foot tall wall for Wall 4 is recommended for balloting in locations of the existing 5-foot-tall noise wall and the extension to the north because it is the shortest wall height found to be both feasible and reasonable. If portions of the existing 17-foot-tall wall to the south were to be removed in final design, those segments would be replaced at the existing height of 17 feet. Per the UDOT Noise Abatement Policy, no balloting would occur for this replacement.

Wall 5*Northern and Southern Option*

Wall 5 would be located on the east side of I-15. The wall would extend approximately 12,345 feet between 1600 South in Farmington and Parrish Lane in Centerville (see Noise Wall maps in Attachment D). This analysis assumes that the 17-foot wall south of Grovers Lane that is being constructed as part of the West Davis Corridor project would remain in its current location but was removed from the model to evaluate the worst case scenario under final design. Wall 5 was evaluated to mitigate noise for 223 impacted receivers (representing 243 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 13, a wall 17 feet in height was evaluated as that was the tallest height of the existing noise wall impacted by the Action Alternative (see Attachment E for detailed barrier analyses).

Table 13: Summary of Wall 5 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
17	98	Yes	91	Yes	\$4,197,300	\$7,705,800	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 17 feet in height is acoustically feasible, meets the noise abatement design goal and is cost reasonable. Therefore, a 17-foot tall wall for Wall 5 is recommended for balloting because it is both feasible and reasonable. If portions of the existing 17-foot-tall wall to the north were to be removed in final design, those segments would be replaced at the existing height of 17 feet. Per the UDOT Noise Abatement Policy, no balloting would occur for this replacement.

Wall 6*Northern and Southern Option*

Wall 6 would be located on the east side of I-15. The wall would extend approximately 4,481 feet from just north of Pages Lane in Centerville to 1000 North in Bountiful (see Noise Wall maps in Attachment D). This analysis assumes that the existing 16-foot wall would be removed from its current location by the Action Alternative. The length of the evaluated wall was extended beyond the limits of the existing noise wall to account for all impacted receptors in the area. Wall 6 was evaluated to mitigate noise for 68 impacted receivers (representing 106 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 14, walls ranging in height from 16 to 17 feet were evaluated (see Attachment E for detailed barrier analyses). Several different lengths were evaluated for this location and the wall with the best performance is detailed below.

Table 14: Summary of Wall 6 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
16	58	Yes	3	No	N/A	N/A	N/A	No
17	59	Yes	3	No	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 16 to 17 feet are acoustically feasible, however they do not meet the noise abatement design goal. While walls ranging in height from 16 to 17 feet are not considered feasible and reasonable, a 16-foot-tall wall is recommended to be replaced "in-kind", consistent with the UDOT Noise Abatement Policy.

Wall 7*Northern and Southern Option*

Wall 7 would be located on the east side of I-15. The wall would extend approximately 986 feet north of 400 North in West Bountiful (see Noise Wall maps in Attachment D). This analysis assumes that the existing 13-foot wall would be removed from its current location by the Action Alternative. Wall 7 was evaluated to mitigate noise for 15 impacted receivers (representing 15 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 15, walls ranging in height from 13 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 15: Summary of Wall 7 - Northern and Southern Option

Barrier Height	Feasible		Reasonable				Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	
13	100	Yes	67	Yes	\$256,360	\$180,000	No
14	100	Yes	100	Yes	\$276,080	\$240,000	No
15	100	Yes	100	Yes	\$295,800	\$270,000	No
16	100	Yes	100	Yes	\$315,520	\$270,000	No
17	100	Yes	100	Yes	\$335,240	\$270,000	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 13 to 17 feet are acoustically feasible and meet the noise abatement design goal, however they are not cost reasonable. While walls ranging in height from 13 to 17 feet are not considered feasible and reasonable, a 13-foot-tall wall is recommended to be replaced "in-kind", consistent with the UDOT Noise Abatement Policy.

Wall 8*Northern and Southern Option*

Wall 8 would be located on the west side of I-15. The wall would be built in two segments and extend approximately 8,780 feet between Parrish Lane in Centerville and 400 North in West Bountiful (see Noise Wall maps in Attachment D). Wall 8 was evaluated to mitigate noise for 49 impacted receivers (representing 53 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 16, walls ranging in height from 10 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 16: Summary of Wall 8 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	0	No	N/A	N/A	N/A	N/A	N/A	No
12	2	No	N/A	N/A	N/A	N/A	N/A	No
14	25	No	N/A	N/A	N/A	N/A	N/A	No
16	54	Yes	2	No	N/A	N/A	N/A	No
17	73	Yes	3	No	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 14 feet are not acoustically feasible. Walls ranging in height from 16 to 17 feet are acoustically feasible, however they do not meet the noise abatement design goal. Therefore, a wall 8,780 feet in length at this location is not reasonable and is not recommended for balloting.

Wall 9*Northern and Southern Option*

Wall 9 would be located on the west side of I-15. The wall would extend approximately 2,235 feet between 400 North and 500 South in West Bountiful (see Noise Wall maps in Attachment D). Wall 9 was evaluated to mitigate noise for 46 impacted receivers (representing 46 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 17, walls ranging in height from 10 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 17: Summary of Wall 9 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	0	No	N/A	N/A	N/A	N/A	N/A	No
12	0	No	N/A	N/A	N/A	N/A	N/A	No
14	0	No	N/A	N/A	N/A	N/A	N/A	No
16	11	No	N/A	N/A	N/A	N/A	N/A	No
17	11	No	N/A	N/A	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 10 to 17 feet are not acoustically feasible. Therefore, a wall 2,235 feet in length at this location is not feasible and is not recommended for balloting.

Wall 10

Wall 10 would be located on the west side of I-15. The wall would extend approximately 3,381 feet between 700 South and 1500 South in Bountiful (see Noise Wall maps in Attachment D). This analysis assumes that the existing 12-foot wall would be removed from its current location by the Action Alternative. Wall 10 was evaluated to mitigate noise for 63 impacted receivers (representing 69 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 18, walls ranging in height from 12 to 16 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 18: Summary of Wall 10 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
12	75	Yes	29	No	N/A	N/A	N/A	No
13	86	Yes	39	Yes	\$879,060	\$1,134,600	Yes	Yes
14	89	Yes	46	Yes	\$946,680	\$1,254,600	Yes	Yes
16	96	Yes	57	Yes	\$1,081,920	\$1,584,600	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 12 feet in height is acoustically feasible, however it does not meet the noise abatement design goal. Walls ranging in height from 13 to 16 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 13-foot-tall wall for Wall 10 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 11*Northern and Southern Option*

Wall 11 would be located on the east side of I-15. The wall would extend approximately 1,880 feet between 1000 South and 1500 South in Bountiful (see Noise Wall maps in Attachment D). This analysis assumes that the existing 14-foot wall would be removed from its current location by the Action Alternative. Wall 11 was evaluated to mitigate noise for 22 impacted receivers (representing 45 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 19, walls ranging in height from 14 to 16 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 19: Summary of Wall 11 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
14	56	Yes	56	Yes	\$526,400	\$958,200	Yes	Yes
15	94	Yes	56	Yes	\$564,000	\$1,258,200	Yes	Yes
16	94	Yes	56	Yes	\$601,600	\$1,258,200	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 14 to 16 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 14-foot-tall wall for Wall 11 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 12*Northern and Southern Option*

Wall 12 would be located on the west side of I-15. The wall would extend approximately 4,343 feet between 1500 South and 2500 South in Woods Cross (see Noise Wall maps in Attachment D). This analysis assumes that the existing 12-foot walls would be removed from their current locations by the Action Alternative. Wall 12 was evaluated to mitigate noise for 154 impacted receivers (representing 154 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 20, walls ranging in height from 12 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 20: Summary of Wall 12 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
12	80	Yes	67	Yes	\$1,042,320	\$2,010,000	Yes	Yes
13	87	Yes	72	Yes	\$1,129,180	\$2,250,000	Yes	Yes
14	87	Yes	72	Yes	\$1,216,040	\$2,310,000	Yes	Yes
15	87	Yes	76	Yes	\$1,302,900	\$2,370,000	Yes	Yes
16	87	Yes	78	Yes	\$1,389,760	\$2,610,000	Yes	Yes
17	87	Yes	78	Yes	\$1,476,620	\$2,700,000	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 12 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 12-foot-tall wall for Wall 12 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 13*Northern and Southern Option*

Wall 13 would be located on the east side of I-15. The wall would extend approximately 1,370 feet between 1500 South and 1950 South in Woods Cross (see Noise Wall maps in Attachment D).

This analysis assumes that the existing 12-foot and 14-foot walls would be removed from their current locations by the Action Alternative. Wall 13 was evaluated to mitigate noise for 41 impacted receivers (representing 41 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 21, walls ranging in height from 14 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 21: Summary of Wall 13 - Northern and Southern Option

Barrier Height	Feasible		Reasonable				Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	
14	80	Yes	80	Yes	\$383,600	\$570,000	Yes
15	80	Yes	80	Yes	\$411,000	\$600,000	Yes
16	80	Yes	80	Yes	\$438,400	\$630,000	Yes
17	80	Yes	80	Yes	\$465,800	\$630,000	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 14 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 14-foot-tall wall for Wall 13 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 14*Northern and Southern Option*

Wall 14 would be located on the east side of I-15. The wall would extend approximately 1,557 feet between 2000 South and 2300 South (see Noise Wall maps in Attachment D). Wall 14 was evaluated to mitigate noise for six impacted receivers (representing six receptors or dwelling units) associated with Woods Cross High on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 22, walls ranging in height from 14 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 22: Summary of Wall 14 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
14	80	Yes	0	No	N/A	N/A	N/A	No
15	80	Yes	40	Yes	\$467,154	\$560,585	Yes	Yes
16	80	Yes	40	Yes	\$498,298	\$560,585	Yes	Yes
17	80	Yes	60	Yes	\$529,441	\$560,585	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 14 feet in height is acoustically feasible, however it does not meet the noise abatement design goal. Walls ranging in height from 15 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 15-foot tall wall for Wall 14 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 15*Northern and Southern Option*

Wall 15 would be located on the west side of I-15. The wall would extend approximately 626 feet between 2600 South/1100 North and 900 North in North Salt Lake (see Noise Wall maps in Attachment D). Wall 15 was evaluated to mitigate noise for 105 impacted receivers (representing 105 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 23, a wall 17 feet in height was evaluated (see Attachment E for detailed barrier analyses).

Table 23: Summary of Wall 15 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
17	56	Yes	17	No	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 17 feet in height is acoustically feasible, however it does not meet the noise abatement design goal. Therefore, a wall 626 feet in this location is not recommended for balloting.

Wall 16*Northern and Southern Option*

Wall 16 would be located on the west side of I-15. The wall would extend approximately 650 feet north of Main Street in North Salt Lake (see Noise Wall maps in Attachment D). Wall 16 was evaluated to mitigate noise for 10 impacted receivers (representing 10 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 24, walls ranging in height from 10 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 24: Summary of Wall 16 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
10	67	Yes	0	No	N/A	N/A	N/A	No
11	67	Yes	67	Yes	\$143,000	\$150,000	Yes	Yes
12	67	Yes	67	Yes	\$156,000	\$150,000	No	No
13	67	Yes	67	Yes	\$169,000	\$150,000	No	No
14	67	Yes	67	Yes	\$182,000	\$150,000	No	No
15	67	Yes	67	Yes	\$195,000	\$150,000	No	No
16	67	Yes	67	Yes	\$208,000	\$150,000	No	No
17	67	Yes	67	Yes	\$221,000	\$150,000	No	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 10 feet in height is acoustically feasible, however it does not meet the noise abatement design goal. A wall 11 feet in height is acoustically feasible, meets the noise abatement design goal, and is cost reasonable. Walls ranging in height from 12 to 17 feet are acoustically feasible and meet the noise abatement design goal, however they are not cost reasonable. Therefore, an 11-foot tall wall for Wall 16 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 17*Northern and Southern Option*

Wall 17 would be located on the east side of I-15. The wall would extend approximately 9,243 feet between 900 North and I-215 in North Salt Lake (see Noise Wall maps in Attachment D). This analysis assumes that the existing 10-foot to 16-foot walls would be removed from their current locations by the Action Alternative. Wall 17 was evaluated to mitigate noise for 980 impacted receivers (representing 983 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 25, walls ranging in height from 16 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 25: Summary of Wall 17 - Northern and Southern Option

Barrier Height	Feasible		Reasonable				Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	
16	94	Yes	84	Yes	\$2,921,740	\$18,284,588	Yes
17	95	Yes	88	Yes	\$3,100,584	\$19,814,588	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 16 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 16-foot tall wall for Wall 17 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable. This wall includes an extension to the north and south of the existing noise wall termini and would include a portion of wall where there is currently a gap in the existing walls near Center Street.

Wall 18*Northern Option*

Wall 18 would be located on the west side of I-15. The wall would extend approximately 1,726 feet between 1500 North and 1050 North in Salt Lake City (see Noise Wall maps in Attachment D).

This analysis assumes that portions of the two existing 12-foot walls would be removed from their current locations by the Action Alternative. Wall 18 was evaluated to mitigate noise for 73 impacted receivers (representing 73 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 26, walls ranging in height from 12 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 26: Summary of Wall 18 - Northern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
12	70	Yes	58	Yes	\$414,147	\$1,179,637	Yes	Yes
13	73	Yes	58	Yes	\$448,659	\$1,179,637	Yes	Yes
14	73	Yes	63	Yes	\$483,171	\$1,179,637	Yes	Yes
15	73	Yes	63	Yes	\$517,683	\$1,209,637	Yes	Yes
16	73	Yes	63	Yes	\$552,196	\$1,239,637	Yes	Yes
17	73	Yes	63	Yes	\$586,708	\$1,299,637	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 12 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 12-foot tall wall for Wall 18 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Southern Option

Wall 18 would be located on the west side of I-15. The wall would extend approximately 1,372 feet between 1500 North and 1050 North in Salt Lake City (see Noise Wall maps in Attachment D).

This analysis assumes that portions of the two existing 12-foot walls would be removed from their current locations by the Action Alternative. Wall 18 was evaluated to mitigate noise for 73 impacted receivers (representing 73 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 27, walls ranging in height from 12 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 27: Summary of Wall 18 - Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
12	68	Yes	53	Yes	\$329,205	\$999,637	Yes	Yes
13	70	Yes	53	Yes	\$356,639	\$1,029,637	Yes	Yes
14	70	Yes	53	Yes	\$384,073	\$1,059,637	Yes	Yes
15	70	Yes	55	Yes	\$411,507	\$1,059,637	Yes	Yes
16	70	Yes	55	Yes	\$438,940	\$1,059,637	Yes	Yes
17	70	Yes	55	Yes	\$466,374	\$1,059,637	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors² 7 dBA for at least 35% of front-row receptors³ Anticipated cost is less than allowable cost

Walls ranging in height from 12 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 12-foot tall wall for Wall 18 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 19*Northern Option*

Wall 19 would be located on the west side of I-15. The wall would extend approximately 3,282 feet between 1100 North and 600 North in Salt Lake City (see Noise Wall maps in Attachment D). This analysis assumes that a portion of the existing 16-foot wall would be removed from its current location by the Action Alternative. Wall 19 was evaluated to mitigate noise for 236 impacted receivers (representing 236 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 28, walls ranging in height from 16 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 28: Summary of Wall 19 - Northern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
16	95	Yes	95	Yes	\$1,050,240	\$5,160,000	Yes	Yes
17	95	Yes	95	Yes	\$1,115,880	\$5,730,000	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 16 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 16-foot tall wall for Wall 19 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Southern Option

Wall 19 would be located on the west side of I-15. The wall would extend approximately 4,442 feet between 1200 North and 600 North in Salt Lake City (see Noise Wall maps in Attachment D). This analysis assumes that a portion of the existing 16-foot wall would be removed from its current location by the Action Alternative. Wall 19 was evaluated to mitigate noise for 239 impacted receivers (representing 239 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 29, walls ranging in height from 16 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 29: Summary of Wall 19 - Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
16	95	Yes	95	Yes	\$1,406,772	\$7,830,000	Yes	Yes
17	95	Yes	95	Yes	\$1,493,175	\$8,130,000	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 16 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 16-foot tall wall for Wall 19 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 20*Northern and Southern Option*

Wall 20 would be located on the west side of I-15. The wall would extend approximately 4,250 feet between 600 North and South Temple in Salt Lake City (see Noise Wall maps in Attachment D). This analysis assumes that the existing 10-foot to 14-foot walls would be removed from their current locations by the Action Alternative. Wall 20 was evaluated to mitigate noise for 424 impacted receivers (representing 424 receptors or dwelling units) on the west side of I-15 (see Attachment C for impacted locations). As summarized in Table 30, walls ranging in height from 14 to 17 feet were evaluated (see Attachment E for detailed barrier analyses).

Table 30: Summary of Wall 20 - Northern and Southern Option

Barrier Height	Feasible		Reasonable					Is Barrier Feasible & Reasonable?
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost	Cost Effective? ³	
14	91	Yes	64	Yes	\$1,142,112	\$5,291,941	Yes	Yes
15	91	Yes	69	Yes	\$1,215,120	\$5,681,941	Yes	Yes
16	91	Yes	69	Yes	\$1,288,127	\$6,341,941	Yes	Yes
17	91	Yes	71	Yes	\$1,361,134	\$7,001,941	Yes	Yes

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

Walls ranging in height from 14 to 17 feet are acoustically feasible, meet the noise abatement design goal, and are cost reasonable. Therefore, a 14-foot tall wall for Wall 20 is recommended for balloting because it is the shortest wall height found to be both feasible and reasonable.

Wall 21*Northern and Southern Option*

Wall 21 would be located on the east side of I-15. The wall would extend approximately 4,524 feet between 600 North and South Temple in Salt Lake City (see Noise Wall maps in Attachment D). This analysis assumes that the existing 10-foot to 14-foot walls would be removed from their current locations by the Action Alternative. Wall 21 was evaluated to mitigate noise for 404 impacted receivers (representing 404 receptors or dwelling units) on the east side of I-15 (see Attachment C for impacted locations). As summarized in Table 31, a wall 17 feet in height was evaluated (see Attachment E for detailed barrier analyses).

Table 31: Summary of Wall 21 - Northern and Southern Option

Barrier Height	Feasible		Reasonable				Is Barrier Feasible & Reasonable?	
	% front-row with 5 dBA reduction	Acoustically feasible? ¹	% front-row with 7 dBA reduction	Noise Abatement Design Goal? ²	Anticipated Cost	Allowable Cost		
17	64	Yes	12	No	N/A	N/A	N/A	No

¹ 5 dBA reduction for at least 50% of front-row receptors

² 7 dBA for at least 35% of front-row receptors

³ Anticipated cost is less than allowable cost

A wall 17 feet tall is acoustically feasible, however it does not meet the noise abatement design goal. Therefore, a 14-foot tall wall for Wall 21 is recommended to be replaced "in-kind", consistent with the UDOT Noise Abatement Policy and to ensure that the replacement wall is at least equal to the height of the existing noise wall.

5.0 CONSTRUCTION IMPACTS

Construction noise impacts are considered temporary and will be minimized through adherence to UDOT Special Provision 01355M (Environmental Compliance) and Special Provision 0055 (Prosecution and Progress). Extended disruption of normal activities is not anticipated, since no receptors are expected to be exposed to construction noise for a long duration of time.

6.0 INFORMATION FOR LOCAL OFFICIALS

According to the UDOT Noise Abatement Policy, an estimated distance from the edge of pavement to where the worst hour $L_{eq}(h)$ levels of 66 dBA and 71 dBA occur must be provided to local governments for land uses with Activity Category G.

However, there are no tracts of undeveloped land within the study area.

7.0 CONCLUSION

Overall, noise levels for the Northern and Southern Options would range from 47 dBA to 86 dBA (see the Build Noise Impacts maps in Attachment C). Of the 5,219 receivers, 3,284 would be impacted under the Northern Option and 3,280 would be impacted under the Southern Option (see the Build Noise Impacts maps in Attachment C). Mitigation associated with the Northern Option and Southern Option would provide a benefit (at least a 5 dBA reduction in noise) for 1,766 and 1,842 receivers, respectively. Twenty-one noise walls were evaluated to mitigate traffic noise impacts to impacted receptors. Three noise walls will be replaced in-kind consistent with the UDOT Noise Abatement Policy. Thirteen noise walls are recommended and subject to final design and balloting (see Table 32). UDOT will conduct balloting consistent with the procedures described in the UDOT Noise Abatement Policy.

7.1 Summary of Evaluated Walls

Table 32 summarizes the evaluated walls for the Action Alternative.

Table 32: Action Alternative Evaluated Walls


Wall	Length (feet)*	Minimum Height (feet)*	Determination
1	—	—	Not Feasible; Not Recommended
2	1,651/1,704	16/10	Feasible and Reasonable; Recommended
3	—	—	Not Feasible; Not Recommended
4	4,199	16	Feasible and Reasonable; Recommended
5	12,345	17	Feasible and Reasonable; Recommended
6	4,481	16	Replace in-Kind
7	986	13	Replace in-Kind
8	—	—	Not Reasonable; Not Recommended
9	—	—	Not Reasonable; Not Recommended
10	3,381	13	Feasible and Reasonable; Recommended
11	1,880	14	Feasible and Reasonable; Recommended
12	4,343	12	Feasible and Reasonable; Recommended
13	1,370	14	Feasible and Reasonable; Recommended
14	1,557	15	Feasible and Reasonable; Recommended
15	—	—	Not Reasonable; Not Recommended
16	650	11	Feasible and Reasonable; Recommended
17	9,243	16	Feasible and Reasonable; Recommended
18	1,726/1,372	12	Feasible and Reasonable; Recommended
19	3,282/4,442	16	Feasible and Reasonable; Recommended
20	4,250	14	Feasible and Reasonable; Recommended
21	4,524	14	Replace in-Kind

* A single number indicates the same length or height under the Northern and Southern Options. Two numbers indicate differences in length or height between the Northern and Southern Options, respectively.

This page is intentionally left blank

**ATTACHMENT A: NOISE MEASUREMENT OVERVIEW MAP
AND DATASHEETS**

This page is intentionally left blank



N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**




0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area

18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map



- | | |
|---------------------|---------------------|
| Activity Category B | Activity Category E |
| Activity Category C | Activity Category F |
| Activity Category D | Activity Category G |
- Measurement Location ■ Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



Activity Category B Activity Category E
Activity Category C Activity Category F ● Measurement Location
Activity Category D Activity Category G □ Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



Legacy Parkway Trail

LEGACY PKWY

322.3

322.3

I-15

322.2

322.2

FRONTAGE RD

ML-6

1150 S

110 W

1100 S

SUNRISE LN



0 80 160
Feet

Activity Category B

Activity Category E

Activity Category C

Activity Category F


Activity Category D

Activity Category G


Measurement Location

Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



LEGACY PKWY



322
322
I-15
321.9
321.9
9.8

FRONTAGE RD

South Park



1470 S

ML-7

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map

- | | |
|---------------------|---------------------|
| Activity Category B | Activity Category E |
| Activity Category C | Activity Category F |
| Activity Category D | Activity Category G |

- Measurement Location
- Noise Study Area



Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area



**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



LEGACY PKWY



0 80 160
Feet



320.4 320.4
I-15
320.3 320.3


FRONTAGE RD

Community Park

ML-9

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map

- Activity Category B Activity Category E
 - Activity Category C Activity Category F
 - Activity Category D Activity Category G
- Measurement Location □ Noise Study Area



Activity Category B
Activity Category C
Activity Category D

Activity Category E
Activity Category F
Activity Category G

Measurement Location
Noise Study Area


18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



•319 •319

I-15

318.9 318.9

FRONTAGE RD

Young
Powersports
Centerville

400 S


ML-12

675 W

0 80 160
Feet

- | | |
|---------------------|---------------------|
| Activity Category B | Activity Category E |
| Activity Category C | Activity Category F |
| Activity Category D | Activity Category G |
- Measurement Location ■ Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**




0 80 160
Feet

Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map





0 80 160
Feet

Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map




Activity Category B
Activity Category C
Activity Category D

Activity Category E
Activity Category F
Activity Category G


Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



- Activity Category B
- Activity Category E
- Activity Category C
- Activity Category F
- Activity Category D
- Activity Category G
- Measurement Location
- Noise Study Area



Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G


Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



- | | |
|---------------------|---------------------|
| Activity Category B | Activity Category E |
| Activity Category C | Activity Category F |
| Activity Category D | Activity Category G |
- Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**





0 80 160
Feet

Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area


18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map



Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

● Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

● Measurement Location
■ Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**




N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

● Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



Storage Etc.

313.9
313.9

I-15

125 W
ML-25


175 N

150 N

MAPLE DR

50 W
200 N

Hatch Park



Activity Category B
Activity Category C
Activity Category D
Activity Category E
Activity Category F
Activity Category G

Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



0 80 160
Feet



Activity Category B Activity Category E
 Activity Category C Activity Category F
 Activity Category D Activity Category G

Measurement Location
 Noise Study Area

**18857: I-15; 600 North to Farmington
*Noise Monitoring Locations Map***





N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

● Measurement Location
■ Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



0 80 160
Feet

Activity Category B Activity Category E
Activity Category C Activity Category F
Activity Category D Activity Category G

Measurement Location
Noise Study Area


18857: I-15; 600 North to Farmington Noise Monitoring Locations Map



N
0 80 160
Feet

- | | | | |
|--|---------------------|--|---------------------|
| | Activity Category B | | Activity Category E |
| | Activity Category C | | Activity Category F |
| | Activity Category D | | Activity Category G |
- Measurement Location ■ Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



0 80 160
Feet

Activity Category B
Activity Category C
Activity Category D
Activity Category E
Activity Category F
Activity Category G

Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington *Noise Monitoring Locations Map*



**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



0 80 160
Feet

Activity Category B

Activity Category C

Activity Category D


Activity Category E

Activity Category F

Activity Category G

● **Measurement Location**

Noise Study Area




N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map




N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area


18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map



Activity Category B
Activity Category C
Activity Category D
Activity Category E
Activity Category F
Activity Category G

Measurement Location
Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map




N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

- Measurement Location
- Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

Measurement Location
Noise Study Area

**18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map**



N
0 80 160
Feet

Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

Measurement Location

Noise Study Area

18857: I-15; 600 North to Farmington
Noise Monitoring Locations Map



Activity Category B	Activity Category E
Activity Category C	Activity Category F
Activity Category D	Activity Category G

● Measurement Location
■ Noise Study Area

18857: I-15; 600 North to Farmington Noise Monitoring Locations Map

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/15/2021	Location: ML-3, Lagoon RV Park & Campground (375 Lagoon Drive, Farmington)	Relative elevation to road:	
Time Started: 3:38pm	Weather Conditions: 67° mostly sunny 33% humidity 5 mph wind Handheld Weather Station	Additional Information: Leq: 66 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 3:59pm		Date file was downloaded:	
Calibration			
Pre: 116.5 dBA			
Post: 116.5 dBA		File name: 027	

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 NB OFR	
Automobiles	3,104	151	3,008	362	25	
Heavy Trucks	415	26	436	64	45	
Medium Trucks	366	-	364	4	222	
Buses/Motorcycles	850	27	14	5	0	
Observed Speed	76 MPH	81 MPH	74 MPH	80 MPH	40 MPH	

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Car door slam	11	Yelling/car horn
2		12	
3		13	
4		14	Car horn
5		15	Car horn
6		16	Car horn
7		17	
8	Car door slam	18	
9		19	
10	Car horn	20	



Overview of ML-3

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-4, Covington Senior Living (430 South Brookside Drive, Farmington)	Relative elevation to road:	
Time Started: 2:06pm	Weather Conditions: 43° mostly sunny 41% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 60 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 2:26pm		Date file was downloaded:	
Calibration			
Pre: 94.2 dBA			
Post: 93.8 dBA		File name: SDL600-SLB01013	

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 NB OFR	I-15 SB ONR
Automobiles	3,001	272	2,672	376	473	-
Heavy Trucks	688	48	642	40	20	-
Medium Trucks	453	5	489	5	81	-
Buses/Motorcycles	338	35	18	4	13	-
Observed Speed	76 MPH	79 MPH	76 MPH	78 MPH	40 MPH	-

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Heavy truck (200 W)	11	
2		12	Plane/Talking
3		13	
4		14	
5		15	Heavy Truck (200 W)
6	Dog barking/Plane	16	
7		17	Plane
8		18	
9		19	
10	Talking	20	



Overview of ML-4

Legacy NB	Legacy SB
961	711
165	193
161	196
107	1
68 MPH	70 MPH

Traffic Data Summary Notes:

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-5, Residence (53 West Glovers Lane, Farmington)	Relative elevation to road:	
Time Started: 1:40pm	Weather Conditions: 43° partly cloudy 44% humidity 2 mph wind Handheld Weather Station	Additional Information: Leq: 67 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 2:00pm		Date file was downloaded:	
Calibration		File name: SDL600-SLB01013	
Pre: 94.2 dBA			
Post: 93.6 dBA			

Site Map:



	200 W Frontage NB	200 W Frontage SB	I-15 NB HOV	I-15 NB	I-15 SB HOV	I-15 SB
Automobiles	27	17	211	2,833	312	2,576
Heavy Trucks	2	2	0	428	3	464
Medium Trucks	-	-	12	426	45	417
Buses/Motorcycles	-	-	42	48	3	5
Observed Speed	40 MPH	40 MPH	78 MPH	72 MPH	79 MPH	75 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	Heavy trucks (200 W)
3	Heavy trucks (200 W)	13	
4		14	
5		15	Heavy trucks (200 W)
6		16	
7	Heavy trucks (200 W)	17	
8		18	Bus on 200 W
9		19	
10	Heavy trucks (200 W)	20	



Overview of ML-5

Legacy NB	Legacy SB	I-15 SB ONR	I-15 NB ONR
634	576	-	385
183	191	-	18
130	162	-	84
75	0	-	8
67 MPH	70 MPH	-	70 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-6, Residence (1138 South 110 West, Farmington)	Relative elevation to road:	
Time Started: 1:15pm	Weather Conditions: 43° partly cloudy 44% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 67 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 1:35pm		Date file was downloaded:	
Calibration		File name: SDL600-SLB01013	
Pre: 94.2 dBA			
Post: 93.7 dBA			

Site Map:



	200 W Frontage NB	200 W Frontage NB	I-15 NB HOV	I-15 NB	I-15 SB HOV	I-15 SB
Automobiles	10	7	211	2,833	312	2,576
Heavy Trucks	3	3	0	428	3	464
Medium Trucks	-	-	12	426	45	417
Buses/Motorcycles	-	-	42	48	3	5
Observed Speed	40 MPH	40 MPH	78 MPH	72 MPH	79 MPH	75 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7	Heavy Truck (I-15)	17	Heavy truck (200 W)
8		18	Heavy truck (I-15)
9		19	
10	Plane	20	



Overview of ML-6

Legacy NB	Legacy SB	I-15 SB ONR
634	576	-
183	191	-
460	162	-
75	0	-
67 MPH	70 MPH	-

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/19/2021	Location: ML-7, South Park (1384 South Farmington Road, Farmington)	Relative elevation to road:	
Time Started: 8:36am	Weather Conditions: 37° cloudy 70% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 63 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 8:56am		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA		File name: 049	
Post: 94.2 dBA			

Site Map:



	200 W Frontage NB	200 W Frontage NB	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV
Automobiles	12	3	2,349	82	4,725	681
Heavy Trucks	1	2	462	2	461	3
Medium Trucks	2	-	389	6	669	73
Buses/Motorcycles	-	-	445	15	27	15
Observed Speed	40 MPH	40 MPH	77 MPH	79 MPH	77 MPH	80 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	Train
2		12	Talking/Laughing
3		13	Heavy truck (200 W)
4		14	
5		15	
6	Cars starting/Talking	16	
7		17	Back up beeper
8	Heavy truck (200 W)	18	Heavy truck (200 W)
9		19	Plane
10		20	



Overview of ML-7

Legacy NB	Legacy SB
482	565
360	412
299	821
1	1
70 MPH	72 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/19/2021	Location: ML-8, Residence (773 West 1875 North, Centerville)	Relative elevation to road:	
Time Started: 10:54am	Weather Conditions: 32° sunny 52% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 70 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 11:14am		Date file was downloaded:	
Calibration		File name: 028	
Pre: 116.5 dBA			
Post: 116.4 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	Legacy NB	Legacy SB
Automobiles	2,793	113	3,353	477	709	618
Heavy Trucks	496	1	479	2	199	211
Medium Trucks	403	3	542	48	163	126
Buses/Motorcycles	483	32	15	14	7	0
Observed Speed	75 MPH	78 MPH	75 MPH	78 MPH	70 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	Heavy Truck (Frontage Rd.)
2		12	
3	Talking	13	
4		14	
5		15	Heavy Truck (Frontage Rd.)
6		16	Heavy Truck (Frontage Rd.)
7		17	Heavy Truck (Frontage Rd.)
8		18	Heavy Truck (Frontage Rd.)
9		19	
10		20	



Overview of ML-8

Traffic Data Summary Notes:

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/17/2021	Location: ML-9, Community Park (1350 North 400 West, Centerville)	Relative elevation to road:	
Time Started: 11:35am	Weather Conditions: 37° sunny 45% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 73 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 11:55am		Date file was downloaded:	
Calibration		File name: 030	
Pre: 116.5 dBA			
Post: 116.4 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	Legacy NB	Legacy SB
Automobiles	2,489	157	2,815	369	408	316
Heavy Trucks	517	2	478	1	199	208
Medium Trucks	608	27	665	72	234	295
Buses/Motorcycles	65	5	8	2	0	0
Observed Speed	79 MPH	78 MPH	76 MPH	78 MPH	72 MPH	74 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Heavy Truck (Frontage Rd.)	11	
2	Talking	12	
3		13	
4		14	
5		15	
6		16	
7		17	Motorcycle
8		18	
9		19	
10	Heavy Truck	20	



Overview of ML-9

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-10, McDonald's (529 North 700 West, Centerville)	Relative elevation to road:	
Time Started: 3:05pm	Weather Conditions: 43° partly cloudy 37% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 66 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 3:25pm		Date file was downloaded:	
Calibration		File name: 044	
Pre: 94.0 dBA			
Post: 94.4 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 NB ONR	I-15 SB	I-15 SB HOV	I-15 SB OFR
Automobiles	4,109	520	649	3,000	381	99
Heavy Trucks	366	7	19	435	2	99
Medium Trucks	492	85	60	570	43	434
Buses/Motorcycles	26	5	-	231	83	11
Observed Speed	77 MPH	82 MPH	70 MPH	77 MPH	80 MPH	40 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Car horn	11	Construction/Nail gun
2		12	Construction/Nail gun
3		13	Construction/Nail gun
4		14	
5		15	
6		16	Trash emptied
7	Construction/Nail gun	17	
8	Construction/Nail gun	18	Talking
9	Construction/Nail gun	19	
10	Construction/Nail gun	20	



Overview of ML-10

I-15 NB OFR	I-15 SB ONR
391	533
488	90
50	22
17	0
40 MPH	70 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-11, Maverik (1265 West Parrish Lane, Centerville)	Relative elevation to road:	
Time Started: 3:40pm	Weather Conditions: 45° mostly sunny 39% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 61 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 4:00pm		Date file was downloaded:	
Calibration		File name: 045	
Pre: 94.0 dBA			
Post: 94.2 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	Legacy NB	Legacy SB
Automobiles	4,109	520	3,000	381	1,142	766
Heavy Trucks	366	7	435	2	160	208
Medium Trucks	492	85	570	43	827	145
Buses/Motorcycles	26	5	231	83	4	5
Observed Speed:	78 MPH	82 MPH	77 MPH	80 MPH	75 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3	Jets	13	
4		14	
5	Jets	15	
6		16	
7		17	
8	UPS truck idling/Door slam	18	
9		19	
10		20	



Overview of ML-11

Legacy NB ONR	Legacy NB OFR	Legacy SB OFR	Legacy SB ONR
22	204	134	38
40	11	7	41
141	38	26	100
2	0	0	1
70 MPH	40 MPH	40 MPH	70 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-12, Residence (402 South 675 West, Centerville)	Relative elevation to road:	
Time Started: 2:18pm	Weather Conditions: 45° mostly sunny 37% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 62 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 2:38pm		Date file was downloaded:	
Calibration		File name: 046	
Pre: 94.0 dBA			
Post: 94.2 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	NB OFR	SB ONR
Automobiles	3,689	406	2,716	713	344	494
Heavy Trucks	651	14	497	17	65	21
Medium Trucks	950	48	578	101	427	57
Buses/Motorcycles	62	14	9	-	21	0
Observed Speed	76 MPH	78 MPH	76 MPH	79 MPH	40 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	
10		20	



Overview of ML-12

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-14, Country Inn & Suites (999 North 500 West, Bountiful)	Relative elevation to road:	
Time Started: 12:08pm	Weather Conditions: 43° partly cloudy 42% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 72 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 12:28pm		Date file was downloaded:	
Calibration		File name: 043	
Pre: 94.0 dBA			
Post: 93.7 dBA			

Site Map:



	I-15 NB HOV	I-15 NB	I-15 SB HOV	I-15 SB	I-15 NB ONR	I-15 SB OFR
Automobiles	534	2,182	384	1,704	-	343
Heavy Trucks	124	398	218	202	-	120
Medium Trucks	81	372	267	1,246	-	224
Buses/Motorcycles	2	9	2	2	-	8
Observed Speed	67 MPH	73 MPH	73 MPH	74 MPH	-	40 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Heavy truck (I-15)	11	
2		12	Heavy truck (I-15)
3		13	
4		14	
5		15	
6		16	
7	Heavy truck (I-15)	17	
8	Heavy truck (I-15)	18	
9		19	
10		20	Heavy truck (I-15)



Overview of ML-14

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-15, Residence (417 North 660 West, West Bountiful)	Relative elevation to road:	
Time Started: 11:14am	Weather Conditions: 39° partly cloudy 44% humidity 2 mph wind Handheld Weather Station	Additional Information: Leq: 62 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 11:34am		Date file was downloaded:	
Calibration		File name: 041	
Pre: 94.0 dBA			
Post: 93.4 dBA			

Site Map:



	I-15 NB HOV	I-15 NB	I-15 SB HOV	I-15 SB	I-15 NB OFR	I-15 SB ONR
Automobiles	185	2,138	254	2,612	65	328
Heavy Trucks	3	602	2	511	85	17
Medium Trucks	32	674	41	474	278	65
Buses/Motorcycles	12	54	3	23	7	0
Observed Speed	83 MPH	79 MPH	80 MPH	73 MPH	40 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2	Trailer on 660 W.	12	
3		13	Train
4		14	Train
5		15	Train
6		16	Train
7		17	
8		18	
9		19	
10		20	



Overview of ML-15

Traffic Data Summary Notes:

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/17/2021	Location: ML-18, Residence (680 West 500 South, West Bountiful)	Relative elevation to road:	
Time Started: 2:37pm	Weather Conditions: 39° sunny 38% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 67 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 2:58pm		Date file was downloaded:	
Calibration		File name: 036	
Pre: 96.5 dBA			
Post: 96.1 dBA			

Site Map:

NO PHOTO

	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	SB OFR	NB OFR
Automobiles	2,614	304	2,442	240	19	70
Heavy Trucks	664	10	467	2	286	94
Medium Trucks	1,054	95	524	45	143	473
Buses/Motorcycles	23	20	10	1	13	6
Observed Speed	78 MPH	82 MPH	74 MPH	81 MPH	40 MPH	40 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2	Airplane	12	Strong wind
3		13	
4	Loud car music	14	
5		15	Airplane
6		16	
7	Heavy truck	17	
8		18	
9		19	
10		20	



Overview of ML-18

NB ONR	SB ONR
5,229	474
453	31
1,848	56
10	2
70 MPH	70 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/12/2021	Location: ML-19, Woods Cross Elementary School (745 West 1100 South, Woods Cross)	Relative elevation to road:	
Time Started: 3:35pm	Weather Conditions: 61° partly cloudy 47% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 68 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 3:55pm		Date file was downloaded:	
Calibration		File name: 022	
Pre: 94.0 dBA			
Post: 94.1 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 SB ONR	I-15 NB OFR
Automobiles	4,728	810	3,478	397	511	83
Heavy Trucks	428	8	439	3	15	87
Medium Trucks	931	120	866	50	59	553
Buses/Motorcycles	11	17	229	43	3	5
Observed Speed	72 MPH	76 MPH	71 MPH	76 MPH	70 MPH	40 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	Heavy bass (radio)
4		14	
5	Heavy Truck	15	
6		16	
7		17	
8	Plane	18	
9		19	
10		20	



Overview of ML-19

Traffic Data Summary Notes:

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/12/2021	Location: ML-20, Woods Cross High School (600 West 2200 South, Woods Cross)	Relative elevation to road:	
Time Started: 4:10pm	Weather Conditions: 61° partly cloudy 48% humidity 4 mph wind Handheld Weather Station	Additional Information: Leq: 71 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 4:30pm		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA			
Post: 93.5 dBA		File name: 023	

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV		
Automobiles	4,791	548	3,843	532		
Heavy Trucks	331	17	352	7		
Medium Trucks	1,011	100	700	82		
Buses/Motorcycles	159	41	15	2		
Observed Speed	71 MPH	75 MPH	73 MPH	77 MPH		

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Plane	11	Heavy truck (I-15)
2	Heavy truck (I-15)	12	Heavy truck (I-15)
3	Heavy truck (I-15)	13	Heavy truck (I-15)/Plane
4	Heavy truck (I-15)	14	Heavy truck (I-15)
5	Heavy truck (I-15)	15	Heavy truck (I-15)
6	Heavy truck (I-15)	16	Heavy truck (I-15)
7	Heavy truck (I-15)	17	Heavy truck (I-15)/Motorcycle
8	Heavy truck (I-15)	18	Heavy truck (I-15)
9	Heavy truck (I-15)	19	Heavy truck (I-15)
10	Heavy truck (I-15)	20	Heavy truck (I-15)



Overview of ML-20

Traffic Data Summary Notes:

Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-24, Residence (106 Wilson Rd, North Salt Lake)	Relative elevation to road:	
Time Started: 4:09pm	Weather Conditions: 45° partly cloudy 45% humidity 5 mph wind Handheld Weather Station	Additional Information: Leq: 70 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 4:29pm		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA			
Post: 94.2 dBA		File name: 048	

Site Map:



	Frontage Rd. (NB)	Frontage Rd. (SB)	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV
Automobiles	6	-	4,787	890	3,917	412
Heavy Trucks	-	-	459	52	480	7
Medium Trucks	-	-	1,330	220	875	76
Buses/Motorcycles	-	-	38	20	18	2
Observed Speed	25 MPH	25 MPH	72 MPH	75 MPH	75 MPH	78 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	Heavy Truck (I-15)
3		13	Heavy Truck (I-15)
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	Plane
10		20	



Overview of ML-24

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/15/2021	Location: ML-25, Residence (158 North 125 West, North Salt Lake)	Relative elevation to road:	
Time Started: 2:55pm	Weather Conditions: 67° mostly sunny 33% humidity 6 mph wind Handheld Weather Station	Additional Information: Leq: 73 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 3:15pm		Date file was downloaded:	
Calibration		File name: SDL600-SLC01012	
Pre: 94.0 dBA			
Post: 93.0 dBA			

Site Map:



	125 W	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 SB OFR
Automobiles	5	4,386	647	3,136	275	-
Heavy Trucks	-	440	4	445	4	-
Medium Trucks	-	896	66	596	39	-
Buses/Motorcycles	-	163	13	11	2	-
Observed Speed	25 MPH	72 MPH	78 MPH	77 MPH	81 MPH	-

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9	Helicopter	19	
10		20	



Overview of ML-25

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/16/2021	Location: ML-28, Rosewood Park (1400 North 1200 West, Salt Lake City)	Relative elevation to road:	
Time Started: 1:25pm	Weather Conditions: 54° partly cloudy 56% humidity 11 mph wind Handheld Weather Station	Additional Information: Leq: 69 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 1:47pm		Date file was downloaded:	
Calibration		File name: SDL600-SLC01013	
Pre: 94.0 dBA			
Post: 94.0 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 NB ONR	I-15 SB OFR
Automobiles	2,105	262	2,035	172	-	-
Heavy Trucks	403	2	418	7	-	-
Medium Trucks	833	40	682	39	-	-
Buses/Motorcycles	14	0	7	1	-	-
Observed Speed	75 MPH	78 MPH	75 MPH	79 MPH	-	-

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	
10		20	



Overview of ML-28

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/16/2021	Location: ML-29, Residence (948 Poinsettia Drive, Salt Lake City)	Relative elevation to road:	
Time Started: 2:57pm	Weather Conditions: 55° mostly sunny 54% humidity 15 mph wind Handheld Weather Station	Additional Information: Leq: 68 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 3:15pm		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA		File name: SDL600-SLC01013	
Post: 94.4 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 SB ONR	I-15 NB ONR (at 600 N)
Automobiles	2,505	472	2,294	268	398	238
Heavy Trucks	485	22	468	18	22	11
Medium Trucks	1,518	126	846	106	51	92
Buses/Motorcycles	27	31	18	1	0	0
Observed Speed	75 MPH	79 MPH	74 MPH	80 MPH	70 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	
10		20	



Overview of ML-29

	1000 N EB	1000 N WB
Automobiles	789	789
Heavy Trucks	0	0
Medium Trucks	9	9
Buses/Motorcycles	9/9	9/9
Observed Speed	35 MPH	35 MPH

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/18/2021	Location: ML-30, Santo Taco (910 North 900 West, Salt Lake City)	Relative elevation to road:	
Time Started: 3:32pm	Weather Conditions: 45° partly cloudy 44% humidity 3 mph wind Handheld Weather Station	Additional Information: Leq: 63 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended: 3:52pm		Date file was downloaded:	
Calibration		File name: 047	
Pre: 94.0 dBA			
Post: 94.1 dBA			

Site Map:



	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 SB ONR	I-15 NB ONR (at 600 N)
Automobiles	2,574	476	2,393	269	350	250
Heavy Trucks	463	23	547	18	17	21
Medium Trucks	1,542	172	942	135	52	78
Buses/Motorcycles	52	15	29	1	2	0
Observed Speed	75 MPH	79 MPH	74 MPH	80 MPH	70 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	Heavy truck
2		12	
3		13	Helicopter
4		14	
5		15	
6		16	Helicopter
7		17	
8		18	
9		19	Plane
10	Leaf blower	20	



Overview of ML-30

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/17/2021	Location: ML-32, Residence (578 North 400 West, Salt Lake City)	Relative elevation to road:	
Time Started: 11:13am	Weather Conditions: 39° sunny 47% humidity 6 mph wind Handheld Weather Station	Additional Information: Leq: 71 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 11:33am		Date file was downloaded:	
Calibration		File name: SDL600-SLB01013	
Pre: 94.0 dBA			
Post: 93.0 dBA			

Site Map:

NO PHOTO

	600 N (10 minute count 11:15-11:25am)	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 SB ONR
Automobiles	202	1,245	182	2,333	211	407
Heavy Trucks	47	546	12	425	19	124
Medium Trucks	38	915	50	716	69	180
Buses/Motorcycles	-	25	10	26	2	1
Observed Speed	35 MPH	73 MPH	77 MPH	71 MPH	77 MPH	70 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	Air compressor
10		20	



Overview of ML-32

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/19/2021	Location: ML-33, Mary W. Jackson Elementary School (750 West 200 North, Salt Lake City)	Relative elevation to road:	
Time Started: 2:41pm	Weather Conditions: 46° cloudy 58% humidity 6 mph wind Handheld Weather Station	Additional Information: Leq: 67 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 3:01pm		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA			
Post: 93.9 dBA		File name: 050	

Site Map:



	700 W (NB)	700 W (SB)	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV
Automobiles	5	1	3,781	510	2,846	374
Heavy Trucks	-	-	465	4	539	2
Medium Trucks	-	-	1,023	109	1,323	97
Buses/Motorcycles	-	-	10	0	305	71
Observed Speed	25 MPH	25 MPH	72 MPH	81 MPH	76 MPH	84 MPH

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1		11	
2		12	
3		13	
4		14	
5		15	
6		16	
7		17	
8		18	
9		19	Air compressor
10		20	



Overview of ML-33

Traffic Data Summary Notes:


Test No.: 1	Project Name: I-15: 600 North to Farmington	PIN: 18857 Project No.: S-I15-7(369)309	Sheet 1 of 1
Date: 11/17/2021	Location: ML-37, King's Peak Coffee Roasters (412 South 700 West Suite 140, Salt Lake City)	Relative elevation to road:	
Time Started: 1:08pm	Weather Conditions: 39° sunny 47% humidity 6 mph wind Handheld Weather Station	Additional Information: Leq: 59 dBA Meter Setting: Slow Traffic Count: Taken from UDOT PeMS hourly data	
Time Ended 1:28pm		Date file was downloaded:	
Calibration			
Pre: 94.0 dBA			
Post: 94.2 dBA		File name: SDL600-SLB01013	

Site Map:

NO PHOTO

	700 W	I-15 NB	I-15 NB HOV	I-15 SB	I-15 SB HOV	I-15 NB COL
Automobiles	8	2,035	223	2,080	215	-
Heavy Trucks	4	380	2	428	-	-
Medium Trucks	1	760	29	537	46	-
Buses/Motorcycles	-	87	34	2	-	-
Observed Speed	-	79 MPH	80 MPH	75 MPH	81 MPH	-

Elapsed Time (min)	Comments	Elapsed Time (min)	Comments
1	Passerby	11	Dump truck
2	Truck	12	
3		13	
4	Passerby	14	
5	Airplane	15	
6		16	
7		17	
8		18	
9		19	
10	Dump truck	20	Alarm



Overview of ML-37

	I-15 NB OFR	I-15 SB ONR	I-15 NB OFC	I-15 SB OFR	I-15 NB OFC	I-15 NB ONR
Automobiles	-	-	-	-	-	-
Heavy Trucks	-	-	-	-	-	-
Medium Trucks	-	-	-	-	-	-
Buses/Motorcycles	-	-	-	-	-	-
Observed Speed	-	-	-	-	-	-
	I-15 SB COL	I-80 EB OFR	I-15 SB ONC			
Automobiles	-	-	-			
Heavy Trucks	-	-	-			
Medium Trucks	-	-	-			
Buses/Motorcycles	-	-	-			
Observed Speed	-	-	-			

Traffic Data Summary Notes:

**ATTACHMENT B: SUMMARY OF EXISTING AND ACTION
ALTERNATIVE NOISE LEVELS**

This page is intentionally left blank

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
88	C	51C	1	66	62	64	No	No	2
89	C	1021C	1	66	64	65	No	No	1
90	C	1022C	1	66	63	64	No	No	1
91	C	1020C	1	66	65	67	No	Yes	2
92	C	1023C	1	66	62	63	No	No	1
93	C	1025C	1	66	64	65	No	No	1
94	C	1024C	1	66	65	66	No	Yes	1
95	C	1019C	1	66	66	68	No	Yes	2
96	C	1026C	1	66	63	64	No	No	1
97	C	1027C	1	66	63	64	No	No	1
98	B	55B	1	66	68	70	No	Yes	2
99	B	54B	1	66	66	69	No	Yes	3
100	B	53B	1	66	63	65	No	No	2
101	B	977B	1	66	59	61	No	No	2
102	B	52B	1	66	61	63	No	No	2
103	B	978B	1	66	58	60	No	No	2
104	B	984B	1	66	65	68	No	Yes	3
105	B	985B	1	66	63	66	No	Yes	3
106	B	986B	1	66	64	66	No	Yes	2
107	B	983B	1	66	71	74	No	Yes	3
108	B	987B	1	66	63	65	No	No	2
109	C	989C	1	66	75	N/A*	-	-	-
110	B	982B	1	66	72	74	No	Yes	2
111	B	988B	1	66	63	65	No	No	2
112	B	56B	1	66	73	74	No	Yes	1
113	B	57B	1	66	74	75	No	Yes	1
114	B	60B	1	66	68	70	No	Yes	2
115	B	61B	1	66	68	69	No	Yes	1
116	B	59B	1	66	71	73	No	Yes	2
117	B	58B	1	66	72	74	No	Yes	2
118	B	62B	1	66	64	65	No	No	1
119	B	63B	1	66	66	67	No	Yes	1
120	B	65B	1	66	72	72	No	Yes	0
121	B	64B	1	66	69	69	No	Yes	0
122	B	67B	1	66	79	N/A*	-	-	-
123	B	66B	1	66	76	77	No	Yes	1
124	B	73B	1	66	68	68	No	Yes	0
125	B	71B	1	66	73	73	No	Yes	0

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
126	B	29B	1	66	65	65	No	No	0
127	B	77B	1	66	63	63	No	No	0
128	B	68B	1	66	77	80	No	Yes	3
129	B	715B	1	66	62	64	No	No	2
130	B	75B	1	66	65	67	No	Yes	2
131	B	69B	1	66	78	N/A*	—	—	—
132	B	30B	1	66	62	63	No	No	1
133	B	714B	1	66	65	69	No	Yes	4
134	B	76B	1	66	69	72	No	Yes	3
135	B	70B	1	66	77	82	No	Yes	5
136	B	74B	1	66	71	75	No	Yes	4
137	B	72B	1	66	74	78	No	Yes	4
138	B	78B	1	66	68	71	No	Yes	3
139	B	47B	1	66	70	70	No	Yes	0
140	C	79C	1	66	70	73	No	Yes	3
141	B	46B	1	66	70	70	No	Yes	0
142	B	31B	1	66	66	67	No	Yes	1
143	B	45B	1	66	71	71	No	Yes	0
144	B	44B	1	66	71	71	No	Yes	0
145	B	33B	1	66	66	66	No	Yes	0
146	B	32B	1	66	65	65	No	No	0
147	B	34B	1	66	66	67	No	Yes	1
148	B	43B	1	66	72	72	No	Yes	0
149	B	35B	1	66	66	67	No	Yes	1
150	C	668C	1	66	55	57	No	No	2
151	C	669C	1	66	54	55	No	No	1
152	B	36B	1	66	65	66	No	Yes	1
153	B	42B	1	66	72	72	No	Yes	0
154	B	37B	1	66	66	66	No	Yes	0
155	D	671D	1	51	22	23	No	No	1
156	D	670D	1	51	40	42	No	No	2
157	B	41B	1	66	73	73	No	Yes	0
158	B	38B	1	66	64	64	No	No	0
159	B	39B	1	66	62	62	No	No	0
160	B	40B	1	66	68	68	No	Yes	0
161	B	48B	1	66	62	63	No	No	1
162	B	49B	1	66	73	73	No	Yes	0

* Proposed Action noise level not applicable due to total acquisition of the parcel.

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
163	B	50B	1	66	73	74	No	Yes	1
164	D	1029D	1	51	24	31	No	No	7
165	B	83B	1	66	56	58	No	No	2
166	B	84B	1	66	56	60	No	No	4
167	B	85B	1	66	57	61	No	No	4
168	B	86B	1	66	57	61	No	No	4
169	B	88B	1	66	62	67	No	Yes	5
170	B	87B	1	66	57	62	No	No	5
171	B	89B	1	66	57	62	No	No	5
172	B	91B	1	66	58	63	No	No	5
173	B	92B	1	66	59	63	No	No	4
174	B	90B	1	66	57	63	No	No	6
175	B	93B	1	66	60	63	No	No	3
176	B	94B	1	66	60	63	No	No	3
177	B	667B	1	66	57	61	No	No	4
178	B	666B	1	66	58	61	No	No	3
179	B	95B	1	66	58	62	No	No	4
180	B	96B	1	66	59	62	No	No	3
181	B	97B	1	66	60	64	No	No	4
182	B	777B	1	66	64	64	No	No	0
183	B	98B	1	66	61	65	No	No	4
184	B	778B	1	66	65	65	No	No	0
185	B	779B	1	66	67	68	No	Yes	1
186	B	780B	1	66	73	73	No	Yes	0
187	B	99B	1	66	62	67	No	Yes	5
188	B	976B	1	66	55	59	No	No	4
189	B	975B	1	66	55	60	No	No	5
190	B	974B	1	66	56	60	No	No	4
191	B	973B	1	66	56	61	No	No	5
192	B	100B	1	66	63	67	No	Yes	4
193	B	972B	1	66	57	62	No	No	5
194	B	101B	1	66	63	68	No	Yes	5
195	B	781B	1	66	74	74	No	Yes	0
196	B	971B	1	66	61	63	No	No	2
197	B	102B	1	66	64	68	No	Yes	4
198	B	784B	1	66	61	62	No	No	1
199	B	785B	1	66	61	61	No	No	0

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
200	B	970B	1	66	62	64	No	No	2
201	B	783B	1	66	63	63	No	No	0
202	B	782B	1	66	67	67	No	Yes	0
203	B	768B	1	66	64	64	No	No	0
204	B	769B	1	66	66	66	No	Yes	0
205	B	969B	1	66	61	63	No	No	2
206	B	770B	1	66	70	70	No	Yes	0
207	B	103B	1	66	65	67	No	Yes	2
208	B	968B	1	66	61	63	No	No	2
209	B	104B	1	66	65	68	No	Yes	3
210	B	967B	1	66	61	63	No	No	2
211	B	771B	1	66	71	71	No	Yes	0
212	B	105B	1	66	66	68	No	Yes	2
213	B	966B	1	66	61	63	No	No	2
214	B	965B	1	66	61	63	No	No	2
215	B	963B	1	66	58	59	No	No	1
216	B	964B	1	66	58	59	No	No	1
217	B	106B	1	66	66	68	No	Yes	2
218	B	775B	1	66	63	63	No	No	0
219	B	776B	1	66	61	61	No	No	0
220	B	774B	1	66	62	63	No	No	1
221	B	772B	1	66	72	72	No	Yes	0
222	B	107B	1	66	67	68	No	Yes	1
223	B	665B	1	66	58	59	No	No	1
224	B	108B	1	66	63	64	No	No	1
225	B	109B	1	66	60	62	No	No	2
226	B	110B	1	66	60	61	No	No	1
227	B	111B	1	66	59	61	No	No	2
228	B	767B	1	66	63	63	No	No	0
229	B	773B	1	66	65	65	No	No	0
230	B	766B	1	66	66	66	No	Yes	0
231	B	765B	1	66	74	75	No	Yes	1
232	B	125B	1	66	68	67	No	Yes	-1
233	B	124B	1	66	67	66	No	Yes	-1
234	B	122B	1	66	66	65	No	No	-1
235	B	123B	1	66	67	65	No	No	-2
236	B	121B	1	66	65	64	No	No	-1
237	B	120B	1	66	65	63	No	No	-2
238	B	116B	1	66	63	62	No	No	-1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
239	B	119B	1	66	63	62	No	No	-1
240	B	118B	1	66	63	62	No	No	-1
241	B	117B	1	66	63	62	No	No	-1
242	B	112B	1	66	62	61	No	No	-1
243	B	115B	1	66	62	60	No	No	-2
244	B	114B	1	66	61	60	No	No	-1
245	B	113B	1	66	60	60	No	No	0
246	B	764B	1	66	74	74	No	Yes	0
247	B	126B	1	66	68	67	No	Yes	-1
248	B	761B	1	66	62	62	No	No	0
249	B	762B	1	66	63	63	No	No	0
250	B	763B	1	66	67	67	No	Yes	0
251	B	755B	1	66	62	62	No	No	0
252	B	756B	1	66	64	65	No	No	1
253	B	760B	1	66	73	73	No	Yes	0
254	B	127B	1	66	69	68	No	Yes	-1
255	B	128B	1	66	70	69	No	Yes	-1
256	B	759B	1	66	69	69	No	Yes	0
257	B	758B	1	66	62	62	No	No	0
258	B	757B	1	66	64	64	No	No	0
259	B	129B	1	66	65	65	No	No	0
260	B	130B	1	66	66	66	No	Yes	0
261	B	131B	1	66	66	66	No	Yes	0
262	C	80C	1	66	70	70	No	Yes	0
263	B	132B	1	66	66	66	No	Yes	0
264	B	133B	1	66	66	66	No	Yes	0
265	B	710B	1	66	61	61	No	No	0
266	B	660B	1	66	63	63	No	No	0
267	B	659B	1	66	64	64	No	No	0
268	B	711B	2	66	59	60	No	No	1
269	B	712B	2	66	59	60	No	No	1
270	B	134B	1	66	68	68	No	Yes	0
271	B	135B	1	66	68	68	No	Yes	0
272	B	136B	1	66	68	68	No	Yes	0
273	B	713B	2	66	59	60	No	No	1
274	B	137B	1	66	68	68	No	Yes	0
275	B	138B	1	66	68	68	No	Yes	0
276	C	81C	1	66	67	67	No	Yes	0
277	B	708B	2	66	59	61	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
278	B	139B	1	66	68	68	No	Yes	0
279	B	140B	1	66	68	69	No	Yes	1
280	B	709B	2	66	58	60	No	No	2
281	B	141B	1	66	68	68	No	Yes	0
282	B	915B	1	66	61	62	No	No	1
283	B	652B	1	66	60	61	No	No	1
284	B	664B	1	66	65	65	No	No	0
285	B	663B	1	66	63	64	No	No	1
286	B	661B	1	66	62	63	No	No	1
287	B	662B	1	66	63	64	No	No	1
288	B	144B	1	66	64	65	No	No	1
289	B	143B	1	66	61	62	No	No	1
290	B	1097B	3	66	57	59	No	No	2
291	B	145B	1	66	66	66	No	Yes	0
292	B	1096B	3	66	61	62	No	No	1
293	B	142B	3	66	63	64	No	No	1
294	B	146B	1	66	67	68	No	Yes	1
295	B	147B	1	66	67	68	No	Yes	1
296	B	153B	1	66	64	65	No	No	1
297	B	653B	7	66	61	62	No	No	1
298	B	148B	1	66	67	68	No	Yes	1
299	B	152B	1	66	65	66	No	Yes	1
300	B	149B	1	66	67	69	No	Yes	2
301	B	151B	1	66	66	68	No	Yes	2
302	B	150B	1	66	68	71	No	Yes	3
303	B	654B	1	66	66	68	No	Yes	2
304	B	156B	1	66	68	70	No	Yes	2
305	B	155B	1	66	67	69	No	Yes	2
306	B	655B	1	66	67	68	No	Yes	1
307	B	656B	1	66	67	68	No	Yes	1
308	B	154B	1	66	67	69	No	Yes	2
309	B	658B	1	66	67	68	No	Yes	1
310	B	657B	1	66	67	68	No	Yes	1
311	B	82B	1	66	65	64	No	No	-1
312	B	650B	1	66	64	65	No	No	1
313	B	649B	1	66	64	66	No	Yes	2
314	B	648B	1	66	64	65	No	No	1
315	B	158B	1	66	66	69	No	Yes	3
316	B	160B	1	66	68	71	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
317	B	159B	1	66	64	67	No	Yes	3
318	B	161B	1	66	67	71	No	Yes	4
319	B	157B	1	66	63	66	No	Yes	3
320	B	162B	1	66	64	67	No	Yes	3
321	B	163B	1	66	65	68	No	Yes	3
322	B	165B	1	66	68	72	No	Yes	4
323	B	164B	1	66	67	71	No	Yes	4
324	B	651B	1	66	68	71	No	Yes	3
325	B	166B	1	66	71	74	No	Yes	3
326	B	167B	1	66	72	75	No	Yes	3
327	B	168B	1	66	73	77	No	Yes	4
328	B	174B	2	66	68	71	No	Yes	3
329	B	169B	1	66	74	77	No	Yes	3
330	B	170B	1	66	74	77	No	Yes	3
331	B	171B	1	66	74	77	No	Yes	3
332	B	175B	3	66	68	71	No	Yes	3
333	B	172B	1	66	72	77	No	Yes	5
334	B	173B	1	66	70	78	No	Yes	8
335	B	177B	1	66	67	72	No	Yes	5
336	B	176B	1	66	66	71	No	Yes	5
337	B	707B	1	66	65	69	No	Yes	4
338	B	178B	1	66	68	76	No	Yes	8
339	B	961B	1	66	65	72	No	Yes	7
340	B	179B	1	66	68	77	No	Yes	9
341	B	962B	1	66	64	70	No	Yes	6
342	B	1094B	1	66	65	70	No	Yes	5
343	B	180B	1	66	67	77	Yes	Yes	10
344	B	181B	1	66	67	77	Yes	Yes	10
345	B	1095B	3	66	65	70	No	Yes	5
346	B	182B	1	66	67	76	No	Yes	9
347	B	183B	1	66	67	76	No	Yes	9
348	B	184B	1	66	67	76	No	Yes	9
349	B	185B	1	66	68	75	No	Yes	7
350	B	647B	2	66	62	66	No	Yes	4
351	B	190B	3	66	65	70	No	Yes	5
352	B	186B	1	66	67	75	No	Yes	8
353	B	187B	1	66	68	75	No	Yes	7
354	B	646B	1	66	63	67	No	Yes	4
355	B	191B	1	66	65	70	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
356	B	188B	1	66	68	75	No	Yes	7
357	B	189B	1	66	68	75	No	Yes	7
358	B	645B	1	66	65	67	No	Yes	2
359	B	192B	1	66	66	70	No	Yes	4
360	B	195B	1	66	69	75	No	Yes	6
361	B	790B	1	66	64	67	No	Yes	3
362	B	193B	1	66	65	69	No	Yes	4
363	B	194B	1	66	67	71	No	Yes	4
364	B	196B	1	66	67	72	No	Yes	5
365	B	197B	1	66	65	68	No	Yes	3
366	B	198B	1	66	67	71	No	Yes	4
367	B	199B	1	66	71	75	No	Yes	4
368	B	706B	1	66	67	68	No	Yes	1
369	B	1150B	1	66	63	61	No	No	-2
370	B	1149B	1	66	69	66	No	Yes	-3
371	B	202B	1	66	72	73	No	Yes	1
372	B	200B	1	66	68	68	No	Yes	0
374	B	203B	1	66	72	73	No	Yes	1
375	B	1092B	1	66	66	67	No	Yes	1
376	B	205B	1	66	75	N/A*	—	—	—
377	B	204B	3	66	65	67	No	Yes	2
379	B	208B	1	66	71	73	No	Yes	2
380	B	207B	1	66	76	N/A*	—	—	—
381	B	1093B	1	66	65	67	No	Yes	2
382	B	704B	1	66	65	67	No	Yes	2
383	B	209B	1	66	69	70	No	Yes	1
384	B	210B	1	66	75	78	No	Yes	3
385	B	211B	1	66	76	80	No	Yes	4
386	B	212B	1	66	76	80	No	Yes	4
387	B	1088B	3	66	64	65	No	No	1
388	B	1090B	3	66	71	74	No	Yes	3
389	B	213B	1	66	76	80	No	Yes	4
390	C	1028C	1	66	62	64	No	No	2
391	B	214B	1	66	76	80	No	Yes	4
392	B	1089B	1	66	66	67	No	Yes	1
393	B	1091B	1	66	71	74	No	Yes	3
394	B	215B	1	66	76	79	No	Yes	3
395	B	216B	1	66	76	79	No	Yes	3
396	B	217B	1	66	74	77	No	Yes	3

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
397	B	218B	1	66	70	71	No	Yes	1
398	B	705B	1	66	65	66	No	Yes	1
399	B	219B	1	66	66	68	No	Yes	2
400	B	220B	1	66	72	74	No	Yes	2
401	B	221B	1	66	75	78	No	Yes	3
402	B	222B	1	66	71	76	No	Yes	5
403	B	229B	1	66	68	71	No	Yes	3
404	B	223B	1	66	71	76	No	Yes	5
405	B	230B	1	66	67	70	No	Yes	3
406	B	224B	1	66	70	76	No	Yes	6
407	B	231B	1	66	67	70	No	Yes	3
408	B	225B	1	66	70	75	No	Yes	5
409	B	226B	1	66	69	75	No	Yes	6
410	B	232B	1	66	66	70	No	Yes	4
411	B	227B	1	66	69	75	No	Yes	6
412	B	233B	1	66	66	70	No	Yes	4
413	B	228B	1	66	69	75	No	Yes	6
414	B	234B	1	66	66	70	No	Yes	4
415	B	237B	1	66	68	74	No	Yes	6
416	B	236B	1	66	65	70	No	Yes	5
417	B	235B	1	66	64	68	No	Yes	4
418	B	238B	1	66	64	68	No	Yes	4
419	B	239B	1	66	66	70	No	Yes	4
420	B	240B	1	66	70	75	No	Yes	5
421	B	242B	1	66	65	70	No	Yes	5
422	B	241B	1	66	64	69	No	Yes	5
423	B	244B	1	66	71	75	No	Yes	4
424	B	245B	1	66	70	75	No	Yes	5
425	B	243B	1	66	71	75	No	Yes	4
426	B	246B	1	66	71	75	No	Yes	4
427	B	247B	1	66	69	75	No	Yes	6
428	B	251B	1	66	65	70	No	Yes	5
429	B	252B	1	66	64	69	No	Yes	5
430	B	248B	1	66	70	75	No	Yes	5
431	B	249B	1	66	70	75	No	Yes	5
432	B	250B	1	66	70	75	No	Yes	5
433	B	253B	3	66	64	69	No	Yes	5
434	B	254B	1	66	62	67	No	Yes	5
435	B	255B	1	66	65	70	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
436	B	256B	1	66	69	74	No	Yes	5
437	B	257B	1	66	63	68	No	Yes	5
438	B	259B	1	66	67	73	No	Yes	6
439	B	258B	1	66	65	70	No	Yes	5
440	B	262B	1	66	62	67	No	Yes	5
441	B	260B	1	66	67	73	No	Yes	6
442	B	261B	1	66	65	70	No	Yes	5
443	B	265B	1	66	67	73	No	Yes	6
444	B	264B	1	66	64	70	No	Yes	6
445	B	263B	1	66	62	67	No	Yes	5
446	B	266B	1	66	68	74	No	Yes	6
447	B	267B	1	66	66	72	No	Yes	6
448	B	268B	1	66	64	69	No	Yes	5
449	B	269B	1	66	63	68	No	Yes	5
450	B	644B	1	66	62	67	No	Yes	5
451	B	270B	1	66	62	68	No	Yes	6
452	B	274B	1	66	69	76	No	Yes	7
453	B	273B	1	66	68	75	No	Yes	7
454	B	271B	1	66	63	69	No	Yes	6
455	B	272B	1	66	66	72	No	Yes	6
456	B	276B	1	66	63	69	No	Yes	6
457	B	277B	1	66	67	74	No	Yes	7
458	B	278B	1	66	69	77	No	Yes	8
459	B	275B	1	66	61	67	No	Yes	6
460	B	279B	1	66	69	78	No	Yes	9
461	B	280B	1	66	68	76	No	Yes	8
462	B	700B	1	66	64	71	No	Yes	7
463	B	281B	1	66	69	78	No	Yes	9
464	B	286B	1	66	65	73	No	Yes	8
465	B	701B	1	66	62	69	No	Yes	7
466	B	282B	1	66	69	78	No	Yes	9
467	B	287B	1	66	66	74	No	Yes	8
468	B	283B	1	66	69	78	No	Yes	9
469	B	284B	1	66	69	78	No	Yes	9
470	B	288B	1	66	65	74	No	Yes	9
471	B	702B	1	66	63	71	No	Yes	8
472	B	285B	1	66	69	78	No	Yes	9
473	B	703B	1	66	63	70	No	Yes	7
474	B	289B	1	66	66	74	No	Yes	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
475	B	907B	1	66	69	78	No	Yes	9
476	B	698B	1	66	62	70	No	Yes	8
477	B	1086B	3	66	65	74	No	Yes	9
478	B	908B	1	66	68	78	Yes	Yes	10
479	B	699B	1	66	63	70	No	Yes	7
480	B	909B	1	66	69	78	No	Yes	9
481	B	1087B	1	66	65	73	No	Yes	8
482	B	910B	1	66	68	78	Yes	Yes	10
483	B	911B	1	66	67	75	No	Yes	8
484	B	912B	1	66	66	74	No	Yes	8
485	B	913B	1	66	64	72	No	Yes	8
486	B	290B	1	66	68	77	No	Yes	9
487	B	914B	1	66	64	71	No	Yes	7
488	B	291B	1	66	66	73	No	Yes	7
489	B	894B	1	66	67	75	No	Yes	8
490	B	895B	1	66	67	75	No	Yes	8
491	B	896B	1	66	68	76	No	Yes	8
492	B	897B	1	66	67	75	No	Yes	8
493	B	898B	1	66	67	75	No	Yes	8
494	B	899B	1	66	67	75	No	Yes	8
495	B	900B	1	66	67	75	No	Yes	8
496	B	901B	1	66	67	75	No	Yes	8
497	B	902B	1	66	67	74	No	Yes	7
498	B	903B	1	66	67	73	No	Yes	6
499	B	904B	1	66	66	72	No	Yes	6
500	B	905B	1	66	67	73	No	Yes	6
501	B	906B	1	66	67	72	No	Yes	5
502	B	292B	1	66	71	75	No	Yes	4
503	B	293B	1	66	69	74	No	Yes	5
504	B	294B	1	66	68	74	No	Yes	6
505	B	892B	1	66	64	68	No	Yes	4
506	B	889B	1	66	65	71	No	Yes	6
507	B	893B	1	66	63	68	No	Yes	5
508	B	888B	1	66	65	69	No	Yes	4
509	B	890B	1	66	66	72	No	Yes	6
510	B	891B	1	66	69	77	No	Yes	8
511	B	872B	1	66	69	78	No	Yes	9
512	B	887B	1	66	63	67	No	Yes	4
513	B	871B	1	66	65	72	No	Yes	7

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
514	B	886B	1	66	62	66	No	Yes	4
515	B	870B	1	66	65	72	No	Yes	7
516	B	873B	1	66	69	78	No	Yes	9
517	B	874B	1	66	69	77	No	Yes	8
518	B	885B	1	66	62	68	No	Yes	6
519	B	869B	1	66	65	73	No	Yes	8
520	B	884B	1	66	64	68	No	Yes	4
521	B	868B	1	66	65	73	No	Yes	8
522	B	875B	1	66	69	77	No	Yes	8
523	B	876B	1	66	69	77	No	Yes	8
524	B	883B	1	66	62	68	No	Yes	6
525	B	882B	1	66	63	67	No	Yes	4
526	B	877B	1	66	69	77	No	Yes	8
527	B	881B	1	66	65	69	No	Yes	4
528	B	880B	1	66	64	70	No	Yes	6
529	B	878B	1	66	67	75	No	Yes	8
530	B	879B	1	66	66	74	No	Yes	8
531	B	1085B	1	66	62	67	No	Yes	5
532	B	1083B	1	66	63	69	No	Yes	6
533	B	1084B	1	66	62	68	No	Yes	6
534	B	1082B	1	66	64	70	No	Yes	6
535	B	1071B	1	66	66	73	No	Yes	7
536	B	1070B	1	66	65	72	No	Yes	7
537	B	1069B	1	66	64	70	No	Yes	6
538	B	1072B	1	66	68	75	No	Yes	7
539	B	862B	1	66	70	78	No	Yes	8
540	B	863B	1	66	70	78	No	Yes	8
541	B	864B	1	66	70	78	No	Yes	8
542	B	1073B	1	66	66	73	No	Yes	7
543	B	296B	1	66	64	70	No	Yes	6
544	B	295B	1	66	70	78	No	Yes	8
545	B	1074B	1	66	66	74	No	Yes	8
546	B	865B	1	66	70	78	No	Yes	8
547	B	1075B	1	66	66	74	No	Yes	8
548	B	866B	1	66	70	78	No	Yes	8
549	B	867B	1	66	69	78	No	Yes	9
550	B	1078B	1	66	64	70	No	Yes	6
551	B	1077B	1	66	64	71	No	Yes	7
552	B	1079B	1	66	63	69	No	Yes	6

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
553	B	1080B	1	66	62	68	No	Yes	6
554	B	1081B	1	66	61	67	No	Yes	6
555	B	1076B	1	66	65	73	No	Yes	8
556	B	858B	1	66	69	77	No	Yes	8
557	B	297B	1	66	63	68	No	Yes	5
558	B	859B	1	66	69	78	No	Yes	9
559	B	299B	3	66	66	73	No	Yes	7
560	B	298B	1	66	63	70	No	Yes	7
561	B	300B	1	66	69	77	No	Yes	8
562	B	860B	1	66	69	77	No	Yes	8
563	B	861B	1	66	68	76	No	Yes	8
564	B	302B	1	66	62	68	No	Yes	6
565	B	303B	3	66	65	71	No	Yes	6
566	B	855B	1	66	68	75	No	Yes	7
567	B	304B	1	66	62	67	No	Yes	5
568	B	856B	1	66	68	75	No	Yes	7
569	B	301B	1	66	67	75	No	Yes	8
570	B	1058B	1	66	65	71	No	Yes	6
571	B	857B	1	66	68	76	No	Yes	8
572	B	305B	1	66	61	67	No	Yes	6
573	B	789B	1	66	60	65	No	No	5
574	B	850B	1	66	73	N/A*	—	—	—
575	B	1061B	1	66	68	75	No	Yes	7
576	B	1060B	3	66	64	71	No	Yes	7
577	B	1059B	3	66	62	68	No	Yes	6
578	B	851B	1	66	72	N/A*	—	—	—
579	B	852B	1	66	72	N/A*	—	—	—
580	B	1062B	3	66	68	75	No	Yes	7
581	B	306B	1	66	71	79	No	Yes	8
582	B	1066B	3	66	62	68	No	Yes	6
583	B	853B	1	66	71	79	No	Yes	8
584	B	1063B	1	66	68	75	No	Yes	7
585	B	854B	1	66	72	79	No	Yes	7
586	B	1067B	1	66	62	67	No	Yes	5
587	B	1068B	1	66	60	65	No	No	5
588	B	1065B	1	66	63	69	No	Yes	6
589	B	1064B	1	66	65	72	No	Yes	7
590	B	1056B	1	66	68	75	No	Yes	7
591	B	847B	1	66	71	78	No	Yes	7

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
592	B	1054B	3	66	62	67	No	Yes	5
593	B	1057B	1	66	60	64	No	No	4
594	B	1055B	3	66	62	67	No	Yes	5
595	B	954B	1	66	68	75	No	Yes	7
596	B	307B	1	66	71	78	No	Yes	7
597	B	848B	1	66	71	77	No	Yes	6
598	B	955B	1	66	68	74	No	Yes	6
599	B	849B	1	66	72	77	No	Yes	5
600	B	956B	1	66	67	71	No	Yes	4
601	B	960B	1	66	61	64	No	No	3
602	B	957B	1	66	64	69	No	Yes	5
603	B	958B	1	66	63	67	No	Yes	4
604	B	959B	1	66	61	66	No	Yes	5
608	B	694B	4	66	55	58	No	No	3
609	B	693B	4	66	54	57	No	No	3
610	B	692B	4	66	56	59	No	No	3
611	B	311B	3	66	51	51	No	No	0
612	B	312B	4	66	50	50	No	No	0
613	B	310B	5	66	52	53	No	No	1
614	B	806B	4	66	50	50	No	No	0
615	E	308E	1	71	69	72	No	Yes	3
616	E	641E	1	71	63	66	No	No	3
617	B	316B	5	66	55	56	No	No	1
618	B	314B	4	66	51	50	No	No	-1
619	B	315B	4	66	53	53	No	No	0
620	B	313B	3	66	51	51	No	No	0
621	E	1148E	1	71	64	66	No	No	2
622	E	309E	1	71	65	67	No	No	2
623	D	1147D	1	51	29	32	No	No	3
624	B	673B	8	66	73	73	No	Yes	0
625	B	672B	8	66	74	74	No	Yes	0
626	B	674B	8	66	73	73	No	Yes	0
627	E	320E	1	71	63	63	No	No	0
628	B	677B	8	66	58	58	No	No	0
629	B	676B	8	66	59	59	No	No	0
630	B	675B	8	66	60	60	No	No	0
631	E	317E	1	71	59	61	No	No	2

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
632	E	1053E	1	71	62	63	No	No	1
633	C	1145C	1	66	64	64	No	No	0
634	C	1146C	1	66	63	63	No	No	0
635	E	318E	1	71	64	65	No	No	1
636	C	678C	1	66	59	61	No	No	2
637	E	319E	1	71	64	64	No	No	0
638	B	323B	1	66	65	64	No	No	-1
639	B	322B	1	66	66	65	No	No	-1
640	B	679B	1	66	65	64	No	No	-1
641	B	636B	1	66	67	66	No	Yes	-1
642	B	635B	1	66	71	69	No	Yes	-2
643	B	637B	1	66	65	65	No	No	0
644	B	634B	1	66	72	70	No	Yes	-2
645	B	638B	1	66	66	65	No	No	-1
646	B	633B	1	66	72	70	No	Yes	-2
647	B	632B	1	66	72	70	No	Yes	-2
648	B	639B	1	66	68	67	No	Yes	-1
649	B	631B	1	66	72	70	No	Yes	-2
650	B	640B	1	66	68	67	No	Yes	-1
651	B	630B	1	66	72	70	No	Yes	-2
652	B	629B	1	66	72	70	No	Yes	-2
653	B	628B	1	66	73	70	No	Yes	-3
654	B	627B	1	66	69	67	No	Yes	-2
655	C	626C	1	66	71	68	No	Yes	-3
656	C	625C	1	66	72	69	No	Yes	-3
657	C	001C	1	66	71	68	No	Yes	-3
658	C	624C	1	66	68	67	No	Yes	-1
659	B	835B	1	66	67	68	No	Yes	1
660	B	836B	1	66	67	68	No	Yes	1
661	B	837B	1	66	69	70	No	Yes	1
662	B	324B	1	66	69	70	No	Yes	1
663	B	839B	1	66	64	66	No	Yes	2
664	B	325B	1	66	65	67	No	Yes	2
665	B	623B	1	66	67	66	No	Yes	-1
666	B	840B	1	66	65	67	No	Yes	2
667	B	838B	1	66	65	67	No	Yes	2
668	B	841B	1	66	66	68	No	Yes	2
669	B	326B	1	66	66	67	No	Yes	1
670	B	842B	1	66	66	68	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
671	B	843B	1	66	66	68	No	Yes	2
672	B	622B	1	66	68	67	No	Yes	-1
673	B	327B	1	66	65	66	No	Yes	1
674	B	845B	1	66	63	65	No	No	2
675	B	846B	1	66	63	64	No	No	1
676	B	844B	1	66	63	65	No	No	2
677	B	328B	1	66	66	68	No	Yes	2
678	B	621B	1	66	68	67	No	Yes	-1
679	B	823B	1	66	67	68	No	Yes	1
680	B	620B	1	66	66	66	No	Yes	0
681	B	329B	1	66	69	70	No	Yes	1
682	B	824B	1	66	66	69	No	Yes	3
683	B	1052B	3	66	66	68	No	Yes	2
684	B	1045B	3	66	65	67	No	Yes	2
685	B	825B	1	66	66	69	No	Yes	3
686	B	619B	1	66	67	67	No	Yes	0
687	B	330B	1	66	66	69	No	Yes	3
688	B	618B	1	66	68	67	No	Yes	-1
689	B	826B	1	66	66	69	No	Yes	3
690	B	1051B	3	66	66	69	No	Yes	3
691	B	1046B	3	66	64	67	No	Yes	3
692	B	617B	1	66	68	67	No	Yes	-1
693	B	827B	1	66	66	70	No	Yes	4
694	B	616B	1	66	69	67	No	Yes	-2
695	B	828B	1	66	66	71	No	Yes	5
696	B	829B	1	66	67	71	No	Yes	4
697	B	615B	1	66	69	67	No	Yes	-2
698	B	1050B	3	66	66	69	No	Yes	3
699	B	1047B	3	66	64	68	No	Yes	4
700	B	614B	1	66	70	67	No	Yes	-3
701	B	830B	1	66	67	71	No	Yes	4
702	B	831B	1	66	67	71	No	Yes	4
703	B	613B	1	66	72	68	No	Yes	-4
704	B	1049B	2	66	65	69	No	Yes	4
705	B	1048B	2	66	64	68	No	Yes	4
706	B	331B	1	66	67	71	No	Yes	4
707	B	612B	1	66	73	68	No	Yes	-5
708	B	833B	1	66	66	71	No	Yes	5
709	B	611B	1	66	73	69	No	Yes	-4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
710	B	834B	1	66	66	70	No	Yes	4
711	B	686B	3	66	63	67	No	Yes	4
712	B	610B	1	66	73	69	No	Yes	-4
713	B	688B	3	66	63	67	No	Yes	4
714	B	808B	1	66	66	69	No	Yes	3
715	B	832B	1	66	65	69	No	Yes	4
716	B	809B	1	66	66	67	No	Yes	1
717	B	609B	1	66	74	70	No	Yes	-4
718	B	810B	1	66	65	67	No	Yes	2
719	B	1044B	1	66	64	69	No	Yes	5
720	B	608B	1	66	74	71	No	Yes	-3
721	B	1043B	3	66	62	67	No	Yes	5
722	B	332B	1	66	65	66	No	Yes	1
723	B	1042B	3	66	62	67	No	Yes	5
724	B	607B	1	66	73	72	No	Yes	-1
725	B	1041B	1	66	64	68	No	Yes	4
726	B	811B	1	66	64	66	No	Yes	2
727	B	606B	1	66	72	72	No	Yes	0
728	B	812B	1	66	64	65	No	No	1
729	B	605B	1	66	72	72	No	Yes	0
730	B	813B	1	66	64	65	No	No	1
731	B	687B	3	66	62	66	No	Yes	4
732	B	604B	1	66	71	72	No	Yes	1
733	B	689B	3	66	62	67	No	Yes	5
734	B	814B	1	66	64	66	No	Yes	2
735	B	603B	1	66	71	72	No	Yes	1
736	B	815B	1	66	64	67	No	Yes	3
737	B	816B	1	66	64	67	No	Yes	3
738	B	602B	1	66	71	72	No	Yes	1
739	B	601B	1	66	70	71	No	Yes	1
740	B	333B	1	66	64	66	No	Yes	2
741	B	690B	3	66	62	66	No	Yes	4
742	B	691B	3	66	63	67	No	Yes	4
743	B	817B	1	66	63	66	No	Yes	3
744	B	600B	1	66	70	71	No	Yes	1
745	B	818B	1	66	63	67	No	Yes	4
746	B	599B	1	66	70	70	No	Yes	0
747	B	819B	1	66	63	67	No	Yes	4
748	B	1101B	2	66	60	63	No	No	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
749	B	597B	1	66	67	68	No	Yes	1
750	B	598B	1	66	70	70	No	Yes	0
751	B	820B	1	66	64	68	No	Yes	4
752	B	1100B	3	66	58	60	No	No	2
753	B	1036B	3	66	63	66	No	Yes	3
754	B	596B	1	66	67	67	No	Yes	0
755	B	1037B	3	66	60	64	No	No	4
756	B	1105B	3	66	65	66	No	Yes	1
757	B	1104B	3	66	58	60	No	No	2
758	B	1040B	3	66	64	68	No	Yes	4
759	B	1039B	3	66	61	65	No	No	4
760	B	1038B	1	66	61	64	No	No	3
761	B	821B	1	66	64	68	No	Yes	4
762	B	595B	1	66	67	67	No	Yes	0
763	B	1102B	2	66	60	61	No	No	1
764	B	822B	1	66	65	69	No	Yes	4
765	B	1099B	2	66	58	60	No	No	2
766	B	594B	1	66	67	67	No	Yes	0
767	B	334B	1	66	66	68	No	Yes	2
768	B	1031B	3	66	61	64	No	No	3
769	B	1032B	1	66	60	63	No	No	3
770	B	1030B	3	66	63	66	No	Yes	3
771	B	1103B	1	66	61	62	No	No	1
772	B	592B	1	66	62	63	No	No	1
773	B	1034B	3	66	61	64	No	No	3
774	B	1035B	3	66	63	66	No	Yes	3
775	B	1033B	1	66	60	63	No	No	3
776	B	593B	1	66	66	66	No	Yes	0
777	B	1098B	1	66	60	61	No	No	1
778	B	591B	1	66	59	61	No	No	2
779	B	590B	1	66	59	61	No	No	2
780	B	588B	1	66	60	61	No	No	1
781	B	589B	1	66	62	63	No	No	1
782	B	1106B	1	66	65	65	No	No	0
783	B	351B	5	66	62	65	No	No	3
784	B	337B	4	66	67	69	No	Yes	2
785	B	587B	1	66	68	67	No	Yes	-1
786	B	335B	4	66	68	71	No	Yes	3
787	B	338B	4	66	67	69	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
788	B	336B	4	66	68	70	No	Yes	2
789	B	586B	1	66	69	68	No	Yes	-1
790	B	1107B	1	66	66	66	No	Yes	0
791	B	343B	4	66	59	62	No	No	3
792	B	344B	4	66	61	64	No	No	3
793	B	341B	4	66	68	70	No	Yes	2
794	B	342B	4	66	66	69	No	Yes	3
795	B	352B	4	66	60	64	No	No	4
796	B	353B	4	66	60	64	No	No	4
797	B	1113B	3	66	60	61	No	No	1
798	B	347B	2	66	57	60	No	No	3
799	B	348B	2	66	60	63	No	No	3
800	B	585B	1	66	69	68	No	Yes	-1
801	B	340B	4	66	66	69	No	Yes	3
802	B	339B	4	66	68	70	No	Yes	2
803	B	345B	4	66	62	64	No	No	2
804	B	346B	4	66	59	62	No	No	3
805	B	684B	5	66	56	59	No	No	3
806	B	349B	2	66	56	59	No	No	3
807	B	350B	2	66	60	63	No	No	3
808	B	354B	4	66	59	62	No	No	3
809	B	355B	4	66	59	62	No	No	3
810	E	393E	1	71	70	N/A*	—	—	—
811	B	1109B	3	66	63	64	No	No	1
812	B	584B	1	66	70	69	No	Yes	-1
813	B	1108B	3	66	67	67	No	Yes	0
814	B	363B	2	66	57	61	No	No	4
815	B	361B	2	66	56	60	No	No	4
816	B	360B	2	66	58	62	No	No	4
817	B	362B	2	66	59	64	No	No	5
818	B	359B	2	66	56	60	No	No	4
819	B	358B	2	66	57	61	No	No	4
820	B	386B	4	66	68	70	No	Yes	2
821	B	385B	4	66	66	69	No	Yes	3
822	B	387B	4	66	68	71	No	Yes	3
823	B	1112B	1	66	60	62	No	No	2
824	B	583B	1	66	70	70	No	Yes	0
825	B	1111B	1	66	60	62	No	No	2
826	B	366B	4	66	59	62	No	No	3

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
827	B	365B	4	66	61	65	No	No	4
828	B	364B	4	66	64	67	No	Yes	3
829	B	1110B	1	66	61	63	No	No	2
830	B	357B	2	66	57	60	No	No	3
831	B	356B	2	66	57	60	No	No	3
832	B	380B	3	66	51	54	No	No	3
833	B	381B	3	66	55	57	No	No	2
834	B	685B	4	66	52	55	No	No	3
835	B	643B	1	66	52	55	No	No	3
836	B	582B	1	66	69	70	No	Yes	1
837	B	388B	4	66	72	74	No	Yes	2
838	B	390B	4	66	71	72	No	Yes	1
839	B	389B	4	66	72	73	No	Yes	1
840	B	378B	3	66	56	58	No	No	2
841	B	379B	3	66	58	61	No	No	3
842	B	384B	4	66	63	65	No	No	2
843	B	382B	4	66	66	68	No	Yes	2
844	B	383B	4	66	64	66	No	Yes	2
845	B	581B	1	66	68	69	No	Yes	1
846	B	367B	4	66	61	64	No	No	3
847	B	368B	4	66	59	61	No	No	2
848	B	642B	1	66	54	56	No	No	2
849	B	369B	4	66	57	59	No	No	2
850	B	580B	1	66	66	67	No	Yes	1
851	B	579B	1	66	64	65	No	No	1
852	B	578B	1	66	63	65	No	No	2
853	B	391B	1	66	73	73	No	Yes	0
854	B	786B	1	66	63	64	No	No	1
855	B	374B	4	66	53	56	No	No	3
856	B	373B	4	66	56	58	No	No	2
857	B	392B	1	66	71	71	No	Yes	0
858	B	372B	4	66	59	62	No	No	3
859	B	370B	1	66	53	56	No	No	3
860	B	371B	1	66	53	56	No	No	3
861	B	377B	4	66	62	64	No	No	2
862	B	376B	4	66	63	65	No	No	2
863	B	375B	4	66	65	67	No	Yes	2
864	B	577B	1	66	64	65	No	No	1
865	B	576B	1	66	64	65	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
866	B	575B	1	66	64	65	No	No	1
867	B	574B	1	66	64	65	No	No	1
868	B	573B	1	66	66	67	No	Yes	1
869	B	572B	1	66	68	68	No	Yes	0
870	B	945B	1	66	70	80	Yes	Yes	10
871	B	944B	1	66	69	76	No	Yes	7
872	B	571B	1	66	69	69	No	Yes	0
873	B	942B	1	66	68	72	No	Yes	4
874	B	787B	1	66	63	64	No	No	1
875	B	943B	1	66	68	74	No	Yes	6
876	B	938B	1	66	67	68	No	Yes	1
877	B	939B	1	66	67	69	No	Yes	2
878	B	940B	1	66	66	71	No	Yes	5
879	B	941B	1	66	67	72	No	Yes	5
880	B	946B	1	66	68	84	Yes	Yes	16
881	B	937B	1	66	68	69	No	Yes	1
882	B	565B	1	66	64	64	No	No	0
883	C	1142C	1	66	53	54	No	No	1
884	B	570B	1	66	69	69	No	Yes	0
885	C	1143C	1	66	54	55	No	No	1
886	B	947B	1	66	68	84	Yes	Yes	16
887	B	952B	1	66	65	68	No	Yes	3
888	B	950B	1	66	65	71	No	Yes	6
889	B	569B	1	66	69	69	No	Yes	0
890	B	953B	1	66	65	68	No	Yes	3
891	B	951B	1	66	65	69	No	Yes	4
892	B	949B	1	66	65	72	No	Yes	7
893	B	564B	1	66	64	65	No	No	1
894	C	1144C	1	66	55	56	No	No	1
895	B	553B	1	66	56	57	No	No	1
896	B	552B	1	66	57	58	No	No	1
897	B	948B	1	66	66	74	No	Yes	8
898	B	568B	1	66	69	69	No	Yes	0
899	B	563B	1	66	64	65	No	No	1
900	B	567B	1	66	69	69	No	Yes	0
901	B	551B	1	66	56	56	No	No	0
902	B	936B	4	66	56	56	No	No	0
903	B	935B	4	66	55	55	No	No	0
904	B	396B	2	66	58	59	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
905	B	397B	2	66	58	58	No	No	0
906	B	562B	1	66	64	65	No	No	1
907	B	566B	1	66	68	69	No	Yes	1
908	B	934B	4	66	56	57	No	No	1
909	B	394B	1	66	68	76	No	Yes	8
910	B	395B	1	66	60	61	No	No	1
911	B	561B	1	66	65	66	No	Yes	1
912	B	556B	1	66	60	60	No	No	0
913	B	555B	1	66	60	60	No	No	0
914	B	558B	1	66	60	60	No	No	0
915	B	398B	1	66	69	70	No	Yes	1
916	B	559B	1	66	61	62	No	No	1
917	B	550B	1	66	69	69	No	Yes	0
918	B	560B	1	66	63	64	No	No	1
919	B	549B	1	66	67	67	No	Yes	0
920	B	931B	1	66	70	70	No	Yes	0
921	B	930B	1	66	70	70	No	Yes	0
922	B	933B	1	66	70	69	No	Yes	-1
923	B	554B	1	66	63	63	No	No	0
924	B	557B	1	66	60	60	No	No	0
925	B	932B	1	66	70	71	No	Yes	1
926	B	805B	1	66	72	72	No	Yes	0
927	B	405B	1	66	72	70	No	Yes	-2
928	B	803B	1	66	72	72	No	Yes	0
929	B	404B	1	66	71	70	No	Yes	-1
930	B	402B	4	66	70	69	No	Yes	-1
931	B	403B	4	66	69	69	No	Yes	0
932	B	544B	1	66	67	67	No	Yes	0
933	B	548B	1	66	65	65	No	No	0
934	B	547B	1	66	62	62	No	No	0
935	B	543B	1	66	61	61	No	No	0
936	B	534B	1	66	60	61	No	No	1
937	B	406B	4	66	58	58	No	No	0
938	B	425B	4	66	58	58	No	No	0
939	B	424B	4	66	56	57	No	No	1
940	B	536B	1	66	61	60	No	No	-1
941	B	423B	4	66	56	56	No	No	0
942	B	535B	1	66	60	60	No	No	0
943	B	546B	1	66	59	59	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
944	B	542B	1	66	58	58	No	No	0
945	B	401B	4	66	55	56	No	No	1
946	B	420B	4	66	59	59	No	No	0
947	B	421B	4	66	57	58	No	No	1
948	B	422B	4	66	56	57	No	No	1
949	B	545B	1	66	58	58	No	No	0
950	B	407B	4	66	54	55	No	No	1
951	B	426B	4	66	68	69	No	Yes	1
952	B	427B	4	66	69	69	No	Yes	0
953	B	428B	4	66	69	69	No	Yes	0
954	B	804B	7	66	56	57	No	No	1
955	B	400B	4	66	53	54	No	No	1
956	B	537B	1	66	58	58	No	No	0
957	B	541B	1	66	57	57	No	No	0
958	B	539B	1	66	57	56	No	No	-1
959	B	417B	4	66	56	57	No	No	1
960	B	419B	4	66	59	59	No	No	0
961	B	418B	4	66	57	58	No	No	1
962	B	408B	4	66	53	54	No	No	1
963	E	429E	1	71	69	69	No	No	0
964	B	399B	4	66	52	54	No	No	2
965	B	540B	1	66	56	56	No	No	0
966	B	538B	1	66	58	57	No	No	-1
967	B	409B	4	66	53	54	No	No	1
968	B	533B	1	66	59	58	No	No	-1
969	B	416B	8	66	66	66	No	Yes	0
970	B	414B	8	66	66	66	No	Yes	0
971	B	415B	8	66	66	66	No	Yes	0
972	B	800B	4	66	52	54	No	No	2
973	B	413B	8	66	62	63	No	No	1
974	B	412B	8	66	62	62	No	No	0
975	B	411B	8	66	62	62	No	No	0
976	B	410B	4	66	51	52	No	No	1
977	B	799B	4	66	51	51	No	No	0
978	B	798B	4	66	50	51	No	No	1
979	B	432B	1	66	54	54	No	No	0
980	B	431B	1	66	56	56	No	No	0
981	B	433B	1	66	55	55	No	No	0
982	B	430B	1	66	60	60	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
983	B	683B	8	66	53	53	No	No	0
984	B	1127B	1	66	69	70	No	Yes	1
985	B	1114B	1	66	67	69	No	Yes	2
986	B	529B	1	66	71	67	No	Yes	-4
987	B	1167B	1	66	66	67	No	Yes	1
988	B	1166B	1	66	65	67	No	Yes	2
989	B	530B	1	66	70	68	No	Yes	-2
990	B	1126B	1	66	69	70	No	Yes	1
991	B	1115B	1	66	67	68	No	Yes	1
992	B	1165B	1	66	65	67	No	Yes	2
993	B	1116B	1	66	66	68	No	Yes	2
994	B	1125B	1	66	68	69	No	Yes	1
995	B	531B	1	66	70	67	No	Yes	-3
996	B	1124B	1	66	68	69	No	Yes	1
997	B	1117B	1	66	66	68	No	Yes	2
998	B	532B	1	66	70	68	No	Yes	-2
999	B	1164B	1	66	64	67	No	Yes	3
1000	B	1123B	1	66	68	69	No	Yes	1
1001	B	1118B	1	66	66	68	No	Yes	2
1002	B	1163B	1	66	64	67	No	Yes	3
1003	B	1122B	1	66	67	68	No	Yes	1
1004	B	1119B	1	66	66	68	No	Yes	2
1005	B	1162B	1	66	64	66	No	Yes	2
1006	B	1121B	1	66	67	68	No	Yes	1
1007	B	1120B	1	66	65	68	No	Yes	3
1008	B	788B	1	66	59	59	No	No	0
1009	B	1161B	1	66	64	67	No	Yes	3
1010	B	1160B	1	66	63	67	No	Yes	4
1011	B	802B	1	66	59	59	No	No	0
1012	B	520B	1	66	64	68	No	Yes	4
1013	B	1159B	1	66	63	67	No	Yes	4
1014	B	521B	1	66	64	68	No	Yes	4
1015	B	434B	1	66	56	57	No	No	1
1016	B	1158B	1	66	63	67	No	Yes	4
1017	B	522B	1	66	64	68	No	Yes	4
1018	B	1157B	1	66	64	67	No	Yes	3
1019	B	435B	1	66	56	57	No	No	1
1020	B	523B	1	66	64	69	No	Yes	5
1021	B	1156B	1	66	64	67	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1022	B	1155B	1	66	64	67	No	Yes	3
1023	B	524B	1	66	65	69	No	Yes	4
1024	B	525B	1	66	66	69	No	Yes	3
1025	B	1154B	1	66	65	68	No	Yes	3
1026	C	439C	1	66	70	70	No	Yes	0
1027	B	526B	1	66	66	70	No	Yes	4
1028	B	1153B	1	66	65	68	No	Yes	3
1029	B	527B	1	66	67	70	No	Yes	3
1031	B	437B	1	66	56	57	No	No	1
1032	B	1152B	1	66	66	68	No	Yes	2
1033	B	528B	1	66	68	70	No	Yes	2
1034	B	1151B	1	66	67	68	No	Yes	1
1035	B	438B	1	66	56	57	No	No	1
1036	E	440E	1	71	66	68	No	No	2
1037	B	519B	1	66	69	70	No	Yes	1
1038	B	518B	1	66	71	72	No	Yes	1
1039	E	441E	1	71	70	N/A*	—	—	—
1040	E	807E	1	71	69	70	No	No	1
1044	C	442C	1	66	56	57	No	No	1
1045	B	509B	1	66	65	70	No	Yes	5
1046	B	505B	1	66	60	62	No	No	2
1047	B	508B	1	66	64	65	No	No	1
1048	B	506B	1	66	62	64	No	No	2
1049	B	510B	1	66	66	72	No	Yes	6
1050	B	507B	1	66	62	64	No	No	2
1051	B	511B	1	66	67	74	No	Yes	7
1052	B	512B	1	66	67	71	No	Yes	4
1053	B	1135B	3	66	66	68	No	Yes	2
1054	B	513B	1	66	68	74	No	Yes	6
1055	B	1130B	1	66	64	66	No	Yes	2
1056	B	514B	1	66	69	76	No	Yes	7
1057	B	1131B	1	66	66	67	No	Yes	1
1058	B	515B	1	66	69	76	No	Yes	7
1059	B	1129B	1	66	63	64	No	No	1
1060	B	1134B	3	66	67	71	No	Yes	4
1061	B	1132B	1	66	66	68	No	Yes	2
1062	B	516B	1	66	69	77	No	Yes	8
1063	B	1128B	1	66	63	65	No	No	2
1064	B	1133B	1	66	66	68	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1065	B	517B	1	66	68	77	No	Yes	9
1066	B	504B	1	66	68	78	Yes	Yes	10
1067	B	499B	1	66	66	68	No	Yes	2
1068	B	503B	1	66	68	75	No	Yes	7
1069	B	500B	1	66	66	70	No	Yes	4
1070	B	496B	2	66	63	65	No	No	2
1071	B	443B	1	66	73	83	Yes	Yes	10
1072	B	501B	1	66	67	70	No	Yes	3
1073	B	918B	1	66	63	69	No	Yes	6
1074	B	917B	1	66	62	67	No	Yes	5
1075	B	916B	1	66	61	66	No	Yes	5
1076	B	919B	1	66	65	72	No	Yes	7
1077	B	921B	1	66	69	78	No	Yes	9
1078	B	920B	1	66	66	74	No	Yes	8
1079	B	928B	1	66	60	65	No	No	5
1080	B	498B	1	66	66	69	No	Yes	3
1081	B	502B	1	66	68	74	No	Yes	6
1082	B	497B	1	66	66	69	No	Yes	3
1083	B	488B	1	66	68	75	No	Yes	7
1084	B	922B	1	66	68	79	Yes	Yes	11
1085	B	923B	1	66	67	74	No	Yes	7
1086	B	924B	1	66	65	71	No	Yes	6
1087	B	925B	1	66	63	69	No	Yes	6
1088	B	926B	1	66	61	67	No	Yes	6
1089	B	927B	1	66	61	66	No	Yes	5
1090	B	929B	1	66	59	64	No	No	5
1091	B	487B	1	66	68	75	No	Yes	7
1092	B	493B	1	66	63	65	No	No	2
1093	B	489B	1	66	64	67	No	Yes	3
1094	B	494B	1	66	62	63	No	No	1
1095	B	486B	1	66	68	76	No	Yes	8
1096	B	490B	1	66	66	71	No	Yes	5
1097	B	446B	4	66	62	67	No	Yes	5
1098	B	447B	4	66	67	75	No	Yes	8
1099	B	445B	4	66	65	70	No	Yes	5
1100	B	448B	4	66	70	76	No	Yes	6
1101	B	444B	4	66	67	72	No	Yes	5
1102	B	449B	4	66	72	76	No	Yes	4
1103	B	485B	1	66	68	76	No	Yes	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1104	B	491B	1	66	66	70	No	Yes	4
1105	B	492B	1	66	64	66	No	Yes	2
1106	B	495B	1	66	63	65	No	No	2
1107	B	484B	1	66	69	76	No	Yes	7
1108	C	483C	1	66	68	72	No	Yes	4
1109	C	801C	1	66	73	82	No	Yes	9
1110	C	482C	1	66	68	71	No	Yes	3
1111	C	481C	1	66	64	65	No	No	1
1112	B	450B	1	66	73	83	Yes	Yes	10
1113	B	466B	1	66	69	72	No	Yes	3
1114	B	467B	1	66	67	69	No	Yes	2
1115	B	468B	1	66	66	67	No	Yes	1
1116	B	469B	1	66	64	65	No	No	1
1117	B	465B	1	66	68	74	No	Yes	6
1118	B	464B	1	66	67	74	No	Yes	7
1119	B	1139B	3	66	65	66	No	Yes	1
1120	B	1138B	1	66	68	69	No	Yes	1
1121	B	451B	1	66	78	79	No	Yes	1
1122	B	463B	1	66	67	73	No	Yes	6
1123	B	478B	1	66	68	70	No	Yes	2
1124	B	462B	1	66	67	73	No	Yes	6
1125	B	1137B	1	66	68	69	No	Yes	1
1126	B	461B	1	66	68	72	No	Yes	4
1127	B	1136B	1	66	68	69	No	Yes	1
1128	B	1141B	1	66	65	65	No	No	0
1129	B	1140B	1	66	66	66	No	Yes	0
1130	B	460B	1	66	70	72	No	Yes	2
1131	B	477B	1	66	68	69	No	Yes	1
1132	B	459B	1	66	71	72	No	Yes	1
1133	B	480B	1	66	66	66	No	Yes	0
1134	B	479B	1	66	66	66	No	Yes	0
1135	B	476B	1	66	69	69	No	Yes	0
1136	B	458B	1	66	72	72	No	Yes	0
1137	B	452B	6	66	71	74	No	Yes	3
1138	B	475B	1	66	69	69	No	Yes	0
1139	B	474B	1	66	69	69	No	Yes	0
1140	B	457B	1	66	72	72	No	Yes	0
1141	B	473B	1	66	69	69	No	Yes	0
1142	B	455B	1	66	70	71	No	Yes	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1143	B	472B	1	66	69	69	No	Yes	0
1144	B	456B	1	66	72	71	No	Yes	-1
1145	B	453B	1	66	72	74	No	Yes	2
1146	B	471B	1	66	70	69	No	Yes	-1
1147	B	454B	1	66	73	73	No	Yes	0
1148	B	470B	1	66	71	70	No	Yes	-1
1149	B	S-1728B	1	66	68	72	No	Yes	4
1150	B	S-1730B	1	66	63	66	No	Yes	3
1151	B	S-1735B	1	66	70	74	No	Yes	4
1152	B	S-1734B	1	66	62	65	No	No	3
1153	B	S-1766B	1	66	67	71	No	Yes	4
1154	B	S-1729B	1	66	64	67	No	Yes	3
1155	B	S-1767B	1	66	61	65	No	No	4
1156	B	S-1727B	1	66	72	72	No	Yes	0
1157	B	S-1733B	1	66	61	65	No	No	4
1158	B	S-1765B	1	66	63	68	No	Yes	5
1159	B	S-1732B	1	66	61	65	No	No	4
1160	B	S-1768B	1	66	61	65	No	No	4
1161	B	S-1764B	1	66	67	71	No	Yes	4
1162	B	S-1725B	1	66	68	72	No	Yes	4
1163	B	S-1738B	1	66	70	75	No	Yes	5
1164	B	S-1737B	1	66	68	73	No	Yes	5
1165	B	S-1736B	1	66	67	72	No	Yes	5
1166	B	S-1731B	1	66	61	65	No	No	4
1167	B	S-1769B	1	66	62	66	No	Yes	4
1168	B	S-1726B	1	66	67	72	No	Yes	5
1169	B	S-1724B	1	66	62	67	No	Yes	5
1170	B	S-1723B	1	66	63	67	No	Yes	4
1171	B	S-1722B	1	66	59	65	No	No	6
1172	B	S-1770B	1	66	63	68	No	Yes	5
1173	B	S-1718B	1	66	69	75	No	Yes	6
1174	B	S-1721B	1	66	60	66	No	Yes	6
1175	B	S-1741B	1	66	68	74	No	Yes	6
1176	B	S-1740B	1	66	65	72	No	Yes	7
1177	B	S-1739B	1	66	63	70	No	Yes	7
1178	B	S-1719B	1	66	63	67	No	Yes	4
1179	B	S-1771B	1	66	63	68	No	Yes	5
1180	B	S-1720B	1	66	59	66	No	Yes	7
1181	B	S-1717B	1	66	68	73	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1182	B	S-1763B	1	66	62	67	No	Yes	5
1183	B	S-1716B	1	66	66	70	No	Yes	4
1184	B	S-1715B	1	66	64	69	No	Yes	5
1185	B	S-1772B	1	66	63	67	No	Yes	4
1186	B	S-1714B	1	66	59	66	No	Yes	7
1187	B	S-1742B	1	66	70	76	No	Yes	6
1188	B	S-1709B	1	66	70	73	No	Yes	3
1189	B	S-1762B	1	66	63	69	No	Yes	6
1190	B	S-1710B	1	66	67	69	No	Yes	2
1191	B	S-1773B	1	66	61	65	No	No	4
1192	B	S-1743B	1	66	69	76	No	Yes	7
1193	B	S-1713B	1	66	59	66	No	Yes	7
1194	B	S-1711B	1	66	64	68	No	Yes	4
1195	B	S-1708B	1	66	70	75	No	Yes	5
1196	B	S-1761B	1	66	64	69	No	Yes	5
1197	B	S-1712B	1	66	59	66	No	Yes	7
1198	B	S-1774B	1	66	61	65	No	No	4
1199	B	S-1744B	1	66	70	79	No	Yes	9
1200	B	S-1707B	1	66	65	68	No	Yes	3
1201	B	S-1760B	1	66	63	69	No	Yes	6
1202	B	S-1706B	1	66	60	66	No	Yes	6
1203	B	S-1775B	1	66	61	64	No	No	3
1204	B	S-1745B	1	66	69	80	Yes	Yes	11
1205	B	S-1704B	1	66	65	69	No	Yes	4
1206	B	S-1702B	1	66	71	78	No	Yes	7
1207	B	S-1705B	1	66	59	66	No	Yes	7
1208	B	S-1703B	1	66	65	70	No	Yes	5
1209	B	S-1759B	1	66	64	69	No	Yes	5
1210	B	S-1776B	1	66	61	64	No	No	3
1211	B	S-1746B	1	66	69	79	Yes	Yes	10
1212	B	S-1700B	1	66	66	71	No	Yes	5
1213	B	S-1699B	1	66	66	69	No	Yes	3
1214	B	S-1701B	1	66	71	80	No	Yes	9
1215	B	S-1758B	1	66	64	69	No	Yes	5
1216	B	S-1698B	1	66	59	65	No	No	6
1217	B	S-1777B	1	66	61	64	No	No	3
1218	B	S-1747B	1	66	69	80	Yes	Yes	11
1219	B	S-1697B	1	66	59	65	No	No	6
1220	B	S-1696B	1	66	65	68	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1221	B	S-1695B	1	66	70	80	Yes	Yes	10
1222	B	S-1757B	1	66	63	68	No	Yes	5
1223	B	S-1778B	1	66	61	64	No	No	3
1224	B	S-1748B	1	66	68	81	Yes	Yes	13
1225	B	S-1692B	1	66	64	68	No	Yes	4
1226	B	S-1693B	1	66	69	71	No	Yes	2
1227	B	S-1694B	1	66	70	82	Yes	Yes	12
1228	B	S-1756B	1	66	65	70	No	Yes	5
1229	B	S-1749B	1	66	68	81	Yes	Yes	13
1230	B	S-1779B	1	66	62	65	No	No	3
1231	B	S-1785B	1	66	60	66	No	Yes	6
1232	B	S-1691B	1	66	69	71	No	Yes	2
1233	B	S-1690B	1	66	70	81	Yes	Yes	11
1234	B	S-1755B	1	66	66	72	No	Yes	6
1235	B	S-1780B	1	66	64	69	No	Yes	5
1236	B	S-1687B	1	66	68	71	No	Yes	3
1237	B	S-1784B	1	66	60	66	No	Yes	6
1238	B	S-1686B	1	66	61	67	No	Yes	6
1239	B	S-1750B	1	66	69	82	Yes	Yes	13
1240	B	S-1754B	1	66	67	73	No	Yes	6
1241	B	S-1684B	1	66	59	64	No	No	5
1242	B	S-1685B	1	66	60	65	No	No	5
1243	B	S-1689B	1	66	70	82	Yes	Yes	12
1244	B	S-1751B	1	66	70	82	Yes	Yes	12
1245	B	S-1753B	1	66	68	74	No	Yes	6
1246	B	S-1688B	1	66	69	80	Yes	Yes	11
1247	B	S-1681B	1	66	60	65	No	No	5
1248	B	S-1683B	1	66	58	64	No	No	6
1249	B	S-1682B	1	66	60	65	No	No	5
1250	B	S-1786B	1	66	59	63	No	No	4
1251	B	S-1783B	1	66	59	63	No	No	4
1252	B	S-1680B	1	66	63	67	No	Yes	4
1253	B	S-1781B	1	66	63	67	No	Yes	4
1254	B	S-1752B	1	66	70	76	No	Yes	6
1255	B	S-1679B	1	66	67	79	Yes	Yes	12
1256	B	S-1678B	1	66	68	79	Yes	Yes	11
1257	B	S-1677B	1	66	66	70	No	Yes	4
1258	B	S-1676B	1	66	58	63	No	No	5
1259	C	S-1782C	1	66	69	73	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1260	B	S-1675B	1	66	60	63	No	No	3
1261	B	S-1674B	1	66	67	71	No	Yes	4
1262	B	S-1673B	1	66	68	79	Yes	Yes	11
1263	B	S-1670B	1	66	61	63	No	No	2
1264	B	S-1669B	1	66	57	63	No	No	6
1265	B	S-1671B	1	66	67	71	No	Yes	4
1266	B	S-1672B	1	66	69	79	Yes	Yes	10
1267	B	S-1668B	1	66	61	62	No	No	1
1268	B	S-1666B	1	66	71	80	No	Yes	9
1269	B	S-1667B	1	66	68	71	No	Yes	3
1270	B	S-1662B	1	66	61	63	No	No	2
1271	B	S-1663B	1	66	63	64	No	No	1
1272	B	S-1665B	1	66	71	80	No	Yes	9
1273	B	S-1661B	1	66	62	63	No	No	1
1274	B	S-1664B	1	66	68	70	No	Yes	2
1275	B	S-1660B	1	66	61	64	No	No	3
1276	B	S-1654B	1	66	60	63	No	No	3
1277	B	S-1659B	1	66	67	70	No	Yes	3
1278	B	S-1658B	1	66	71	81	Yes	Yes	10
1279	B	S-1655B	1	66	61	63	No	No	2
1280	B	S-1656B	1	66	66	69	No	Yes	3
1281	B	S-1657B	1	66	71	81	Yes	Yes	10
1282	B	S-1653B	1	66	60	63	No	No	3
1283	B	S-1652B	1	66	61	62	No	No	1
1284	B	S-1651B	1	66	66	70	No	Yes	4
1285	B	S-1646B	1	66	59	64	No	No	5
1286	B	S-1650B	1	66	71	81	Yes	Yes	10
1287	D	S-1787D	1	51	45	48	No	No	3
1288	B	S-1647B	1	66	61	63	No	No	2
1289	B	S-1648B	1	66	65	68	No	Yes	3
1290	B	S-1649B	1	66	71	80	No	Yes	9
1291	B	S-1645B	1	66	59	64	No	No	5
1292	B	S-1644B	1	66	60	63	No	No	3
1293	B	S-1643B	1	66	66	70	No	Yes	4
1294	B	S-1642B	1	66	70	81	Yes	Yes	11
1295	B	S-1639B	1	66	61	64	No	No	3
1296	B	S-1640B	1	66	66	70	No	Yes	4
1297	B	S-1641B	1	66	71	80	No	Yes	9

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1298	B	S-1638B	1	66	57	64	No	No	7
1299	B	S-1636B	1	66	62	65	No	No	3
1300	B	S-1635B	1	66	66	71	No	Yes	5
1301	B	S-1634B	1	66	71	79	No	Yes	8
1302	B	S-1637B	1	66	61	65	No	No	4
1303	B	S-1631B	1	66	66	70	No	Yes	4
1304	B	S-1628B	1	66	60	66	No	Yes	6
1305	B	S-1629B	1	66	61	66	No	Yes	5
1306	B	S-1630B	1	66	62	66	No	Yes	4
1307	B	S-1633B	1	66	71	78	No	Yes	7
1308	D	S-1788D	1	51	48	51	No	Yes	3
1309	B	S-1632B	1	66	71	78	No	Yes	7
1310	B	S-1626B	1	66	59	66	No	Yes	7
1311	B	S-1627B	1	66	58	67	No	Yes	9
1312	B	S-1625B	1	66	61	67	No	Yes	6
1313	B	S-1624B	1	66	64	68	No	Yes	4
1314	B	S-1623B	1	66	70	75	No	Yes	5
1315	B	S-1622B	1	66	71	77	No	Yes	6
1316	B	S-1615B	1	66	60	65	No	No	5
1317	B	S-1616B	1	66	61	66	No	Yes	5
1318	B	S-1617B	1	66	62	67	No	Yes	5
1319	B	S-1618B	1	66	65	69	No	Yes	4
1320	B	S-1621B	1	66	70	77	No	Yes	7
1321	B	S-1612B	1	66	60	65	No	No	5
1322	B	S-1613B	1	66	58	66	No	Yes	8
1323	B	S-1614B	1	66	57	66	No	Yes	9
1324	B	S-1620B	1	66	71	75	No	Yes	4
1325	B	S-1619B	1	66	71	75	No	Yes	4
1326	B	S-1611B	1	66	66	70	No	Yes	4
1327	C	S-1789C	1	66	73	76	No	Yes	3
1328	C	S-1790C	1	66	72	75	No	Yes	3
1329	C	S-1792C	1	66	69	73	No	Yes	4
1330	B	S-1607B	1	66	60	66	No	Yes	6
1331	C	S-1791C	1	66	71	75	No	Yes	4
1332	B	S-1608B	1	66	66	70	No	Yes	4
1333	B	S-1610B	1	66	71	74	No	Yes	3
1334	B	S-1602B	1	66	60	65	No	No	5
1335	B	S-1606B	1	66	66	70	No	Yes	4

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1336	B	S-1609B	1	66	72	74	No	Yes	2
1337	B	S-1601B	1	66	60	65	No	No	5
1338	B	S-1603B	1	66	65	69	No	Yes	4
1339	B	S-1605B	1	66	72	73	No	Yes	1
1340	B	S-1592B	1	66	61	67	No	Yes	6
1341	B	S-1600B	1	66	63	68	No	Yes	5
1342	B	S-1604B	1	66	71	71	No	Yes	0
1343	B	S-1599B	1	66	69	70	No	Yes	1
1344	B	S-1593B	1	66	59	66	No	Yes	7
1345	B	S-1591B	1	66	59	67	No	Yes	8
1346	B	S-1594B	1	66	64	69	No	Yes	5
1347	B	S-1598B	1	66	70	72	No	Yes	2
1348	B	S-1595B	1	66	64	68	No	Yes	4
1349	B	S-1597B	1	66	70	71	No	Yes	1
1350	B	S-1590B	1	66	59	66	No	Yes	7
1351	B	S-1596B	1	66	66	67	No	Yes	1
1352	B	S-1587B	1	66	54	66	Yes	Yes	12
1353	B	S-1580B	1	66	57	69	Yes	Yes	12
1354	B	S-1564B	1	66	64	65	No	No	1
1355	B	S-1572B	1	66	61	68	No	Yes	7
1356	B	S-1571B	1	66	60	68	No	Yes	8
1357	B	S-1579B	1	66	53	69	Yes	Yes	16
1358	B	S-1560B	1	66	69	70	No	Yes	1
1359	B	S-1563B	1	66	62	63	No	No	1
1360	B	S-1581B	1	66	54	69	Yes	Yes	15
1361	B	S-1586B	1	66	52	68	Yes	Yes	16
1362	B	S-1565B	1	66	58	61	No	No	3
1363	B	S-1573B	1	66	62	68	No	Yes	6
1364	B	S-1578B	1	66	53	69	Yes	Yes	16
1365	B	S-1570B	1	66	60	68	No	Yes	8
1366	B	S-1559B	1	66	69	70	No	Yes	1
1367	B	S-1562B	1	66	56	59	No	No	3
1368	B	S-1582B	1	66	54	69	Yes	Yes	15
1369	B	S-1585B	1	66	52	68	Yes	Yes	16
1370	B	S-1566B	1	66	57	60	No	No	3
1371	B	S-1574B	1	66	63	69	No	Yes	6
1372	B	S-1577B	1	66	53	69	Yes	Yes	16
1373	B	S-1589B	1	66	51	65	Yes	No	14
1374	B	S-1558B	1	66	70	69	No	Yes	-1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1375	B	S-1569B	1	66	61	68	No	Yes	7
1376	B	S-1561B	1	66	56	59	No	No	3
1377	B	S-1584B	1	66	51	68	Yes	Yes	17
1378	B	S-1583B	1	66	53	69	Yes	Yes	16
1379	B	S-1588B	1	66	50	65	Yes	No	15
1380	B	S-1575B	1	66	67	69	No	Yes	2
1381	B	S-1567B	1	66	57	59	No	No	2
1382	B	S-1576B	1	66	52	69	Yes	Yes	17
1383	C	S-1793C	1	66	67	70	No	Yes	3
1384	B	S-1568B	1	66	64	69	No	Yes	5
1385	B	S-1543B	1	66	64	66	No	Yes	2
1386	B	S-1537B	1	66	63	67	No	Yes	4
1387	B	S-1538B	1	66	64	66	No	Yes	2
1388	B	S-1548B	1	66	68	69	No	Yes	1
1389	B	S-1553B	1	66	70	69	No	Yes	-1
1390	B	S-1540B	1	66	63	66	No	Yes	3
1391	B	S-1551B	1	66	69	69	No	Yes	0
1392	B	S-1541B	1	66	63	66	No	Yes	3
1393	B	S-1552B	1	66	69	69	No	Yes	0
1394	B	S-1545B	1	66	66	68	No	Yes	2
1395	B	S-1542B	1	66	63	66	No	Yes	3
1396	B	S-1549B	1	66	69	69	No	Yes	0
1397	B	S-1546B	1	66	67	68	No	Yes	1
1398	B	S-1539B	1	66	64	67	No	Yes	3
1399	B	S-1544B	1	66	65	67	No	Yes	2
1400	B	S-1554B	1	66	70	68	No	Yes	-2
1401	B	S-1550B	1	66	69	69	No	Yes	0
1402	B	S-1547B	1	66	68	68	No	Yes	0
1403	B	S-1555B	1	66	69	68	No	Yes	-1
1404	B	S-1556B	1	66	71	68	No	Yes	-3
1405	B	S-1557B	1	66	72	69	No	Yes	-3
1406	E	S-1536E	1	71	66	69	No	No	3
1407	E	S-1535E	1	71	65	68	No	No	3
1408	E	S-1794E	1	71	75	72	No	Yes	-3
1409	E	S-1534E	1	71	74	69	No	No	-5
1410	E	S-1795E	1	71	62	65	No	No	3
1411	B	S-1816B	1	66	54	55	No	No	1
1412	B	S-1817B	1	66	55	57	No	No	2
1413	B	S-1815B	1	66	54	56	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1414	B	S-1814B	1	66	54	56	No	No	2
1415	B	S-1818B	1	66	55	58	No	No	3
1416	B	S-1813B	1	66	55	58	No	No	3
1417	B	S-1819B	1	66	55	58	No	No	3
1418	B	S-1829B	1	66	55	58	No	No	3
1419	B	S-1820B	1	66	55	58	No	No	3
1420	B	S-1821B	1	66	55	58	No	No	3
1421	B	S-1822B	1	66	54	57	No	No	3
1422	B	S-1823B	1	66	54	58	No	No	4
1423	B	S-1824B	1	66	54	57	No	No	3
1424	B	S-1828B	1	66	53	53	No	No	0
1425	B	S-1825B	1	66	54	57	No	No	3
1426	C	S-1847C	1	66	58	61	No	No	3
1427	B	S-1826B	1	66	54	57	No	No	3
1428	B	S-1827B	1	66	54	57	No	No	3
1429	B	S-1848B	1	66	57	60	No	No	3
1430	B	S-1849B	1	66	56	60	No	No	4
1431	B	S-1803B	1	66	59	61	No	No	2
1432	B	S-1850B	1	66	56	59	No	No	3
1433	B	S-1805B	1	66	60	61	No	No	1
1434	B	S-1807B	1	66	59	61	No	No	2
1435	B	S-1808B	1	66	59	61	No	No	2
1436	B	S-1806B	1	66	60	61	No	No	1
1437	B	S-1804B	1	66	60	61	No	No	1
1438	B	S-1802B	1	66	59	61	No	No	2
1439	B	S-1851B	1	66	56	60	No	No	4
1440	B	S-1801B	1	66	59	61	No	No	2
1441	B	S-1844B	1	66	58	60	No	No	2
1442	B	S-1809B	1	66	58	60	No	No	2
1443	B	S-1852B	1	66	57	60	No	No	3
1444	B	S-1810B	1	66	59	60	No	No	1
1445	B	S-1811B	1	66	59	61	No	No	2
1446	B	S-1845B	1	66	58	60	No	No	2
1447	B	S-1853B	1	66	57	60	No	No	3
1448	B	S-1831B	1	66	61	61	No	No	0
1449	B	S-1830B	1	66	61	62	No	No	1
1450	B	S-1812B	1	66	59	61	No	No	2
1451	B	S-1832B	1	66	61	62	No	No	1
1452	B	S-1833B	1	66	61	62	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1453	B	S-1839B	1	66	61	62	No	No	1
1454	B	S-1840B	1	66	61	62	No	No	1
1455	B	S-1841B	1	66	61	62	No	No	1
1456	B	S-1842B	1	66	61	62	No	No	1
1457	B	S-1843B	1	66	61	61	No	No	0
1458	B	S-1838B	1	66	62	62	No	No	0
1459	B	S-1846B	1	66	60	60	No	No	0
1460	B	S-1834B	1	66	62	63	No	No	1
1461	B	S-1837B	1	66	62	62	No	No	0
1462	B	S-1835B	1	66	61	62	No	No	1
1463	B	S-1836B	1	66	62	63	No	No	1
1464	E	S-1799E	1	71	64	66	No	No	2
1465	E	S-1797E	1	71	67	68	No	No	1
1466	E	S-1798E	1	71	69	71	No	Yes	2
1467	B	S-1411B	1	66	69	69	No	Yes	0
1468	E	S-1796E	1	71	71	71	No	Yes	0
1469	E	S-1800E	1	71	71	72	No	Yes	1
1470	B	S-1457B	1	66	70	72	No	Yes	2
1471	B	S-1456B	1	66	68	71	No	Yes	3
1472	B	S-1431B	1	66	67	69	No	Yes	2
1473	B	S-1412B	1	66	67	69	No	Yes	2
1474	B	S-1495B	1	66	66	69	No	Yes	3
1475	E	S-1854E	1	71	71	71	No	Yes	0
1476	B	S-1533B	1	66	70	73	No	Yes	3
1477	B	S-1455B	1	66	61	64	No	No	3
1478	B	S-1496B	1	66	64	67	No	Yes	3
1479	B	S-1532B	1	66	69	71	No	Yes	2
1480	B	S-1458B	1	66	66	68	No	Yes	2
1481	E	S-1882E	1	71	69	71	No	Yes	2
1482	B	S-1454B	1	66	62	65	No	No	3
1483	B	S-1497B	1	66	64	66	No	Yes	2
1484	B	S-1494B	1	66	64	63	No	No	-1
1485	B	S-1531B	1	66	68	69	No	Yes	1
1486	B	S-1459B	1	66	67	68	No	Yes	1
1487	E	S-1881E	1	71	62	65	No	No	3
1488	B	S-1453B	1	66	59	64	No	No	5
1489	B	S-1530B	1	66	67	69	No	Yes	2
1490	B	S-1498B	1	66	63	65	No	No	2
1491	B	S-1493B	1	66	64	66	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1492	B	S-1460B	1	66	67	68	No	Yes	1
1493	B	S-1529B	1	66	67	68	No	Yes	1
1494	B	S-1499B	1	66	64	66	No	Yes	2
1495	B	S-1492B	1	66	64	66	No	Yes	2
1496	B	S-1413B	1	66	60	66	No	Yes	6
1497	B	S-1461B	1	66	67	68	No	Yes	1
1498	B	S-1432B	1	66	61	67	No	Yes	6
1499	B	S-1452B	1	66	58	67	No	Yes	9
1500	B	S-1430B	1	66	62	67	No	Yes	5
1501	B	S-1528B	1	66	68	68	No	Yes	0
1502	B	S-1491B	1	66	64	66	No	Yes	2
1503	B	S-1414B	1	66	61	66	No	Yes	5
1504	B	S-1500B	1	66	66	68	No	Yes	2
1505	B	S-1462B	1	66	67	68	No	Yes	1
1506	B	S-1527B	1	66	65	66	No	Yes	1
1507	B	S-1501B	1	66	64	66	No	Yes	2
1508	B	S-1490B	1	66	64	66	No	Yes	2
1509	B	S-1415B	1	66	61	65	No	No	4
1510	B	S-1451B	1	66	59	67	No	Yes	8
1511	B	S-1463B	1	66	67	68	No	Yes	1
1512	B	S-1526B	1	66	63	65	No	No	2
1513	B	S-1502B	1	66	67	68	No	Yes	1
1514	B	S-1489B	1	66	64	66	No	Yes	2
1515	B	S-1429B	1	66	60	67	No	Yes	7
1516	E	S-1855E	1	71	58	59	No	No	1
1517	B	S-1433B	1	66	61	67	No	Yes	6
1518	B	S-1464B	1	66	66	68	No	Yes	2
1519	B	S-1416B	1	66	63	65	No	No	2
1520	B	S-1450B	1	66	62	68	No	Yes	6
1521	E	S-1886E	1	71	70	71	No	Yes	1
1522	E	S-1885E	1	71	69	71	No	Yes	2
1523	B	S-1525B	1	66	64	65	No	No	1
1524	B	S-1488B	1	66	64	66	No	Yes	2
1525	B	S-1434B	1	66	61	67	No	Yes	6
1526	B	S-1465B	1	66	66	68	No	Yes	2
1527	B	S-1503B	1	66	66	68	No	Yes	2
1528	B	S-1428B	1	66	60	67	No	Yes	7
1529	B	S-1524B	1	66	63	64	No	No	1
1530	B	S-1417B	1	66	62	66	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1531	B	S-1466B	1	66	66	69	No	Yes	3
1532	B	S-1449B	1	66	61	68	No	Yes	7
1533	E	S-1883E	1	71	66	67	No	No	1
1534	C	S-1487C	1	66	64	66	No	Yes	2
1535	C	S-1504C	1	66	66	69	No	Yes	3
1536	B	S-1523B	1	66	63	64	No	No	1
1537	B	S-1486B	1	66	66	67	No	Yes	1
1538	B	S-1435B	1	66	60	67	No	Yes	7
1539	B	S-1467B	1	66	66	69	No	Yes	3
1540	B	S-1418B	1	66	64	66	No	Yes	2
1541	B	S-1427B	1	66	60	67	No	Yes	7
1542	B	S-1878B	1	66	61	63	No	No	2
1543	B	S-1879B-2	1	66	62	64	No	No	2
1544	B	S-1880B-3	1	66	63	66	No	Yes	3
1545	B	S-1872B	1	66	61	63	No	No	2
1546	B	S-1873B-2	1	66	62	64	No	No	2
1547	B	S-1874B-3	1	66	63	66	No	Yes	3
1548	B	S-1869B	1	66	61	63	No	No	2
1549	B	S-1870B-2	1	66	62	64	No	No	2
1550	B	S-1871B-3	1	66	63	65	No	No	2
1551	B	S-1875B	1	66	61	63	No	No	2
1552	B	S-1876B-2	1	66	62	64	No	No	2
1553	B	S-1877B-3	1	66	63	65	No	No	2
1554	B	S-1448B	1	66	60	69	No	Yes	9
1555	B	S-1522B	1	66	64	64	No	No	0
1556	B	S-1468B	1	66	66	69	No	Yes	3
1557	B	S-1419B	1	66	65	66	No	Yes	1
1558	B	S-1436B	1	66	61	67	No	Yes	6
1559	B	S-1485B	1	66	66	67	No	Yes	1
1560	B	S-1505B	1	66	64	66	No	Yes	2
1561	B	S-1426B	1	66	61	67	No	Yes	6
1562	B	S-1521B	1	66	65	66	No	Yes	1
1563	B	S-1469B	1	66	66	69	No	Yes	3
1564	B	S-1447B	1	66	62	69	No	Yes	7
1565	B	S-1866B	1	66	59	62	No	No	3
1566	B	S-1867B-2	1	66	60	62	No	No	2
1567	B	S-1868B-3	1	66	62	64	No	No	2
1568	B	S-1484B	1	66	66	67	No	Yes	1
1569	B	S-1506B	1	66	64	67	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1570	B	S-1520B	1	66	65	65	No	No	0
1571	B	S-1420B	1	66	65	66	No	Yes	1
1572	B	S-1863B	1	66	59	62	No	No	3
1573	B	S-1864B-2	1	66	60	62	No	No	2
1574	B	S-1865B-3	1	66	63	65	No	No	2
1575	E	S-1856E	1	71	57	59	No	No	2
1576	B	S-1860B	1	66	58	61	No	No	3
1577	B	S-1861B-2	1	66	59	62	No	No	3
1578	B	S-1862B-3	1	66	63	65	No	No	2
1579	B	S-1437B	1	66	64	67	No	Yes	3
1580	B	S-1470B	1	66	67	69	No	Yes	2
1581	B	S-1857B	1	66	57	61	No	No	4
1582	B	S-1858B-2	1	66	59	62	No	No	3
1583	B	S-1859B-3	1	66	62	65	No	No	3
1584	B	S-1507B	1	66	67	69	No	Yes	2
1585	B	S-1483B	1	66	66	68	No	Yes	2
1586	B	S-1421B	1	66	64	66	No	Yes	2
1587	B	S-1519B	1	66	71	69	No	Yes	-2
1588	B	S-1446B	1	66	60	69	No	Yes	9
1589	E	S-1884E	1	71	63	64	No	No	1
1590	B	S-1425B	1	66	59	67	No	Yes	8
1591	B	S-1471B	1	66	68	69	No	Yes	1
1592	B	S-1508B	1	66	68	70	No	Yes	2
1593	B	S-1482B	1	66	66	68	No	Yes	2
1594	B	S-1518B	1	66	71	69	No	Yes	-2
1595	B	S-1445B	1	66	62	69	No	Yes	7
1596	B	S-1438B	1	66	65	69	No	Yes	4
1597	B	S-1472B	1	66	68	69	No	Yes	1
1598	B	S-1481B	1	66	67	68	No	Yes	1
1599	E	S-1887E	1	71	72	71	No	Yes	-1
1600	B	S-1509B	1	66	68	70	No	Yes	2
1601	B	S-1517B	1	66	71	69	No	Yes	-2
1602	B	S-1424B	1	66	60	67	No	Yes	7
1603	B	S-1473B	1	66	68	70	No	Yes	2
1604	B	S-1439B	1	66	66	69	No	Yes	3
1605	B	S-1510B	1	66	69	70	No	Yes	1
1606	B	S-1480B	1	66	67	69	No	Yes	2
1607	B	S-1444B	1	66	62	69	No	Yes	7
1608	B	S-1516B	1	66	73	71	No	Yes	-2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1609	B	S-1474B	1	66	70	71	No	Yes	1
1610	B	S-1479B	1	66	68	69	No	Yes	1
1611	B	S-1511B	1	66	70	70	No	Yes	0
1612	B	S-1515B	1	66	73	N/A*	—	—	—
1613	B	S-1475B	1	66	69	70	No	Yes	1
1614	B	S-1512B	1	66	71	70	No	Yes	-1
1615	C	S-1440C	1	66	67	67	No	Yes	0
1616	B	S-1443B	1	66	61	70	No	Yes	9
1617	B	S-1478B	1	66	69	70	No	Yes	1
1618	B	S-1514B	1	66	73	N/A*	—	—	—
1619	B	S-1476B	1	66	71	71	No	Yes	0
1620	B	S-1422B	1	66	61	64	No	No	3
1621	B	S-1513B	1	66	71	71	No	Yes	0
1622	B	S-1442B	1	66	69	70	No	Yes	1
1623	C	S-1477C	1	66	71	71	No	Yes	0
1624	C	S-1423C	1	66	63	65	No	No	2
1625	C	S-1441C	1	66	65	68	No	Yes	3
1626	B	S-1889B	1	66	64	66	No	Yes	2
1627	B	S-1888B	1	66	65	67	No	Yes	2
1628	B	S-1890B	1	66	68	70	No	Yes	2
1629	D	S-1891D	1	51	51	55	No	Yes	4
1630	B	S-1903B	1	66	73	83	Yes	Yes	10
1631	B	S-1902B	1	66	71	80	No	Yes	9
1632	B	S-1901B	1	66	71	78	No	Yes	7
1633	B	S-1893B	1	66	68	73	No	Yes	5
1634	B	S-1894B	1	66	69	74	No	Yes	5
1635	B	S-1896B	1	66	70	75	No	Yes	5
1636	B	S-1895B	1	66	69	74	No	Yes	5
1637	B	S-1898B	1	66	71	76	No	Yes	5
1638	B	S-1897B	1	66	70	75	No	Yes	5
1639	B	S-1900B	1	66	71	77	No	Yes	6
1640	B	S-1899B	1	66	71	77	No	Yes	6
1641	B	S-1892B	1	66	67	72	No	Yes	5
1642	B	S-1954B	1	66	72	85	Yes	Yes	13
1643	B	S-1955B	1	66	74	86	Yes	Yes	12
1644	B	S-1906B	1	66	62	67	No	Yes	5
1645	B	S-1905B	1	66	62	69	No	Yes	7
1646	B	S-1908B	1	66	65	69	No	Yes	4
1647	B	S-1909B	1	66	67	69	No	Yes	2

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1648	B	S-1904B	1	66	66	74	No	Yes	8
1649	B	S-1907B	1	66	65	67	No	Yes	2
1650	B	S-1956B	1	66	71	85	Yes	Yes	14
1651	B	S-1957B	1	66	71	86	Yes	Yes	15
1652	B	S-1917B	1	66	63	66	No	Yes	3
1653	B	S-1910B	1	66	57	68	Yes	Yes	11
1654	B	S-1918B	1	66	61	65	No	No	4
1655	B	S-1958B	1	66	72	85	Yes	Yes	13
1656	B	S-1928B	1	66	65	72	No	Yes	7
1657	B	S-1916B	1	66	61	66	No	Yes	5
1658	B	S-1911B	1	66	55	66	Yes	Yes	11
1659	B	S-1926B	1	66	63	70	No	Yes	7
1660	B	S-1959B	1	66	72	85	Yes	Yes	13
1661	B	S-1919B	1	66	61	66	No	Yes	5
1662	B	S-1929B	1	66	66	73	No	Yes	7
1663	B	S-1924B	1	66	62	70	No	Yes	8
1664	B	S-1915B	1	66	60	66	No	Yes	6
1665	B	S-1912B	1	66	58	67	No	Yes	9
1666	B	S-1927B	1	66	62	68	No	Yes	6
1667	B	S-1960B	1	66	73	85	Yes	Yes	12
1668	B	S-1922B	1	66	60	69	No	Yes	9
1669	B	S-1925B	1	66	62	67	No	Yes	5
1670	B	S-1914B	1	66	60	67	No	Yes	7
1671	B	S-1923B	1	66	61	68	No	Yes	7
1672	B	S-1930B	1	66	65	70	No	Yes	5
1673	B	S-1961B	1	66	74	85	Yes	Yes	11
1674	B	S-1921B	1	66	59	67	No	Yes	8
1675	B	S-1920B	1	66	60	67	No	Yes	7
1676	B	S-1913B	1	66	61	67	No	Yes	6
1677	B	S-1962B	1	66	75	85	Yes	Yes	10
1678	B	S-1931B	1	66	63	69	No	Yes	6
1679	B	S-1932B	1	66	62	68	No	Yes	6
1680	B	S-1933B	1	66	62	66	No	Yes	4
1681	B	S-1944B	1	66	59	59	No	No	0
1682	B	S-1963B	1	66	72	85	Yes	Yes	13
1683	B	S-1934B	1	66	59	64	No	No	5
1684	B	S-1943B	1	66	62	64	No	No	2
1685	B	S-1936B	1	66	57	65	No	No	8
1686	B	S-1935B	1	66	60	65	No	No	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1687	B	S-1942B	1	66	61	65	No	No	4
1688	B	S-1945B	1	66	65	70	No	Yes	5
1689	B	S-1964B	1	66	71	85	Yes	Yes	14
1690	B	S-1941B	1	66	58	65	No	No	7
1691	B	S-1940B	1	66	59	65	No	No	6
1692	B	S-1937B	1	66	58	65	No	No	7
1693	B	S-1965B	1	66	72	85	Yes	Yes	13
1694	B	S-1938B	1	66	59	65	No	No	6
1695	B	S-1939B	1	66	59	65	No	No	6
1696	B	S-1953B	1	66	64	70	No	Yes	6
1697	B	S-1952B	1	66	62	64	No	No	2
1698	B	S-1966B	1	66	70	80	Yes	Yes	10
1699	B	S-1951B	1	66	60	63	No	No	3
1700	B	S-1950B	1	66	60	64	No	No	4
1701	B	S-1967B	1	66	66	72	No	Yes	6
1702	B	S-1969B	1	66	59	62	No	No	3
1703	B	S-1949B	1	66	58	62	No	No	4
1704	B	S-1983B	1	66	71	79	No	Yes	8
1705	B	S-1946B	1	66	59	65	No	No	6
1706	B	S-2008B	1	66	71	83	Yes	Yes	12
1707	B	S-1982B	1	66	67	74	No	Yes	7
1708	B	S-1968B	1	66	61	65	No	No	4
1709	B	S-1970B	1	66	60	62	No	No	2
1710	B	S-1948B	1	66	58	63	No	No	5
1711	B	S-1981B	1	66	63	69	No	Yes	6
1712	B	S-1971B	1	66	58	62	No	No	4
1713	B	S-1947B	1	66	58	63	No	No	5
1714	B	S-2009B	1	66	71	85	Yes	Yes	14
1715	B	S-1972B	1	66	57	62	No	No	5
1716	B	S-1973B	1	66	58	63	No	No	5
1717	B	S-2010B	1	66	71	85	Yes	Yes	14
1718	B	S-1974B	1	66	58	64	No	No	6
1719	B	S-2004B	1	66	66	73	No	Yes	7
1720	B	S-2011B	1	66	72	85	Yes	Yes	13
1721	B	S-2000B	1	66	61	66	No	Yes	5
1722	B	S-1980B	1	66	59	64	No	No	5
1723	B	S-1979B	1	66	58	65	No	No	7
1724	B	S-1995B	1	66	60	64	No	No	4
1725	B	S-2005B	1	66	67	73	No	Yes	6

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1726	B	S-1975B	1	66	58	64	No	No	6
1727	B	S-2012B	1	66	72	84	Yes	Yes	12
1728	B	S-1978B	1	66	58	64	No	No	6
1729	B	S-2006B	1	66	69	72	No	Yes	3
1730	B	S-1977B	1	66	58	65	No	No	7
1731	B	S-1976B	1	66	58	65	No	No	7
1732	B	S-2013B	1	66	73	84	Yes	Yes	11
1733	B	S-1985B	1	66	58	64	No	No	6
1734	B	S-1989B	1	66	59	66	No	Yes	7
1735	B	S-1990B	1	66	60	66	No	Yes	6
1736	B	S-1984B	1	66	58	65	No	No	7
1737	B	S-2014B	1	66	72	85	Yes	Yes	13
1738	B	S-1996B	1	66	59	67	No	Yes	8
1739	C	S-1410C	1	66	73	75	No	Yes	2
1740	B	S-2007B	1	66	69	72	No	Yes	3
1741	B	S-1997B	1	66	58	67	No	Yes	9
1742	B	S-2015B	1	66	70	80	Yes	Yes	10
1743	B	S-2003B	1	66	63	66	No	Yes	3
1744	B	S-2019B	1	66	71	82	Yes	Yes	11
1745	B	S-1991B	1	66	60	67	No	Yes	7
1746	B	S-2016B	1	66	61	64	No	No	3
1747	B	S-1998B	1	66	58	65	No	No	7
1748	B	S-2020B	1	66	72	84	Yes	Yes	12
1749	B	S-1988B	1	66	59	66	No	Yes	7
1750	B	S-2002B	1	66	62	64	No	No	2
1751	B	S-1986B	1	66	59	67	No	Yes	8
1752	B	S-2021B	1	66	72	85	Yes	Yes	13
1753	B	S-1999B	1	66	59	65	No	No	6
1754	B	S-1992B	1	66	61	67	No	Yes	6
1755	B	S-2001B	1	66	61	63	No	No	2
1756	B	S-2017B	1	66	59	61	No	No	2
1757	B	S-1987B	1	66	58	66	No	Yes	8
1758	B	S-2022B	1	66	71	82	Yes	Yes	11
1759	B	S-2018B	1	66	64	66	No	Yes	2
1760	B	S-1993B	1	66	61	67	No	Yes	6
1761	B	S-2028B	1	66	63	66	No	Yes	3
1762	B	S-2026B	1	66	65	70	No	Yes	5
1763	B	S-2027B	1	66	62	67	No	Yes	5
1764	B	S-2029B	1	66	62	66	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1765	B	S-2025B	1	66	69	70	No	Yes	1
1766	B	S-1994B	1	66	60	65	No	No	5
1767	B	S-2023B	1	66	70	79	No	Yes	9
1768	B	S-2024B	1	66	65	71	No	Yes	6
1769	B	S-2038B	1	66	68	77	No	Yes	9
1770	B	S-2040B	1	66	70	82	Yes	Yes	12
1771	B	S-2037B	1	66	66	74	No	Yes	8
1772	B	S-2039B	1	66	69	79	Yes	Yes	10
1773	B	S-2030B	1	66	59	66	No	Yes	7
1774	B	S-2041B	1	66	71	85	Yes	Yes	14
1775	B	S-1409B	1	66	68	71	No	Yes	3
1776	B	S-2042B	1	66	70	86	Yes	Yes	16
1777	B	S-2034B	1	66	61	68	No	Yes	7
1778	B	S-2031B	1	66	57	67	Yes	Yes	10
1779	B	S-2036B	1	66	64	68	No	Yes	4
1780	B	S-2032B	1	66	58	68	Yes	Yes	10
1781	B	S-2035B	1	66	63	67	No	Yes	4
1782	B	S-2033B	1	66	59	68	No	Yes	9
1783	B	S-2049B	1	66	67	67	No	Yes	0
1784	B	S-2046B	1	66	61	67	No	Yes	6
1785	B	S-2045B	1	66	60	67	No	Yes	7
1786	B	S-2044B	1	66	59	66	No	Yes	7
1787	B	S-2050B	1	66	70	70	No	Yes	0
1788	B	S-2043B	1	66	60	67	No	Yes	7
1789	B	S-2047B	1	66	61	66	No	Yes	5
1790	B	S-2048B	1	66	63	66	No	Yes	3
1791	B	S-2051B	1	66	70	77	No	Yes	7
1792	B	S-1408B	1	66	68	71	No	Yes	3
1793	B	S-2052B	1	66	69	77	No	Yes	8
1794	B	S-1407B	1	66	69	71	No	Yes	2
1795	B	S-2053B	1	66	68	76	No	Yes	8
1796	B	S-2058B	1	66	60	65	No	No	5
1797	B	S-2059B	1	66	57	65	No	No	8
1798	B	S-2057B	1	66	59	65	No	No	6
1799	B	S-2055B	1	66	66	69	No	Yes	3
1800	B	S-2056B	1	66	60	67	No	Yes	7
1801	B	S-2060B	1	66	59	65	No	No	6
1802	B	S-2054B	1	66	67	76	No	Yes	9
1803	B	S-2065B	1	66	63	67	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1804	B	S-1406B	1	66	70	72	No	Yes	2
1805	B	S-2066B	1	66	65	70	No	Yes	5
1806	B	S-2064B	1	66	60	66	No	Yes	6
1807	B	S-2062B	1	66	60	66	No	Yes	6
1808	B	S-2061B	1	66	59	65	No	No	6
1809	B	S-2063B	1	66	60	66	No	Yes	6
1810	B	S-2075B	1	66	70	77	No	Yes	7
1811	B	S-1405B	1	66	71	73	No	Yes	2
1812	B	S-2067B	1	66	64	70	No	Yes	6
1813	B	S-1399B	1	66	63	65	No	No	2
1814	B	S-1403B	1	66	71	73	No	Yes	2
1815	B	S-2068B	1	66	64	70	No	Yes	6
1816	B	S-1398B	1	66	63	65	No	No	2
1817	B	S-1402B	1	66	71	73	No	Yes	2
1818	B	S-2076B	1	66	69	77	No	Yes	8
1819	B	S-2074B	1	66	67	76	No	Yes	9
1820	B	S-2073B	1	66	66	75	No	Yes	9
1821	B	S-2072B	1	66	65	73	No	Yes	8
1822	B	S-2069B	1	66	60	65	No	No	5
1823	B	S-1404B	1	66	72	72	No	Yes	0
1824	B	S-1401B	1	66	71	74	No	Yes	3
1825	B	S-2071B	1	66	60	69	No	Yes	9
1826	B	S-2081B	1	66	67	76	No	Yes	9
1827	B	S-2070B	1	66	60	69	No	Yes	9
1828	B	S-2077B	1	66	68	76	No	Yes	8
1829	B	S-1400B	1	66	72	75	No	Yes	3
1830	B	S-2082B	1	66	65	73	No	Yes	8
1831	B	S-2080B	1	66	65	72	No	Yes	7
1832	B	S-2079B	1	66	65	72	No	Yes	7
1833	B	S-2083B	1	66	65	73	No	Yes	8
1834	B	S-2078B	1	66	67	74	No	Yes	7
1835	B	S-2085B	1	66	60	71	Yes	Yes	11
1836	B	S-2084B	1	66	60	71	Yes	Yes	11
1837	B	S-2092B	1	66	67	74	No	Yes	7
1838	B	S-2091B	1	66	65	73	No	Yes	8
1839	B	S-2090B	1	66	63	71	No	Yes	8
1840	B	S-2086B	1	66	62	71	No	Yes	9
1841	B	S-2088B	1	66	63	71	No	Yes	8
1842	B	S-2089B	1	66	64	72	No	Yes	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1843	B	S-2087B	1	66	63	72	No	Yes	9
1844	B	S-2093B	1	66	68	74	No	Yes	6
1845	B	S-2094B	1	66	68	74	No	Yes	6
1846	B	S-2103B	1	66	61	71	Yes	Yes	10
1847	B	S-2102B	1	66	65	71	No	Yes	6
1848	B	S-2100B	1	66	66	72	No	Yes	6
1849	B	S-2104B	1	66	59	71	Yes	Yes	12
1850	B	S-2101B	1	66	64	70	No	Yes	6
1851	B	S-2099B	1	66	65	72	No	Yes	7
1852	B	S-2096B	1	66	67	73	No	Yes	6
1853	B	S-2095B	1	66	70	74	No	Yes	4
1854	B	S-2097B	1	66	66	72	No	Yes	6
1855	B	S-2098B	1	66	65	71	No	Yes	6
1856	B	S-2105B	1	66	63	71	No	Yes	8
1857	B	S-2108B	1	66	66	71	No	Yes	5
1858	B	S-2109B	1	66	66	71	No	Yes	5
1859	B	S-2106B	1	66	61	70	No	Yes	9
1860	D	S-2118D	1	51	46	49	No	No	3
1861	B	S-2110B	1	66	66	72	No	Yes	6
1862	B	S-2107B	1	66	62	70	No	Yes	8
1863	B	S-2111B	1	66	66	71	No	Yes	5
1864	D	S-2119D	1	51	45	49	No	No	4
1865	B	S-2112B	1	66	65	71	No	Yes	6
1866	B	S-2113B	1	66	65	71	No	Yes	6
1867	B	S-2132B	1	66	69	75	No	Yes	6
1868	B	S-2114B	1	66	64	70	No	Yes	6
1869	B	S-2120B	1	66	67	73	No	Yes	6
1870	B	S-2115B	1	66	64	70	No	Yes	6
1871	B	S-2133B	1	66	69	78	No	Yes	9
1872	B	S-2116B	1	66	63	70	No	Yes	7
1873	B	S-2121B	1	66	68	75	No	Yes	7
1874	B	S-2117B	1	66	62	69	No	Yes	7
1875	B	S-2122B	1	66	68	74	No	Yes	6
1876	D	S-2124D	1	51	36	44	No	No	8
1877	B	S-2123B	1	66	66	73	No	Yes	7
1878	B	S-2134B	1	66	69	77	No	Yes	8
1879	B	S-2135B	1	66	68	76	No	Yes	8
1880	B	S-2127B	1	66	62	69	No	Yes	7

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1881	B	S-2126B	1	66	63	69	No	Yes	6
1882	B	S-2125B	1	66	63	70	No	Yes	7
1883	B	S-2128B	1	66	65	71	No	Yes	6
1884	B	S-2138B	1	66	66	80	Yes	Yes	14
1885	B	S-2136B	1	66	66	73	No	Yes	7
1886	B	S-2137B	1	66	66	73	No	Yes	7
1887	B	S-2139B	1	66	67	80	Yes	Yes	13
1888	B	S-2129B	1	66	64	70	No	Yes	6
1889	B	S-2130B	1	66	64	69	No	Yes	5
1890	B	S-2144B	1	66	64	72	No	Yes	8
1891	B	S-2145B	1	66	63	72	No	Yes	9
1892	B	S-2147B	1	66	63	72	No	Yes	9
1893	B	S-2146B	1	66	63	72	No	Yes	9
1894	B	S-2143B	1	66	65	73	No	Yes	8
1895	B	S-2142B	1	66	65	72	No	Yes	7
1896	B	S-2149B	1	66	62	70	No	Yes	8
1897	B	S-2148B	1	66	63	71	No	Yes	8
1898	B	S-2140B	1	66	68	76	No	Yes	8
1899	B	S-2141B	1	66	66	73	No	Yes	7
1900	B	S-2131B	1	66	64	69	No	Yes	5
1901	B	S-2153B	1	66	70	78	No	Yes	8
1902	B	S-2152B	1	66	67	73	No	Yes	6
1903	B	S-2154B	1	66	67	81	Yes	Yes	14
1904	B	S-2150B	1	66	63	71	No	Yes	8
1905	B	S-2151B	1	66	63	71	No	Yes	8
1906	B	S-2155B	1	66	69	81	Yes	Yes	12
1907	B	S-2173B	1	66	65	70	No	Yes	5
1908	B	S-2172B	1	66	64	69	No	Yes	5
1909	B	S-2171B	1	66	64	70	No	Yes	6
1910	B	S-2156B	1	66	69	81	Yes	Yes	12
1911	B	S-2168B	1	66	63	69	No	Yes	6
1912	B	S-2174B	1	66	68	72	No	Yes	4
1913	B	S-2157B	1	66	70	81	Yes	Yes	11
1914	B	S-2158B	1	66	69	81	Yes	Yes	12
1915	B	S-2169B	1	66	60	68	No	Yes	8
1916	B	S-2175B	1	66	64	68	No	Yes	4
1917	B	S-2170B	1	66	58	68	Yes	Yes	10
1918	B	S-2176B	1	66	65	68	No	Yes	3
1919	B	S-2159B	1	66	69	81	Yes	Yes	12

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1920	B	S-2187B	1	66	69	71	No	Yes	2
1921	B	S-2160B	1	66	71	81	Yes	Yes	10
1922	B	S-2177B	1	66	64	68	No	Yes	4
1923	B	S-2188B	1	66	68	72	No	Yes	4
1924	B	S-2178B	1	66	63	67	No	Yes	4
1925	B	S-2161B	1	66	71	81	Yes	Yes	10
1926	B	S-2162B	1	66	69	81	Yes	Yes	12
1927	B	S-2189B	1	66	67	71	No	Yes	4
1928	B	S-2179B	1	66	63	67	No	Yes	4
1929	B	S-2186B	1	66	61	62	No	No	1
1930	B	S-2163B	1	66	71	81	Yes	Yes	10
1931	B	S-2180B	1	66	63	67	No	Yes	4
1932	B	S-2185B	1	66	60	66	No	Yes	6
1933	B	S-2190B	1	66	64	69	No	Yes	5
1934	B	S-2164B	1	66	69	81	Yes	Yes	12
1935	B	S-2181B	1	66	62	68	No	Yes	6
1936	B	S-2184B	1	66	64	68	No	Yes	4
1937	B	S-2191B	1	66	67	72	No	Yes	5
1938	B	S-2165B	1	66	70	80	Yes	Yes	10
1939	B	S-2192B	1	66	67	73	No	Yes	6
1940	B	S-2183B	1	66	65	70	No	Yes	5
1941	B	S-2167B	1	66	68	79	Yes	Yes	11
1942	B	S-2166B	1	66	68	76	No	Yes	8
1943	B	S-2193B	1	66	67	74	No	Yes	7
1944	B	S-2182B	1	66	63	70	No	Yes	7
1945	B	S-2200B	1	66	71	82	Yes	Yes	11
1946	B	S-2198B	1	66	68	75	No	Yes	7
1947	B	S-2196B	1	66	66	73	No	Yes	7
1948	B	S-2197B	1	66	68	75	No	Yes	7
1949	B	S-2199B	1	66	68	75	No	Yes	7
1950	B	S-2195B	1	66	66	72	No	Yes	6
1951	B	S-2194B	1	66	64	71	No	Yes	7
1952	C	S-2205C	1	66	73	82	No	Yes	9
1953	C	S-2202C	1	66	68	73	No	Yes	5
1954	C	S-2201C	1	66	68	73	No	Yes	5
1955	C	S-2203C	1	66	72	79	No	Yes	7
1956	C	S-2204C	1	66	73	80	No	Yes	7
1957	C	S-2206C	1	66	69	78	No	Yes	9
1958	C	S-2231C	1	66	67	72	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1959	C	S-2230C	1	66	68	73	No	Yes	5
1960	C	S-2232C	1	66	68	73	No	Yes	5
1961	C	S-2233C	1	66	68	73	No	Yes	5
1962	C	S-2229C	1	66	69	73	No	Yes	4
1963	C	S-2207C	1	66	81	83	No	Yes	2
1964	C	S-2208C	1	66	81	83	No	Yes	2
1965	C	S-2209C	1	66	74	79	No	Yes	5
1966	C	S-2228C	1	66	68	73	No	Yes	5
1967	C	S-2227C	1	66	69	74	No	Yes	5
1968	C	S-2210C	1	66	74	79	No	Yes	5
1969	C	S-2238C	1	66	67	70	No	Yes	3
1970	C	S-2226C	1	66	69	73	No	Yes	4
1971	C	S-2236C	1	66	67	71	No	Yes	4
1972	C	S-2211C	1	66	74	76	No	Yes	2
1973	C	S-2224C	1	66	70	74	No	Yes	4
1974	C	S-2217C	1	66	74	78	No	Yes	4
1975	C	S-2212C	1	66	74	76	No	Yes	2
1976	C	S-2220C	1	66	72	76	No	Yes	4
1977	C	S-2213C	1	66	74	76	No	Yes	2
1978	C	S-2223C	1	66	70	74	No	Yes	4
1979	C	S-2239C	1	66	66	70	No	Yes	4
1980	C	S-2216C	1	66	73	76	No	Yes	3
1981	C	S-2214C	1	66	74	76	No	Yes	2
1982	C	S-2235C	1	66	68	71	No	Yes	3
1983	C	S-2241C	1	66	65	69	No	Yes	4
1984	C	S-2225C	1	66	69	73	No	Yes	4
1985	C	S-2234C	1	66	67	71	No	Yes	4
1986	C	S-2215C	1	66	75	76	No	Yes	1
1987	C	S-2237C	1	66	67	71	No	Yes	4
1988	C	S-2222C	1	66	71	75	No	Yes	4
1989	C	S-2219C	1	66	73	76	No	Yes	3
1990	C	S-2240C	1	66	65	69	No	Yes	4
1991	C	S-2221C	1	66	70	74	No	Yes	4
1992	C	S-2242C	1	66	64	71	No	Yes	7
1993	C	S-2218C	1	66	73	76	No	Yes	3
1994	B	S-2243B	1	66	65	72	No	Yes	7
1995	B	S-2244B-2	1	66	67	72	No	Yes	5
1996	B	S-2245B	1	66	64	69	No	Yes	5
1997	B	S-2246B-2	1	66	66	70	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1998	B	S-2271B	1	66	55	64	No	No	9
1999	C	S-2272C	1	66	57	63	No	No	6
2000	B	S-2317B	1	66	69	73	No	Yes	4
2001	B	S-2318B-2	1	66	71	75	No	Yes	4
2002	B	S-2319B-3	1	66	72	75	No	Yes	3
2003	B	S-2323B	1	66	70	74	No	Yes	4
2004	B	S-2324B-2	1	66	72	75	No	Yes	3
2005	B	S-2325B-3	1	66	73	76	No	Yes	3
2006	B	S-2311B	1	66	69	73	No	Yes	4
2007	B	S-2312B-2	1	66	71	74	No	Yes	3
2008	B	S-2313B-3	1	66	72	75	No	Yes	3
2009	B	S-2305B	1	66	68	72	No	Yes	4
2010	B	S-2306B-2	1	66	70	74	No	Yes	4
2011	B	S-2307B-3	1	66	71	74	No	Yes	3
2012	B	S-2299B	1	66	68	71	No	Yes	3
2013	B	S-2300B-2	1	66	69	73	No	Yes	4
2014	B	S-2301B-3	1	66	70	73	No	Yes	3
2015	B	S-2329B	1	66	71	75	No	Yes	4
2016	B	S-2330B-2	1	66	73	76	No	Yes	3
2017	B	S-2331B-3	1	66	74	77	No	Yes	3
2018	B	S-2293B	1	66	67	71	No	Yes	4
2019	B	S-2294B-2	1	66	69	72	No	Yes	3
2020	B	S-2295B-3	1	66	70	73	No	Yes	3
2021	B	S-2341B	1	66	72	77	No	Yes	5
2022	B	S-2342B-2	1	66	74	78	No	Yes	4
2023	B	S-2343B-3	1	66	75	78	No	Yes	3
2024	B	S-2335B	1	66	72	76	No	Yes	4
2025	B	S-2336B-2	1	66	74	77	No	Yes	3
2026	B	S-2337B-3	1	66	75	77	No	Yes	2
2027	B	S-2347B	1	66	72	76	No	Yes	4
2028	B	S-2348B-2	1	66	74	79	No	Yes	5
2029	B	S-2349B-3	1	66	75	79	No	Yes	4
2030	B	S-2287B	1	66	67	70	No	Yes	3
2031	B	S-2288B-2	1	66	68	72	No	Yes	4
2032	B	S-2289B-3	1	66	69	72	No	Yes	3
2033	B	S-2273B	1	66	56	62	No	No	6
2034	B	S-2281B	1	66	67	70	No	Yes	3
2035	B	S-2282B-2	1	66	68	71	No	Yes	3
2036	B	S-2283B-3	1	66	69	72	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2037	B	S-2274B	1	66	56	62	No	No	6
2038	B	S-2326B	1	66	60	68	No	Yes	8
2039	B	S-2327B-2	1	66	62	69	No	Yes	7
2040	B	S-2328B-3	1	66	65	70	No	Yes	5
2041	B	S-2320B	1	66	57	66	No	Yes	9
2042	B	S-2321B-2	1	66	59	67	No	Yes	8
2043	B	S-2322B-3	1	66	63	69	No	Yes	6
2044	B	S-2314B	1	66	56	65	No	No	9
2045	B	S-2315B-2	1	66	59	66	No	Yes	7
2046	B	S-2316B-3	1	66	62	68	No	Yes	6
2047	B	S-2308B	1	66	56	65	No	No	9
2048	B	S-2309B-2	1	66	58	66	No	Yes	8
2049	B	S-2310B-3	1	66	61	67	No	Yes	6
2050	B	S-2302B	1	66	56	63	No	No	7
2051	B	S-2303B-2	1	66	58	64	No	No	6
2052	B	S-2304B-3	1	66	61	66	No	Yes	5
2053	B	S-2275B	1	66	56	68	Yes	Yes	12
2054	B	S-2332B	1	66	59	70	Yes	Yes	11
2055	B	S-2333B-2	1	66	62	71	No	Yes	9
2056	B	S-2334B-3	1	66	66	72	No	Yes	6
2057	B	S-2296B	1	66	55	62	No	No	7
2058	B	S-2297B-2	1	66	57	64	No	No	7
2059	B	S-2298B-3	1	66	60	65	No	No	5
2060	B	S-2344B	1	66	61	74	Yes	Yes	13
2061	B	S-2345B-2	1	66	63	74	Yes	Yes	11
2062	B	S-2346B-3	1	66	68	75	No	Yes	7
2063	B	S-2338B	1	66	59	72	Yes	Yes	13
2064	B	S-2339B-2	1	66	61	72	Yes	Yes	11
2065	B	S-2340B-3	1	66	66	73	No	Yes	7
2066	B	S-2350B	1	66	62	76	Yes	Yes	14
2067	B	S-2351B-2	1	66	65	77	Yes	Yes	12
2068	B	S-2352B-3	1	66	71	77	No	Yes	6
2069	B	S-2290B	1	66	55	62	No	No	7
2070	B	S-2291B-2	1	66	57	64	No	No	7
2071	B	S-2292B-3	1	66	60	65	No	No	5
2072	B	S-2284B	1	66	55	62	No	No	7
2073	B	S-2285B-2	1	66	57	63	No	No	6
2074	B	S-2286B-3	1	66	60	65	No	No	5
2075	B	S-2276B	1	66	57	68	Yes	Yes	11

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2076	B	S-2407B	1	66	62	73	Yes	Yes	11
2077	B	S-2408B-2	1	66	64	74	Yes	Yes	10
2078	B	S-2409B-3	1	66	68	75	No	Yes	7
2079	B	S-2401B	1	66	59	72	Yes	Yes	13
2080	B	S-2402B-2	1	66	61	72	Yes	Yes	11
2081	B	S-2403B-3	1	66	65	73	No	Yes	8
2082	B	S-2371B	1	66	60	66	No	Yes	6
2083	B	S-2372B-2	1	66	62	67	No	Yes	5
2084	B	S-2373B-3	1	66	65	69	No	Yes	4
2085	B	S-2365B	1	66	59	65	No	No	6
2086	B	S-2366B-2	1	66	61	66	No	Yes	5
2087	B	S-2367B-3	1	66	64	68	No	Yes	4
2088	B	S-2419B	1	66	70	75	No	Yes	5
2089	B	S-2420B-2	1	66	72	78	No	Yes	6
2090	B	S-2421B-3	1	66	74	79	No	Yes	5
2091	B	S-2413B	1	66	68	75	No	Yes	7
2092	B	S-2414B-2	1	66	70	76	No	Yes	6
2093	B	S-2415B-3	1	66	72	77	No	Yes	5
2094	B	S-2395B	1	66	60	70	Yes	Yes	10
2095	B	S-2396B-2	1	66	62	71	No	Yes	9
2096	B	S-2397B-3	1	66	66	72	No	Yes	6
2097	B	S-2389B	1	66	64	70	No	Yes	6
2098	B	S-2390B-2	1	66	66	71	No	Yes	5
2099	B	S-2391B-3	1	66	68	72	No	Yes	4
2100	B	S-2377B	1	66	61	67	No	Yes	6
2101	B	S-2378B-2	1	66	63	68	No	Yes	5
2102	B	S-2379B-3	1	66	65	70	No	Yes	5
2103	B	S-2383B	1	66	63	69	No	Yes	6
2104	B	S-2384B-2	1	66	65	70	No	Yes	5
2105	B	S-2385B-3	1	66	67	71	No	Yes	4
2106	B	S-2359B	1	66	62	65	No	No	3
2107	B	S-2360B-2	1	66	63	67	No	Yes	4
2108	B	S-2361B-3	1	66	65	68	No	Yes	3
2109	B	S-2353B	1	66	61	65	No	No	4
2110	B	S-2354B-2	1	66	62	66	No	Yes	4
2111	B	S-2355B-3	1	66	64	68	No	Yes	4
2112	C	S-2279C	1	66	59	65	No	No	6
2113	B	S-2256B	1	66	60	67	No	Yes	7
2114	B	S-2257B-2	1	66	63	68	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2115	B	S-2258B-3	1	66	66	71	No	Yes	5
2116	B	S-2253B	1	66	60	66	No	Yes	6
2117	B	S-2254B-2	1	66	63	68	No	Yes	5
2118	B	S-2255B-3	1	66	66	70	No	Yes	4
2119	B	S-2250B	1	66	61	67	No	Yes	6
2120	B	S-2251B-2	1	66	64	69	No	Yes	5
2121	B	S-2252B-3	1	66	66	71	No	Yes	5
2122	B	S-2247B	1	66	61	67	No	Yes	6
2123	B	S-2248B-2	1	66	64	69	No	Yes	5
2124	B	S-2249B-3	1	66	66	70	No	Yes	4
2125	B	S-2280B	1	66	57	63	No	No	6
2126	B	S-2404B	1	66	61	73	Yes	Yes	12
2127	B	S-2405B-2	1	66	63	74	Yes	Yes	11
2128	B	S-2406B-3	1	66	67	75	No	Yes	8
2129	B	S-2368B	1	66	57	67	Yes	Yes	10
2130	B	S-2369B-2	1	66	60	68	No	Yes	8
2131	B	S-2370B-3	1	66	62	69	No	Yes	7
2132	B	S-2374B	1	66	57	68	Yes	Yes	11
2133	B	S-2375B-2	1	66	60	69	No	Yes	9
2134	B	S-2376B-3	1	66	62	69	No	Yes	7
2135	B	S-2410B	1	66	62	75	Yes	Yes	13
2136	B	S-2411B-2	1	66	64	76	Yes	Yes	12
2137	B	S-2412B-3	1	66	69	76	No	Yes	7
2138	B	S-2278B	1	66	58	67	No	Yes	9
2139	B	S-2422B	1	66	65	75	Yes	Yes	10
2140	B	S-2423B-2	1	66	67	80	Yes	Yes	13
2141	B	S-2424B-3	1	66	73	80	No	Yes	7
2142	B	S-2416B	1	66	63	76	Yes	Yes	13
2143	B	S-2417B-2	1	66	65	77	Yes	Yes	12
2144	B	S-2418B-3	1	66	72	78	No	Yes	6
2145	B	S-2386B	1	66	59	70	Yes	Yes	11
2146	B	S-2387B-2	1	66	62	71	No	Yes	9
2147	B	S-2388B-3	1	66	64	71	No	Yes	7
2148	B	S-2398B	1	66	60	73	Yes	Yes	13
2149	B	S-2399B-2	1	66	63	73	Yes	Yes	10
2150	B	S-2400B-3	1	66	68	74	No	Yes	6
2151	C	S-2277C	1	66	60	67	No	Yes	7
2152	B	S-2392B	1	66	59	71	Yes	Yes	12
2153	B	S-2393B-2	1	66	62	72	Yes	Yes	10

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2154	B	S-2394B-3	1	66	66	73	No	Yes	7
2155	B	S-2380B	1	66	58	69	Yes	Yes	11
2156	B	S-2381B-2	1	66	61	69	No	Yes	8
2157	B	S-2382B-3	1	66	63	70	No	Yes	7
2158	B	S-2362B	1	66	57	67	Yes	Yes	10
2159	B	S-2363B-2	1	66	59	68	No	Yes	9
2160	B	S-2364B-3	1	66	62	69	No	Yes	7
2161	B	S-2356B	1	66	57	66	No	Yes	9
2162	B	S-2357B-2	1	66	59	67	No	Yes	8
2163	B	S-2358B-3	1	66	62	68	No	Yes	6
2164	B	S-2268B	1	66	54	67	Yes	Yes	13
2165	B	S-2269B-2	1	66	57	68	Yes	Yes	11
2166	B	S-2270B-3	1	66	60	70	Yes	Yes	10
2167	B	S-2265B	1	66	55	67	Yes	Yes	12
2168	B	S-2266B-2	1	66	57	69	Yes	Yes	12
2169	B	S-2267B-3	1	66	60	70	Yes	Yes	10
2170	B	S-2262B	1	66	55	66	Yes	Yes	11
2171	B	S-2263B-2	1	66	56	68	Yes	Yes	12
2172	B	S-2264B-3	1	66	59	70	Yes	Yes	11
2173	B	S-2259B	1	66	54	66	Yes	Yes	12
2174	B	S-2260B-2	1	66	56	68	Yes	Yes	12
2175	B	S-2261B-3	1	66	59	70	Yes	Yes	11
2176	B	S-2466B	1	66	58	66	No	Yes	8
2177	B	S-2467B-2	1	66	60	67	No	Yes	7
2178	B	S-2468B-3	1	66	62	68	No	Yes	6
2179	B	S-2425B	1	66	68	78	Yes	Yes	10
2180	B	S-2426B-2	1	66	70	79	No	Yes	9
2181	B	S-2427B-3	1	66	75	79	No	Yes	4
2182	B	S-2452B	1	66	60	72	Yes	Yes	12
2183	B	S-2453B-2	1	66	64	73	No	Yes	9
2184	B	S-2454B-3	1	66	67	74	No	Yes	7
2185	B	S-2434B	1	66	64	75	Yes	Yes	11
2186	B	S-2435B-2	1	66	66	76	Yes	Yes	10
2187	B	S-2436B-3	1	66	71	77	No	Yes	6
2188	B	S-2440B	1	66	61	74	Yes	Yes	13
2189	B	S-2441B-2	1	66	64	75	Yes	Yes	11
2190	B	S-2442B-3	1	66	69	76	No	Yes	7
2191	B	S-2446B	1	66	61	73	Yes	Yes	12
2192	B	S-2447B-2	1	66	65	74	No	Yes	9

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2193	B	S-2448B-3	1	66	69	74	No	Yes	5
2194	B	S-2458B	1	66	59	71	Yes	Yes	12
2195	B	S-2459B-2	1	66	62	71	No	Yes	9
2196	B	S-2460B-3	1	66	65	72	No	Yes	7
2197	C	S-2462C	1	66	58	67	No	Yes	9
2198	B	S-2469B	1	66	53	66	Yes	Yes	13
2199	B	S-2470B-2	1	66	56	68	Yes	Yes	12
2200	B	S-2471B-3	1	66	60	69	No	Yes	9
2201	B	S-2478B	1	66	52	66	Yes	Yes	14
2202	B	S-2479B-2	1	66	54	68	Yes	Yes	14
2203	B	S-2480B-3	1	66	59	69	Yes	Yes	10
2204	B	S-2481B	1	66	53	67	Yes	Yes	14
2205	B	S-2482B-2	1	66	57	68	Yes	Yes	11
2206	B	S-2483B-3	1	66	60	69	No	Yes	9
2207	B	S-2463B	1	66	56	67	Yes	Yes	11
2208	B	S-2464B-2	1	66	57	68	Yes	Yes	11
2209	B	S-2465B-3	1	66	61	69	No	Yes	8
2210	B	S-2490B	1	66	54	67	Yes	Yes	13
2211	B	S-2491B-2	1	66	57	69	Yes	Yes	12
2212	B	S-2492B-3	1	66	60	69	No	Yes	9
2213	B	S-2472B	1	66	54	67	Yes	Yes	13
2214	B	S-2473B-2	1	66	55	68	Yes	Yes	13
2215	B	S-2474B-3	1	66	60	69	No	Yes	9
2216	B	S-2428B	1	66	67	77	Yes	Yes	10
2217	B	S-2429B-2	1	66	68	79	Yes	Yes	11
2218	B	S-2430B-3	1	66	75	79	No	Yes	4
2219	B	S-2431B	1	66	65	75	Yes	Yes	10
2220	B	S-2432B-2	1	66	66	77	Yes	Yes	11
2221	B	S-2433B-3	1	66	72	77	No	Yes	5
2222	B	S-2502B	1	66	59	67	No	Yes	8
2223	B	S-2503B-2	1	66	62	69	No	Yes	7
2224	B	S-2504B-3	1	66	65	70	No	Yes	5
2225	B	S-2449B	1	66	58	70	Yes	Yes	12
2226	B	S-2450B-2	1	66	60	70	Yes	Yes	10
2227	B	S-2451B-3	1	66	65	71	No	Yes	6
2228	B	S-2455B	1	66	57	68	Yes	Yes	11
2229	B	S-2456B-2	1	66	59	69	Yes	Yes	10
2230	B	S-2457B-3	1	66	63	70	No	Yes	7
2231	B	S-2493B	1	66	55	67	Yes	Yes	12

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2232	B	S-2494B-2	1	66	58	69	Yes	Yes	11
2233	B	S-2495B-3	1	66	62	70	No	Yes	8
2234	B	S-2443B	1	66	61	71	Yes	Yes	10
2235	B	S-2444B-2	1	66	62	72	Yes	Yes	10
2236	B	S-2445B-3	1	66	65	72	No	Yes	7
2237	B	S-2437B	1	66	63	73	Yes	Yes	10
2238	B	S-2438B-2	1	66	64	74	Yes	Yes	10
2239	B	S-2439B-3	1	66	68	75	No	Yes	7
2240	B	S-2505B	1	66	53	67	Yes	Yes	14
2241	B	S-2506B-2	1	66	55	69	Yes	Yes	14
2242	B	S-2507B-3	1	66	58	70	Yes	Yes	12
2243	B	S-2475B	1	66	55	67	Yes	Yes	12
2244	B	S-2476B-2	1	66	56	69	Yes	Yes	13
2245	B	S-2477B-3	1	66	61	70	No	Yes	9
2246	B	S-2574B	1	66	66	75	No	Yes	9
2247	B	S-2575B-2	1	66	66	76	Yes	Yes	10
2248	B	S-2576B-3	1	66	71	76	No	Yes	5
2249	B	S-2571B	1	66	63	72	No	Yes	9
2250	B	S-2572B-2	1	66	63	73	Yes	Yes	10
2251	B	S-2573B-3	1	66	67	73	No	Yes	6
2252	B	S-2484B	1	66	55	67	Yes	Yes	12
2253	B	S-2485B-2	1	66	56	69	Yes	Yes	13
2254	B	S-2486B-3	1	66	60	70	Yes	Yes	10
2255	B	S-2565B	1	66	58	70	Yes	Yes	12
2256	B	S-2566B-2	1	66	62	71	No	Yes	9
2257	B	S-2567B-3	1	66	67	71	No	Yes	4
2258	C	S-2461C	1	66	57	66	No	Yes	9
2259	B	S-2487B	1	66	54	67	Yes	Yes	13
2260	B	S-2488B-2	1	66	56	69	Yes	Yes	13
2261	B	S-2489B-3	1	66	59	70	Yes	Yes	11
2262	B	S-2556B	1	66	57	68	Yes	Yes	11
2263	B	S-2557B-2	1	66	60	69	No	Yes	9
2264	B	S-2558B-3	1	66	64	70	No	Yes	6
2265	B	S-2553B	1	66	56	67	Yes	Yes	11
2266	B	S-2554B-2	1	66	59	68	No	Yes	9
2267	B	S-2555B-3	1	66	62	68	No	Yes	6
2268	B	S-2496B	1	66	54	67	Yes	Yes	13
2269	B	S-2497B-2	1	66	56	69	Yes	Yes	13
2270	B	S-2498B-3	1	66	59	70	Yes	Yes	11

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2271	B	S-2499B	1	66	59	67	No	Yes	8
2272	B	S-2500B-2	1	66	61	69	No	Yes	8
2273	B	S-2501B-3	1	66	64	70	No	Yes	6
2274	B	S-2544B	1	66	57	66	No	Yes	9
2275	B	S-2545B-2	1	66	59	67	No	Yes	8
2276	B	S-2546B-3	1	66	63	68	No	Yes	5
2277	B	S-2541B	1	66	56	67	Yes	Yes	11
2278	B	S-2542B-2	1	66	58	69	Yes	Yes	11
2279	B	S-2543B-3	1	66	62	70	No	Yes	8
2280	B	S-2529B	1	66	56	67	Yes	Yes	11
2281	B	S-2530B-2	1	66	58	69	Yes	Yes	11
2282	B	S-2531B-3	1	66	61	70	No	Yes	9
2283	B	S-2532B	1	66	56	67	Yes	Yes	11
2284	B	S-2533B-2	1	66	57	69	Yes	Yes	12
2285	B	S-2534B-3	1	66	60	70	Yes	Yes	10
2286	B	S-2520B	1	66	56	67	Yes	Yes	11
2287	B	S-2521B-2	1	66	57	69	Yes	Yes	12
2288	B	S-2522B-3	1	66	60	70	Yes	Yes	10
2289	B	S-2517B	1	66	56	68	Yes	Yes	12
2290	B	S-2518B-2	1	66	57	69	Yes	Yes	12
2291	B	S-2519B-3	1	66	61	71	Yes	Yes	10
2292	B	S-2508B	1	66	55	68	Yes	Yes	13
2293	B	S-2509B-2	1	66	57	69	Yes	Yes	12
2294	B	S-2510B-3	1	66	60	70	Yes	Yes	10
2295	B	S-2577B	1	66	70	78	No	Yes	8
2296	B	S-2578B-2	1	66	70	80	Yes	Yes	10
2297	B	S-2579B-3	1	66	77	80	No	Yes	3
2298	B	S-2568B	1	66	65	78	Yes	Yes	13
2299	B	S-2569B-2	1	66	69	78	No	Yes	9
2300	B	S-2570B-3	1	66	76	79	No	Yes	3
2301	B	S-2562B	1	66	64	77	Yes	Yes	13
2302	B	S-2563B-2	1	66	67	78	Yes	Yes	11
2303	B	S-2564B-3	1	66	74	78	No	Yes	4
2304	B	S-2559B	1	66	63	76	Yes	Yes	13
2305	B	S-2560B-2	1	66	67	77	Yes	Yes	10
2306	B	S-2561B-3	1	66	73	77	No	Yes	4
2307	B	S-2550B	1	66	62	75	Yes	Yes	13
2308	B	S-2551B-2	1	66	65	76	Yes	Yes	11
2309	B	S-2552B-3	1	66	71	76	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2310	B	S-2547B	1	66	62	74	Yes	Yes	12
2311	B	S-2548B-2	1	66	66	75	No	Yes	9
2312	B	S-2549B-3	1	66	71	75	No	Yes	4
2313	B	S-2538B	1	66	60	70	Yes	Yes	10
2314	B	S-2539B-2	1	66	63	71	No	Yes	8
2315	B	S-2540B-3	1	66	66	72	No	Yes	6
2316	B	S-2535B	1	66	60	69	No	Yes	9
2317	B	S-2536B-2	1	66	62	70	No	Yes	8
2318	B	S-2537B-3	1	66	65	71	No	Yes	6
2319	B	S-2526B	1	66	60	69	No	Yes	9
2320	B	S-2527B-2	1	66	62	70	No	Yes	8
2321	B	S-2528B-3	1	66	65	71	No	Yes	6
2322	B	S-2523B	1	66	59	69	Yes	Yes	10
2323	B	S-2524B-2	1	66	61	70	No	Yes	9
2324	B	S-2525B-3	1	66	64	71	No	Yes	7
2325	B	S-2514B	1	66	58	69	Yes	Yes	11
2326	B	S-2515B-2	1	66	61	70	No	Yes	9
2327	B	S-2516B-3	1	66	64	71	No	Yes	7
2328	B	S-2511B	1	66	57	69	Yes	Yes	12
2329	B	S-2512B-2	1	66	60	70	Yes	Yes	10
2330	B	S-2513B-3	1	66	63	71	No	Yes	8
2331	B	S-2601B	1	66	62	73	Yes	Yes	11
2332	B	S-2602B-2	1	66	65	74	No	Yes	9
2333	B	S-2603B-3	1	66	70	74	No	Yes	4
2334	B	S-2604B	1	66	60	71	Yes	Yes	11
2335	B	S-2605B-2	1	66	63	72	No	Yes	9
2336	B	S-2606B-3	1	66	66	72	No	Yes	6
2337	B	S-2592B	1	66	62	74	Yes	Yes	12
2338	B	S-2593B-2	1	66	66	75	No	Yes	9
2339	B	S-2594B-3	1	66	71	75	No	Yes	4
2340	B	S-2589B	1	66	63	75	Yes	Yes	12
2341	B	S-2590B-2	1	66	67	76	No	Yes	9
2342	B	S-2591B-3	1	66	73	76	No	Yes	3
2343	B	S-2613B	1	66	59	71	Yes	Yes	12
2344	B	S-2614B-2	1	66	62	72	Yes	Yes	10
2345	B	S-2615B-3	1	66	66	73	No	Yes	7
2346	B	S-2580B	1	66	64	76	Yes	Yes	12
2347	B	S-2581B-2	1	66	68	77	No	Yes	9
2348	B	S-2582B-3	1	66	74	78	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2349	B	S-2619B	1	66	59	71	Yes	Yes	12
2350	B	S-2620B-2	1	66	61	72	Yes	Yes	11
2351	B	S-2621B-3	1	66	64	73	No	Yes	9
2352	B	S-2622B	1	66	58	70	Yes	Yes	12
2353	B	S-2623B-2	1	66	60	72	Yes	Yes	12
2354	B	S-2624B-3	1	66	63	72	No	Yes	9
2355	B	S-2631B	1	66	58	70	Yes	Yes	12
2356	B	S-2632B-2	1	66	60	72	Yes	Yes	12
2357	B	S-2633B-3	1	66	64	73	No	Yes	9
2358	B	S-2637B	1	66	57	70	Yes	Yes	13
2359	B	S-2638B-2	1	66	59	71	Yes	Yes	12
2360	B	S-2639B-3	1	66	62	72	Yes	Yes	10
2361	B	S-2598B	1	66	60	70	Yes	Yes	10
2362	B	S-2599B-2	1	66	63	73	Yes	Yes	10
2363	B	S-2600B-3	1	66	70	73	No	Yes	3
2364	B	S-2595B	1	66	61	73	Yes	Yes	12
2365	B	S-2596B-2	1	66	65	75	Yes	Yes	10
2366	B	S-2597B-3	1	66	72	75	No	Yes	3
2367	B	S-2607B	1	66	61	70	No	Yes	9
2368	B	S-2608B-2	1	66	64	72	No	Yes	8
2369	B	S-2609B-3	1	66	69	72	No	Yes	3
2370	B	S-2586B	1	66	61	74	Yes	Yes	13
2371	B	S-2587B-2	1	66	65	76	Yes	Yes	11
2372	B	S-2588B-3	1	66	73	77	No	Yes	4
2373	B	S-2583B	1	66	65	77	Yes	Yes	12
2374	B	S-2584B-2	1	66	70	78	No	Yes	8
2375	B	S-2585B-3	1	66	76	78	No	Yes	2
2376	B	S-2610B	1	66	59	69	Yes	Yes	10
2377	B	S-2611B-2	1	66	62	71	No	Yes	9
2378	B	S-2612B-3	1	66	67	72	No	Yes	5
2379	B	S-2616B	1	66	59	70	Yes	Yes	11
2380	B	S-2617B-2	1	66	62	71	No	Yes	9
2381	B	S-2618B-3	1	66	67	72	No	Yes	5
2382	B	S-2640B	1	66	61	70	No	Yes	9
2383	B	S-2641B-2	1	66	64	71	No	Yes	7
2384	B	S-2642B-3	1	66	67	73	No	Yes	6
2385	B	S-2625B	1	66	58	70	Yes	Yes	12
2386	B	S-2626B-2	1	66	61	71	Yes	Yes	10
2387	B	S-2627B-3	1	66	65	72	No	Yes	7

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2388	B	S-2628B	1	66	58	70	Yes	Yes	12
2389	B	S-2629B-2	1	66	61	72	Yes	Yes	11
2390	B	S-2630B-3	1	66	65	73	No	Yes	8
2391	B	S-2634B	1	66	58	70	Yes	Yes	12
2392	B	S-2635B-2	1	66	60	72	Yes	Yes	12
2393	B	S-2636B-3	1	66	64	72	No	Yes	8
2394	B	S-2643B	1	66	54	69	Yes	Yes	15
2395	B	S-2644B-2	1	66	56	70	Yes	Yes	14
2396	B	S-2645B-3	1	66	60	71	Yes	Yes	11
2397	B	S-2649B	1	66	63	70	No	Yes	7
2398	B	S-2650B-2	1	66	66	72	No	Yes	6
2399	B	S-2651B-3	1	66	69	73	No	Yes	4
2400	B	S-2652B	1	66	58	71	Yes	Yes	13
2401	B	S-2653B-2	1	66	61	72	Yes	Yes	11
2402	B	S-2654B-3	1	66	66	73	No	Yes	7
2403	B	S-2697B	1	66	63	76	Yes	Yes	13
2404	B	S-2698B-2	1	66	68	77	No	Yes	9
2405	B	S-2699B-3	1	66	74	77	No	Yes	3
2406	B	S-2661B	1	66	59	71	Yes	Yes	12
2407	B	S-2662B-2	1	66	63	73	Yes	Yes	10
2408	B	S-2663B-3	1	66	67	74	No	Yes	7
2409	B	S-2688B	1	66	61	73	Yes	Yes	12
2410	B	S-2689B-2	1	66	66	74	No	Yes	8
2411	B	S-2690B-3	1	66	71	75	No	Yes	4
2412	B	S-2664B	1	66	59	71	Yes	Yes	12
2413	B	S-2665B-2	1	66	63	72	No	Yes	9
2414	B	S-2666B-3	1	66	67	73	No	Yes	6
2415	B	S-2685B	1	66	61	72	Yes	Yes	11
2416	B	S-2686B-2	1	66	65	73	No	Yes	8
2417	B	S-2687B-3	1	66	70	73	No	Yes	3
2418	B	S-2676B	1	66	60	71	Yes	Yes	11
2419	B	S-2677B-2	1	66	64	72	No	Yes	8
2420	B	S-2678B-3	1	66	69	72	No	Yes	3
2421	B	S-2673B	1	66	59	71	Yes	Yes	12
2422	B	S-2674B-2	1	66	62	72	Yes	Yes	10
2423	B	S-2675B-3	1	66	67	73	No	Yes	6
2424	B	S-2646B	1	66	53	69	Yes	Yes	16
2425	B	S-2647B-3	1	66	59	72	Yes	Yes	13
2426	B	S-2648B-2	1	66	53	71	Yes	Yes	18

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2427	B	S-2655B	1	66	63	71	No	Yes	8
2428	B	S-2656B-2	1	66	67	73	No	Yes	6
2429	B	S-2657B-3	1	66	69	74	No	Yes	5
2430	B	S-2658B	1	66	64	72	No	Yes	8
2431	B	S-2659B-2	1	66	68	73	No	Yes	5
2432	B	S-2660B-3	1	66	70	74	No	Yes	4
2433	B	S-2667B	1	66	64	72	No	Yes	8
2434	B	S-2668B-2	1	66	68	74	No	Yes	6
2435	B	S-2669B-3	1	66	70	74	No	Yes	4
2436	B	S-2694B	1	66	66	78	Yes	Yes	12
2437	B	S-2695B-2	1	66	71	79	No	Yes	8
2438	B	S-2696B-3	1	66	77	79	No	Yes	2
2439	B	S-2691B	1	66	65	75	Yes	Yes	10
2440	B	S-2692B-2	1	66	68	77	No	Yes	9
2441	B	S-2693B-3	1	66	75	77	No	Yes	2
2442	B	S-2682B	1	66	66	75	No	Yes	9
2443	B	S-2683B-2	1	66	70	77	No	Yes	7
2444	B	S-2684B-3	1	66	75	77	No	Yes	2
2445	B	S-2670B	1	66	66	73	No	Yes	7
2446	B	S-2671B-2	1	66	69	75	No	Yes	6
2447	B	S-2672B-3	1	66	72	75	No	Yes	3
2448	B	S-2679B	1	66	66	74	No	Yes	8
2449	B	S-2680B-2	1	66	69	76	No	Yes	7
2450	B	S-2681B-3	1	66	73	76	No	Yes	3
2451	B	S-2722B	1	66	56	70	Yes	Yes	14
2452	B	S-2723B-2	1	66	59	71	Yes	Yes	12
2453	B	S-2724B	1	66	55	69	Yes	Yes	14
2454	B	S-2725B-2	1	66	57	71	Yes	Yes	14
2455	B	S-2738B	1	66	55	66	Yes	Yes	11
2456	B	S-2739B-2	1	66	56	68	Yes	Yes	12
2457	B	S-2742B	1	66	51	66	Yes	Yes	15
2458	B	S-2743B-2	1	66	54	67	Yes	Yes	13
2459	B	S-2744B	1	66	54	66	Yes	Yes	12
2460	B	S-2726B	1	66	56	67	Yes	Yes	11
2461	B	S-2727B-2	1	66	58	68	Yes	Yes	10
2462	B	S-2720B	1	66	57	67	Yes	Yes	10
2463	B	S-2721B-2	1	66	59	68	No	Yes	9
2464	B	S-2740B	1	66	51	65	Yes	No	14
2465	B	S-2741B-2	1	66	54	67	Yes	Yes	13

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2466	B	S-2745B	1	66	54	66	Yes	Yes	12
2467	B	S-2736B	1	66	55	66	Yes	Yes	11
2468	B	S-2737B-2	1	66	56	67	Yes	Yes	11
2469	B	S-2746B	1	66	54	65	Yes	No	11
2470	B	S-2747B	1	66	54	65	Yes	No	11
2471	B	S-2718B	1	66	53	57	No	No	4
2472	B	S-2719B-2	1	66	55	59	No	No	4
2473	B	S-2714B	1	66	67	73	No	Yes	6
2474	B	S-2715B-2	1	66	70	74	No	Yes	4
2475	B	S-2728B	1	66	55	64	No	No	9
2476	B	S-2729B-2	1	66	56	66	Yes	Yes	10
2477	B	S-2734B	1	66	54	64	Yes	No	10
2478	B	S-2735B-2	1	66	56	66	Yes	Yes	10
2479	B	S-2716B	1	66	54	57	No	No	3
2480	B	S-2717B-2	1	66	55	58	No	No	3
2481	B	S-2712B	1	66	67	72	No	Yes	5
2482	B	S-2713B-2	1	66	70	74	No	Yes	4
2483	B	S-2748B	1	66	58	65	No	No	7
2484	B	S-2749B	1	66	58	64	No	No	6
2485	B	S-2730B	1	66	58	63	No	No	5
2486	B	S-2731B-2	1	66	62	65	No	No	3
2487	B	S-2732B	1	66	57	63	No	No	6
2488	B	S-2733B-2	1	66	62	65	No	No	3
2489	B	S-2703B	1	66	71	75	No	Yes	4
2490	B	S-2704B-2	1	66	74	77	No	Yes	3
2491	B	S-2705B-3	1	66	76	77	No	Yes	1
2492	B	S-2700B	1	66	72	76	No	Yes	4
2493	B	S-2701B-2	1	66	76	77	No	Yes	1
2494	B	S-2702B-3	1	66	76	78	No	Yes	2
2495	B	S-2709B	1	66	59	61	No	No	2
2496	B	S-2710B-2	1	66	60	62	No	No	2
2497	B	S-2711B-3	1	66	64	65	No	No	1
2498	B	S-2706B	1	66	61	63	No	No	2
2499	B	S-2707B-2	1	66	64	65	No	No	1
2500	B	S-2708B-3	1	66	66	67	No	Yes	1
2501	B	S-2756B	1	66	64	66	No	Yes	2
2502	B	S-2750B	1	66	57	67	Yes	Yes	10
2503	B	S-2757B	1	66	65	67	No	Yes	2
2504	B	S-2751B	1	66	53	67	Yes	Yes	14

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2505	B	S-2758B	1	66	66	68	No	Yes	2
2506	B	S-2752B	1	66	54	67	Yes	Yes	13
2507	B	S-2759B	1	66	66	69	No	Yes	3
2508	B	S-2753B	1	66	54	67	Yes	Yes	13
2509	B	S-2760B	1	66	67	69	No	Yes	2
2510	B	S-2761B	1	66	67	70	No	Yes	3
2511	B	S-2754B	1	66	54	68	Yes	Yes	14
2512	B	S-2755B	1	66	58	69	Yes	Yes	11
2513	C	S-2762C	1	66	70	72	No	Yes	2
2514	B	S-2765B-2	1	66	73	74	No	Yes	1
2515	B	S-2767B-2	1	66	70	71	No	Yes	1
2516	B	S-2766B-2	1	66	71	72	No	Yes	1
2517	B	S-2764B-2	1	66	75	76	No	Yes	1
2518	B	S-2763B-2	1	66	77	78	No	Yes	1
2519	B	S-2771B-2	1	66	64	70	No	Yes	6
2520	B	S-2769B-2	1	66	66	70	No	Yes	4
2521	B	S-2773B-2	1	66	63	69	No	Yes	6
2522	B	S-2772B-2	1	66	63	70	No	Yes	7
2523	B	S-2770B-2	1	66	65	70	No	Yes	5
2524	B	S-2768B-2	1	66	69	70	No	Yes	1
2525	B	S-2780B-2	1	66	66	70	No	Yes	4
2526	B	S-2781B-2	1	66	68	70	No	Yes	2
2527	B	S-2778B-2	1	66	65	69	No	Yes	4
2528	B	S-2779B-2	1	66	65	69	No	Yes	4
2529	B	S-2777B-2	1	66	64	69	No	Yes	5
2530	B	S-2782B-2	1	66	72	73	No	Yes	1
2531	B	S-2783B-2	1	66	76	76	No	Yes	0
2532	B	S-2776B-2	1	66	63	69	No	Yes	6
2533	B	S-2775B-2	1	66	62	68	No	Yes	6
2534	B	S-2774B-2	1	66	62	68	No	Yes	6
2535	B	S-2796B	1	66	53	61	No	No	8
2536	B	S-2803B	1	66	56	63	No	No	7
2537	B	S-2784B-2	1	66	76	76	No	Yes	0
2538	B	S-2785B-4	1	66	77	77	No	Yes	0
2539	B	S-2786B-3	1	66	76	77	No	Yes	1
2540	B	S-2793B	1	66	56	58	No	No	2
2541	B	S-2794B-2	1	66	56	59	No	No	3
2542	B	S-2795B-3	1	66	62	66	No	Yes	4
2543	B	S-2797B	1	66	53	60	No	No	7

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2544	B	S-2802B	1	66	56	62	No	No	6
2545	B	S-2804B	1	66	57	64	No	No	7
2546	B	S-2805B-2	1	66	61	66	No	Yes	5
2547	B	S-2806B-3	1	66	65	68	No	Yes	3
2548	B	S-2813B	1	66	58	64	No	No	6
2549	B	S-2814B-2	1	66	61	66	No	Yes	5
2550	B	S-2815B-3	1	66	65	68	No	Yes	3
2551	B	S-2798B	1	66	54	60	No	No	6
2552	B	S-2801B	1	66	56	62	No	No	6
2553	B	S-2790B	1	66	56	58	No	No	2
2554	B	S-2791B-2	1	66	56	59	No	No	3
2555	B	S-2792B-3	1	66	60	63	No	No	3
2556	B	S-2787B-2	1	66	76	77	No	Yes	1
2557	B	S-2788B-3	1	66	76	77	No	Yes	1
2558	B	S-2789B-4	1	66	77	77	No	Yes	0
2559	B	S-2816B	1	66	59	64	No	No	5
2560	B	S-2817B-2	1	66	61	66	No	Yes	5
2561	B	S-2818B-3	1	66	65	68	No	Yes	3
2562	B	S-2807B	1	66	56	64	No	No	8
2563	B	S-2808B-2	1	66	61	66	No	Yes	5
2564	B	S-2809B-3	1	66	65	68	No	Yes	3
2565	B	S-2800B	1	66	57	62	No	No	5
2566	B	S-2799B	1	66	54	62	No	No	8
2567	B	S-2819B	1	66	60	64	No	No	4
2568	B	S-2820B-2	1	66	63	67	No	Yes	4
2569	B	S-2821B-3	1	66	66	68	No	Yes	2
2570	B	S-2810B	1	66	59	64	No	No	5
2571	B	S-2811B-2	1	66	62	66	No	Yes	4
2572	B	S-2812B-3	1	66	65	68	No	Yes	3
2573	B	S-2822B	1	66	74	75	No	Yes	1
2574	B	S-2823B-2	1	66	75	76	No	Yes	1
2575	B	S-2824B-3	1	66	75	76	No	Yes	1
2576	B	S-2825B-4	1	66	75	76	No	Yes	1
2577	B	S-2826B-5	1	66	75	76	No	Yes	1
2578	B	S-2827B	1	66	78	78	No	Yes	0
2579	B	S-2828B-2	1	66	79	79	No	Yes	0
2580	B	S-2829B-3	1	66	79	79	No	Yes	0
2581	B	S-2830B-4	1	66	79	79	No	Yes	0
2582	B	S-2831B-5	1	66	79	79	No	Yes	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2583	B	S-2907B	1	66	56	58	No	No	2
2584	B	S-2908B-2	1	66	57	59	No	No	2
2585	B	S-2909B-3	1	66	59	60	No	No	1
2586	B	S-2910B-4	1	66	62	64	No	No	2
2587	B	S-2911B-5	1	66	64	66	No	Yes	2
2588	B	S-2912B	1	66	57	59	No	No	2
2589	B	S-2913B-2	1	66	58	60	No	No	2
2590	B	S-2914B-3	1	66	60	62	No	No	2
2591	B	S-2915B-4	1	66	63	64	No	No	1
2592	B	S-2916B-5	1	66	64	66	No	Yes	2
2593	B	S-2917B	1	66	65	66	No	Yes	1
2594	B	S-2918B-2	1	66	67	67	No	Yes	0
2595	B	S-2919B-3	1	66	67	68	No	Yes	1
2596	B	S-2920B-4	1	66	69	69	No	Yes	0
2597	B	S-2921B-5	1	66	69	70	No	Yes	1
2598	B	S-2832B	1	66	78	79	No	Yes	1
2599	B	S-2833B-2	1	66	79	79	No	Yes	0
2600	B	S-2834B-3	1	66	79	79	No	Yes	0
2601	B	S-2835B-4	1	66	79	79	No	Yes	0
2602	B	S-2836B-5	1	66	79	79	No	Yes	0
2603	B	S-2929B-3	1	66	66	68	No	Yes	2
2604	B	S-2930B-4	1	66	68	70	No	Yes	2
2605	B	S-2931B-5	1	66	69	71	No	Yes	2
2606	B	S-2837B	1	66	78	79	No	Yes	1
2607	B	S-2838B-2	1	66	79	79	No	Yes	0
2608	B	S-2839B-3	1	66	79	79	No	Yes	0
2609	B	S-2840B-4	1	66	79	79	No	Yes	0
2610	B	S-2841B-5	1	66	79	79	No	Yes	0
2611	B	S-2842B	1	66	79	79	No	Yes	0
2612	B	S-2843B-2	1	66	79	79	No	Yes	0
2613	B	S-2844B-3	1	66	79	79	No	Yes	0
2614	B	S-2845B-4	1	66	79	79	No	Yes	0
2615	B	S-2846B-5	1	66	79	79	No	Yes	0
2616	B	S-2927B-3	1	66	65	66	No	Yes	1
2617	B	S-2928B-4	1	66	67	68	No	Yes	1
2618	B	S-2902B	1	66	56	56	No	No	0
2619	B	S-2903B-2	1	66	55	56	No	No	1
2620	B	S-2904B-3	1	66	58	59	No	No	1
2621	B	S-2905B-4	1	66	60	61	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2622	B	S-2906B-5	1	66	62	64	No	No	2
2623	B	S-2897B	1	66	55	56	No	No	1
2624	B	S-2898B-2	1	66	56	57	No	No	1
2625	B	S-2899B-3	1	66	58	59	No	No	1
2626	B	S-2900B-4	1	66	60	61	No	No	1
2627	B	S-2901B-5	1	66	64	66	No	Yes	2
2628	B	S-2924B-3	1	66	65	66	No	Yes	1
2629	B	S-2925B-4	1	66	66	67	No	Yes	1
2630	C	S-2926C-5	1	66	67	68	No	Yes	1
2631	B	S-2847B	1	66	79	79	No	Yes	0
2632	B	S-2848B-2	1	66	79	79	No	Yes	0
2633	B	S-2849B-3	1	66	79	79	No	Yes	0
2634	B	S-2850B-4	1	66	79	80	No	Yes	1
2635	B	S-2851B-5	1	66	79	79	No	Yes	0
2636	B	S-2892B	1	66	55	56	No	No	1
2637	B	S-2893B-2	1	66	55	56	No	No	1
2638	B	S-2894B-3	1	66	57	58	No	No	1
2639	B	S-2895B-4	1	66	59	60	No	No	1
2640	B	S-2896B-5	1	66	62	63	No	No	1
2641	B	S-2852B	1	66	79	79	No	Yes	0
2642	B	S-2853B-2	1	66	79	79	No	Yes	0
2643	B	S-2854B-3	1	66	79	79	No	Yes	0
2644	B	S-2855B-4	1	66	79	79	No	Yes	0
2645	B	S-2856B-5	1	66	79	79	No	Yes	0
2646	B	S-2887B	1	66	55	56	No	No	1
2647	B	S-2888B-2	1	66	55	56	No	No	1
2648	B	S-2889B-3	1	66	57	58	No	No	1
2649	B	S-2890B-4	1	66	59	60	No	No	1
2650	B	S-2891B-5	1	66	62	63	No	No	1
2651	B	S-2857B	1	66	79	79	No	Yes	0
2652	B	S-2858B-2	1	66	79	80	No	Yes	1
2653	B	S-2859B-3	1	66	79	80	No	Yes	1
2654	B	S-2860B-4	1	66	79	80	No	Yes	1
2655	B	S-2861B-5	1	66	79	79	No	Yes	0
2656	B	S-2932B	1	66	60	62	No	No	2
2657	B	S-2933B-2	1	66	62	63	No	No	1
2658	B	S-2934B-3	1	66	64	65	No	No	1
2659	B	S-2935B-4	1	66	66	67	No	Yes	1
2660	B	S-2882B	1	66	55	56	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2661	B	S-2883B-2	1	66	55	56	No	No	1
2662	B	S-2884B-3	1	66	57	58	No	No	1
2663	B	S-2885B-4	1	66	59	60	No	No	1
2664	B	S-2886B-5	1	66	63	64	No	No	1
2665	B	S-2877B	1	66	55	56	No	No	1
2666	B	S-2878B-2	1	66	55	56	No	No	1
2667	B	S-2879B-3	1	66	57	58	No	No	1
2668	B	S-2880B-4	1	66	59	60	No	No	1
2669	B	S-2881B-5	1	66	63	64	No	No	1
2670	C	S-2922C	1	66	57	59	No	No	2
2671	B	S-2936B	1	66	63	65	No	No	2
2672	B	S-2937B-2	1	66	66	67	No	Yes	1
2673	B	S-2938B-3	1	66	67	68	No	Yes	1
2674	B	S-2939B-4	1	66	68	69	No	Yes	1
2675	B	S-2862B	1	66	79	79	No	Yes	0
2676	B	S-2863B-2	1	66	79	79	No	Yes	0
2677	B	S-2864B-3	1	66	79	79	No	Yes	0
2678	B	S-2865B-4	1	66	79	79	No	Yes	0
2679	B	S-2866B-5	1	66	79	79	No	Yes	0
2680	B	S-3064B	1	66	55	55	No	No	0
2681	B	S-3065B-2	1	66	56	56	No	No	0
2682	B	S-3066B-3	1	66	59	59	No	No	0
2683	B	S-3067B-4	1	66	65	66	No	Yes	1
2684	B	S-2940B	1	66	64	66	No	Yes	2
2685	B	S-2941B-2	1	66	67	68	No	Yes	1
2686	B	S-2942B-3	1	66	68	70	No	Yes	2
2687	B	S-2943B-4	1	66	69	70	No	Yes	1
2688	C	S-2923C	1	66	67	68	No	Yes	1
2689	B	S-3060B	1	66	55	55	No	No	0
2690	B	S-3061B-2	1	66	57	56	No	No	-1
2691	B	S-3062B-3	1	66	60	60	No	No	0
2692	B	S-3063B-4	1	66	67	68	No	Yes	1
2693	B	S-2867B	1	66	75	75	No	Yes	0
2694	B	S-2868B-2	1	66	76	77	No	Yes	1
2695	B	S-2869B-3	1	66	76	77	No	Yes	1
2696	B	S-2870B-4	1	66	76	77	No	Yes	1
2697	B	S-2871B-5	1	66	77	77	No	Yes	0
2698	B	S-2944B	1	66	67	68	No	Yes	1
2699	B	S-2945B-2	1	66	69	71	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2700	B	S-2946B-3	1	66	70	72	No	Yes	2
2701	B	S-2947B-4	1	66	71	72	No	Yes	1
2702	B	S-2872B	1	66	72	73	No	Yes	1
2703	B	S-2873B-2	1	66	74	75	No	Yes	1
2704	B	S-2874B-3	1	66	74	75	No	Yes	1
2705	B	S-2875B-4	1	66	75	75	No	Yes	0
2706	B	S-2876B-5	1	66	75	75	No	Yes	0
2707	B	S-2948B	1	66	68	69	No	Yes	1
2708	B	S-2949B-2	1	66	71	72	No	Yes	1
2709	B	S-2950B-3	1	66	72	73	No	Yes	1
2710	B	S-2951B-4	1	66	72	73	No	Yes	1
2711	B	S-3056B	1	66	56	56	No	No	0
2712	B	S-3057B-2	1	66	57	57	No	No	0
2713	B	S-3058B-3	1	66	61	61	No	No	0
2714	B	S-3059B-4	1	66	67	69	No	Yes	2
2715	B	S-3052B	1	66	56	56	No	No	0
2716	B	S-3053B-2	1	66	57	57	No	No	0
2717	B	S-3054B-3	1	66	61	61	No	No	0
2718	B	S-3055B-4	1	66	67	69	No	Yes	2
2719	B	S-2952B	1	66	70	72	No	Yes	2
2720	B	S-2953B-2	1	66	72	74	No	Yes	2
2721	B	S-2954B-3	1	66	73	74	No	Yes	1
2722	B	S-2955B-4	1	66	74	75	No	Yes	1
2723	B	S-3048B	1	66	57	56	No	No	-1
2724	B	S-3049B-2	1	66	58	57	No	No	-1
2725	B	S-3050B-3	1	66	61	61	No	No	0
2726	B	S-3051B-4	1	66	67	69	No	Yes	2
2727	B	S-2956B	1	66	70	72	No	Yes	2
2728	B	S-2957B-2	1	66	73	74	No	Yes	1
2729	B	S-2958B-3	1	66	74	75	No	Yes	1
2730	B	S-2959B-4	1	66	74	75	No	Yes	1
2731	B	S-3044B	1	66	57	56	No	No	-1
2732	B	S-3045B-2	1	66	58	57	No	No	-1
2733	B	S-3046B-3	1	66	61	61	No	No	0
2734	B	S-3047B-4	1	66	67	69	No	Yes	2
2735	B	S-2960B	1	66	71	72	No	Yes	1
2736	B	S-2961B-2	1	66	73	74	No	Yes	1
2737	B	S-2962B-3	1	66	74	75	No	Yes	1
2738	B	S-2963B-4	1	66	74	75	No	Yes	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2739	C	S-3068C	1	66	52	53	No	No	1
2740	B	S-3040B	1	66	57	56	No	No	-1
2741	B	S-3041B-2	1	66	58	58	No	No	0
2742	B	S-3042B-3	1	66	61	61	No	No	0
2743	B	S-3043B-4	1	66	66	68	No	Yes	2
2744	B	S-2964B	1	66	71	72	No	Yes	1
2745	B	S-2965B-2	1	66	73	74	No	Yes	1
2746	B	S-2966B-3	1	66	74	75	No	Yes	1
2747	B	S-2967B-4	1	66	75	75	No	Yes	0
2748	B	S-3036B	1	66	57	56	No	No	-1
2749	B	S-3037B-2	1	66	58	58	No	No	0
2750	B	S-3038B-3	1	66	61	61	No	No	0
2751	B	S-3039B-4	1	66	66	67	No	Yes	1
2752	C	S-3069C	1	66	52	53	No	No	1
2753	B	S-2968B	1	66	71	72	No	Yes	1
2754	B	S-2969B-2	1	66	73	75	No	Yes	2
2755	B	S-2970B-3	1	66	75	76	No	Yes	1
2756	B	S-2971B-4	1	66	75	76	No	Yes	1
2757	B	S-2972B	1	66	70	72	No	Yes	2
2758	B	S-2973B-2	1	66	73	74	No	Yes	1
2759	B	S-2974B-3	1	66	75	76	No	Yes	1
2760	B	S-2975B-4	1	66	75	76	No	Yes	1
2761	B	S-3032B	1	66	57	57	No	No	0
2762	B	S-3033B-2	1	66	59	58	No	No	-1
2763	B	S-3034B-3	1	66	61	61	No	No	0
2764	B	S-3035B-4	1	66	66	67	No	Yes	1
2765	B	S-2976B	1	66	70	71	No	Yes	1
2766	B	S-2977B-2	1	66	73	74	No	Yes	1
2767	B	S-2978B-3	1	66	75	76	No	Yes	1
2768	B	S-2979B-4	1	66	75	76	No	Yes	1
2769	B	S-3028B	1	66	58	57	No	No	-1
2770	B	S-3029B-2	1	66	59	58	No	No	-1
2771	B	S-3030B-3	1	66	62	62	No	No	0
2772	B	S-3031B-4	1	66	67	68	No	Yes	1
2773	B	S-3024B	1	66	57	57	No	No	0
2774	B	S-3025B-2	1	66	58	58	No	No	0
2775	B	S-3026B-3	1	66	61	61	No	No	0
2776	B	S-3027B-4	1	66	65	65	No	No	0
2777	B	S-2980B	1	66	69	70	No	Yes	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2778	B	S-2981B-2	1	66	73	74	No	Yes	1
2779	B	S-2982B-3	1	66	75	76	No	Yes	1
2780	B	S-2983B-4	1	66	76	76	No	Yes	0
2781	B	S-3020B	1	66	56	57	No	No	1
2782	B	S-3021B-2	1	66	58	57	No	No	-1
2783	B	S-3022B-3	1	66	61	60	No	No	-1
2784	B	S-3023B-4	1	66	63	63	No	No	0
2785	B	S-2984B	1	66	67	68	No	Yes	1
2786	B	S-2985B-2	1	66	73	74	No	Yes	1
2787	B	S-2986B-3	1	66	75	76	No	Yes	1
2788	B	S-2987B-4	1	66	76	76	No	Yes	0
2789	B	S-3016B	1	66	57	57	No	No	0
2790	B	S-3017B-2	1	66	58	58	No	No	0
2791	B	S-3018B-3	1	66	61	61	No	No	0
2792	B	S-3019B-4	1	66	64	64	No	No	0
2793	B	S-2988B	1	66	66	68	No	Yes	2
2794	B	S-2989B-2	1	66	72	73	No	Yes	1
2795	B	S-2990B-3	1	66	75	76	No	Yes	1
2796	B	S-2991B-4	1	66	76	76	No	Yes	0
2797	B	S-2992B	1	66	66	67	No	Yes	1
2798	B	S-2993B-2	1	66	72	73	No	Yes	1
2799	B	S-2994B-3	1	66	75	76	No	Yes	1
2800	B	S-2995B-4	1	66	76	76	No	Yes	0
2801	B	S-3012B	1	66	57	57	No	No	0
2802	B	S-3013B-2	1	66	59	58	No	No	-1
2803	B	S-3014B-3	1	66	62	61	No	No	-1
2804	B	S-3015B-4	1	66	64	64	No	No	0
2805	B	S-2996B	1	66	66	67	No	Yes	1
2806	B	S-2997B-2	1	66	72	73	No	Yes	1
2807	B	S-2998B-3	1	66	75	76	No	Yes	1
2808	B	S-2999B-4	1	66	76	76	No	Yes	0
2809	B	S-3008B	1	66	58	58	No	No	0
2810	B	S-3009B-2	1	66	60	58	No	No	-2
2811	B	S-3010B-3	1	66	62	61	No	No	-1
2812	B	S-3011B-4	1	66	65	64	No	No	-1
2813	B	S-3004B	1	66	56	57	No	No	1
2814	B	S-3005B-2	1	66	60	59	No	No	-1
2815	B	S-3006B-3	1	66	62	61	No	No	-1
2816	B	S-3007B-4	1	66	64	63	No	No	-1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2817	C	S-3070C	1	66	55	56	No	No	1
2818	B	S-3000B	1	66	59	60	No	No	1
2819	B	S-3001B-2	1	66	65	66	No	Yes	1
2820	B	S-3002B-3	1	66	69	70	No	Yes	1
2821	B	S-3003B-4	1	66	71	72	No	Yes	1
2822	C	S-3071C	1	66	55	56	No	No	1
2823	C	S-3072C	1	66	55	56	No	No	1
2824	B	S-3073B	1	66	55	54	No	No	-1
2825	B	S-3074B-2	1	66	56	56	No	No	0
2826	B	S-3075B-3	1	66	58	60	No	No	2
2827	B	S-3076B-4	1	66	61	62	No	No	1
2828	B	S-3077B	1	66	55	54	No	No	-1
2829	B	S-3078B-2	1	66	56	56	No	No	0
2830	B	S-3079B-3	1	66	59	61	No	No	2
2831	B	S-3080B-4	1	66	61	63	No	No	2
2832	B	S-3081B	1	66	55	55	No	No	0
2833	B	S-3082B-2	1	66	56	57	No	No	1
2834	B	S-3083B-3	1	66	59	61	No	No	2
2835	B	S-3084B-4	1	66	61	63	No	No	2
2836	B	S-3085B	1	66	56	55	No	No	-1
2837	B	S-3086B-2	1	66	58	58	No	No	0
2838	B	S-3087B-3	1	66	60	61	No	No	1
2839	B	S-3088B-4	1	66	61	63	No	No	2
2840	B	S-3089B	1	66	56	56	No	No	0
2841	B	S-3090B-2	1	66	58	59	No	No	1
2842	B	S-3091B-3	1	66	60	61	No	No	1
2843	B	S-3092B-4	1	66	61	62	No	No	1
2844	B	S-3159B	1	66	57	59	No	No	2
2845	B	S-3160B-2	1	66	61	62	No	No	1
2846	B	S-3161B-3	1	66	62	64	No	No	2
2847	B	S-3162B-4	1	66	64	66	No	Yes	2
2848	B	S-3155B	1	66	54	55	No	No	1
2849	B	S-3156B-2	1	66	58	59	No	No	1
2850	B	S-3157B-3	1	66	59	61	No	No	2
2851	B	S-3158B-4	1	66	61	63	No	No	2
2852	B	S-3093B	1	66	52	52	No	No	0
2853	B	S-3094B-2	1	66	54	55	No	No	1
2854	B	S-3095B-3	1	66	56	56	No	No	0
2855	B	S-3096B-4	1	66	58	60	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2856	B	S-3151B	1	66	52	53	No	No	1
2857	B	S-3152B-2	1	66	55	56	No	No	1
2858	B	S-3153B-3	1	66	56	58	No	No	2
2859	B	S-3154B-4	1	66	58	60	No	No	2
2860	B	S-3163B	1	66	60	60	No	No	0
2861	B	S-3164B-2	1	66	64	64	No	No	0
2862	B	S-3165B-3	1	66	65	66	No	Yes	1
2863	B	S-3166B-4	1	66	67	68	No	Yes	1
2864	B	S-3147B	1	66	52	53	No	No	1
2865	B	S-3148B-2	1	66	54	55	No	No	1
2866	B	S-3149B-3	1	66	56	58	No	No	2
2867	B	S-3150B-4	1	66	58	60	No	No	2
2868	B	S-3167B	1	66	60	61	No	No	1
2869	B	S-3168B-2	1	66	64	64	No	No	0
2870	B	S-3169B-3	1	66	65	66	No	Yes	1
2871	B	S-3170B-4	1	66	67	68	No	Yes	1
2872	B	S-3171B	1	66	60	60	No	No	0
2873	B	S-3172B-2	1	66	64	64	No	No	0
2874	B	S-3173B-3	1	66	65	66	No	Yes	1
2875	B	S-3174B-4	1	66	67	68	No	Yes	1
2876	B	S-3143B	1	66	50	49	No	No	-1
2877	B	S-3144B-2	1	66	49	49	No	No	0
2878	B	S-3145B-3	1	66	52	52	No	No	0
2879	B	S-3146B-4	1	66	56	56	No	No	0
2880	B	S-3175B	1	66	58	55	No	No	-3
2881	B	S-3176B-2	1	66	59	57	No	No	-2
2882	B	S-3177B-3	1	66	61	58	No	No	-3
2883	B	S-3178B-4	1	66	62	59	No	No	-3
2884	B	S-3139B	1	66	50	49	No	No	-1
2885	B	S-3140B-2	1	66	49	48	No	No	-1
2886	B	S-3141B-3	1	66	52	51	No	No	-1
2887	B	S-3142B-4	1	66	56	56	No	No	0
2888	B	S-3179B	1	66	59	58	No	No	-1
2889	B	S-3180B-2	1	66	61	61	No	No	0
2890	B	S-3181B-3	1	66	63	62	No	No	-1
2891	B	S-3182B-4	1	66	64	64	No	No	0
2892	B	S-3097B-2	1	66	53	53	No	No	0
2893	B	S-3098B-3	1	66	55	55	No	No	0
2894	B	S-3099B-4	1	66	57	57	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2895	B	S-3100B-2	1	66	59	57	No	No	-2
2896	B	S-3101B-3	1	66	60	58	No	No	-2
2897	B	S-3102B-4	1	66	61	60	No	No	-1
2898	B	S-3183B	1	66	59	59	No	No	0
2899	B	S-3184B-2	1	66	62	62	No	No	0
2900	B	S-3185B-3	1	66	64	64	No	No	0
2901	B	S-3186B-4	1	66	65	65	No	No	0
2902	B	S-3135B	1	66	49	49	No	No	0
2903	B	S-3136B-2	1	66	48	48	No	No	0
2904	B	S-3137B-3	1	66	52	52	No	No	0
2905	B	S-3138B-4	1	66	57	57	No	No	0
2906	B	S-3131B	1	66	49	49	No	No	0
2907	B	S-3132B-2	1	66	47	47	No	No	0
2908	B	S-3133B-3	1	66	52	52	No	No	0
2909	B	S-3134B-4	1	66	56	55	No	No	-1
2910	B	S-3187B	1	66	60	59	No	No	-1
2911	B	S-3188B-2	1	66	63	63	No	No	0
2912	B	S-3189B-3	1	66	64	64	No	No	0
2913	B	S-3190B-4	1	66	66	66	No	Yes	0
2914	B	S-3103B	1	66	57	56	No	No	-1
2915	B	S-3104B-2	1	66	59	57	No	No	-2
2916	B	S-3105B-3	1	66	60	59	No	No	-1
2917	B	S-3106B-4	1	66	62	60	No	No	-2
2918	B	S-3127B	1	66	48	49	No	No	1
2919	B	S-3128B-2	1	66	48	48	No	No	0
2920	B	S-3129B-3	1	66	52	52	No	No	0
2921	B	S-3130B-4	1	66	56	56	No	No	0
2922	B	S-3191B	1	66	60	60	No	No	0
2923	B	S-3192B-2	1	66	63	63	No	No	0
2924	B	S-3193B-3	1	66	65	65	No	No	0
2925	B	S-3194B-4	1	66	66	66	No	Yes	0
2926	B	S-3107B	1	66	57	57	No	No	0
2927	B	S-3108B-2	1	66	59	58	No	No	-1
2928	B	S-3109B-3	1	66	61	59	No	No	-2
2929	B	S-3110B-4	1	66	62	61	No	No	-1
2930	B	S-3123B	1	66	47	47	No	No	0
2931	B	S-3124B-2	1	66	48	48	No	No	0
2932	B	S-3125B-3	1	66	50	51	No	No	1
2933	B	S-3126B-4	1	66	54	54	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2934	B	S-3111B	1	66	57	57	No	No	0
2935	B	S-3112B-2	1	66	59	59	No	No	0
2936	B	S-3113B-3	1	66	61	60	No	No	-1
2937	B	S-3114B-4	1	66	62	61	No	No	-1
2938	B	S-3115B	1	66	58	58	No	No	0
2939	B	S-3116B-2	1	66	61	61	No	No	0
2940	B	S-3117B-3	1	66	62	62	No	No	0
2941	B	S-3118B-4	1	66	63	63	No	No	0
2942	B	S-3119B	1	66	58	59	No	No	1
2943	B	S-3120B-2	1	66	61	61	No	No	0
2944	B	S-3121B-3	1	66	62	62	No	No	0
2945	B	S-3122B-4	1	66	63	63	No	No	0
2946	B	S-3195B	1	66	51	53	No	No	2
2947	B	S-3209B	1	66	53	55	No	No	2
2948	B	S-3196B	1	66	48	50	No	No	2
2949	B	S-3208B	1	66	53	56	No	No	3
2950	B	S-3207B	1	66	52	54	No	No	2
2951	B	S-3197B	1	66	45	48	No	No	3
2952	B	S-3206B	1	66	52	54	No	No	2
2953	B	S-3198B	1	66	48	50	No	No	2
2954	B	S-3205B	1	66	52	54	No	No	2
2955	B	S-3199B	1	66	48	50	No	No	2
2956	B	S-3204B	1	66	51	54	No	No	3
2957	B	S-3203B	1	66	51	53	No	No	2
2958	B	S-3200B	1	66	49	51	No	No	2
2959	B	S-3202B	1	66	50	52	No	No	2
2960	B	S-3201B	1	66	49	51	No	No	2
2961	B	S-3210B	1	66	48	49	No	No	1
2962	B	S-3211B	1	66	48	52	No	No	4
2963	C	S-1397C	1	66	64	72	No	Yes	8
2964	C	S-1394C	1	66	68	76	No	Yes	8
2965	C	S-1396C	1	66	65	73	No	Yes	8
2966	C	S-1393C	1	66	71	80	No	Yes	9
2967	C	S-1392C	1	66	69	80	Yes	Yes	11
2968	C	S-1395C	1	66	63	72	No	Yes	9
2969	C	S-1391C	1	66	68	78	Yes	Yes	10
2970	C	S-1390C	1	66	67	78	Yes	Yes	11
2971	C	S-1389C	1	66	64	73	No	Yes	9
2972	C	S-1388C	1	66	63	71	No	Yes	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2973	B	S-1383B	1	66	67	77	Yes	Yes	10
2974	B	S-1384B	1	66	64	72	No	Yes	8
2975	B	S-1387B	1	66	62	70	No	Yes	8
2976	B	S-1385B	1	66	63	72	No	Yes	9
2977	B	S-1382B	1	66	67	77	Yes	Yes	10
2978	B	S-1386B	1	66	62	70	No	Yes	8
2979	B	S-1378B	1	66	67	78	Yes	Yes	11
2980	B	S-1380B	1	66	64	65	No	No	1
2981	B	S-1379B	1	66	63	68	No	Yes	5
2982	B	S-1381B	1	66	64	65	No	No	1
2983	B	S-1376B	1	66	68	79	Yes	Yes	11
2984	B	S-1377B	1	66	64	68	No	Yes	4
2985	B	S-1375B	1	66	66	77	Yes	Yes	11
2986	B	S-1374B	1	66	67	79	Yes	Yes	12
2987	B	S-1373B	1	66	66	78	Yes	Yes	12
2988	B	S-1371B	1	66	63	68	No	Yes	5
2989	B	S-1369B	1	66	58	66	No	Yes	8
2990	B	S-1368B	1	66	58	65	No	No	7
2991	B	S-1370B	1	66	59	66	No	Yes	7
2992	B	S-1372B	1	66	67	78	Yes	Yes	11
2993	B	S-1366B	1	66	60	66	No	Yes	6
2994	B	S-1365B	1	66	61	67	No	Yes	6
2995	B	S-1367B	1	66	59	66	No	Yes	7
2996	B	S-1364B	1	66	63	68	No	Yes	5
2997	B	S-1363B	1	66	67	78	Yes	Yes	11
2998	B	S-1362B	1	66	66	77	Yes	Yes	11
2999	B	S-1361B	1	66	66	77	Yes	Yes	11
3000	B	S-1360B	1	66	62	67	No	Yes	5
3001	B	S-1358B	1	66	63	67	No	Yes	4
3002	B	S-1359B	1	66	66	77	Yes	Yes	11
3003	B	S-1357B	1	66	66	77	Yes	Yes	11
3004	B	S-1356B	1	66	62	66	No	Yes	4
3005	B	S-1355B	1	66	66	77	Yes	Yes	11
3006	B	S-1354B	1	66	62	66	No	Yes	4
3007	B	S-1353B	1	66	65	76	Yes	Yes	11
3008	B	S-1352B	1	66	62	66	No	Yes	4
3009	B	S-1350B	1	66	62	66	No	Yes	4
3010	B	S-1351B	1	66	65	76	Yes	Yes	11
3011	B	S-1349B	1	66	64	76	Yes	Yes	12

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3012	B	S-1347B	1	66	61	67	No	Yes	6
3013	B	S-1345B	1	66	58	65	No	No	7
3014	B	S-1346B	1	66	57	65	No	No	8
3015	B	S-1348B	1	66	64	76	Yes	Yes	12
3016	B	S-1343B	1	66	59	66	No	Yes	7
3017	B	S-1341B	1	66	64	74	Yes	Yes	10
3018	B	S-1342B	1	66	61	67	No	Yes	6
3019	B	S-1339B	1	66	64	73	No	Yes	9
3020	B	S-1340B	1	66	60	66	No	Yes	6
3021	B	S-1344B	1	66	58	64	No	No	6
3022	B	S-1337B	1	66	63	72	No	Yes	9
3023	B	S-1338B	1	66	60	65	No	No	5
3024	B	S-1335B	1	66	63	71	No	Yes	8
3025	B	S-1336B	1	66	60	64	No	No	4
3026	B	S-1334B	1	66	59	64	No	No	5
3027	B	S-1333B	1	66	62	69	No	Yes	7
3028	B	S-1331B	1	66	62	69	No	Yes	7
3029	B	S-1332B	1	66	59	63	No	No	4
3030	B	S-1329B	1	66	62	69	No	Yes	7
3031	B	S-1330B	1	66	59	64	No	No	5
3032	B	S-1327B	1	66	62	69	No	Yes	7
3033	B	S-1328B	1	66	60	64	No	No	4
3034	B	S-1325B	1	66	63	69	No	Yes	6
3035	B	S-1326B	1	66	60	64	No	No	4
3036	B	S-1323B	1	66	63	70	No	Yes	7
3037	B	S-1324B	1	66	59	64	No	No	5
3038	B	S-1321B	1	66	61	70	No	Yes	9
3039	B	S-1322B	1	66	59	64	No	No	5
3040	B	S-1294B	1	66	60	63	No	No	3
3041	B	S-1295B	1	66	60	63	No	No	3
3042	B	S-1296B	1	66	60	65	No	No	5
3043	B	S-1319B	1	66	59	66	No	Yes	7
3044	B	S-1320B	1	66	64	72	No	Yes	8
3045	B	S-1316B	1	66	58	64	No	No	6
3046	B	S-1312B	1	66	55	59	No	No	4
3047	B	S-1313B-2	1	66	59	63	No	No	4
3048	B	S-1318B	1	66	58	63	No	No	5
3049	B	S-1315B	1	66	58	63	No	No	5
3050	B	S-1310B	1	66	54	59	No	No	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3051	B	S-1311B-2	1	66	59	63	No	No	4
3052	B	S-1317B	1	66	63	67	No	Yes	4
3053	B	S-1293B	1	66	59	63	No	No	4
3054	B	S-1314B	1	66	57	62	No	No	5
3055	B	S-1308B	1	66	56	64	No	No	8
3056	B	S-1309B-2	1	66	61	66	No	Yes	5
3057	B	S-1306B	1	66	58	66	No	Yes	8
3058	B	S-1307B-2	1	66	62	67	No	Yes	5
3059	B	S-1292B	1	66	58	62	No	No	4
3060	B	S-1297B	1	66	62	62	No	No	0
3061	B	S-1291B	1	66	58	62	No	No	4
3062	B	S-1304B	1	66	58	65	No	No	7
3063	B	S-1302B	1	66	62	68	No	Yes	6
3064	B	S-1305B	1	66	58	63	No	No	5
3065	B	S-1303B	1	66	60	66	No	Yes	6
3066	E	S-3212E	1	71	66	67	No	No	1
3067	B	S-1290B	1	66	58	61	No	No	3
3068	B	S-1300B	1	66	61	67	No	Yes	6
3069	E	S-1301E	1	71	67	N/A*	—	—	—
3070	B	S-1289B	1	66	58	61	No	No	3
3071	B	S-1299B	1	66	61	66	No	Yes	5
3072	B	S-1298B	1	66	58	64	No	No	6
3073	B	S-1288B	1	66	62	61	No	No	-1
3074	B	S-1286B	1	66	58	61	No	No	3
3075	B	S-1287B	1	66	59	60	No	No	1
3076	B	S-1284B	1	66	62	63	No	No	1
3077	B	S-1285B	1	66	67	66	No	Yes	-1
3078	B	S-1280B	1	66	65	66	No	Yes	1
3079	B	S-1274B	1	66	65	66	No	Yes	1
3080	B	S-1283B	1	66	65	66	No	Yes	1
3081	B	S-1277B	1	66	65	66	No	Yes	1
3082	B	S-1259B	1	66	65	66	No	Yes	1
3083	B	S-1268B	1	66	65	66	No	Yes	1
3084	B	S-1237B	1	66	66	68	No	Yes	2
3085	B	S-1258B	1	66	66	66	No	Yes	0
3086	B	S-1236B	1	66	68	70	No	Yes	2
3087	B	S-1260B	1	66	61	64	No	No	3
3088	B	S-1238B	1	66	64	66	No	Yes	2
3089	B	S-1257B	1	66	66	64	No	No	-2

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3090	B	S-1269B	1	66	60	63	No	No	3
3091	B	S-1235B	1	66	66	69	No	Yes	3
3092	B	S-1261B	1	66	59	64	No	No	5
3093	B	S-1239B	1	66	62	65	No	No	3
3094	B	S-1256B	1	66	65	63	No	No	-2
3095	B	S-1270B	1	66	58	63	No	No	5
3096	B	S-1281B	1	66	55	59	No	No	4
3097	B	S-1262B	1	66	58	64	No	No	6
3098	B	S-1282B	1	66	54	58	No	No	4
3099	B	S-1275B	1	66	54	59	No	No	5
3100	B	S-1255B	1	66	65	62	No	No	-3
3101	B	S-1278B	1	66	55	59	No	No	4
3102	B	S-1240B	1	66	61	65	No	No	4
3103	B	S-1234B	1	66	65	68	No	Yes	3
3104	B	S-1263B	1	66	57	64	No	No	7
3105	B	S-1254B	1	66	63	62	No	No	-1
3106	B	S-1241B	1	66	60	63	No	No	3
3107	B	S-1233B	1	66	64	68	No	Yes	4
3108	B	S-1276B	1	66	56	62	No	No	6
3109	B	S-1264B	1	66	57	64	No	No	7
3110	B	S-1271B	1	66	56	63	No	No	7
3111	B	S-1279B	1	66	55	61	No	No	6
3112	B	S-1253B	1	66	59	63	No	No	4
3113	B	S-1242B	1	66	60	62	No	No	2
3114	B	S-1232B	1	66	63	67	No	Yes	4
3115	B	S-1252B	1	66	58	63	No	No	5
3116	B	S-1265B	1	66	57	64	No	No	7
3117	B	S-1243B	1	66	60	63	No	No	3
3118	B	S-1272B	1	66	56	64	No	No	8
3119	B	S-1231B	1	66	63	67	No	Yes	4
3120	B	S-1244B	1	66	59	62	No	No	3
3121	B	S-1267B	1	66	56	64	No	No	8
3122	B	S-1230B	1	66	63	67	No	Yes	4
3123	B	S-1251B	1	66	58	62	No	No	4
3124	B	S-1273B	1	66	58	63	No	No	5
3125	B	S-1266B	1	66	57	63	No	No	6
3126	B	S-1229B	1	66	62	67	No	Yes	5
3127	B	S-1245B	1	66	59	63	No	No	4
3128	B	S-1246B	1	66	59	62	No	No	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3129	B	S-1228B	1	66	62	66	No	Yes	4
3130	B	S-1250B	1	66	57	61	No	No	4
3131	B	S-1247B	1	66	57	61	No	No	4
3132	B	S-1227B	1	66	61	65	No	No	4
3133	B	S-1248B	1	66	58	62	No	No	4
3134	B	S-1249B	1	66	57	61	No	No	4
3135	B	S-1226B	1	66	61	66	No	Yes	5
3136	E	S-1225E	1	71	63	67	No	No	4
3137	B	S-1223B	1	66	64	68	No	Yes	4
3138	B	S-1224B-2	1	66	67	72	No	Yes	5
3139	B	S-1201B	1	66	64	68	No	Yes	4
3140	B	S-1202B-2	1	66	67	72	No	Yes	5
3141	B	S-1191B	1	66	66	73	No	Yes	7
3142	B	S-1192B-2	1	66	70	77	No	Yes	7
3143	B	S-1193B	1	66	65	70	No	Yes	5
3144	B	S-1194B-2	1	66	68	75	No	Yes	7
3145	B	S-1199B	1	66	64	69	No	Yes	5
3146	B	S-1200B-2	1	66	67	73	No	Yes	6
3147	B	S-1219B	1	66	63	67	No	Yes	4
3148	B	S-1220B-2	1	66	66	71	No	Yes	5
3149	B	S-1221B	1	66	56	66	Yes	Yes	10
3150	B	S-1222B-2	1	66	58	71	Yes	Yes	13
3151	B	S-1215B	1	66	60	65	No	No	5
3152	B	S-1216B-2	1	66	62	68	No	Yes	6
3153	B	S-1217B	1	66	56	65	No	No	9
3154	B	S-1218B-2	1	66	58	69	Yes	Yes	11
3155	B	S-1189B	1	66	60	69	No	Yes	9
3156	B	S-1190B-2	1	66	64	72	No	Yes	8
3157	B	S-1197B	1	66	56	62	No	No	6
3158	B	S-1198B-2	1	66	58	65	No	No	7
3159	B	S-1203B	1	66	55	60	No	No	5
3160	B	S-1204B-2	1	66	57	63	No	No	6
3161	B	S-1195B	1	66	57	65	No	No	8
3162	B	S-1196B-2	1	66	60	67	No	Yes	7
3163	B	S-1213B	1	66	56	65	No	No	9
3164	B	S-1214B-2	1	66	57	69	Yes	Yes	12
3165	B	S-1211B	1	66	58	64	No	No	6
3166	B	S-1212B-2	1	66	61	67	No	Yes	6
3167	B	S-1187B	1	66	67	77	Yes	Yes	10

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3168	B	S-1188B-2	1	66	73	79	No	Yes	6
3169	B	S-1185B-2	1	66	68	76	No	Yes	8
3170	B	S-1186B	1	66	64	71	No	Yes	7
3171	B	S-1181B-2	1	66	67	74	No	Yes	7
3172	B	S-1182B	1	66	63	70	No	Yes	7
3173	B	S-1209B	1	66	56	64	No	No	8
3174	B	S-1210B-2	1	66	57	68	Yes	Yes	11
3175	B	S-1207B	1	66	58	63	No	No	5
3176	B	S-1208B-2	1	66	60	66	No	Yes	6
3177	B	S-1173B-2	1	66	59	67	No	Yes	8
3178	B	S-1174B	1	66	57	62	No	No	5
3179	B	S-1183B-2	1	66	69	76	No	Yes	7
3180	B	S-1184B	1	66	65	74	No	Yes	9
3181	B	S-1177B	1	66	56	58	No	No	2
3182	B	S-1178B-2	1	66	58	59	No	No	1
3183	B	S-1179B-2	1	66	67	74	No	Yes	7
3184	B	S-1180B	1	66	64	73	No	Yes	9
3185	B	S-1205B	1	66	56	63	No	No	7
3186	B	S-1206B-2	1	66	57	67	Yes	Yes	10
3187	B	S-1175B-2	1	66	65	72	No	Yes	7
3188	B	S-1176B	1	66	62	70	No	Yes	8
3189	B	S-1171B-2	1	66	54	56	No	No	2
3190	B	S-1172B	1	66	53	55	No	No	2
3191	B	S-1169B-2	1	66	65	72	No	Yes	7
3192	B	S-1170B	1	66	63	71	No	Yes	8
3193	B	S-1167B-2	1	66	54	56	No	No	2
3194	B	S-1168B	1	66	53	55	No	No	2
3195	C	S-1166C	1	66	56	58	No	No	2
3196	B	S-1164B-2	1	66	64	71	No	Yes	7
3197	B	S-1165B	1	66	61	69	No	Yes	8
3198	B	S-1162B-2	1	66	65	72	No	Yes	7
3199	B	S-1163B	1	66	62	70	No	Yes	8
3200	B	S-1142B-2	1	66	69	76	No	Yes	7
3201	B	S-1143B	1	66	65	74	No	Yes	9
3202	B	S-1140B-2	1	66	74	79	No	Yes	5
3203	B	S-1141B	1	66	67	78	Yes	Yes	11
3204	B	S-1081B-2	1	66	58	66	No	Yes	8
3205	B	S-1082B	1	66	57	64	No	No	7
3206	B	S-1079B-2	1	66	55	66	Yes	Yes	11

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3207	B	S-1080B	1	66	53	64	Yes	No	11
3208	B	S-1146B-2	1	66	67	74	No	Yes	7
3209	B	S-1147B	1	66	64	72	No	Yes	8
3210	B	S-1158B-2	1	66	65	72	No	Yes	7
3211	B	S-1159B	1	66	63	71	No	Yes	8
3212	B	S-1083B-2	1	66	59	66	No	Yes	7
3213	B	S-1084B	1	66	58	64	No	No	6
3214	B	S-1144B-2	1	66	66	75	No	Yes	9
3215	B	S-1145B	1	66	62	74	Yes	Yes	12
3216	B	S-1077B-2	1	66	55	66	Yes	Yes	11
3217	B	S-1078B	1	66	54	64	Yes	No	10
3218	B	S-1160B-2	1	66	54	56	No	No	2
3219	B	S-1161B	1	66	53	55	No	No	2
3220	B	S-1154B-2	1	66	64	71	No	Yes	7
3221	B	S-1155B	1	66	62	68	No	Yes	6
3222	B	S-1150B-2	1	66	60	62	No	No	2
3223	B	S-1151B	1	66	58	59	No	No	1
3224	B	S-1138B	1	66	64	76	Yes	Yes	12
3225	B	S-1139B-2	1	66	69	77	No	Yes	8
3226	B	S-1148B-2	1	66	63	72	No	Yes	9
3227	B	S-1149B	1	66	60	71	Yes	Yes	11
3228	B	S-1156B-2	1	66	54	56	No	No	2
3229	B	S-1157B	1	66	53	55	No	No	2
3230	B	S-1075B-2	1	66	55	66	Yes	Yes	11
3231	B	S-1076B	1	66	54	64	Yes	No	10
3232	B	S-1085B-2	1	66	58	66	No	Yes	8
3233	B	S-1086B	1	66	57	63	No	No	6
3234	B	S-1136B-2	1	66	72	79	No	Yes	7
3235	B	S-1137B	1	66	67	78	Yes	Yes	11
3236	C	S-1117C	1	66	60	65	No	No	5
3237	B	S-1152B-2	1	66	60	66	No	Yes	6
3238	B	S-1153B	1	66	58	65	No	No	7
3239	B	S-1120B-2	1	66	60	61	No	No	1
3240	B	S-1121B	1	66	59	60	No	No	1
3241	B	S-1134B-2	1	66	72	79	No	Yes	7
3242	B	S-1135B	1	66	67	78	Yes	Yes	11
3243	B	S-1087B-2	1	66	57	66	No	Yes	9
3244	B	S-1088B	1	66	56	63	No	No	7
3245	B	S-1073B-2	1	66	55	66	Yes	Yes	11

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3246	B	S-1074B	1	66	53	64	Yes	No	11
3247	B	S-1115B-2	1	66	59	64	No	No	5
3248	B	S-1116B	1	66	58	63	No	No	5
3249	B	S-1111B-2	1	66	59	65	No	No	6
3250	B	S-1112B	1	66	58	64	No	No	6
3251	B	S-1132B-2	1	66	72	79	No	Yes	7
3252	B	S-1133B	1	66	67	78	Yes	Yes	11
3253	B	S-1122B-2	1	66	60	61	No	No	1
3254	B	S-1123B	1	66	59	61	No	No	2
3255	B	S-1118B-2	1	66	61	64	No	No	3
3256	B	S-1119B	1	66	60	61	No	No	1
3257	B	S-1107B-2	1	66	56	59	No	No	3
3258	B	S-1108B	1	66	55	57	No	No	2
3259	B	S-1071B	1	66	54	64	Yes	No	10
3260	B	S-1072B-2	1	66	56	66	Yes	Yes	10
3261	B	S-1093B-2	1	66	56	66	Yes	Yes	10
3262	B	S-1094B	1	66	55	63	No	No	8
3263	B	S-1097B-2	1	66	57	66	No	Yes	9
3264	B	S-1098B	1	66	55	63	No	No	8
3265	B	S-1089B-2	1	66	56	66	Yes	Yes	10
3266	B	S-1090B	1	66	55	63	No	No	8
3267	B	S-1101B-2	1	66	58	67	No	Yes	9
3268	B	S-1102B	1	66	56	63	No	No	7
3269	B	S-1124B-2	1	66	60	61	No	No	1
3270	B	S-1125B	1	66	59	60	No	No	1
3271	B	S-1130B-2	1	66	72	79	No	Yes	7
3272	B	S-1131B	1	66	67	78	Yes	Yes	11
3273	B	S-1105B	1	66	57	59	No	No	2
3274	B	S-1106B-2	1	66	60	66	No	Yes	6
3275	B	S-1109B-2	1	66	62	68	No	Yes	6
3276	B	S-1110B	1	66	58	62	No	No	4
3277	B	S-1113B-2	1	66	63	68	No	Yes	5
3278	B	S-1114B	1	66	59	62	No	No	3
3279	B	S-1126B-2	1	66	60	61	No	No	1
3280	B	S-1127B	1	66	59	60	No	No	1
3281	B	S-1099B-2	1	66	60	67	No	Yes	7
3282	B	S-1100B	1	66	57	65	No	No	8
3283	B	S-1095B-2	1	66	60	67	No	Yes	7
3284	B	S-1096B	1	66	57	65	No	No	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3285	B	S-1091B-2	1	66	59	67	No	Yes	8
3286	B	S-1092B	1	66	56	65	No	No	9
3287	B	S-1103B-2	1	66	60	67	No	Yes	7
3288	B	S-1104B	1	66	57	64	No	No	7
3289	B	S-1128B	1	66	65	75	Yes	Yes	10
3290	B	S-1129B-2	1	66	69	76	No	Yes	7
3291	B	S-1067B	1	66	59	67	No	Yes	8
3292	B	S-1068B-2	1	66	61	69	No	Yes	8
3293	B	S-1065B-2	1	66	62	70	No	Yes	8
3294	B	S-1066B	1	66	59	67	No	Yes	8
3295	B	S-1069B	1	66	52	66	Yes	Yes	14
3296	B	S-1070B-2	1	66	54	68	Yes	Yes	14
3297	B	S-1063B	1	66	60	69	No	Yes	9
3298	B	S-1064B-2	1	66	63	71	No	Yes	8
3299	B	S-1038B-2	1	66	66	74	No	Yes	8
3300	B	S-1039B	1	66	63	72	No	Yes	9
3301	B	S-1042B-2	1	66	64	72	No	Yes	8
3302	B	S-1043B	1	66	61	70	No	Yes	9
3303	B	S-1055B-2	1	66	53	68	Yes	Yes	15
3304	B	S-1056B	1	66	52	65	Yes	No	13
3305	B	S-1061B	1	66	60	67	No	Yes	7
3306	B	S-1062B-2	1	66	62	69	No	Yes	7
3307	B	S-1046B	1	66	55	63	No	No	8
3308	B	S-1047B-2	1	66	57	67	Yes	Yes	10
3309	B	S-1036B	1	66	65	74	No	Yes	9
3310	B	S-1037B-2	1	66	68	75	No	Yes	7
3311	B	S-1053B-2	1	66	56	67	Yes	Yes	11
3312	B	S-1054B	1	66	55	64	No	No	9
3313	B	S-1057B-2	1	66	55	67	Yes	Yes	12
3314	B	S-1058B	1	66	54	64	Yes	No	10
3315	B	S-1048B-2	1	66	56	63	No	No	7
3316	B	S-1049B	1	66	55	60	No	No	5
3317	B	S-1059B	1	66	54	64	Yes	No	10
3318	B	S-1060B-2	1	66	56	67	Yes	Yes	11
3319	B	S-1034B-2	1	66	68	75	No	Yes	7
3320	B	S-1035B	1	66	65	73	No	Yes	8
3321	B	S-1051B-2	1	66	56	66	Yes	Yes	10
3322	B	S-1052B	1	66	55	64	No	No	9
3323	C	S-1024C	1	66	67	77	Yes	Yes	10

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3324	B	S-1040B-2	1	66	59	66	No	Yes	7
3325	B	S-1041B	1	66	58	64	No	No	6
3326	B	S-1044B-2	1	66	58	62	No	No	4
3327	B	S-1045B	1	66	56	61	No	No	5
3328	B	S-1027B	1	66	66	75	No	Yes	9
3329	B	S-1028B-2	1	66	70	76	No	Yes	6
3330	B	S-1025B	1	66	66	76	Yes	Yes	10
3331	B	S-1026B-2	1	66	70	77	No	Yes	7
3332	B	S-1029B	1	66	60	66	No	Yes	6
3333	B	S-1030B-2	1	66	62	69	No	Yes	7
3334	C	S-1050C	1	66	57	63	No	No	6
3335	B	S-1022B	1	66	66	75	No	Yes	9
3336	B	S-1023B-2	1	66	70	76	No	Yes	6
3337	C	S-1033C	1	66	61	68	No	Yes	7
3338	B	S-1031B-2	1	66	61	67	No	Yes	6
3339	B	S-1032B	1	66	59	64	No	No	5
3340	B	S-1010B-2	1	66	60	67	No	Yes	7
3341	B	S-1011B	1	66	59	66	No	Yes	7
3342	B	S-1006B	1	66	56	63	No	No	7
3343	B	S-1007B-2	1	66	58	65	No	No	7
3344	B	S-0994B	1	66	56	62	No	No	6
3345	B	S-0995B-2	1	66	58	64	No	No	6
3346	B	S-0996B-2	1	66	58	64	No	No	6
3347	B	S-0997B	1	66	57	62	No	No	5
3348	B	S-1020B	1	66	65	72	No	Yes	7
3349	B	S-1021B-2	1	66	68	75	No	Yes	7
3350	B	S-1000B-2	1	66	55	65	Yes	No	10
3351	B	S-1001B	1	66	53	63	Yes	No	10
3352	B	S-1014B-2	1	66	62	68	No	Yes	6
3353	B	S-1015B	1	66	60	65	No	No	5
3354	B	S-0998B-2	1	66	58	65	No	No	7
3355	B	S-0999B	1	66	56	62	No	No	6
3356	B	S-1016B	1	66	56	58	No	No	2
3357	B	S-1017B-2	1	66	60	63	No	No	3
3358	B	S-1002B	1	66	54	63	No	No	9
3359	B	S-1003B-2	1	66	55	65	Yes	No	10
3360	B	S-1012B	1	66	60	65	No	No	5
3361	B	S-1013B-2	1	66	62	68	No	Yes	6
3362	B	S-1018B	1	66	58	60	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3363	B	S-1019B-2	1	66	61	66	No	Yes	5
3364	B	S-1008B-2	1	66	60	68	No	Yes	8
3365	B	S-1009B	1	66	58	65	No	No	7
3366	B	S-1004B	1	66	56	63	No	No	7
3367	B	S-1005B-2	1	66	58	66	No	Yes	8
3368	D	S-0964D	1	51	48	54	No	Yes	6
3369	B	S-0963B	1	66	67	79	Yes	Yes	12
3370	B	S-0962B	1	66	66	78	Yes	Yes	12
3371	B	S-0984B-2	1	66	62	69	No	Yes	7
3372	B	S-0985B	1	66	59	66	No	Yes	7
3373	B	S-0982B	1	66	60	66	No	Yes	6
3374	B	S-0983B-2	1	66	63	69	No	Yes	6
3375	B	S-0992B-2	1	66	61	67	No	Yes	6
3376	B	S-0993B	1	66	58	64	No	No	6
3377	B	S-0961B	1	66	65	77	Yes	Yes	12
3378	B	S-0980B-2	1	66	63	69	No	Yes	6
3379	B	S-0981B	1	66	61	66	No	Yes	5
3380	B	S-0986B	1	66	55	65	Yes	No	10
3381	B	S-0987B-2	1	66	59	68	No	Yes	9
3382	B	S-0990B	1	66	58	65	No	No	7
3383	B	S-0991B-2	1	66	61	68	No	Yes	7
3384	B	S-0960B	1	66	64	76	Yes	Yes	12
3385	B	S-0988B	1	66	58	65	No	No	7
3386	B	S-0989B-2	1	66	61	68	No	Yes	7
3387	B	S-0959B	1	66	63	73	Yes	Yes	10
3388	B	S-0951B	1	66	66	78	Yes	Yes	12
3389	B	S-0978B-2	1	66	58	68	Yes	Yes	10
3390	B	S-0979B	1	66	55	65	Yes	No	10
3391	B	S-0975B-2	1	66	63	68	No	Yes	5
3392	B	S-0977B	1	66	60	65	No	No	5
3393	B	S-0950B	1	66	66	78	Yes	Yes	12
3394	B	S-0958B	1	66	62	70	No	Yes	8
3395	B	S-0972B	1	66	56	65	No	No	9
3396	B	S-0973B-2	1	66	60	68	No	Yes	8
3397	B	S-0974B-2	1	66	60	68	No	Yes	8
3398	B	S-0976B	1	66	57	65	No	No	8
3399	B	S-0949B	1	66	66	78	Yes	Yes	12
3400	B	S-0957B	1	66	62	67	No	Yes	5

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3401	C	S-0971C	1	66	58	65	No	No	7
3402	B	S-0969B-2	1	66	61	68	No	Yes	7
3403	B	S-0970B	1	66	58	65	No	No	7
3404	B	S-0948B	1	66	66	78	Yes	Yes	12
3405	B	S-0967B-2	1	66	62	68	No	Yes	6
3406	B	S-0968B	1	66	59	66	No	Yes	7
3407	B	S-0956B	1	66	61	65	No	No	4
3408	B	S-0965B	1	66	59	66	No	Yes	7
3409	B	S-0966B-2	1	66	62	68	No	Yes	6
3410	B	S-0947B	1	66	66	78	Yes	Yes	12
3411	B	S-0955B	1	66	60	64	No	No	4
3412	B	S-0946B	1	66	66	78	Yes	Yes	12
3413	B	S-0954B	1	66	60	65	No	No	5
3414	B	S-0945B	1	66	66	78	Yes	Yes	12
3415	B	S-0952B	1	66	59	67	No	Yes	8
3416	B	S-0953B	1	66	61	68	No	Yes	7
3417	B	S-0933B	1	66	62	74	Yes	Yes	12
3418	B	S-0934B	1	66	61	72	Yes	Yes	11
3419	B	S-0932B	1	66	62	75	Yes	Yes	13
3420	B	S-0944B	1	66	59	66	No	Yes	7
3421	B	S-0935B	1	66	60	69	No	Yes	9
3422	B	S-0943B	1	66	57	61	No	No	4
3423	B	S-0936B	1	66	60	68	No	Yes	8
3424	B	S-0942B	1	66	57	60	No	No	3
3425	B	S-0937B	1	66	61	68	No	Yes	7
3426	B	S-0930B	1	66	62	71	No	Yes	9
3427	B	S-0931B-2	1	66	63	74	Yes	Yes	11
3428	B	S-3218B	1	66	55	57	No	No	2
3429	B	S-3219B	1	66	55	57	No	No	2
3430	B	S-0928B	1	66	63	73	Yes	Yes	10
3431	B	S-0929B-2	1	66	65	76	Yes	Yes	11
3432	B	S-3217B	1	66	54	57	No	No	3
3433	B	S-3215B	1	66	54	57	No	No	3
3434	B	S-3214B	1	66	54	57	No	No	3
3435	B	S-3216B	1	66	53	56	No	No	3
3436	B	S-0941B	1	66	57	61	No	No	4
3437	B	S-3253B	1	66	72	72	No	Yes	0
3438	B	S-3254B-2	1	66	72	73	No	Yes	1
3439	B	S-3255B-3	1	66	72	72	No	Yes	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3440	B	S-3250B	1	66	61	61	No	No	0
3441	B	S-3251B-2	1	66	62	62	No	No	0
3442	B	S-3252B-3	1	66	63	63	No	No	0
3443	B	S-0938B	1	66	61	67	No	Yes	6
3444	B	S-3220B	1	66	55	57	No	No	2
3445	B	S-0940B	1	66	58	61	No	No	3
3446	B	S-0939B	1	66	61	67	No	Yes	6
3447	B	S-3256B	1	66	72	72	No	Yes	0
3448	B	S-3257B-2	1	66	72	72	No	Yes	0
3449	B	S-3258B-3	1	66	72	72	No	Yes	0
3450	B	S-3244B	1	66	60	60	No	No	0
3451	B	S-3245B-2	1	66	62	62	No	No	0
3452	B	S-3246B-3	1	66	63	63	No	No	0
3453	B	S-3247B	1	66	62	62	No	No	0
3454	B	S-3248B-2	1	66	63	63	No	No	0
3455	B	S-3249B-3	1	66	64	65	No	No	1
3456	B	S-0927B	1	66	63	74	Yes	Yes	11
3457	B	S-3222B	1	66	54	57	No	No	3
3458	B	S-3223B-2	1	66	56	59	No	No	3
3459	B	S-3224B-3	1	66	58	60	No	No	2
3460	B	S-0925B	1	66	60	67	No	Yes	7
3461	B	S-0920B	1	66	57	65	No	No	8
3462	B	S-0922B	1	66	58	66	No	Yes	8
3463	B	S-0919B	1	66	56	64	No	No	8
3464	B	S-0923B	1	66	58	67	No	Yes	9
3465	B	S-0921B	1	66	57	65	No	No	8
3466	B	S-0924B	1	66	59	68	No	Yes	9
3467	B	S-3221B	1	66	53	56	No	No	3
3468	E	S-3259E	1	71	73	73	No	Yes	0
3469	B	S-3228B	1	66	58	58	No	No	0
3470	B	S-3229B-2	1	66	60	61	No	No	1
3471	B	S-3230B-3	1	66	62	62	No	No	0
3472	B	S-3225B	1	66	56	58	No	No	2
3473	B	S-3226B-2	1	66	58	60	No	No	2
3474	B	S-3227B-3	1	66	60	61	No	No	1
3475	B	S-0899B	1	66	59	63	No	No	4
3476	B	S-0898B	1	66	60	63	No	No	3
3477	B	S-0917B	1	66	55	58	No	No	3
3478	B	S-0915B	1	66	55	60	No	No	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3479	B	S-0918B	1	66	55	57	No	No	2
3480	B	S-0914B	1	66	54	60	No	No	6
3481	B	S-0916B	1	66	55	59	No	No	4
3482	B	S-0913B	1	66	59	67	No	Yes	8
3483	B	S-0926B	1	66	59	69	Yes	Yes	10
3484	B	S-0908B	1	66	53	55	No	No	2
3485	B	S-0909B	1	66	53	56	No	No	3
3486	B	S-0910B	1	66	53	56	No	No	3
3487	B	S-0911B	1	66	54	58	No	No	4
3488	B	S-0912B	1	66	56	61	No	No	5
3489	B	S-0896B	1	66	55	63	No	No	8
3490	B	S-0897B-2	1	66	59	66	No	Yes	7
3491	B	S-0894B-2	1	66	60	66	No	Yes	6
3492	B	S-0895B	1	66	56	63	No	No	7
3493	B	S-0893B	1	66	60	63	No	No	3
3494	B	S-0889B	1	66	57	61	No	No	4
3495	B	S-3231B	1	66	57	58	No	No	1
3496	B	S-0907B	1	66	57	62	No	No	5
3497	B	S-0904B	1	66	57	63	No	No	6
3498	B	S-0906B	1	66	57	62	No	No	5
3499	B	S-0905B	1	66	57	62	No	No	5
3500	B	S-0890B	1	66	58	62	No	No	4
3501	B	S-3232B	1	66	57	58	No	No	1
3502	B	S-3260B	1	66	73	73	No	Yes	0
3503	B	S-0892B	1	66	60	64	No	No	4
3504	B	S-0888B	1	66	57	60	No	No	3
3505	B	S-3233B	1	66	56	54	No	No	-2
3506	B	S-0903B	1	66	60	66	No	Yes	6
3507	B	S-0891B	1	66	61	65	No	No	4
3508	B	S-3234B	1	66	56	55	No	No	-1
3509	B	S-0887B	1	66	59	61	No	No	2
3510	B	S-0902B	1	66	60	66	No	Yes	6
3511	B	S-3261B	1	66	72	73	No	Yes	1
3512	B	S-0901B	1	66	54	67	Yes	Yes	13
3513	B	S-3262B	1	66	73	74	No	Yes	1
3514	B	S-0886B	1	66	65	69	No	Yes	4
3515	D	S-3213D	1	51	35	34	No	No	-1
3516	B	S-0900B	1	66	66	69	No	Yes	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3517	B	S-0880B	1	66	68	68	No	Yes	0
3518	B	S-0881B	1	66	68	68	No	Yes	0
3519	B	S-0884B	1	66	68	68	No	Yes	0
3520	B	S-0883B	1	66	68	68	No	Yes	0
3521	B	S-0885B	1	66	68	69	No	Yes	1
3522	B	S-0882B	1	66	68	68	No	Yes	0
3523	B	S-3243B	1	66	70	70	No	Yes	0
3524	B	S-3242B	1	66	70	70	No	Yes	0
3525	B	S-3239B	1	66	69	70	No	Yes	1
3526	B	S-3237B	1	66	69	71	No	Yes	2
3527	B	S-3236B	1	66	69	71	No	Yes	2
3528	B	S-3238B	1	66	69	70	No	Yes	1
3529	B	S-3241B	1	66	70	70	No	Yes	0
3530	B	S-3235B	1	66	69	72	No	Yes	3
3531	B	S-3240B	1	66	70	71	No	Yes	1
3532	B	S-0872B	1	66	69	69	No	Yes	0
3533	B	S-0871B	1	66	68	70	No	Yes	2
3534	B	S-0851B	1	66	68	71	No	Yes	3
3535	B	S-3294B	1	66	70	72	No	Yes	2
3536	B	S-3295B	1	66	70	72	No	Yes	2
3537	B	S-3293B	1	66	69	72	No	Yes	3
3538	B	S-3296B	1	66	70	72	No	Yes	2
3539	B	S-3289B	1	66	68	69	No	Yes	1
3540	B	S-0879B	1	66	66	65	No	No	-1
3541	B	S-3266B	1	66	67	68	No	Yes	1
3542	B	S-3297B	1	66	68	70	No	Yes	2
3543	B	S-0852B	1	66	66	69	No	Yes	3
3544	B	S-3298B	1	66	67	68	No	Yes	1
3545	B	S-0878B	1	66	63	61	No	No	-2
3546	B	S-3288B	1	66	63	64	No	No	1
3547	B	S-0853B	1	66	65	68	No	Yes	3
3548	B	S-3299B	1	66	66	67	No	Yes	1
3549	B	S-3267B	1	66	62	62	No	No	0
3550	B	S-0854B	1	66	63	67	No	Yes	4
3551	B	S-0849B	1	66	58	65	No	No	7
3552	B	S-3300B	1	66	65	66	No	Yes	1
3553	B	S-3287B	1	66	60	62	No	No	2
3554	B	S-0877B	1	66	61	63	No	No	2
3555	B	S-3301B	1	66	64	66	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3556	B	S-0870B	1	66	61	66	No	Yes	5
3557	B	S-0850B	1	66	57	63	No	No	6
3558	B	S-3318B	1	66	65	62	No	No	-3
3559	B	S-3268B	1	66	59	60	No	No	1
3560	B	S-3286B	1	66	58	60	No	No	2
3561	B	S-3317B	1	66	65	62	No	No	-3
3562	B	S-3302B	1	66	62	65	No	No	3
3563	B	S-0855B	1	66	57	66	No	Yes	9
3564	B	S-0856B-2	1	66	63	68	No	Yes	5
3565	B	S-0857B	1	66	57	66	No	Yes	9
3566	B	S-0858B-2	1	66	63	68	No	Yes	5
3567	E	S-3265E	1	71	74	75	No	Yes	1
3568	B	S-0848B	1	66	58	65	No	No	7
3569	B	S-0876B	1	66	59	63	No	No	4
3570	B	S-3269B	1	66	57	58	No	No	1
3571	B	S-3316B	1	66	64	63	No	No	-1
3572	B	S-0847B	1	66	59	65	No	No	6
3573	B	S-0869B	1	66	60	65	No	No	5
3574	B	S-3319B	1	66	60	60	No	No	0
3575	B	S-0859B	1	66	59	66	No	Yes	7
3576	B	S-3285B	1	66	49	59	Yes	No	10
3577	B	S-3303B	1	66	60	63	No	No	3
3578	B	S-0875B	1	66	58	63	No	No	5
3579	B	S-3315B	1	66	64	62	No	No	-2
3580	B	S-3270B	1	66	56	57	No	No	1
3581	B	S-3314B	1	66	64	62	No	No	-2
3582	B	S-0846B	1	66	59	65	No	No	6
3583	C	S-0832C	1	66	57	64	No	No	7
3584	B	S-3304B	1	66	59	62	No	No	3
3585	B	S-0860B	1	66	60	66	No	Yes	6
3586	B	S-3271B	1	66	55	57	No	No	2
3587	B	S-0868B	1	66	59	64	No	No	5
3588	B	S-0833B	1	66	57	63	No	No	6
3589	B	S-0834B-2	1	66	62	67	No	Yes	5
3590	B	S-0830B	1	66	56	63	No	No	7
3591	B	S-0831B-2	1	66	62	67	No	Yes	5
3592	B	S-3313B	1	66	64	62	No	No	-2
3593	B	S-3272B	1	66	55	57	No	No	2
3594	B	S-0861B	1	66	59	65	No	No	6

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3595	B	S-0874B	1	66	58	62	No	No	4
3596	B	S-0845B	1	66	59	63	No	No	4
3597	B	S-3305B	1	66	58	60	No	No	2
3598	B	S-3284B	1	66	54	59	No	No	5
3599	B	S-3312B	1	66	64	63	No	No	-1
3600	B	S-3273B	1	66	54	57	No	No	3
3601	B	S-0873B	1	66	58	62	No	No	4
3602	B	S-0829B	1	66	60	65	No	No	5
3603	B	S-0867B	1	66	59	64	No	No	5
3604	B	S-0862B	1	66	59	65	No	No	6
3605	B	S-3320B	1	66	58	63	No	No	5
3606	B	S-3283B	1	66	54	58	No	No	4
3607	B	S-3274B	1	66	55	57	No	No	2
3608	B	S-3306B	1	66	58	60	No	No	2
3609	B	S-0828B	1	66	58	63	No	No	5
3610	B	S-0843B	1	66	54	64	Yes	No	10
3611	B	S-0844B-2	1	66	62	67	No	Yes	5
3612	B	S-0841B	1	66	53	64	Yes	No	11
3613	B	S-0842B-2	1	66	62	67	No	Yes	5
3614	B	S-0839B-2	1	66	62	67	No	Yes	5
3615	B	S-0840B	1	66	53	64	Yes	No	11
3616	B	S-0837B	1	66	54	64	Yes	No	10
3617	B	S-0838B-2	1	66	62	67	No	Yes	5
3618	B	S-0825B	1	66	60	66	No	Yes	6
3619	B	S-3311B	1	66	58	62	No	No	4
3620	B	S-3321B	1	66	57	63	No	No	6
3621	B	S-0863B	1	66	58	65	No	No	7
3622	B	S-0866B	1	66	58	64	No	No	6
3623	B	S-3275B	1	66	52	57	No	No	5
3624	B	S-0827B	1	66	59	64	No	No	5
3625	B	S-0824B	1	66	59	65	No	No	6
3626	B	S-0823B	1	66	60	67	No	Yes	7
3627	E	S-3264E	1	71	73	74	No	Yes	1
3628	B	S-0822B	1	66	62	66	No	Yes	4
3629	B	S-3282B	1	66	54	58	No	No	4
3630	B	S-3307B	1	66	57	59	No	No	2
3631	B	S-0864B	1	66	58	65	No	No	7
3632	B	S-0826B	1	66	59	63	No	No	4
3633	B	S-3322B	1	66	58	65	No	No	7

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3634	D	S-3332D	1	51	34	39	No	No	5
3635	B	S-0836B	1	66	59	65	No	No	6
3636	B	S-0821B	1	66	63	71	No	Yes	8
3637	B	S-0865B	1	66	58	65	No	No	7
3638	B	S-3276B	1	66	51	57	No	No	6
3639	B	S-3323B	1	66	58	64	No	No	6
3640	B	S-3308B	1	66	55	59	No	No	4
3641	B	S-3281B	1	66	55	58	No	No	3
3642	E	S-3263E	1	71	73	73	No	Yes	0
3643	B	S-0835B	1	66	59	65	No	No	6
3644	B	S-0817B	1	66	59	64	No	No	5
3645	B	S-3277B	1	66	51	56	No	No	5
3646	B	S-3324B	1	66	57	65	No	No	8
3647	B	S-0819B	1	66	57	61	No	No	4
3648	B	S-0818B	1	66	57	60	No	No	3
3649	B	S-0820B	1	66	60	70	Yes	Yes	10
3650	B	S-3278B	1	66	53	57	No	No	4
3651	B	S-3280B	1	66	56	58	No	No	2
3652	B	S-3325B	1	66	58	66	No	Yes	8
3653	B	S-3309B	1	66	55	59	No	No	4
3654	B	S-3326B	1	66	58	66	No	Yes	8
3655	B	S-0809B	1	66	64	73	No	Yes	9
3656	B	S-0815B	1	66	56	67	Yes	Yes	11
3657	B	S-3279B	1	66	57	59	No	No	2
3658	B	S-0810B	1	66	62	73	Yes	Yes	11
3659	B	S-0813B	1	66	57	60	No	No	3
3660	B	S-0811B	1	66	59	70	Yes	Yes	11
3661	B	S-0814B	1	66	54	67	Yes	Yes	13
3662	B	S-0816B	1	66	57	68	Yes	Yes	11
3663	B	S-3292B	1	66	52	58	No	No	6
3664	B	S-0812B	1	66	57	60	No	No	3
3665	B	S-3328B	1	66	59	67	No	Yes	8
3666	B	S-3310B	1	66	53	58	No	No	5
3667	B	S-3333B	1	66	60	66	No	Yes	6
3668	B	S-3334B	1	66	62	67	No	Yes	5
3669	D	S-3330D	1	51	36	43	No	No	7
3670	B	S-3331B	1	66	61	69	No	Yes	8
3671	B	S-0801B	1	66	56	65	No	No	9

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3672	B	S-0800B	1	66	56	65	No	No	9
3673	B	S-3291B	1	66	55	58	No	No	3
3674	B	S-0802B	1	66	57	66	No	Yes	9
3675	B	S-3290B	1	66	55	58	No	No	3
3676	B	S-3329B	1	66	60	68	No	Yes	8
3677	B	S-3327B	1	66	60	67	No	Yes	7
3678	B	S-0804B	1	66	59	70	Yes	Yes	11
3679	B	S-0806B	1	66	61	73	Yes	Yes	12
3680	B	S-0807B	1	66	62	73	Yes	Yes	11
3681	B	S-0805B	1	66	61	72	Yes	Yes	11
3682	B	S-0803B	1	66	59	68	No	Yes	9
3683	B	S-0808B	1	66	64	76	Yes	Yes	12
3684	C	S-0799C	1	66	58	63	No	No	5
3685	B	S-0779B	1	66	58	67	No	Yes	9
3686	B	S-0778B	1	66	59	68	No	Yes	9
3687	B	S-3335B	1	66	62	73	Yes	Yes	11
3688	B	S-3337B	1	66	60	68	No	Yes	8
3689	B	S-3336B	1	66	62	69	No	Yes	7
3690	C	S-3339C	1	66	63	68	No	Yes	5
3691	C	S-0798C	1	66	59	64	No	No	5
3692	C	S-0797C	1	66	58	64	No	No	6
3693	C	S-3338C	1	66	61	68	No	Yes	7
3694	B	S-0780B	1	66	59	66	No	Yes	7
3695	B	S-0781B	1	66	59	66	No	Yes	7
3696	B	S-0776B	1	66	59	71	Yes	Yes	12
3697	B	S-0777B-2	1	66	65	76	Yes	Yes	11
3698	B	S-0774B	1	66	62	73	Yes	Yes	11
3699	B	S-0775B-2	1	66	66	78	Yes	Yes	12
3700	C	S-0796C	1	66	58	64	No	No	6
3701	D	S-0773D	1	51	39	50	Yes	No	11
3702	B	S-3340B	1	66	60	69	No	Yes	9
3703	B	S-0795B	1	66	58	64	No	No	6
3704	B	S-0782B	1	66	58	66	No	Yes	8
3705	B	S-0772B	1	66	64	75	Yes	Yes	11
3706	B	S-3341B	1	66	60	69	No	Yes	9
3707	B	S-0783B	1	66	60	67	No	Yes	7
3708	B	S-0794B	1	66	58	64	No	No	6
3709	B	S-0771B	1	66	64	75	Yes	Yes	11

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3710	B	S-3344B	1	66	61	70	No	Yes	9
3711	B	S-3343B	1	66	59	69	Yes	Yes	10
3712	B	S-3345B	1	66	62	71	No	Yes	9
3713	B	S-0793B	1	66	58	64	No	No	6
3714	B	S-3342B	1	66	57	69	Yes	Yes	12
3715	B	S-0784B	1	66	60	68	No	Yes	8
3716	B	S-0770B	1	66	64	74	Yes	Yes	10
3717	B	S-3356B	1	66	60	69	No	Yes	9
3718	B	S-3359B	1	66	57	67	Yes	Yes	10
3719	B	S-3357B	1	66	59	68	No	Yes	9
3720	B	S-3358B	1	66	57	68	Yes	Yes	11
3721	B	S-0785B	1	66	60	68	No	Yes	8
3722	B	S-0769B	1	66	64	74	Yes	Yes	10
3723	B	S-3346B	1	66	63	69	No	Yes	6
3724	B	S-0792B	1	66	58	64	No	No	6
3725	B	S-3360B	1	66	58	69	Yes	Yes	11
3726	B	S-0786B	1	66	60	68	No	Yes	8
3727	B	S-3347B	1	66	63	69	No	Yes	6
3728	B	S-0791B	1	66	58	64	No	No	6
3729	B	S-0768B	1	66	64	73	No	Yes	9
3730	B	S-3348B	1	66	63	68	No	Yes	5
3731	B	S-0790B	1	66	58	64	No	No	6
3732	B	S-0787B	1	66	60	68	No	Yes	8
3733	B	S-3361B	1	66	60	69	No	Yes	9
3734	B	S-3349B	1	66	63	68	No	Yes	5
3735	B	S-3362B	1	66	60	69	No	Yes	9
3736	B	S-0788B	1	66	59	68	No	Yes	9
3737	D	S-0767D	1	51	39	48	No	No	9
3738	B	S-3350B	1	66	63	67	No	Yes	4
3739	B	S-3363B	1	66	56	69	Yes	Yes	13
3740	B	S-0789B	1	66	59	68	No	Yes	9
3741	B	S-3351B	1	66	63	66	No	Yes	3
3742	B	S-3364B	1	66	60	69	No	Yes	9
3743	B	S-0766B	1	66	64	73	No	Yes	9
3744	B	S-3352B	1	66	63	66	No	Yes	3
3745	D	S-0758D	1	51	32	41	No	No	9
3746	B	S-3365B	1	66	60	70	Yes	Yes	10
3747	B	S-3353B	1	66	63	66	No	Yes	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3748	B	S-0765B	1	66	64	73	No	Yes	9
3749	C	S-0757C	1	66	56	67	Yes	Yes	11
3750	B	S-3354B	1	66	63	66	No	Yes	3
3751	B	S-0764B	1	66	64	73	No	Yes	9
3752	B	S-3355B	1	66	63	67	No	Yes	4
3753	B	S-3366B	1	66	63	69	No	Yes	6
3754	B	S-0760B	1	66	56	67	Yes	Yes	11
3755	B	S-0762B	1	66	59	70	Yes	Yes	11
3756	B	S-3371B	1	66	61	71	Yes	Yes	10
3757	B	S-0761B	1	66	58	70	Yes	Yes	12
3758	B	S-3369B	1	66	60	71	Yes	Yes	11
3759	B	S-0763B	1	66	60	71	Yes	Yes	11
3760	B	S-3370B	1	66	61	71	Yes	Yes	10
3761	B	S-3367B	1	66	61	71	Yes	Yes	10
3762	B	S-3368B	1	66	61	71	Yes	Yes	10
3763	D	S-0759D	1	51	32	44	Yes	No	12
3764	B	S-3374B	1	66	61	71	Yes	Yes	10
3765	B	S-3373B	1	66	61	72	Yes	Yes	11
3766	B	S-3372B	1	66	61	72	Yes	Yes	11
3767	B	S-0746B	1	66	59	71	Yes	Yes	12
3768	B	S-0751B	1	66	58	69	Yes	Yes	11
3769	B	S-0752B	1	66	57	69	Yes	Yes	12
3770	B	S-0750B	1	66	57	69	Yes	Yes	12
3771	B	S-0747B	1	66	59	70	Yes	Yes	11
3772	B	S-3376B	1	66	61	71	Yes	Yes	10
3773	B	S-3377B	1	66	61	71	Yes	Yes	10
3774	B	S-0749B	1	66	58	69	Yes	Yes	11
3775	B	S-3379B	1	66	60	71	Yes	Yes	11
3776	B	S-3380B	1	66	61	71	Yes	Yes	10
3777	B	S-3378B	1	66	60	71	Yes	Yes	11
3778	B	S-0748B	1	66	58	69	Yes	Yes	11
3779	B	S-0754B	1	66	56	68	Yes	Yes	12
3780	B	S-0755B	1	66	56	68	Yes	Yes	12
3781	B	S-0756B	1	66	57	68	Yes	Yes	11
3782	B	S-0753B	1	66	56	68	Yes	Yes	12
3783	B	S-3375B	1	66	64	71	No	Yes	7
3784	B	S-3381B	1	66	62	71	No	Yes	9
3785	B	S-0745B	1	66	63	73	Yes	Yes	10
3786	B	S-3382B	1	66	62	68	No	Yes	6

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3787	B	S-0744B	1	66	63	73	Yes	Yes	10
3788	B	S-3383B	1	66	62	67	No	Yes	5
3789	B	S-3384B	1	66	62	67	No	Yes	5
3790	B	S-3406B	1	66	59	70	Yes	Yes	11
3791	B	S-3405B	1	66	60	70	Yes	Yes	10
3792	B	S-0743B	1	66	63	73	Yes	Yes	10
3793	B	S-3385B	1	66	62	68	No	Yes	6
3794	B	S-3404B	1	66	60	69	No	Yes	9
3795	B	S-3407B	1	66	59	70	Yes	Yes	11
3796	B	S-0739B	1	66	57	66	No	Yes	9
3797	B	S-0740B	1	66	57	66	No	Yes	9
3798	B	S-0737B	1	66	58	66	No	Yes	8
3799	B	S-0738B	1	66	58	66	No	Yes	8
3800	B	S-0736B	1	66	58	67	No	Yes	9
3801	B	S-3386B	1	66	62	68	No	Yes	6
3802	B	S-0735B	1	66	58	67	No	Yes	9
3803	B	S-0732B	1	66	58	68	Yes	Yes	10
3804	B	S-0741B	1	66	57	66	No	Yes	9
3805	B	S-0733B	1	66	58	67	No	Yes	9
3806	B	S-0734B	1	66	57	67	Yes	Yes	10
3807	B	S-3403B	1	66	63	71	No	Yes	8
3808	B	S-0742B-2	1	66	56	62	No	No	6
3809	B	S-0731B-2	1	66	65	76	Yes	Yes	11
3810	B	S-3408B	1	66	59	70	Yes	Yes	11
3811	B	S-3387B	1	66	62	68	No	Yes	6
3812	B	S-0718B	1	66	57	65	No	No	8
3813	B	S-0717B	1	66	57	66	No	Yes	9
3814	B	S-0716B	1	66	57	66	No	Yes	9
3815	B	S-0715B	1	66	57	66	No	Yes	9
3816	B	S-0719B-2	1	66	57	62	No	No	5
3817	B	S-3411B	1	66	61	69	No	Yes	8
3818	B	S-0730B-2	1	66	65	76	Yes	Yes	11
3819	B	S-3409B	1	66	59	69	Yes	Yes	10
3820	B	S-3410B	1	66	60	69	No	Yes	9
3821	B	S-3388B	1	66	62	69	No	Yes	7
3822	C	S-0714C	1	66	58	66	No	Yes	8
3823	B	S-0723B	1	66	53	62	No	No	9
3824	B	S-0720B	1	66	52	61	No	No	9
3825	B	S-0722B	1	66	53	61	No	No	8

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3826	B	S-0721B	1	66	52	61	No	No	9
3827	B	S-0724B	1	66	53	62	No	No	9
3828	B	S-0729B	1	66	56	66	Yes	Yes	10
3829	B	S-0727B	1	66	54	63	No	No	9
3830	B	S-0726B	1	66	54	63	No	No	9
3831	B	S-3402B	1	66	63	70	No	Yes	7
3832	B	S-0728B	1	66	54	64	Yes	No	10
3833	B	S-0725B	1	66	54	62	No	No	8
3834	B	S-3389B	1	66	62	67	No	Yes	5
3835	B	S-3412B	1	66	61	69	No	Yes	8
3836	B	S-0713B	1	66	59	67	No	Yes	8
3837	B	S-0703B	1	66	57	65	No	No	8
3838	B	S-0700B	1	66	56	65	No	No	9
3839	B	S-0702B	1	66	57	65	No	No	8
3840	B	S-0699B	1	66	56	65	No	No	9
3841	B	S-0701B	1	66	56	64	No	No	8
3842	B	S-0696B	1	66	62	71	No	Yes	9
3843	B	S-0698B	1	66	56	66	Yes	Yes	10
3844	B	S-0697B	1	66	58	67	No	Yes	9
3845	B	S-0712B	1	66	59	67	No	Yes	8
3846	B	S-0692B	1	66	56	65	No	No	9
3847	B	S-0690B	1	66	55	64	No	No	9
3848	B	S-0691B	1	66	55	65	Yes	No	10
3849	B	S-0694B	1	66	58	69	Yes	Yes	11
3850	B	S-0693B	1	66	57	66	No	Yes	9
3851	B	S-0711B	1	66	59	67	No	Yes	8
3852	B	S-3413B	1	66	61	70	No	Yes	9
3853	B	S-3401B	1	66	63	70	No	Yes	7
3854	B	S-3390B	1	66	63	69	No	Yes	6
3855	B	S-0689B-2	1	66	62	73	Yes	Yes	11
3856	B	S-0695B-2	1	66	65	76	Yes	Yes	11
3857	B	S-0710B	1	66	60	67	No	Yes	7
3858	B	S-3414B	1	66	61	70	No	Yes	9
3859	B	S-0709B	1	66	60	67	No	Yes	7
3860	B	S-0708B	1	66	59	67	No	Yes	8
3861	B	S-3400B	1	66	63	70	No	Yes	7
3862	B	S-0707B	1	66	59	67	No	Yes	8
3863	B	S-3415B	1	66	59	70	Yes	Yes	11
3864	B	S-3391B	1	66	60	67	No	Yes	7

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3865	B	S-0688B	1	66	54	63	No	No	9
3866	B	S-0687B	1	66	54	63	No	No	9
3867	B	S-0706B	1	66	59	67	No	Yes	8
3868	B	S-0685B	1	66	55	64	No	No	9
3869	B	S-0686B	1	66	55	64	No	No	9
3870	B	S-0682B	1	66	58	69	Yes	Yes	11
3871	B	S-0684B	1	66	55	65	Yes	No	10
3872	B	S-0683B	1	66	56	66	Yes	Yes	10
3873	B	S-0678B	1	66	55	64	No	No	9
3874	B	S-0679B-2	1	66	64	74	Yes	Yes	10
3875	B	S-0680B	1	66	57	67	Yes	Yes	10
3876	B	S-0681B-2	1	66	65	75	Yes	Yes	10
3877	B	S-0676B	1	66	55	63	No	No	8
3878	B	S-0677B-2	1	66	64	74	Yes	Yes	10
3879	B	S-3392B	1	66	61	69	No	Yes	8
3880	B	S-0705B	1	66	59	67	No	Yes	8
3881	B	S-3399B	1	66	62	70	No	Yes	8
3882	B	S-3416B	1	66	62	70	No	Yes	8
3883	B	S-0704B	1	66	59	67	No	Yes	8
3884	B	S-0675B	1	66	65	73	No	Yes	8
3885	B	S-3417B	1	66	61	70	No	Yes	9
3886	B	S-3398B	1	66	63	70	No	Yes	7
3887	B	S-3393B	1	66	59	67	No	Yes	8
3888	B	S-0674B	1	66	59	68	No	Yes	9
3889	B	S-3394B	1	66	59	67	No	Yes	8
3890	B	S-3418B	1	66	61	71	Yes	Yes	10
3891	B	S-3397B	1	66	63	71	No	Yes	8
3892	B	S-0673B	1	66	67	74	No	Yes	7
3893	B	S-3396B	1	66	66	73	No	Yes	7
3894	B	S-0669B	1	66	62	69	No	Yes	7
3895	B	S-3395B	1	66	69	77	No	Yes	8
3896	B	S-0664B	1	66	59	66	No	Yes	7
3897	B	S-0663B	1	66	59	66	No	Yes	7
3898	B	S-0670B	1	66	63	70	No	Yes	7
3899	B	S-0671B	1	66	63	71	No	Yes	8
3900	B	S-0672B	1	66	64	71	No	Yes	7
3901	B	S-0668B	1	66	62	68	No	Yes	6
3902	B	S-0666B	1	66	60	67	No	Yes	7
3903	B	S-0665B	1	66	60	66	No	Yes	6

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3904	B	S-3420B	1	66	63	70	No	Yes	7
3905	B	S-3419B	1	66	63	70	No	Yes	7
3906	B	S-0667B	1	66	61	67	No	Yes	6
3907	B	S-3421B	1	66	64	71	No	Yes	7
3908	B	S-0662B	1	66	60	67	No	Yes	7
3909	B	S-0661B	1	66	60	67	No	Yes	7
3910	B	S-0660B	1	66	61	67	No	Yes	6
3911	B	S-3434B	1	66	62	70	No	Yes	8
3912	B	S-3435B	1	66	62	70	No	Yes	8
3913	B	S-3422B	1	66	68	76	No	Yes	8
3914	B	S-3433B	1	66	63	70	No	Yes	7
3915	B	S-3436B	1	66	60	69	No	Yes	9
3916	D	S-0658D	1	51	41	49	No	No	8
3917	B	S-3423B	1	66	66	74	No	Yes	8
3918	B	S-3432B	1	66	61	70	No	Yes	9
3919	C	S-0659C	1	66	60	68	No	Yes	8
3920	B	S-3437B	1	66	60	68	No	Yes	8
3921	B	S-3424B	1	66	65	72	No	Yes	7
3922	B	S-3431B	1	66	61	68	No	Yes	7
3923	C	S-0654C	1	66	61	69	No	Yes	8
3924	B	S-0657B	1	66	65	73	No	Yes	8
3925	B	S-3438B	1	66	60	67	No	Yes	7
3926	B	S-3425B	1	66	65	72	No	Yes	7
3927	B	S-3430B	1	66	61	68	No	Yes	7
3928	B	S-0656B	1	66	64	73	No	Yes	9
3929	B	S-3439B	1	66	58	66	No	Yes	8
3930	B	S-0655B	1	66	65	73	No	Yes	8
3931	B	S-3429B	1	66	62	69	No	Yes	7
3932	B	S-3426B	1	66	64	72	No	Yes	8
3933	B	S-3440B	1	66	60	67	No	Yes	7
3934	D	S-0653D	1	51	38	47	No	No	9
3935	B	S-3441B	1	66	60	68	No	Yes	8
3936	B	S-3427B	1	66	65	73	No	Yes	8
3937	B	S-3428B	1	66	62	69	No	Yes	7
3938	B	S-3442B	1	66	60	68	No	Yes	8
3939	C	S-0652C	1	66	63	73	Yes	Yes	10
3940	C	S-0650C	1	66	61	69	No	Yes	8
3941	C	S-0651C	1	66	63	73	Yes	Yes	10

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3942	B	S-3445B	1	66	61	68	No	Yes	7
3943	B	S-3443B	1	66	62	70	No	Yes	8
3944	B	S-3444B	1	66	61	68	No	Yes	7
3945	C	S-0649C	1	66	61	70	No	Yes	9
3946	B	S-3446B	1	66	61	68	No	Yes	7
3947	B	S-3447B	1	66	61	68	No	Yes	7
3948	B	S-3448B	1	66	60	68	No	Yes	8
3949	B	S-3453B	1	66	64	71	No	Yes	7
3950	B	S-3452B	1	66	62	69	No	Yes	7
3951	B	S-3450B	1	66	59	66	No	Yes	7
3952	B	S-3451B	1	66	60	66	No	Yes	6
3953	B	S-3449B	1	66	60	66	No	Yes	6
3954	B	S-0644B	1	66	62	74	Yes	Yes	12
3955	B	S-0647B	1	66	60	71	Yes	Yes	11
3956	B	S-0645B	1	66	62	72	Yes	Yes	10
3957	B	S-0648B	1	66	60	71	Yes	Yes	11
3958	B	S-0646B	1	66	61	71	Yes	Yes	10
3959	B	S-3499B-2	1	66	64	74	Yes	Yes	10
3960	B	S-3500B-3	1	66	66	78	Yes	Yes	12
3961	B	S-3501B-4	1	66	72	79	No	Yes	7
3962	B	S-3502B-5	1	66	75	79	No	Yes	4
3963	B	S-3503B-6	1	66	76	79	No	Yes	3
3964	B	S-3479B-2	1	66	62	72	Yes	Yes	10
3965	B	S-3480B-3	1	66	64	74	Yes	Yes	10
3966	B	S-3481B-4	1	66	66	75	No	Yes	9
3967	B	S-3482B-5	1	66	70	75	No	Yes	5
3968	B	S-3483B-6	1	66	71	75	No	Yes	4
3969	B	S-3494B-2	1	66	63	73	Yes	Yes	10
3970	B	S-3495B-3	1	66	65	76	Yes	Yes	11
3971	B	S-3496B-4	1	66	70	77	No	Yes	7
3972	B	S-3497B-5	1	66	73	77	No	Yes	4
3973	B	S-3498B-6	1	66	74	77	No	Yes	3
3974	B	S-3489B-2	1	66	63	72	No	Yes	9
3975	B	S-3490B-3	1	66	64	75	Yes	Yes	11
3976	B	S-3491B-4	1	66	68	77	No	Yes	9
3977	B	S-3492B-5	1	66	72	77	No	Yes	5
3978	B	S-3493B-6	1	66	73	76	No	Yes	3
3979	B	S-3484B-2	1	66	62	72	Yes	Yes	10
3980	B	S-3485B-3	1	66	64	75	Yes	Yes	11

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3981	B	S-3486B-4	1	66	67	76	No	Yes	9
3982	B	S-3487B-5	1	66	71	76	No	Yes	5
3983	B	S-3488B-6	1	66	72	76	No	Yes	4
3984	B	S-3474B-2	1	66	62	71	No	Yes	9
3985	B	S-3475B-3	1	66	63	73	Yes	Yes	10
3986	B	S-3476B-4	1	66	66	75	No	Yes	9
3987	B	S-3477B-5	1	66	69	75	No	Yes	6
3988	B	S-3478B-6	1	66	70	75	No	Yes	5
3989	B	S-3469B-2	1	66	61	70	No	Yes	9
3990	B	S-3470B-3	1	66	63	73	Yes	Yes	10
3991	B	S-3471B-4	1	66	65	74	No	Yes	9
3992	B	S-3472B-5	1	66	67	74	No	Yes	7
3993	B	S-3473B-6	1	66	70	74	No	Yes	4
3994	B	S-3464B-2	1	66	61	69	No	Yes	8
3995	B	S-3465B-3	1	66	63	72	No	Yes	9
3996	B	S-3466B-4	1	66	65	73	No	Yes	8
3997	B	S-3467B-5	1	66	67	74	No	Yes	7
3998	B	S-3468B-6	1	66	69	74	No	Yes	5
3999	B	S-3459B-2	1	66	62	69	No	Yes	7
4000	B	S-3460B-3	1	66	63	72	No	Yes	9
4001	B	S-3461B-4	1	66	65	73	No	Yes	8
4002	B	S-3462B-5	1	66	66	74	No	Yes	8
4003	B	S-3463B-6	1	66	69	74	No	Yes	5
4004	B	S-3454B-2	1	66	64	69	No	Yes	5
4005	B	S-3455B-3	1	66	65	71	No	Yes	6
4006	B	S-3456B-4	1	66	66	72	No	Yes	6
4007	B	S-3457B-5	1	66	67	73	No	Yes	6
4008	B	S-3458B-6	1	66	69	73	No	Yes	4
4009	B	S-3504B-2	1	66	65	75	Yes	Yes	10
4010	B	S-3505B-3	1	66	67	80	Yes	Yes	13
4011	B	S-3506B-4	1	66	74	81	No	Yes	7
4012	B	S-3507B-5	1	66	77	81	No	Yes	4
4013	B	S-3508B-6	1	66	78	80	No	Yes	2
4014	B	S-3597B-2	1	66	63	62	No	No	-1
4015	B	S-3598B-3	1	66	64	65	No	No	1
4016	B	S-3599B-4	1	66	64	66	No	Yes	2
4017	B	S-3600B-5	1	66	64	66	No	Yes	2
4018	B	S-3548B-2	1	66	56	57	No	No	1
4019	B	S-3549B-3	1	66	56	58	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4020	B	S-3550B-4	1	66	57	60	No	No	3
4021	B	S-3551B-5	1	66	59	61	No	No	2
4022	B	S-3552B-6	1	66	63	65	No	No	2
4023	B	S-3553B-2	1	66	56	56	No	No	0
4024	B	S-3554B-3	1	66	56	57	No	No	1
4025	B	S-3555B-4	1	66	57	58	No	No	1
4026	B	S-3556B-5	1	66	59	60	No	No	1
4027	B	S-3557B-6	1	66	63	64	No	No	1
4028	B	S-3543B-2	1	66	56	57	No	No	1
4029	B	S-3544B-3	1	66	56	57	No	No	1
4030	B	S-3545B-4	1	66	57	58	No	No	1
4031	B	S-3546B-5	1	66	59	61	No	No	2
4032	B	S-3547B-6	1	66	63	65	No	No	2
4033	B	S-3578B-2	1	66	56	55	No	No	-1
4034	B	S-3579B-4	1	66	58	58	No	No	0
4035	B	S-3580B-5	1	66	59	59	No	No	0
4036	B	S-3581B-6	1	66	61	63	No	No	2
4037	B	S-3582B-4	1	66	58	57	No	No	-1
4038	B	S-3583B-5	1	66	59	59	No	No	0
4039	B	S-3584B-6	1	66	62	63	No	No	1
4040	B	S-3585B-3	1	66	59	56	No	No	-3
4041	B	S-3586B-4	1	66	59	57	No	No	-2
4042	B	S-3587B-5	1	66	60	59	No	No	-1
4043	B	S-3588B-6	1	66	62	63	No	No	1
4044	B	S-3558B-2	1	66	55	56	No	No	1
4045	B	S-3559B-3	1	66	57	57	No	No	0
4046	B	S-3560B-4	1	66	57	58	No	No	1
4047	B	S-3561B-5	1	66	59	60	No	No	1
4048	B	S-3562B-6	1	66	62	64	No	No	2
4049	B	S-3568B-2	1	66	56	55	No	No	-1
4050	B	S-3569B-3	1	66	57	57	No	No	0
4051	B	S-3570B-4	1	66	57	58	No	No	1
4052	B	S-3571B-5	1	66	59	60	No	No	1
4053	B	S-3572B-6	1	66	62	64	No	No	2
4054	B	S-3573B-2	1	66	56	55	No	No	-1
4055	B	S-3574B-3	1	66	57	57	No	No	0
4056	B	S-3575B-4	1	66	58	58	No	No	0
4057	B	S-3576B-5	1	66	59	60	No	No	1
4058	B	S-3577B-6	1	66	62	63	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4059	B	S-3589B-3	1	66	60	56	No	No	-4
4060	B	S-3590B-4	1	66	60	57	No	No	-3
4061	B	S-3591B-5	1	66	60	59	No	No	-1
4062	B	S-3592B-6	1	66	62	63	No	No	1
4063	B	S-3563B-2	1	66	56	56	No	No	0
4064	B	S-3564B-3	1	66	57	57	No	No	0
4065	B	S-3565B-4	1	66	57	58	No	No	1
4066	B	S-3566B-5	1	66	59	60	No	No	1
4067	B	S-3567B-6	1	66	62	64	No	No	2
4068	B	S-3593B-3	1	66	61	56	No	No	-5
4069	B	S-3594B-4	1	66	61	57	No	No	-4
4070	B	S-3595B-5	1	66	61	59	No	No	-2
4071	B	S-3596B-6	1	66	63	63	No	No	0
4072	B	S-3601B-2	1	66	63	56	No	No	-7
4073	B	S-3602B-3	1	66	63	58	No	No	-5
4074	B	S-3603B-4	1	66	63	59	No	No	-4
4075	B	S-3604B-5	1	66	64	61	No	No	-3
4076	B	S-3539B-3	1	66	56	57	No	No	1
4077	B	S-3540B-4	1	66	57	58	No	No	1
4078	B	S-3541B-5	1	66	60	61	No	No	1
4079	B	S-3542B-6	1	66	64	65	No	No	1
4080	B	S-3509B-2	1	66	65	75	Yes	Yes	10
4081	B	S-3510B-3	1	66	67	79	Yes	Yes	12
4082	B	S-3511B-4	1	66	74	81	No	Yes	7
4083	B	S-3512B-5	1	66	77	81	No	Yes	4
4084	B	S-3513B-6	1	66	78	80	No	Yes	2
4085	B	S-3605B-3	1	66	61	55	No	No	-6
4086	B	S-3606B-4	1	66	61	57	No	No	-4
4087	B	S-3607B-5	1	66	62	59	No	No	-3
4088	B	S-3608B-6	1	66	63	63	No	No	0
4089	B	S-3534B-2	1	66	56	57	No	No	1
4090	B	S-3535B-3	1	66	56	57	No	No	1
4091	B	S-3536B-4	1	66	57	58	No	No	1
4092	B	S-3537B-5	1	66	59	61	No	No	2
4093	B	S-3538B-6	1	66	64	65	No	No	1
4094	B	S-3609B-2	1	66	63	54	No	No	-9
4095	B	S-3610B-3	1	66	63	55	No	No	-8
4096	B	S-3611B-4	1	66	63	57	No	No	-6
4097	B	S-3612B-5	1	66	63	59	No	No	-4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4098	B	S-3613B-3	1	66	61	55	No	No	-6
4099	B	S-3614B-5	1	66	62	59	No	No	-3
4100	B	S-3615B-6	1	66	63	62	No	No	-1
4101	B	S-0643B	1	66	65	75	Yes	Yes	10
4102	B	S-3514B-2	1	66	65	75	Yes	Yes	10
4103	B	S-3515B-3	1	66	67	79	Yes	Yes	12
4104	B	S-3516B-4	1	66	73	81	No	Yes	8
4105	B	S-3517B-5	1	66	76	81	No	Yes	5
4106	B	S-3518B-6	1	66	78	80	No	Yes	2
4107	B	S-3529B-2	1	66	56	57	No	No	1
4108	B	S-3530B-3	1	66	56	58	No	No	2
4109	B	S-3531B-4	1	66	57	58	No	No	1
4110	B	S-3532B-5	1	66	59	61	No	No	2
4111	B	S-3533B-6	1	66	64	65	No	No	1
4112	C	S-3674C	1	66	57	55	No	No	-2
4113	B	S-3690B-2	1	66	56	56	No	No	0
4114	B	S-3691B-3	1	66	56	57	No	No	1
4115	B	S-3692B-4	1	66	57	58	No	No	1
4116	B	S-3693B-5	1	66	59	60	No	No	1
4117	B	S-3694B-6	1	66	62	64	No	No	2
4118	B	S-3680B-2	1	66	55	55	No	No	0
4119	B	S-3681B-3	1	66	57	57	No	No	0
4120	B	S-3682B-4	1	66	57	58	No	No	1
4121	B	S-3683B-5	1	66	59	60	No	No	1
4122	B	S-3684B-6	1	66	62	64	No	No	2
4123	B	S-3616B-2	1	66	63	54	No	No	-9
4124	B	S-3617B-3	1	66	63	55	No	No	-8
4125	B	S-3618B-4	1	66	63	56	No	No	-7
4126	B	S-3619B-5	1	66	63	58	No	No	-5
4127	B	S-3620B-3	1	66	61	55	No	No	-6
4128	B	S-3621B-4	1	66	61	56	No	No	-5
4129	B	S-3622B-5	1	66	61	59	No	No	-2
4130	B	S-3623B-6	1	66	63	62	No	No	-1
4131	B	S-3519B-2	1	66	65	75	Yes	Yes	10
4132	B	S-3520B-3	1	66	67	79	Yes	Yes	12
4133	B	S-3521B-4	1	66	73	81	No	Yes	8
4134	B	S-3522B-5	1	66	76	81	No	Yes	5
4135	B	S-3523B-6	1	66	78	80	No	Yes	2
4136	B	S-3524B-2	1	66	58	68	Yes	Yes	10

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4137	B	S-3525B-3	1	66	59	72	Yes	Yes	13
4138	B	S-3526B-4	1	66	64	75	Yes	Yes	11
4139	B	S-3527B-5	1	66	72	76	No	Yes	4
4140	B	S-3528B-6	1	66	74	77	No	Yes	3
4141	B	S-3685B-2	1	66	54	62	No	No	8
4142	B	S-3686B-3	1	66	56	66	Yes	Yes	10
4143	B	S-3687B-4	1	66	60	70	Yes	Yes	10
4144	B	S-3688B-5	1	66	66	71	No	Yes	5
4145	B	S-3689B-6	1	66	71	75	No	Yes	4
4146	B	S-3695B-2	1	66	56	65	No	No	9
4147	B	S-3696B-3	1	66	57	68	Yes	Yes	11
4148	B	S-3697B-4	1	66	60	71	Yes	Yes	11
4149	B	S-3698B-5	1	66	69	73	No	Yes	4
4150	B	S-3699B-6	1	66	72	76	No	Yes	4
4151	B	S-3675B-2	1	66	53	60	No	No	7
4152	B	S-3676B-3	1	66	55	64	No	No	9
4153	B	S-3677B-4	1	66	59	67	No	Yes	8
4154	B	S-3678B-5	1	66	65	70	No	Yes	5
4155	B	S-3679B-6	1	66	70	73	No	Yes	3
4156	B	S-0642B	1	66	65	75	Yes	Yes	10
4157	B	S-3669B-2	1	66	56	54	No	No	-2
4158	B	S-3670B-3	1	66	57	56	No	No	-1
4159	B	S-3671B-4	1	66	57	56	No	No	-1
4160	B	S-3672B-5	1	66	58	58	No	No	0
4161	B	S-3673B-6	1	66	61	63	No	No	2
4162	B	S-3650B-2	1	66	58	54	No	No	-4
4163	B	S-3651B-3	1	66	58	55	No	No	-3
4164	B	S-3652B-4	1	66	59	57	No	No	-2
4165	B	S-3653B-5	1	66	59	58	No	No	-1
4166	B	S-3654B-6	1	66	61	62	No	No	1
4167	B	S-3655B-2	1	66	56	54	No	No	-2
4168	B	S-3656B-3	1	66	57	55	No	No	-2
4169	B	S-3657B-4	1	66	58	57	No	No	-1
4170	B	S-3658B-5	1	66	59	58	No	No	-1
4171	B	S-3659B-6	1	66	61	62	No	No	1
4172	B	S-3628B-3	1	66	60	55	No	No	-5
4173	B	S-3629B-4	1	66	60	56	No	No	-4
4174	B	S-3630B-5	1	66	61	58	No	No	-3
4175	B	S-3631B-6	1	66	62	62	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4176	B	S-3624B-2	1	66	63	53	No	No	-10
4177	B	S-3625B-3	1	66	63	56	No	No	-7
4178	B	S-3626B-4	1	66	63	57	No	No	-6
4179	B	S-3627B-5	1	66	64	59	No	No	-5
4180	B	S-3700B-2	1	66	66	76	Yes	Yes	10
4181	B	S-3701B-3	1	66	68	81	Yes	Yes	13
4182	B	S-3702B-4	1	66	75	81	No	Yes	6
4183	B	S-3646B-2	1	66	55	56	No	No	1
4184	B	S-3647B-3	1	66	58	59	No	No	1
4185	B	S-3648B-4	1	66	60	62	No	No	2
4186	B	S-3649B-5	1	66	63	66	No	Yes	3
4187	B	S-3665B-2	1	66	54	59	No	No	5
4188	B	S-3666B-3	1	66	57	62	No	No	5
4189	B	S-3667B-4	1	66	60	65	No	No	5
4190	B	S-3668B-5	1	66	64	68	No	Yes	4
4191	B	S-3632B-2	1	66	64	57	No	No	-7
4192	B	S-3633B-3	1	66	64	59	No	No	-5
4193	B	S-3634B-4	1	66	64	61	No	No	-3
4194	B	S-3635B-5	1	66	66	65	No	No	-1
4195	C	S-3636C-6	1	66	68	69	No	Yes	1
4196	B	S-3660B-2	1	66	54	58	No	No	4
4197	B	S-3661B-3	1	66	57	62	No	No	5
4198	B	S-3662B-4	1	66	60	64	No	No	4
4199	B	S-3663B-5	1	66	64	68	No	Yes	4
4200	B	S-3641B-2	1	66	58	55	No	No	-3
4201	B	S-3642B-3	1	66	60	58	No	No	-2
4202	B	S-3643B-4	1	66	61	60	No	No	-1
4203	B	S-3644B-5	1	66	63	65	No	No	2
4204	B	S-3637B-2	1	66	61	56	No	No	-5
4205	B	S-3638B-3	1	66	62	58	No	No	-4
4206	B	S-3639B-4	1	66	62	60	No	No	-2
4207	B	S-3640B-5	1	66	65	65	No	No	0
4208	B	S-0641B	1	66	65	74	No	Yes	9
4209	B	S-3817B-2	1	66	51	51	No	No	0
4210	B	S-3818B-3	1	66	52	50	No	No	-2
4211	B	S-3819B-4	1	66	57	58	No	No	1
4212	B	S-3645B	1	66	54	54	No	No	0
4213	B	S-0629B	1	66	62	70	No	Yes	8
4214	B	S-3703B-2	1	66	66	76	Yes	Yes	10

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4215	B	S-3704B-3	1	66	68	80	Yes	Yes	12
4216	B	S-3705B-4	1	66	75	81	No	Yes	6
4217	B	S-3664B	1	66	51	54	No	No	3
4218	B	S-0630B	1	66	61	69	No	Yes	8
4219	B	S-3706B	1	66	64	71	No	Yes	7
4220	B	S-3707B-2	1	66	66	76	Yes	Yes	10
4221	B	S-3708B-3	1	66	68	80	Yes	Yes	12
4222	B	S-3709B-4	1	66	75	81	No	Yes	6
4223	B	S-3813B-2	1	66	50	48	No	No	-2
4224	B	S-3814B-3	1	66	50	48	No	No	-2
4225	B	S-3815B-4	1	66	55	54	No	No	-1
4226	B	S-3816B-5	1	66	63	66	No	Yes	3
4227	B	S-0640B	1	66	65	74	No	Yes	9
4228	B	S-3710B	1	66	64	71	No	Yes	7
4229	B	S-3711B-2	1	66	66	76	Yes	Yes	10
4230	B	S-3712B-3	1	66	69	80	Yes	Yes	11
4231	B	S-3713B-4	1	66	75	81	No	Yes	6
4232	B	S-3809B-2	1	66	49	48	No	No	-1
4233	B	S-3810B-3	1	66	50	48	No	No	-2
4234	B	S-3811B-4	1	66	55	54	No	No	-1
4235	B	S-3812B-5	1	66	63	66	No	Yes	3
4236	B	S-3834B	1	66	50	51	No	No	1
4237	B	S-0631B	1	66	60	66	No	Yes	6
4238	B	S-3820B-2	1	66	49	47	No	No	-2
4239	B	S-3821B-3	1	66	53	51	No	No	-2
4240	B	S-3822B-4	1	66	57	58	No	No	1
4241	B	S-3823B-5	1	66	64	67	No	Yes	3
4242	B	S-0632B	1	66	60	67	No	Yes	7
4243	B	S-3831B-2	1	66	52	54	No	No	2
4244	B	S-3832B-3	1	66	55	55	No	No	0
4245	B	S-3833B-4	1	66	59	60	No	No	1
4246	B	S-3714B	1	66	65	71	No	Yes	6
4247	B	S-3715B-2	1	66	66	76	Yes	Yes	10
4248	B	S-3716B-3	1	66	69	80	Yes	Yes	11
4249	B	S-3717B-4	1	66	74	81	No	Yes	7
4250	B	S-0639B	1	66	65	74	No	Yes	9
4251	B	S-0628B	1	66	60	70	Yes	Yes	10
4252	B	S-0635B	1	66	60	70	Yes	Yes	10
4253	B	S-0624B	1	66	58	70	Yes	Yes	12

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4254	B	S-0636B	1	66	61	70	No	Yes	9
4255	B	S-3718B	1	66	65	71	No	Yes	6
4256	B	S-3719B-2	1	66	66	76	Yes	Yes	10
4257	B	S-3720B-3	1	66	69	79	Yes	Yes	10
4258	B	S-3721B-4	1	66	74	81	No	Yes	7
4259	B	S-3828B-2	1	66	54	53	No	No	-1
4260	B	S-3829B-3	1	66	56	55	No	No	-1
4261	B	S-3830B-4	1	66	60	59	No	No	-1
4262	B	S-0627B	1	66	60	71	Yes	Yes	11
4263	B	S-3824B	1	66	51	48	No	No	-3
4264	B	S-3825B-2	1	66	52	50	No	No	-2
4265	B	S-3826B-3	1	66	53	51	No	No	-2
4266	B	S-3827B-4	1	66	57	56	No	No	-1
4267	B	S-0634B	1	66	61	67	No	Yes	6
4268	B	S-3722B	1	66	65	71	No	Yes	6
4269	B	S-3723B-2	1	66	66	75	No	Yes	9
4270	B	S-3724B-3	1	66	69	79	Yes	Yes	10
4271	B	S-3725B-4	1	66	73	80	No	Yes	7
4272	B	S-0626B	1	66	62	70	No	Yes	8
4273	B	S-0638B	1	66	66	73	No	Yes	7
4274	B	S-3805B	1	66	49	47	No	No	-2
4275	B	S-3806B-2	1	66	51	50	No	No	-1
4276	B	S-3807B-3	1	66	53	53	No	No	0
4277	B	S-3808B-4	1	66	59	58	No	No	-1
4278	B	S-0622B	1	66	59	69	Yes	Yes	10
4279	B	S-0633B	1	66	63	71	No	Yes	8
4280	B	S-0625B	1	66	64	71	No	Yes	7
4281	B	S-0621B	1	66	58	69	Yes	Yes	11
4282	B	S-0623B	1	66	61	70	No	Yes	9
4283	B	S-3726B	1	66	66	71	No	Yes	5
4284	B	S-3727B-2	1	66	67	75	No	Yes	8
4285	B	S-3728B-3	1	66	69	79	Yes	Yes	10
4286	B	S-3729B-4	1	66	73	80	No	Yes	7
4287	B	S-0637B	1	66	63	72	No	Yes	9
4288	B	S-3730B	1	66	66	71	No	Yes	5
4289	B	S-3731B-2	1	66	67	75	No	Yes	8
4290	B	S-3732B-3	1	66	70	78	No	Yes	8
4291	B	S-3733B-4	1	66	73	80	No	Yes	7
4292	B	S-3801B	1	66	48	48	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4293	B	S-3802B-2	1	66	51	51	No	No	0
4294	B	S-3803B-3	1	66	53	53	No	No	0
4295	B	S-3804B-4	1	66	59	58	No	No	-1
4296	B	S-3797B	1	66	48	48	No	No	0
4297	B	S-3798B-2	1	66	51	51	No	No	0
4298	B	S-3799B-3	1	66	53	53	No	No	0
4299	B	S-3800B-4	1	66	59	59	No	No	0
4300	B	S-3734B	1	66	67	71	No	Yes	4
4301	B	S-3735B-2	1	66	68	75	No	Yes	7
4302	B	S-3736B-3	1	66	71	78	No	Yes	7
4303	B	S-3737B-4	1	66	73	80	No	Yes	7
4304	B	S-3793B	1	66	48	49	No	No	1
4305	B	S-3794B-2	1	66	51	52	No	No	1
4306	B	S-3795B-3	1	66	52	53	No	No	1
4307	B	S-3796B-4	1	66	59	59	No	No	0
4308	B	S-3738B	1	66	67	71	No	Yes	4
4309	B	S-3739B-2	1	66	69	74	No	Yes	5
4310	B	S-3740B-3	1	66	71	78	No	Yes	7
4311	B	S-3741B-4	1	66	73	80	No	Yes	7
4312	B	S-3789B	1	66	48	49	No	No	1
4313	B	S-3790B-2	1	66	51	52	No	No	1
4314	B	S-3791B-3	1	66	53	54	No	No	1
4315	B	S-3792B-4	1	66	59	59	No	No	0
4316	B	S-3742B	1	66	68	70	No	Yes	2
4317	B	S-3743B-2	1	66	70	73	No	Yes	3
4318	B	S-3744B-3	1	66	71	77	No	Yes	6
4319	B	S-3745B-4	1	66	73	80	No	Yes	7
4320	C	S-3746C	1	66	69	70	No	Yes	1
4321	B	S-3785B	1	66	48	50	No	No	2
4322	B	S-3786B-2	1	66	51	52	No	No	1
4323	B	S-3787B-3	1	66	53	54	No	No	1
4324	B	S-3788B-4	1	66	59	60	No	No	1
4325	B	S-3835B	1	66	66	53	No	No	-13
4326	B	S-3781B	1	66	49	50	No	No	1
4327	B	S-3782B-2	1	66	52	53	No	No	1
4328	B	S-3783B-3	1	66	53	54	No	No	1
4329	B	S-3784B-4	1	66	60	60	No	No	0
4330	B	S-3747B	1	66	68	68	No	Yes	0
4331	B	S-3748B-2	1	66	70	72	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4332	B	S-3749B-4	1	66	73	80	No	Yes	7
4333	B	S-3750B-3	1	66	71	77	No	Yes	6
4334	B	S-3755B	1	66	61	67	No	Yes	6
4335	B	S-3756B-2	1	66	63	71	No	Yes	8
4336	B	S-3757B-3	1	66	64	75	Yes	Yes	11
4337	B	S-3758B-4	1	66	68	78	Yes	Yes	10
4338	B	S-3751B	1	66	60	67	No	Yes	7
4339	B	S-3752B-2	1	66	62	71	No	Yes	9
4340	B	S-3753B-3	1	66	63	75	Yes	Yes	12
4341	B	S-3754B-4	1	66	68	78	Yes	Yes	10
4342	B	S-3836B	1	66	66	53	No	No	-13
4343	B	S-3837B	1	66	66	53	No	No	-13
4344	B	S-3777B	1	66	49	50	No	No	1
4345	B	S-3778B-2	1	66	52	53	No	No	1
4346	B	S-3779B-3	1	66	54	54	No	No	0
4347	B	S-3780B-4	1	66	61	60	No	No	-1
4348	B	S-3773B	1	66	50	50	No	No	0
4349	B	S-3774B-2	1	66	52	53	No	No	1
4350	B	S-3775B-3	1	66	54	54	No	No	0
4351	B	S-3776B-4	1	66	61	60	No	No	-1
4352	B	S-3759B	1	66	72	71	No	Yes	-1
4353	B	S-3760B-2	1	66	74	73	No	Yes	-1
4354	B	S-3761B-3	1	66	76	77	No	Yes	1
4355	B	S-3762B-4	1	66	77	81	No	Yes	4
4356	B	S-3838B	1	66	66	55	No	No	-11
4357	B	S-3839B	1	66	66	55	No	No	-11
4358	B	S-3769B	1	66	58	57	No	No	-1
4359	B	S-3770B-2	1	66	59	59	No	No	0
4360	B	S-3771B-3	1	66	61	61	No	No	0
4361	B	S-3772B-4	1	66	64	65	No	No	1
4362	E	S-0620E	1	71	61	66	No	No	5
4363	B	S-3763B-2	1	66	73	73	No	Yes	0
4364	B	S-3764B-3	1	66	74	75	No	Yes	1
4365	B	S-3765B-4	1	66	75	77	No	Yes	2
4366	B	S-3766B-2	1	66	73	72	No	Yes	-1
4367	B	S-3767B-3	1	66	73	74	No	Yes	1
4368	B	S-3768B-4	1	66	74	76	No	Yes	2
4369	E	S-0619E	1	71	62	69	No	No	7
4370	B	S-3842B	1	66	64	63	No	No	-1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4371	B	S-3841B	1	66	63	62	No	No	-1
4372	B	S-3840B	1	66	66	61	No	No	-5
4373	B	S-3887B	1	66	74	74	No	Yes	0
4374	B	S-3888B-2	1	66	77	76	No	Yes	-1
4375	B	S-3889B-3	1	66	80	80	No	Yes	0
4376	B	S-3890B-4	1	66	80	82	No	Yes	2
4377	B	S-3883B	1	66	73	72	No	Yes	-1
4378	B	S-3884B-2	1	66	75	75	No	Yes	0
4379	B	S-3885B-3	1	66	77	77	No	Yes	0
4380	B	S-3886B-4	1	66	77	79	No	Yes	2
4381	B	S-0443B-2	1	66	62	69	No	Yes	7
4382	B	S-0444B-3	1	66	66	72	No	Yes	6
4383	B	S-0445B-4	1	66	66	73	No	Yes	7
4384	B	S-3875B	1	66	70	70	No	Yes	0
4385	B	S-3876B-2	1	66	73	72	No	Yes	-1
4386	B	S-3877B-3	1	66	74	74	No	Yes	0
4387	B	S-3878B-4	1	66	74	76	No	Yes	2
4388	B	S-3871B	1	66	69	69	No	Yes	0
4389	B	S-3872B-2	1	66	72	71	No	Yes	-1
4390	B	S-3873B-3	1	66	72	73	No	Yes	1
4391	B	S-3874B-4	1	66	72	74	No	Yes	2
4392	B	S-0424B-2	1	66	64	70	No	Yes	6
4393	B	S-0425B-3	1	66	65	72	No	Yes	7
4394	B	S-0426B-4	1	66	66	72	No	Yes	6
4395	B	S-3868B-2	1	66	71	70	No	Yes	-1
4396	B	S-3869B-3	1	66	71	71	No	Yes	0
4397	B	S-3870B-4	1	66	71	72	No	Yes	1
4398	B	S-3865B-2	1	66	69	68	No	Yes	-1
4399	B	S-3866B-3	1	66	70	70	No	Yes	0
4400	B	S-3867B-4	1	66	70	71	No	Yes	1
4401	B	S-3879B	1	66	71	71	No	Yes	0
4402	B	S-3880B-2	1	66	74	73	No	Yes	-1
4403	B	S-3881B-3	1	66	75	75	No	Yes	0
4404	B	S-3882B-4	1	66	75	77	No	Yes	2
4405	B	S-0542B-2	1	66	71	75	No	Yes	4
4406	B	S-0543B-4	1	66	75	80	No	Yes	5
4407	B	S-0544B-5	1	66	76	80	No	Yes	4
4408	B	S-0545B-6	1	66	77	80	No	Yes	3
4409	B	S-0546B-7	1	66	77	80	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4410	B	S-0547B-8	1	66	77	80	No	Yes	3
4411	B	S-0446B-4	1	66	62	67	No	Yes	5
4412	B	S-0447B-5	1	66	63	68	No	Yes	5
4413	B	S-0448B-6	1	66	64	68	No	Yes	4
4414	B	S-0449B-7	1	66	65	68	No	Yes	3
4415	B	S-0450B-8	1	66	66	69	No	Yes	3
4416	B	S-0617B-2	1	66	64	72	No	Yes	8
4417	B	S-0618B-2	1	66	65	72	No	Yes	7
4418	B	S-0612B-4	1	66	66	73	No	Yes	7
4419	B	S-0613B-5	1	66	67	73	No	Yes	6
4420	B	S-0614B-6	1	66	68	73	No	Yes	5
4421	B	S-0615B-7	1	66	70	73	No	Yes	3
4422	B	S-0616B-8	1	66	70	74	No	Yes	4
4423	B	S-0548B-4	1	66	61	70	No	Yes	9
4424	B	S-0549B-5	1	66	64	70	No	Yes	6
4425	B	S-0550B-6	1	66	66	70	No	Yes	4
4426	B	S-0551B-7	1	66	67	70	No	Yes	3
4427	B	S-0552B-8	1	66	68	71	No	Yes	3
4428	B	S-0439B	1	66	60	66	No	Yes	6
4429	B	S-0440B-2	1	66	64	70	No	Yes	6
4430	B	S-0441B-3	1	66	66	72	No	Yes	6
4431	B	S-0442B-4	1	66	67	73	No	Yes	6
4432	B	S-0418B-2	1	66	50	53	No	No	3
4433	B	S-0419B-3	1	66	52	55	No	No	3
4434	B	S-0420B-4	1	66	57	61	No	No	4
4435	B	S-0537B-4	1	66	75	79	No	Yes	4
4436	B	S-0538B-5	1	66	76	80	No	Yes	4
4437	B	S-0539B-6	1	66	77	80	No	Yes	3
4438	B	S-0540B-7	1	66	77	80	No	Yes	3
4439	B	S-0541B-8	1	66	77	79	No	Yes	2
4440	B	S-0553B-4	1	66	60	66	No	Yes	6
4441	B	S-0554B-5	1	66	62	67	No	Yes	5
4442	B	S-0555B-6	1	66	63	67	No	Yes	4
4443	B	S-0556B-7	1	66	64	67	No	Yes	3
4444	B	S-0557B-8	1	66	66	68	No	Yes	2
4445	B	S-0451B-4	1	66	62	67	No	Yes	5
4446	B	S-0452B-5	1	66	63	67	No	Yes	4
4447	B	S-0453B-6	1	66	64	68	No	Yes	4
4448	B	S-0454B-7	1	66	65	68	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4449	B	S-0455B-8	1	66	66	68	No	Yes	2
4450	C	S-0417C	1	66	47	51	No	No	4
4451	B	S-0607B-4	1	66	65	72	No	Yes	7
4452	B	S-0608B-5	1	66	66	72	No	Yes	6
4453	B	S-0609B-6	1	66	67	72	No	Yes	5
4454	B	S-0610B-7	1	66	69	72	No	Yes	3
4455	B	S-0611B-8	1	66	69	73	No	Yes	4
4456	B	S-0435B	1	66	58	62	No	No	4
4457	B	S-0436B-2	1	66	64	70	No	Yes	6
4458	B	S-0437B-3	1	66	66	72	No	Yes	6
4459	B	S-0438B-4	1	66	67	73	No	Yes	6
4460	B	S-3843B-2	1	66	64	63	No	No	-1
4461	B	S-3844B-3	1	66	65	65	No	No	0
4462	B	S-3845B-4	1	66	66	66	No	Yes	0
4463	B	S-0532B-4	1	66	75	79	No	Yes	4
4464	B	S-0533B-5	1	66	76	80	No	Yes	4
4465	B	S-0534B-6	1	66	77	80	No	Yes	3
4466	B	S-0535B-7	1	66	77	80	No	Yes	3
4467	B	S-0536B-8	1	66	77	79	No	Yes	2
4468	B	S-3891B	1	66	73	71	No	Yes	-2
4469	B	S-3892B-2	1	66	76	74	No	Yes	-2
4470	B	S-3893B-3	1	66	79	79	No	Yes	0
4471	B	S-3894B-4	1	66	80	82	No	Yes	2
4472	B	S-0558B-4	1	66	59	66	No	Yes	7
4473	B	S-0559B-5	1	66	61	66	No	Yes	5
4474	B	S-0560B-6	1	66	62	66	No	Yes	4
4475	B	S-0561B-7	1	66	63	67	No	Yes	4
4476	B	S-0562B-8	1	66	65	68	No	Yes	3
4477	B	S-0602B-4	1	66	63	71	No	Yes	8
4478	B	S-0603B-5	1	66	65	71	No	Yes	6
4479	B	S-0604B-6	1	66	67	72	No	Yes	5
4480	B	S-0605B-7	1	66	68	72	No	Yes	4
4481	B	S-0606B-8	1	66	69	72	No	Yes	3
4482	B	S-0456B-4	1	66	63	68	No	Yes	5
4483	B	S-0457B-5	1	66	64	69	No	Yes	5
4484	B	S-0458B-6	1	66	65	69	No	Yes	4
4485	B	S-0459B-7	1	66	66	69	No	Yes	3
4486	B	S-0460B-8	1	66	67	69	No	Yes	2
4487	B	S-0431B	1	66	61	64	No	No	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4488	B	S-0432B-2	1	66	64	70	No	Yes	6
4489	B	S-0433B-3	1	66	66	72	No	Yes	6
4490	B	S-0434B-4	1	66	67	73	No	Yes	6
4491	B	S-0527B-4	1	66	75	79	No	Yes	4
4492	B	S-0528B-5	1	66	76	80	No	Yes	4
4493	B	S-0529B-6	1	66	77	80	No	Yes	3
4494	B	S-0530B-7	1	66	77	80	No	Yes	3
4495	B	S-0531B-8	1	66	77	79	No	Yes	2
4496	C	S-0601C-4	1	66	62	70	No	Yes	8
4497	B	S-3895B	1	66	73	70	No	Yes	-3
4498	B	S-3896B-2	1	66	76	73	No	Yes	-3
4499	B	S-3897B-3	1	66	79	78	No	Yes	-1
4500	B	S-3898B-4	1	66	80	82	No	Yes	2
4501	B	S-0563B-4	1	66	58	64	No	No	6
4502	B	S-0564B-5	1	66	60	65	No	No	5
4503	B	S-0565B-6	1	66	61	65	No	No	4
4504	B	S-0566B-7	1	66	62	65	No	No	3
4505	B	S-0567B-8	1	66	64	67	No	Yes	3
4506	B	S-3862B-2	1	66	55	50	No	No	-5
4507	B	S-3863B-3	1	66	56	53	No	No	-3
4508	B	S-3864B-4	1	66	59	58	No	No	-1
4509	B	S-0413B	1	66	60	63	No	No	3
4510	B	S-0414B-2	1	66	63	67	No	Yes	4
4511	B	S-0415B-3	1	66	65	70	No	Yes	5
4512	B	S-0416B-4	1	66	67	71	No	Yes	4
4513	B	S-0522B-4	1	66	75	79	No	Yes	4
4514	B	S-0523B-5	1	66	76	80	No	Yes	4
4515	B	S-0524B-6	1	66	77	80	No	Yes	3
4516	B	S-0525B-7	1	66	77	80	No	Yes	3
4517	B	S-0526B-8	1	66	77	79	No	Yes	2
4518	B	S-0421B-2	1	66	64	69	No	Yes	5
4519	B	S-0422B-3	1	66	66	72	No	Yes	6
4520	B	S-0423B-4	1	66	67	72	No	Yes	5
4521	B	S-0427B	1	66	61	64	No	No	3
4522	B	S-0428B-2	1	66	64	69	No	Yes	5
4523	B	S-0429B-3	1	66	66	72	No	Yes	6
4524	B	S-0430B-4	1	66	68	73	No	Yes	5
4525	B	S-0461B-4	1	66	65	70	No	Yes	5
4526	B	S-0462B-5	1	66	65	70	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4527	B	S-0463B-6	1	66	66	70	No	Yes	4
4528	B	S-0464B-7	1	66	68	70	No	Yes	2
4529	B	S-0465B-8	1	66	68	71	No	Yes	3
4530	B	S-0596B-4	1	66	62	70	No	Yes	8
4531	B	S-0597B-5	1	66	63	70	No	Yes	7
4532	B	S-0598B-6	1	66	65	71	No	Yes	6
4533	B	S-0599B-7	1	66	67	71	No	Yes	4
4534	B	S-0600B-8	1	66	68	71	No	Yes	3
4535	B	S-0568B-4	1	66	58	64	No	No	6
4536	B	S-0569B-5	1	66	59	64	No	No	5
4537	B	S-0570B-6	1	66	60	65	No	No	5
4538	B	S-0571B-7	1	66	62	65	No	No	3
4539	B	S-0572B-8	1	66	64	67	No	Yes	3
4540	B	S-0517B-4	1	66	75	79	No	Yes	4
4541	B	S-0518B-5	1	66	76	79	No	Yes	3
4542	B	S-0519B-6	1	66	77	80	No	Yes	3
4543	B	S-0520B-7	1	66	77	79	No	Yes	2
4544	B	S-0521B-8	1	66	77	79	No	Yes	2
4545	C	S-3911C	1	66	58	60	No	No	2
4546	B	S-3899B	1	66	72	70	No	Yes	-2
4547	B	S-3900B-2	1	66	75	73	No	Yes	-2
4548	B	S-3901B-3	1	66	78	78	No	Yes	0
4549	B	S-3902B-4	1	66	80	82	No	Yes	2
4550	B	S-3846B-2	1	66	54	52	No	No	-2
4551	B	S-3847B-3	1	66	56	55	No	No	-1
4552	B	S-3848B-4	1	66	58	59	No	No	1
4553	B	S-0466B-4	1	66	67	72	No	Yes	5
4554	B	S-0467B-5	1	66	68	72	No	Yes	4
4555	B	S-0468B-6	1	66	69	72	No	Yes	3
4556	B	S-0469B-7	1	66	70	72	No	Yes	2
4557	B	S-0470B-8	1	66	71	72	No	Yes	1
4558	B	S-0591B-4	1	66	61	69	No	Yes	8
4559	B	S-0592B-5	1	66	63	69	No	Yes	6
4560	B	S-0593B-6	1	66	65	69	No	Yes	4
4561	B	S-0594B-7	1	66	66	70	No	Yes	4
4562	B	S-0595B-8	1	66	67	70	No	Yes	3
4563	B	S-0573B-4	1	66	58	64	No	No	6
4564	B	S-0574B-5	1	66	59	64	No	No	5
4565	B	S-0575B-6	1	66	60	64	No	No	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4566	B	S-0576B-7	1	66	61	65	No	No	4
4567	B	S-0577B-8	1	66	64	67	No	Yes	3
4568	B	S-0512B-4	1	66	75	79	No	Yes	4
4569	B	S-0513B-5	1	66	76	79	No	Yes	3
4570	B	S-0514B-6	1	66	77	79	No	Yes	2
4571	B	S-0515B-7	1	66	77	79	No	Yes	2
4572	B	S-0516B-8	1	66	77	79	No	Yes	2
4573	C	S-3912C	1	66	57	59	No	No	2
4574	B	S-3859B-2	1	66	53	49	No	No	-4
4575	B	S-3860B-3	1	66	54	52	No	No	-2
4576	B	S-3861B-4	1	66	58	58	No	No	0
4577	B	S-3903B	1	66	72	69	No	Yes	-3
4578	B	S-3904B-2	1	66	74	73	No	Yes	-1
4579	B	S-3905B-3	1	66	77	78	No	Yes	1
4580	B	S-3906B-4	1	66	79	81	No	Yes	2
4581	B	S-0578B-5	1	66	59	64	No	No	5
4582	B	S-0579B-6	1	66	60	64	No	No	4
4583	B	S-0580B-7	1	66	61	65	No	No	4
4584	B	S-0581B-8	1	66	64	66	No	Yes	2
4585	B	S-3849B-2	1	66	52	52	No	No	0
4586	B	S-3850B-3	1	66	54	54	No	No	0
4587	B	S-3851B-4	1	66	58	59	No	No	1
4588	B	S-0507B-4	1	66	75	79	No	Yes	4
4589	B	S-0508B-5	1	66	76	79	No	Yes	3
4590	B	S-0509B-6	1	66	77	79	No	Yes	2
4591	B	S-0510B-7	1	66	77	79	No	Yes	2
4592	B	S-0511B-8	1	66	77	79	No	Yes	2
4593	B	S-0586B-4	1	66	60	68	No	Yes	8
4594	B	S-0587B-5	1	66	62	68	No	Yes	6
4595	B	S-0588B-6	1	66	64	68	No	Yes	4
4596	B	S-0589B-7	1	66	65	69	No	Yes	4
4597	B	S-0590B-8	1	66	66	69	No	Yes	3
4598	B	S-3907B	1	66	71	69	No	Yes	-2
4599	B	S-3908B-2	1	66	74	73	No	Yes	-1
4600	B	S-3909B-3	1	66	77	78	No	Yes	1
4601	B	S-3910B-4	1	66	79	82	No	Yes	3
4602	B	S-0582B-5	1	66	61	67	No	Yes	6
4603	B	S-0583B-6	1	66	63	67	No	Yes	4
4604	B	S-0584B-7	1	66	63	67	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4605	B	S-0585B-8	1	66	65	68	No	Yes	3
4606	B	S-0471B-4	1	66	71	74	No	Yes	3
4607	B	S-0472B-5	1	66	71	75	No	Yes	4
4608	B	S-0473B-6	1	66	72	75	No	Yes	3
4609	B	S-0474B-7	1	66	73	75	No	Yes	2
4610	B	S-0475B-8	1	66	73	75	No	Yes	2
4611	B	S-3856B-2	1	66	54	51	No	No	-3
4612	B	S-3857B-3	1	66	55	52	No	No	-3
4613	B	S-3858B-4	1	66	58	59	No	No	1
4614	B	S-3852B-2	1	66	52	52	No	No	0
4615	B	S-3853B-3	1	66	54	54	No	No	0
4616	B	S-3854B-4	1	66	58	59	No	No	1
4617	E	S-3855E	1	71	52	51	No	No	-1
4618	B	S-0502B-4	1	66	75	79	No	Yes	4
4619	B	S-0503B-5	1	66	76	79	No	Yes	3
4620	B	S-0504B-6	1	66	77	79	No	Yes	2
4621	B	S-0505B-7	1	66	77	79	No	Yes	2
4622	B	S-0506B-8	1	66	77	79	No	Yes	2
4623	B	S-0476B-4	1	66	72	75	No	Yes	3
4624	B	S-0477B-5	1	66	73	76	No	Yes	3
4625	B	S-0478B-6	1	66	73	76	No	Yes	3
4626	B	S-0479B-7	1	66	74	76	No	Yes	2
4627	B	S-0480B-8	1	66	74	76	No	Yes	2
4628	B	S-0497B-4	1	66	75	79	No	Yes	4
4629	B	S-0498B-5	1	66	76	79	No	Yes	3
4630	B	S-0499B-6	1	66	77	79	No	Yes	2
4631	B	S-0500B-7	1	66	77	79	No	Yes	2
4632	B	S-0501B-8	1	66	77	79	No	Yes	2
4633	B	S-0486B-4	1	66	73	77	No	Yes	4
4634	B	S-0487B-5	1	66	74	77	No	Yes	3
4635	B	S-0488B-6	1	66	75	77	No	Yes	2
4636	B	S-0489B-7	1	66	75	77	No	Yes	2
4637	B	S-0490B-8	1	66	75	77	No	Yes	2
4638	B	S-0491B-4	1	66	74	78	No	Yes	4
4639	B	S-0492B-5	1	66	75	78	No	Yes	3
4640	B	S-0493B-6	1	66	76	78	No	Yes	2
4641	B	S-0494B-7	1	66	76	78	No	Yes	2
4642	B	S-0495B-8	1	66	76	78	No	Yes	2
4643	B	S-0481B-4	1	66	72	76	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4644	B	S-0482B-5	1	66	73	77	No	Yes	4
4645	B	S-0483B-6	1	66	74	77	No	Yes	3
4646	B	S-0484B-7	1	66	74	77	No	Yes	3
4647	B	S-0485B-8	1	66	75	77	No	Yes	2
4648	B	S-3927B	1	66	60	59	No	No	-1
4649	B	S-3928B-2	1	66	61	62	No	No	1
4650	B	S-3929B-3	1	66	61	63	No	No	2
4651	B	S-3930B-4	1	66	63	64	No	No	1
4652	B	S-3923B	1	66	58	59	No	No	1
4653	B	S-3924B-2	1	66	59	62	No	No	3
4654	B	S-3925B-3	1	66	60	63	No	No	3
4655	B	S-3926B-4	1	66	62	65	No	No	3
4656	B	S-3919B	1	66	57	59	No	No	2
4657	B	S-3920B-2	1	66	59	62	No	No	3
4658	B	S-3921B-3	1	66	60	63	No	No	3
4659	B	S-3922B-4	1	66	62	65	No	No	3
4660	B	S-3913B-3	1	66	64	67	No	Yes	3
4661	B	S-3914B-4	1	66	66	69	No	Yes	3
4662	B	S-3915B	1	66	58	60	No	No	2
4663	B	S-3916B-2	1	66	59	62	No	No	3
4664	B	S-3917B-3	1	66	60	63	No	No	3
4665	B	S-3918B-4	1	66	63	65	No	No	2
4666	E	S-0496E	1	71	63	65	No	No	2
4667	B	S-3931B	1	66	60	56	No	No	-4
4668	B	S-3932B-2	1	66	61	59	No	No	-2
4669	B	S-3933B-3	1	66	62	60	No	No	-2
4670	B	S-3934B-4	1	66	63	62	No	No	-1
4671	B	S-3935B	1	66	60	59	No	No	-1
4672	B	S-3936B-2	1	66	61	61	No	No	0
4673	B	S-3937B-3	1	66	62	63	No	No	1
4674	B	S-3938B-4	1	66	64	66	No	Yes	2
4675	B	S-0412B	1	66	62	65	No	No	3
4676	B	S-3939B	1	66	60	60	No	No	0
4677	B	S-3940B-2	1	66	61	63	No	No	2
4678	B	S-3941B-3	1	66	62	64	No	No	2
4679	B	S-3942B-4	1	66	64	65	No	No	1
4680	B	S-3947B-3	1	66	65	68	No	Yes	3
4681	B	S-3948B-4	1	66	67	69	No	Yes	2
4682	B	S-3943B	1	66	60	62	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4683	B	S-3944B-2	1	66	61	64	No	No	3
4684	B	S-3945B-3	1	66	62	65	No	No	3
4685	B	S-3946B-4	1	66	64	67	No	Yes	3
4686	B	S-3964B	1	66	61	60	No	No	-1
4687	B	S-3965B-2	1	66	62	62	No	No	0
4688	B	S-3966B-3	1	66	62	63	No	No	1
4689	B	S-3967B-4	1	66	64	65	No	No	1
4690	C	S-3951C	1	66	62	64	No	No	2
4691	B	S-3960B	1	66	60	61	No	No	1
4692	B	S-3961B-2	1	66	61	63	No	No	2
4693	B	S-3962B-3	1	66	62	64	No	No	2
4694	B	S-3963B-4	1	66	63	65	No	No	2
4695	B	S-3956B	1	66	60	62	No	No	2
4696	B	S-3957B-2	1	66	62	64	No	No	2
4697	B	S-3958B-3	1	66	63	65	No	No	2
4698	B	S-3959B-4	1	66	64	66	No	Yes	2
4699	B	S-3949B-3	1	66	65	67	No	Yes	2
4700	B	S-3950B-4	1	66	66	68	No	Yes	2
4701	B	S-3952B	1	66	60	62	No	No	2
4702	B	S-3953B-2	1	66	61	64	No	No	3
4703	B	S-3954B-3	1	66	62	65	No	No	3
4704	B	S-3955B-4	1	66	64	66	No	Yes	2
4705	B	S-0368B-2	1	66	54	58	No	No	4
4706	B	S-0369B-3	1	66	58	62	No	No	4
4707	B	S-0370B-4	1	66	62	66	No	Yes	4
4708	B	S-0371B-5	1	66	71	76	No	Yes	5
4709	B	S-0408B-2	1	66	67	70	No	Yes	3
4710	B	S-0409B-3	1	66	70	74	No	Yes	4
4711	B	S-0410B-4	1	66	72	76	No	Yes	4
4712	B	S-0411B-5	1	66	73	77	No	Yes	4
4713	B	S-0364B-2	1	66	54	58	No	No	4
4714	B	S-0365B-3	1	66	58	62	No	No	4
4715	B	S-0366B-4	1	66	62	66	No	Yes	4
4716	B	S-0367B-5	1	66	71	76	No	Yes	5
4717	B	S-0404B-2	1	66	68	71	No	Yes	3
4718	B	S-0405B-3	1	66	70	74	No	Yes	4
4719	B	S-0406B-4	1	66	72	76	No	Yes	4
4720	B	S-0407B-5	1	66	73	77	No	Yes	4
4721	B	S-3968B	1	66	58	55	No	No	-3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4722	B	S-3969B-2	1	66	59	57	No	No	-2
4723	B	S-3970B-3	1	66	60	58	No	No	-2
4724	B	S-3971B-4	1	66	62	62	No	No	0
4725	B	S-0360B-2	1	66	54	58	No	No	4
4726	B	S-0361B-3	1	66	58	61	No	No	3
4727	B	S-0362B-4	1	66	62	66	No	Yes	4
4728	B	S-0363B-5	1	66	71	76	No	Yes	5
4729	B	S-3992B	1	66	57	57	No	No	0
4730	B	S-3993B-2	1	66	58	59	No	No	1
4731	B	S-3994B-3	1	66	59	60	No	No	1
4732	B	S-3995B-4	1	66	61	63	No	No	2
4733	B	S-3997B-3	1	66	61	64	No	No	3
4734	B	S-3998B-4	1	66	63	65	No	No	2
4735	B	S-0400B-2	1	66	68	71	No	Yes	3
4736	B	S-0401B-3	1	66	70	74	No	Yes	4
4737	B	S-0402B-4	1	66	72	77	No	Yes	5
4738	B	S-0403B-5	1	66	73	77	No	Yes	4
4739	B	S-0329B	1	66	56	61	No	No	5
4740	B	S-0330B-2	1	66	59	63	No	No	4
4741	C	S-4051C	1	66	63	65	No	No	2
4742	B	S-0356B-2	1	66	54	58	No	No	4
4743	B	S-0357B-3	1	66	58	61	No	No	3
4744	B	S-0358B-4	1	66	62	66	No	Yes	4
4745	B	S-0359B-5	1	66	71	76	No	Yes	5
4746	B	S-3972B	1	66	59	56	No	No	-3
4747	B	S-3973B-2	1	66	59	58	No	No	-1
4748	B	S-3974B-3	1	66	60	59	No	No	-1
4749	B	S-3975B-4	1	66	62	63	No	No	1
4750	B	S-0396B-2	1	66	68	71	No	Yes	3
4751	B	S-0397B-3	1	66	70	74	No	Yes	4
4752	B	S-0398B-4	1	66	72	77	No	Yes	5
4753	B	S-0399B-5	1	66	73	77	No	Yes	4
4754	C	S-3996C	1	66	57	58	No	No	1
4755	B	S-4143B	1	66	69	69	No	Yes	0
4756	B	S-4144B-2	1	66	71	72	No	Yes	1
4757	B	S-4145B-3	1	66	73	75	No	Yes	2
4758	B	S-4146B-4	1	66	76	79	No	Yes	3
4759	B	S-4092B-2	1	66	67	68	No	Yes	1
4760	B	S-4093B-3	1	66	68	70	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4761	B	S-4094B-4	1	66	70	73	No	Yes	3
4762	B	S-4035B	1	66	53	51	No	No	-2
4763	B	S-4036B-2	1	66	54	54	No	No	0
4764	B	S-4037B-3	1	66	55	55	No	No	0
4765	B	S-4038B-4	1	66	60	61	No	No	1
4766	B	S-4095B-2	1	66	67	66	No	Yes	-1
4767	B	S-4096B-3	1	66	68	69	No	Yes	1
4768	B	S-4097B-4	1	66	70	72	No	Yes	2
4769	B	S-4047B	1	66	62	63	No	No	1
4770	B	S-4048B-2	1	66	63	65	No	No	2
4771	B	S-4049B-3	1	66	65	67	No	Yes	2
4772	B	S-4050B-4	1	66	67	69	No	Yes	2
4773	B	S-4052B	1	66	61	60	No	No	-1
4774	B	S-4053B-2	1	66	63	62	No	No	-1
4775	B	S-4054B-3	1	66	64	64	No	No	0
4776	B	S-4055B-4	1	66	66	67	No	Yes	1
4777	B	S-3988B	1	66	56	57	No	No	1
4778	B	S-3989B-2	1	66	57	58	No	No	1
4779	B	S-3990B-3	1	66	58	60	No	No	2
4780	B	S-3991B-4	1	66	61	63	No	No	2
4781	B	S-0352B-2	1	66	54	58	No	No	4
4782	B	S-0353B-3	1	66	58	62	No	No	4
4783	B	S-0354B-4	1	66	62	67	No	Yes	5
4784	B	S-0355B-5	1	66	71	76	No	Yes	5
4785	B	S-0328B	1	66	56	61	No	No	5
4786	B	S-4098B	1	66	64	65	No	No	1
4787	B	S-4099B-2	1	66	66	66	No	Yes	0
4788	B	S-4100B-3	1	66	67	69	No	Yes	2
4789	B	S-4101B-4	1	66	69	71	No	Yes	2
4790	B	S-4043B	1	66	61	61	No	No	0
4791	B	S-4044B-2	1	66	62	63	No	No	1
4792	B	S-4045B-3	1	66	64	65	No	No	1
4793	B	S-4046B-4	1	66	66	67	No	Yes	1
4794	B	S-4056B	1	66	58	56	No	No	-2
4795	B	S-4057B-2	1	66	59	58	No	No	-1
4796	B	S-4058B-3	1	66	60	60	No	No	0
4797	B	S-4059B-4	1	66	63	65	No	No	2
4798	B	S-4102B	1	66	63	63	No	No	0
4799	B	S-4103B-2	1	66	66	65	No	No	-1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4800	B	S-4104B-3	1	66	67	67	No	Yes	0
4801	B	S-4105B-4	1	66	69	71	No	Yes	2
4802	B	S-4031B	1	66	53	52	No	No	-1
4803	B	S-4032B-2	1	66	54	53	No	No	-1
4804	B	S-4033B-3	1	66	55	55	No	No	0
4805	B	S-4034B-4	1	66	60	61	No	No	1
4806	B	S-4147B	1	66	69	69	No	Yes	0
4807	B	S-4148B-2	1	66	71	72	No	Yes	1
4808	B	S-4149B-3	1	66	73	75	No	Yes	2
4809	B	S-4150B-4	1	66	75	79	No	Yes	4
4810	B	S-0392B-2	1	66	68	71	No	Yes	3
4811	B	S-0393B-3	1	66	70	74	No	Yes	4
4812	B	S-0394B-4	1	66	72	77	No	Yes	5
4813	B	S-0395B-5	1	66	73	78	No	Yes	5
4814	B	S-4039B	1	66	60	59	No	No	-1
4815	B	S-4040B-2	1	66	61	61	No	No	0
4816	B	S-4041B-3	1	66	63	63	No	No	0
4817	B	S-4042B-4	1	66	65	66	No	Yes	1
4818	B	S-0348B-2	1	66	54	58	No	No	4
4819	B	S-0349B-3	1	66	58	61	No	No	3
4820	B	S-0350B-4	1	66	62	67	No	Yes	5
4821	B	S-0351B-5	1	66	72	77	No	Yes	5
4822	B	S-4106B	1	66	63	64	No	No	1
4823	B	S-4107B-2	1	66	65	65	No	No	0
4824	B	S-4108B-3	1	66	67	67	No	Yes	0
4825	B	S-4109B-4	1	66	69	71	No	Yes	2
4826	B	S-4151B	1	66	69	69	No	Yes	0
4827	B	S-4152B-2	1	66	71	72	No	Yes	1
4828	B	S-4153B-3	1	66	73	75	No	Yes	2
4829	B	S-4154B-4	1	66	75	79	No	Yes	4
4830	B	S-3999B	1	66	53	53	No	No	0
4831	B	S-4000B-2	1	66	53	52	No	No	-1
4832	B	S-4001B-3	1	66	56	57	No	No	1
4833	B	S-4002B-4	1	66	60	61	No	No	1
4834	C	S-4110C	1	66	63	63	No	No	0
4835	B	S-0388B-2	1	66	68	71	No	Yes	3
4836	B	S-0389B-3	1	66	70	74	No	Yes	4
4837	B	S-0390B-4	1	66	72	77	No	Yes	5
4838	B	S-0391B-5	1	66	73	78	No	Yes	5

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4839	B	S-4111B	1	66	61	62	No	No	1
4840	B	S-4112B-2	1	66	63	63	No	No	0
4841	B	S-4113B-3	1	66	65	66	No	Yes	1
4842	B	S-4114B-4	1	66	67	70	No	Yes	3
4843	B	S-4060B	1	66	53	55	No	No	2
4844	B	S-4061B-2	1	66	54	55	No	No	1
4845	B	S-4062B-3	1	66	57	59	No	No	2
4846	B	S-4063B-4	1	66	62	63	No	No	1
4847	B	S-4027B	1	66	52	52	No	No	0
4848	B	S-4028B-2	1	66	52	52	No	No	0
4849	B	S-4029B-3	1	66	55	56	No	No	1
4850	B	S-4030B-4	1	66	60	61	No	No	1
4851	B	S-0344B-2	1	66	54	58	No	No	4
4852	B	S-0345B-3	1	66	58	62	No	No	4
4853	B	S-0346B-4	1	66	63	67	No	Yes	4
4854	B	S-0347B-5	1	66	72	77	No	Yes	5
4855	B	S-0384B-2	1	66	69	72	No	Yes	3
4856	B	S-0385B-3	1	66	71	75	No	Yes	4
4857	B	S-0386B-4	1	66	72	78	No	Yes	6
4858	B	S-0387B-5	1	66	73	78	No	Yes	5
4859	B	S-4155B	1	66	69	69	No	Yes	0
4860	B	S-4156B-2	1	66	71	72	No	Yes	1
4861	B	S-4157B-3	1	66	73	75	No	Yes	2
4862	B	S-4158B-4	1	66	75	79	No	Yes	4
4863	B	S-4064B	1	66	54	56	No	No	2
4864	B	S-4065B-2	1	66	54	56	No	No	2
4865	B	S-4066B-3	1	66	57	59	No	No	2
4866	B	S-4067B-4	1	66	61	64	No	No	3
4867	B	S-4115B	1	66	62	63	No	No	1
4868	B	S-4116B-2	1	66	64	64	No	No	0
4869	B	S-4117B-3	1	66	66	66	No	Yes	0
4870	B	S-4118B-4	1	66	68	70	No	Yes	2
4871	B	S-4003B	1	66	53	53	No	No	0
4872	B	S-4004B-3	1	66	56	57	No	No	1
4873	B	S-4005B-2	1	66	52	53	No	No	1
4874	B	S-4006B-4	1	66	60	62	No	No	2
4875	B	S-0340B-2	1	66	54	58	No	No	4
4876	B	S-0341B-3	1	66	58	62	No	No	4
4877	B	S-0342B-4	1	66	63	67	No	Yes	4

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4878	B	S-0343B-5	1	66	72	77	No	Yes	5
4879	B	S-0380B-2	1	66	69	72	No	Yes	3
4880	B	S-0381B-3	1	66	71	75	No	Yes	4
4881	B	S-0382B-4	1	66	73	78	No	Yes	5
4882	B	S-0383B-5	1	66	74	78	No	Yes	4
4883	B	S-3976B	1	66	58	51	No	No	-7
4884	B	S-3977B-2	1	66	58	51	No	No	-7
4885	B	S-3978B-3	1	66	59	55	No	No	-4
4886	B	S-3979B-4	1	66	60	59	No	No	-1
4887	B	S-4088B	1	66	52	54	No	No	2
4888	B	S-4089B-2	1	66	54	55	No	No	1
4889	B	S-4090B-3	1	66	56	58	No	No	2
4890	B	S-4091B-4	1	66	61	63	No	No	2
4891	B	S-4023B	1	66	51	51	No	No	0
4892	B	S-4024B-2	1	66	52	52	No	No	0
4893	B	S-4025B-3	1	66	55	56	No	No	1
4894	B	S-4026B-4	1	66	60	61	No	No	1
4895	B	S-4123B	1	66	56	58	No	No	2
4896	B	S-4124B-2	1	66	57	60	No	No	3
4897	B	S-4125B-3	1	66	60	63	No	No	3
4898	B	S-4126B-4	1	66	65	68	No	Yes	3
4899	B	S-4159B	1	66	69	69	No	Yes	0
4900	B	S-4160B-2	1	66	71	72	No	Yes	1
4901	B	S-4161B-3	1	66	73	75	No	Yes	2
4902	B	S-4162B-4	1	66	75	79	No	Yes	4
4903	B	S-4068B	1	66	54	56	No	No	2
4904	B	S-4069B-2	1	66	53	55	No	No	2
4905	B	S-4070B-3	1	66	57	59	No	No	2
4906	B	S-4071B-4	1	66	61	64	No	No	3
4907	B	S-4119B	1	66	59	61	No	No	2
4908	B	S-4120B-2	1	66	61	61	No	No	0
4909	B	S-4121B-3	1	66	64	65	No	No	1
4910	B	S-4122B-4	1	66	67	69	No	Yes	2
4911	B	S-3980B	1	66	57	51	No	No	-6
4912	B	S-3981B-2	1	66	58	52	No	No	-6
4913	B	S-3982B-3	1	66	59	55	No	No	-4
4914	B	S-3983B-4	1	66	61	61	No	No	0
4915	B	S-4127B	1	66	55	58	No	No	3
4916	B	S-4128B-2	1	66	57	60	No	No	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4917	B	S-4129B-3	1	66	59	62	No	No	3
4918	B	S-4130B-4	1	66	65	68	No	Yes	3
4919	B	S-4019B	1	66	50	51	No	No	1
4920	B	S-4020B-2	1	66	52	52	No	No	0
4921	B	S-4021B-3	1	66	54	55	No	No	1
4922	B	S-4022B-4	1	66	60	61	No	No	1
4923	B	S-4007B	1	66	53	53	No	No	0
4924	B	S-4008B-2	1	66	51	52	No	No	1
4925	B	S-4009B-3	1	66	56	57	No	No	1
4926	B	S-4010B-4	1	66	60	62	No	No	2
4927	B	S-4084B	1	66	52	54	No	No	2
4928	B	S-4085B-2	1	66	54	55	No	No	1
4929	B	S-4086B-3	1	66	56	58	No	No	2
4930	B	S-4087B-4	1	66	61	63	No	No	2
4931	B	S-0376B-2	1	66	69	72	No	Yes	3
4932	B	S-0377B-3	1	66	71	75	No	Yes	4
4933	B	S-0378B-4	1	66	73	78	No	Yes	5
4934	B	S-0379B-5	1	66	74	78	No	Yes	4
4935	B	S-0336B-2	1	66	54	58	No	No	4
4936	B	S-0337B-3	1	66	58	62	No	No	4
4937	B	S-0338B-4	1	66	62	67	No	Yes	5
4938	B	S-0339B-5	1	66	72	77	No	Yes	5
4939	B	S-0372B-2	1	66	69	72	No	Yes	3
4940	B	S-0373B-3	1	66	71	75	No	Yes	4
4941	B	S-0374B-4	1	66	73	78	No	Yes	5
4942	B	S-0375B-5	1	66	74	78	No	Yes	4
4943	B	S-4135B	1	66	58	60	No	No	2
4944	B	S-4136B-2	1	66	59	61	No	No	2
4945	B	S-4137B-3	1	66	62	64	No	No	2
4946	B	S-4138B-4	1	66	66	69	No	Yes	3
4947	B	S-4076B	1	66	53	55	No	No	2
4948	B	S-4077B-2	1	66	53	55	No	No	2
4949	B	S-4078B-3	1	66	57	59	No	No	2
4950	B	S-4079B-4	1	66	61	64	No	No	3
4951	B	S-4163B	1	66	69	70	No	Yes	1
4952	B	S-4164B-2	1	66	71	72	No	Yes	1
4953	B	S-4165B-3	1	66	73	75	No	Yes	2
4954	B	S-4166B-4	1	66	75	79	No	Yes	4
4955	B	S-4131B	1	66	64	64	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4956	B	S-4132B-2	1	66	65	66	No	Yes	1
4957	B	S-4133B-3	1	66	67	68	No	Yes	1
4958	B	S-4134B-4	1	66	69	72	No	Yes	3
4959	B	S-3984B	1	66	58	51	No	No	-7
4960	B	S-3985B-2	1	66	58	53	No	No	-5
4961	B	S-3986B-3	1	66	59	56	No	No	-3
4962	B	S-3987B-4	1	66	62	62	No	No	0
4963	B	S-0332B-2	1	66	56	60	No	No	4
4964	B	S-0333B-3	1	66	58	63	No	No	5
4965	B	S-0334B-4	1	66	63	67	No	Yes	4
4966	B	S-0335B-5	1	66	72	77	No	Yes	5
4967	B	S-4015B	1	66	52	52	No	No	0
4968	B	S-4016B-2	1	66	53	53	No	No	0
4969	B	S-4017B-3	1	66	56	56	No	No	0
4970	B	S-4018B-4	1	66	60	62	No	No	2
4971	B	S-4139B	1	66	56	58	No	No	2
4972	B	S-4140B-2	1	66	57	60	No	No	3
4973	B	S-4141B-3	1	66	59	63	No	No	4
4974	B	S-4142B-4	1	66	65	69	No	Yes	4
4975	B	S-4080B	1	66	53	54	No	No	1
4976	B	S-4081B-2	1	66	54	56	No	No	2
4977	B	S-4082B-3	1	66	56	58	No	No	2
4978	B	S-4083B-4	1	66	61	64	No	No	3
4979	B	S-4072B	1	66	60	59	No	No	-1
4980	B	S-4073B-2	1	66	61	62	No	No	1
4981	B	S-4074B-3	1	66	63	65	No	No	2
4982	B	S-4075B-4	1	66	65	67	No	Yes	2
4983	B	S-4011B	1	66	60	59	No	No	-1
4984	B	S-4012B-2	1	66	61	62	No	No	1
4985	B	S-4013B-3	1	66	62	65	No	No	3
4986	B	S-4014B-4	1	66	64	66	No	Yes	2
4987	B	S-0331B	1	66	63	65	No	No	2
4988	B	S-0327B-2	1	66	65	68	No	Yes	3
4989	B	S-0322B-3	1	66	66	70	No	Yes	4
4990	B	S-0323B-4	1	66	67	71	No	Yes	4
4991	B	S-0324B-5	1	66	68	72	No	Yes	4
4992	B	S-0325B-6	1	66	69	73	No	Yes	4
4993	B	S-0326B-7	1	66	70	73	No	Yes	3
4994	B	S-0321B-2	1	66	65	68	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4995	B	S-0316B-3	1	66	66	70	No	Yes	4
4996	B	S-0317B-4	1	66	67	71	No	Yes	4
4997	B	S-0318B-5	1	66	68	72	No	Yes	4
4998	B	S-0319B-6	1	66	69	73	No	Yes	4
4999	B	S-0320B-7	1	66	70	73	No	Yes	3
5000	E	S-0315E	1	71	64	66	No	No	2
5001	B	S-0310B	1	66	66	67	No	Yes	1
5002	B	S-0309B	1	66	66	67	No	Yes	1
5003	B	S-0314B	1	66	64	65	No	No	1
5004	B	S-0313B	1	66	63	65	No	No	2
5005	B	S-0308B	1	66	65	66	No	Yes	1
5006	B	S-0312B	1	66	63	65	No	No	2
5007	B	S-0307B	1	66	65	66	No	Yes	1
5008	B	S-0306B	1	66	65	66	No	Yes	1
5009	B	S-0305B	1	66	64	66	No	Yes	2
5010	B	S-0311B	1	66	63	65	No	No	2
5011	B	S-0304B	1	66	63	64	No	No	1
5012	B	S-0294B	1	66	59	62	No	No	3
5013	B	S-0296B	1	66	60	63	No	No	3
5014	B	S-0295B	1	66	60	63	No	No	3
5015	B	S-0301B	1	66	62	65	No	No	3
5016	B	S-0298B	1	66	62	64	No	No	2
5017	B	S-0303B	1	66	63	66	No	Yes	3
5018	B	S-0302B	1	66	64	66	No	Yes	2
5019	B	S-0297B	1	66	60	63	No	No	3
5020	B	S-0300B	1	66	62	65	No	No	3
5021	B	S-0299B	1	66	62	65	No	No	3
5022	D	S-4167D	1	51	40	41	No	No	1
5023	B	S-0268B	1	66	59	63	No	No	4
5024	B	S-0269B	1	66	59	62	No	No	3
5025	B	S-0293B	1	66	61	64	No	No	3
5026	B	S-0280B	1	66	60	62	No	No	2
5027	B	S-0281B	1	66	60	62	No	No	2
5028	B	S-0279B	1	66	61	64	No	No	3
5029	B	S-0270B	1	66	58	59	No	No	1
5030	B	S-0292B	1	66	61	62	No	No	1
5031	B	S-0271B	1	66	52	53	No	No	1
5032	B	S-0278B	1	66	57	60	No	No	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5033	B	S-0282B	1	66	62	64	No	No	2
5034	B	S-0288B	1	66	60	60	No	No	0
5035	B	S-0289B	1	66	60	60	No	No	0
5036	B	S-0290B	1	66	60	60	No	No	0
5037	B	S-0272B	1	66	51	52	No	No	1
5038	B	S-0277B	1	66	57	60	No	No	3
5039	B	S-0291B	1	66	61	63	No	No	2
5040	B	S-0287B	1	66	61	61	No	No	0
5041	B	S-0273B	1	66	51	52	No	No	1
5042	B	S-0276B	1	66	59	61	No	No	2
5043	B	S-0283B	1	66	63	65	No	No	2
5044	B	S-0286B	1	66	61	62	No	No	1
5045	B	S-0274B	1	66	53	56	No	No	3
5046	B	S-0275B	1	66	60	62	No	No	2
5047	B	S-0285B	1	66	61	62	No	No	1
5048	B	S-0284B	1	66	61	62	No	No	1
5049	B	S-0267B	1	66	58	61	No	No	3
5050	B	S-0266B	1	66	62	64	No	No	2
5051	B	S-0040B	1	66	59	61	No	No	2
5052	B	S-0246B	1	66	54	57	No	No	3
5053	B	S-0247B-2	1	66	56	59	No	No	3
5054	B	S-0248B-3	1	66	63	66	No	Yes	3
5055	B	S-0249B-4	1	66	66	68	No	Yes	2
5056	B	S-0250B-5	1	66	68	70	No	Yes	2
5057	B	S-0256B	1	66	57	60	No	No	3
5058	B	S-0257B-2	1	66	58	62	No	No	4
5059	B	S-0258B-3	1	66	64	67	No	Yes	3
5060	B	S-0259B-4	1	66	68	70	No	Yes	2
5061	B	S-0260B-5	1	66	70	71	No	Yes	1
5062	B	S-0261B	1	66	59	63	No	No	4
5063	B	S-0262B-2	1	66	61	64	No	No	3
5064	B	S-0263B-3	1	66	66	69	No	Yes	3
5065	B	S-0264B-4	1	66	70	72	No	Yes	2
5066	B	S-0265B-5	1	66	72	73	No	Yes	1
5067	B	S-0251B	1	66	55	58	No	No	3
5068	B	S-0252B-2	1	66	57	60	No	No	3
5069	B	S-0253B-3	1	66	64	67	No	Yes	3
5070	B	S-0254B-4	1	66	67	69	No	Yes	2
5071	B	S-0255B-5	1	66	69	71	No	Yes	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5072	B	S-0122B	1	66	54	55	No	No	1
5073	B	S-0123B-2	1	66	54	55	No	No	1
5074	B	S-0124B-3	1	66	56	57	No	No	1
5075	B	S-0125B-4	1	66	58	60	No	No	2
5076	B	S-0126B-5	1	66	61	63	No	No	2
5077	B	S-0039B	1	66	57	58	No	No	1
5078	B	S-0117B	1	66	55	55	No	No	0
5079	B	S-0118B-2	1	66	54	55	No	No	1
5080	B	S-0119B-3	1	66	56	57	No	No	1
5081	B	S-0120B-4	1	66	58	60	No	No	2
5082	B	S-0121B-5	1	66	61	63	No	No	2
5083	B	S-0210B	1	66	61	64	No	No	3
5084	B	S-0211B-2	1	66	63	66	No	Yes	3
5085	B	S-0212B-3	1	66	66	69	No	Yes	3
5086	B	S-0213B-4	1	66	70	73	No	Yes	3
5087	B	S-0214B-5	1	66	75	76	No	Yes	1
5088	B	S-0112B	1	66	55	56	No	No	1
5089	B	S-0113B-2	1	66	54	56	No	No	2
5090	B	S-0114B-3	1	66	56	58	No	No	2
5091	B	S-0115B-4	1	66	59	60	No	No	1
5092	B	S-0116B-5	1	66	62	63	No	No	1
5093	B	S-0038B	1	66	56	57	No	No	1
5094	C	S-0193C	1	66	61	64	No	No	3
5095	B	S-0241B	1	66	55	56	No	No	1
5096	B	S-0242B-2	1	66	54	56	No	No	2
5097	B	S-0243B-3	1	66	57	58	No	No	1
5098	B	S-0244B-4	1	66	58	60	No	No	2
5099	B	S-0245B-5	1	66	62	64	No	No	2
5100	B	S-0225B	1	66	55	55	No	No	0
5101	B	S-0226B-2	1	66	55	57	No	No	2
5102	B	S-0227B-3	1	66	57	58	No	No	1
5103	B	S-0228B-4	1	66	60	61	No	No	1
5104	B	S-0229B-5	1	66	64	65	No	No	1
5105	B	S-0215B	1	66	54	55	No	No	1
5106	B	S-0216B-2	1	66	56	57	No	No	1
5107	B	S-0217B-3	1	66	56	58	No	No	2
5108	B	S-0218B-4	1	66	60	61	No	No	1
5109	B	S-0219B-5	1	66	65	65	No	No	0
5110	B	S-0205B	1	66	62	65	No	No	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5111	B	S-0206B-2	1	66	64	67	No	Yes	3
5112	B	S-0207B-3	1	66	67	70	No	Yes	3
5113	B	S-0208B-4	1	66	72	74	No	Yes	2
5114	B	S-0209B-5	1	66	76	77	No	Yes	1
5115	B	S-0107B	1	66	55	56	No	No	1
5116	B	S-0108B-2	1	66	54	55	No	No	1
5117	B	S-0109B-3	1	66	57	58	No	No	1
5118	B	S-0110B-4	1	66	59	60	No	No	1
5119	B	S-0111B-5	1	66	62	63	No	No	1
5120	C	S-0230C	1	66	54	55	No	No	1
5121	B	S-0200B	1	66	61	63	No	No	2
5122	B	S-0201B-2	1	66	63	66	No	Yes	3
5123	B	S-0202B-3	1	66	65	69	No	Yes	4
5124	B	S-0203B-4	1	66	70	73	No	Yes	3
5125	B	S-0204B-5	1	66	75	76	No	Yes	1
5126	B	S-0102B	1	66	56	56	No	No	0
5127	B	S-0103B-2	1	66	54	56	No	No	2
5128	B	S-0104B-3	1	66	57	58	No	No	1
5129	B	S-0105B-4	1	66	59	61	No	No	2
5130	B	S-0106B-5	1	66	62	63	No	No	1
5131	B	S-0236B	1	66	55	56	No	No	1
5132	B	S-0237B-2	1	66	54	55	No	No	1
5133	B	S-0238B-3	1	66	57	59	No	No	2
5134	B	S-0239B-4	1	66	59	60	No	No	1
5135	B	S-0240B-5	1	66	63	64	No	No	1
5136	B	S-0231B	1	66	55	56	No	No	1
5137	B	S-0232B-2	1	66	56	57	No	No	1
5138	B	S-0233B-3	1	66	57	58	No	No	1
5139	B	S-0234B-4	1	66	60	61	No	No	1
5140	B	S-0235B-5	1	66	65	66	No	Yes	1
5141	B	S-0220B	1	66	54	55	No	No	1
5142	B	S-0221B-2	1	66	56	57	No	No	1
5143	B	S-0222B-3	1	66	57	58	No	No	1
5144	B	S-0223B-4	1	66	60	61	No	No	1
5145	B	S-0224B-5	1	66	65	66	No	Yes	1
5146	B	S-0037B	1	66	55	56	No	No	1
5147	C	S-0194C	1	66	60	63	No	No	3
5148	B	S-0195B	1	66	62	64	No	No	2
5149	B	S-0196B-2	1	66	63	66	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5150	B	S-0197B-3	1	66	67	70	No	Yes	3
5151	B	S-0198B-4	1	66	72	73	No	Yes	1
5152	B	S-0199B-5	1	66	77	77	No	Yes	0
5153	B	S-0097B	1	66	56	56	No	No	0
5154	B	S-0098B-2	1	66	54	56	No	No	2
5155	B	S-0099B-3	1	66	57	58	No	No	1
5156	B	S-0100B-4	1	66	60	61	No	No	1
5157	B	S-0101B-5	1	66	62	64	No	No	2
5158	B	S-0036B	1	66	56	56	No	No	0
5159	C	S-0192C	1	66	60	62	No	No	2
5160	B	S-0187B	1	66	60	62	No	No	2
5161	B	S-0188B-2	1	66	62	64	No	No	2
5162	B	S-0189B-4	1	66	70	72	No	Yes	2
5163	B	S-0190B-3	1	66	65	68	No	Yes	3
5164	B	S-0191B-5	1	66	76	77	No	Yes	1
5165	B	S-0092B	1	66	56	56	No	No	0
5166	B	S-0093B-2	1	66	54	55	No	No	1
5167	B	S-0094B-3	1	66	57	58	No	No	1
5168	B	S-0095B-4	1	66	60	61	No	No	1
5169	B	S-0096B-5	1	66	62	64	No	No	2
5170	B	S-0087B	1	66	56	57	No	No	1
5171	B	S-0088B-2	1	66	54	55	No	No	1
5172	B	S-0089B-3	1	66	57	58	No	No	1
5173	B	S-0090B-4	1	66	60	61	No	No	1
5174	B	S-0091B-5	1	66	62	64	No	No	2
5175	B	S-0031B	1	66	59	59	No	No	0
5176	B	S-0035B	1	66	56	56	No	No	0
5177	B	S-0166B	1	66	60	62	No	No	2
5178	B	S-0167B-2	1	66	61	63	No	No	2
5179	B	S-0168B-3	1	66	65	67	No	Yes	2
5180	B	S-0169B-4	1	66	69	71	No	Yes	2
5181	B	S-0170B-5	1	66	77	77	No	Yes	0
5182	B	S-0182B	1	66	55	56	No	No	1
5183	B	S-0183B-2	1	66	55	55	No	No	0
5184	B	S-0184B-3	1	66	57	58	No	No	1
5185	B	S-0185B-4	1	66	59	60	No	No	1
5186	B	S-0186B-5	1	66	63	64	No	No	1
5187	B	S-0176B	1	66	54	55	No	No	1
5188	B	S-0177B-2	1	66	56	56	No	No	0

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5189	B	S-0178B-3	1	66	56	57	No	No	1
5190	B	S-0179B-4	1	66	59	60	No	No	1
5191	B	S-0180B-5	1	66	63	64	No	No	1
5192	B	S-0171B	1	66	54	55	No	No	1
5193	B	S-0172B-2	1	66	57	57	No	No	0
5194	B	S-0173B-3	1	66	56	57	No	No	1
5195	B	S-0174B-4	1	66	60	61	No	No	1
5196	B	S-0175B-5	1	66	66	67	No	Yes	1
5197	B	S-0161B	1	66	60	61	No	No	1
5198	B	S-0162B-2	1	66	61	63	No	No	2
5199	B	S-0163B-3	1	66	65	66	No	Yes	1
5200	B	S-0164B-4	1	66	69	70	No	Yes	1
5201	B	S-0165B-5	1	66	77	78	No	Yes	1
5202	B	S-0082B	1	66	56	56	No	No	0
5203	B	S-0083B-2	1	66	54	55	No	No	1
5204	B	S-0084B-3	1	66	57	58	No	No	1
5205	B	S-0085B-4	1	66	59	61	No	No	2
5206	B	S-0086B-5	1	66	63	64	No	No	1
5207	B	S-0030B	1	66	58	59	No	No	1
5208	C	S-0181C	1	66	54	55	No	No	1
5209	B	S-0034B	1	66	57	58	No	No	1
5210	B	S-0156B	1	66	59	60	No	No	1
5211	B	S-0157B-2	1	66	61	62	No	No	1
5212	B	S-0158B-3	1	66	64	66	No	Yes	2
5213	B	S-0159B-4	1	66	68	69	No	Yes	1
5214	B	S-0160B-5	1	66	78	78	No	Yes	0
5215	B	S-0077B	1	66	55	56	No	No	1
5216	B	S-0078B-2	1	66	54	55	No	No	1
5217	B	S-0079B-3	1	66	57	58	No	No	1
5218	B	S-0080B-4	1	66	59	61	No	No	2
5219	B	S-0081B-5	1	66	63	64	No	No	1
5220	B	S-0072B	1	66	55	56	No	No	1
5221	B	S-0073B-2	1	66	54	55	No	No	1
5222	B	S-0074B-3	1	66	57	58	No	No	1
5223	B	S-0075B-4	1	66	59	61	No	No	2
5224	B	S-0076B-5	1	66	62	64	No	No	2
5225	B	S-0151B	1	66	59	60	No	No	1
5226	B	S-0152B-2	1	66	60	62	No	No	2
5227	B	S-0153B-3	1	66	64	67	No	Yes	3

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5228	B	S-0154B-4	1	66	72	73	No	Yes	1
5229	B	S-0155B-5	1	66	77	78	No	Yes	1
5230	B	S-0029B	1	66	60	61	No	No	1
5231	C	S-0041C	1	66	55	56	No	No	1
5232	B	S-0067B	1	66	55	56	No	No	1
5233	B	S-0068B-2	1	66	55	56	No	No	1
5234	B	S-0069B-3	1	66	57	58	No	No	1
5235	B	S-0070B-4	1	66	59	61	No	No	2
5236	B	S-0071B-5	1	66	62	64	No	No	2
5237	B	S-0136B	1	66	62	57	No	No	-5
5238	B	S-0137B-2	1	66	64	59	No	No	-5
5239	B	S-0138B-3	1	66	66	64	No	No	-2
5240	B	S-0139B-4	1	66	68	70	No	Yes	2
5241	B	S-0140B-5	1	66	73	73	No	Yes	0
5242	B	S-0141B	1	66	61	57	No	No	-4
5243	B	S-0142B-2	1	66	62	59	No	No	-3
5244	B	S-0143B-3	1	66	65	64	No	No	-1
5245	B	S-0144B-4	1	66	68	70	No	Yes	2
5246	B	S-0145B-5	1	66	74	74	No	Yes	0
5247	B	S-0146B	1	66	60	59	No	No	-1
5248	B	S-0147B-2	1	66	61	61	No	No	0
5249	B	S-0148B-3	1	66	64	68	No	Yes	4
5250	B	S-0149B-4	1	66	72	73	No	Yes	1
5251	B	S-0150B-5	1	66	76	77	No	Yes	1
5252	B	S-0062B	1	66	54	56	No	No	2
5253	B	S-0063B-2	1	66	55	56	No	No	1
5254	B	S-0064B-3	1	66	56	58	No	No	2
5255	B	S-0065B-4	1	66	59	62	No	No	3
5256	B	S-0066B-5	1	66	64	65	No	No	1
5257	B	S-0058B-2	1	66	55	56	No	No	1
5258	B	S-0059B-3	1	66	57	58	No	No	1
5259	B	S-0060B-4	1	66	59	62	No	No	3
5260	B	S-0061B-5	1	66	64	65	No	No	1
5261	C	S-0135C	1	66	64	58	No	No	-6
5262	B	S-0131B-2	1	66	66	62	No	No	-4
5263	B	S-0132B-3	1	66	69	69	No	Yes	0
5264	B	S-0133B-4	1	66	72	73	No	Yes	1
5265	B	S-0134B-5	1	66	75	75	No	Yes	0
5266	B	S-0042B-2	1	66	56	57	No	No	1

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5267	B	S-0043B-3	1	66	57	60	No	No	3
5268	B	S-0044B-4	1	66	60	63	No	No	3
5269	B	S-0045B-5	1	66	64	66	No	Yes	2
5270	B	S-0046B-2	1	66	56	58	No	No	2
5271	B	S-0047B-3	1	66	57	60	No	No	3
5272	B	S-0048B-4	1	66	60	63	No	No	3
5273	B	S-0049B-5	1	66	64	66	No	Yes	2
5274	B	S-0050B-2	1	66	56	59	No	No	3
5275	B	S-0051B-3	1	66	58	61	No	No	3
5276	B	S-0052B-4	1	66	60	64	No	No	4
5277	B	S-0053B-5	1	66	64	66	No	Yes	2
5278	B	S-0127B-2	1	66	67	62	No	No	-5
5279	B	S-0128B-3	1	66	70	70	No	Yes	0
5280	B	S-0129B-4	1	66	74	74	No	Yes	0
5281	B	S-0130B-5	1	66	75	76	No	Yes	1
5282	B	S-0028B	1	66	62	60	No	No	-2
5283	B	S-0027B	1	66	61	60	No	No	-1
5284	B	S-0033B	1	66	64	63	No	No	-1
5285	B	S-0032B	1	66	64	63	No	No	-1
5286	B	S-0054B-2	1	66	67	62	No	No	-5
5287	B	S-0055B-3	1	66	70	69	No	Yes	-1
5288	B	S-0056B-4	1	66	72	73	No	Yes	1
5289	B	S-0057B-5	1	66	74	75	No	Yes	1
5290	B	S-0026B	1	66	54	58	No	No	4
5291	B	S-0025B	1	66	55	58	No	No	3
5292	B	S-0023B	1	66	54	56	No	No	2
5293	B	S-0022B	1	66	54	56	No	No	2
5294	B	S-0024B	1	66	54	56	No	No	2
5295	B	S-0021B	1	66	56	58	No	No	2
5296	B	S-0020B	1	66	55	57	No	No	2
5297	B	S-0019B	1	66	57	58	No	No	1
5298	B	S-0018B	1	66	57	58	No	No	1
5299	B	S-0017B	1	66	58	59	No	No	1
5300	B	S-0016B	1	66	58	59	No	No	1
5301	B	S-0015B	1	66	58	59	No	No	1
5302	B	S-0014B	1	66	58	60	No	No	2
5303	B	S-0013B	1	66	56	58	No	No	2
5304	B	S-0012B	1	66	58	60	No	No	2
5305	B	S-0011B	1	66	58	60	No	No	2

Northern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5306	B	S-0010B	1	66	60	61	No	No	1
5307	B	S-0009B	1	66	59	61	No	No	2
5308	B	S-0008B	1	66	59	61	No	No	2
5309	B	S-0007B	1	66	60	62	No	No	2
5310	B	S-0006B	1	66	62	63	No	No	1
5311	B	S-0001B	1	66	65	67	No	Yes	2
5312	B	S-0005B	1	66	65	65	No	No	0
5313	B	S-0004B	1	66	72	72	No	Yes	0
5314	B	S-0003B	1	66	72	72	No	Yes	0
5315	B	S-0002B	1	66	72	72	No	Yes	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
88	C	51C	1	66	62	65	No	No	3
89	C	1021C	1	66	64	66	No	Yes	2
90	C	1022C	1	66	63	65	No	No	2
91	C	1020C	1	66	65	68	No	Yes	3
92	C	1023C	1	66	62	64	No	No	2
93	C	1025C	1	66	64	66	No	Yes	2
94	C	1024C	1	66	65	67	No	Yes	2
95	C	1019C	1	66	66	69	No	Yes	3
96	C	1026C	1	66	63	65	No	No	2
97	C	1027C	1	66	63	64	No	No	1
98	B	55B	1	66	68	72	No	Yes	4
99	B	54B	1	66	66	69	No	Yes	3
100	B	53B	1	66	63	65	No	No	2
101	B	977B	1	66	59	61	No	No	2
102	B	52B	1	66	61	63	No	No	2
103	B	978B	1	66	58	60	No	No	2
104	B	984B	1	66	65	68	No	Yes	3
105	B	985B	1	66	63	66	No	Yes	3
106	B	986B	1	66	64	67	No	Yes	3
107	B	983B	1	66	71	76	No	Yes	5
108	B	987B	1	66	63	65	No	No	2
109	C	989C	1	66	75	79	No	Yes	4
110	B	982B	1	66	72	75	No	Yes	3
111	B	988B	1	66	63	65	No	No	2
112	B	56B	1	66	73	76	No	Yes	3
113	B	57B	1	66	74	77	No	Yes	3
114	B	60B	1	66	68	70	No	Yes	2
115	B	61B	1	66	68	69	No	Yes	1
116	B	59B	1	66	71	73	No	Yes	2
117	B	58B	1	66	72	74	No	Yes	2
118	B	62B	1	66	64	67	No	Yes	3
119	B	63B	1	66	66	70	No	Yes	4
120	B	65B	1	66	72	76	No	Yes	4
121	B	64B	1	66	69	73	No	Yes	4
122	B	67B	1	66	79	N/A*	-	-	-
123	B	66B	1	66	76	80	No	Yes	4
124	B	73B	1	66	68	72	No	Yes	4
125	B	71B	1	66	73	77	No	Yes	4

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
126	B	29B	1	66	65	65	No	No	0
127	B	77B	1	66	63	66	No	Yes	3
128	B	68B	1	66	77	82	No	Yes	5
129	B	715B	1	66	62	64	No	No	2
130	B	75B	1	66	65	68	No	Yes	3
131	B	69B	1	66	78	N/A*	—	—	—
132	B	30B	1	66	62	63	No	No	1
133	B	714B	1	66	65	69	No	Yes	4
134	B	76B	1	66	69	72	No	Yes	3
135	B	70B	1	66	77	82	No	Yes	5
136	B	74B	1	66	71	75	No	Yes	4
137	B	72B	1	66	74	78	No	Yes	4
138	B	78B	1	66	68	71	No	Yes	3
139	B	47B	1	66	70	70	No	Yes	0
140	C	79C	1	66	70	73	No	Yes	3
141	B	46B	1	66	70	70	No	Yes	0
142	B	31B	1	66	66	66	No	Yes	0
143	B	45B	1	66	71	71	No	Yes	0
144	B	44B	1	66	71	71	No	Yes	0
145	B	33B	1	66	66	66	No	Yes	0
146	B	32B	1	66	65	65	No	No	0
147	B	34B	1	66	66	66	No	Yes	0
148	B	43B	1	66	72	72	No	Yes	0
149	B	35B	1	66	66	67	No	Yes	1
150	C	668C	1	66	55	57	No	No	2
151	C	669C	1	66	54	55	No	No	1
152	B	36B	1	66	65	66	No	Yes	1
153	B	42B	1	66	72	72	No	Yes	0
154	B	37B	1	66	66	66	No	Yes	0
155	D	671D	1	51	22	23	No	No	1
156	D	670D	1	51	40	42	No	No	2
157	B	41B	1	66	73	73	No	Yes	0
158	B	38B	1	66	64	64	No	No	0
159	B	39B	1	66	62	62	No	No	0
160	B	40B	1	66	68	68	No	Yes	0
161	B	48B	1	66	62	63	No	No	1
162	B	49B	1	66	73	73	No	Yes	0

* Proposed Action noise level not applicable due to total acquisition of the parcel.

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
163	B	50B	1	66	73	74	No	Yes	1
164	D	1029D	1	51	24	31	No	No	7
165	B	83B	1	66	56	58	No	No	2
166	B	84B	1	66	56	60	No	No	4
167	B	85B	1	66	57	61	No	No	4
168	B	86B	1	66	57	61	No	No	4
169	B	88B	1	66	62	67	No	Yes	5
170	B	87B	1	66	57	62	No	No	5
171	B	89B	1	66	57	62	No	No	5
172	B	91B	1	66	58	63	No	No	5
173	B	92B	1	66	59	63	No	No	4
174	B	90B	1	66	57	63	No	No	6
175	B	93B	1	66	60	63	No	No	3
176	B	94B	1	66	60	63	No	No	3
177	B	667B	1	66	57	61	No	No	4
178	B	666B	1	66	58	61	No	No	3
179	B	95B	1	66	58	62	No	No	4
180	B	96B	1	66	59	62	No	No	3
181	B	97B	1	66	60	64	No	No	4
182	B	777B	1	66	64	64	No	No	0
183	B	98B	1	66	61	65	No	No	4
184	B	778B	1	66	65	65	No	No	0
185	B	779B	1	66	67	68	No	Yes	1
186	B	780B	1	66	73	73	No	Yes	0
187	B	99B	1	66	62	67	No	Yes	5
188	B	976B	1	66	55	59	No	No	4
189	B	975B	1	66	55	60	No	No	5
190	B	974B	1	66	56	60	No	No	4
191	B	973B	1	66	56	61	No	No	5
192	B	100B	1	66	63	67	No	Yes	4
193	B	972B	1	66	57	62	No	No	5
194	B	101B	1	66	63	68	No	Yes	5
195	B	781B	1	66	74	74	No	Yes	0
196	B	971B	1	66	61	63	No	No	2
197	B	102B	1	66	64	68	No	Yes	4
198	B	784B	1	66	61	62	No	No	1
199	B	785B	1	66	61	61	No	No	0

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
200	B	970B	1	66	62	64	No	No	2
201	B	783B	1	66	63	63	No	No	0
202	B	782B	1	66	67	67	No	Yes	0
203	B	768B	1	66	64	64	No	No	0
204	B	769B	1	66	66	66	No	Yes	0
205	B	969B	1	66	61	63	No	No	2
206	B	770B	1	66	70	70	No	Yes	0
207	B	103B	1	66	65	67	No	Yes	2
208	B	968B	1	66	61	63	No	No	2
209	B	104B	1	66	65	68	No	Yes	3
210	B	967B	1	66	61	63	No	No	2
211	B	771B	1	66	71	71	No	Yes	0
212	B	105B	1	66	66	68	No	Yes	2
213	B	966B	1	66	61	63	No	No	2
214	B	965B	1	66	61	63	No	No	2
215	B	963B	1	66	58	59	No	No	1
216	B	964B	1	66	58	59	No	No	1
217	B	106B	1	66	66	68	No	Yes	2
218	B	775B	1	66	63	63	No	No	0
219	B	776B	1	66	61	61	No	No	0
220	B	774B	1	66	62	63	No	No	1
221	B	772B	1	66	72	72	No	Yes	0
222	B	107B	1	66	67	68	No	Yes	1
223	B	665B	1	66	58	59	No	No	1
224	B	108B	1	66	63	64	No	No	1
225	B	109B	1	66	60	62	No	No	2
226	B	110B	1	66	60	61	No	No	1
227	B	111B	1	66	59	61	No	No	2
228	B	767B	1	66	63	63	No	No	0
229	B	773B	1	66	65	65	No	No	0
230	B	766B	1	66	66	66	No	Yes	0
231	B	765B	1	66	74	75	No	Yes	1
232	B	125B	1	66	68	67	No	Yes	-1
233	B	124B	1	66	67	66	No	Yes	-1
234	B	122B	1	66	66	65	No	No	-1
235	B	123B	1	66	67	65	No	No	-2
236	B	121B	1	66	65	64	No	No	-1
237	B	120B	1	66	65	63	No	No	-2
238	B	116B	1	66	63	62	No	No	-1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
239	B	119B	1	66	63	62	No	No	-1
240	B	118B	1	66	63	62	No	No	-1
241	B	117B	1	66	63	62	No	No	-1
242	B	112B	1	66	62	61	No	No	-1
243	B	115B	1	66	62	60	No	No	-2
244	B	114B	1	66	61	60	No	No	-1
245	B	113B	1	66	60	60	No	No	0
246	B	764B	1	66	74	74	No	Yes	0
247	B	126B	1	66	68	67	No	Yes	-1
248	B	761B	1	66	62	62	No	No	0
249	B	762B	1	66	63	63	No	No	0
250	B	763B	1	66	67	67	No	Yes	0
251	B	755B	1	66	62	62	No	No	0
252	B	756B	1	66	64	65	No	No	1
253	B	760B	1	66	73	73	No	Yes	0
254	B	127B	1	66	69	68	No	Yes	-1
255	B	128B	1	66	70	69	No	Yes	-1
256	B	759B	1	66	69	69	No	Yes	0
257	B	758B	1	66	62	62	No	No	0
258	B	757B	1	66	64	64	No	No	0
259	B	129B	1	66	65	65	No	No	0
260	B	130B	1	66	66	66	No	Yes	0
261	B	131B	1	66	66	66	No	Yes	0
262	C	80C	1	66	70	70	No	Yes	0
263	B	132B	1	66	66	66	No	Yes	0
264	B	133B	1	66	66	66	No	Yes	0
265	B	710B	1	66	61	61	No	No	0
266	B	660B	1	66	63	63	No	No	0
267	B	659B	1	66	64	64	No	No	0
268	B	711B	2	66	59	60	No	No	1
269	B	712B	2	66	59	60	No	No	1
270	B	134B	1	66	68	68	No	Yes	0
271	B	135B	1	66	68	68	No	Yes	0
272	B	136B	1	66	68	68	No	Yes	0
273	B	713B	2	66	59	60	No	No	1
274	B	137B	1	66	68	68	No	Yes	0
275	B	138B	1	66	68	68	No	Yes	0
276	C	81C	1	66	67	67	No	Yes	0
277	B	708B	2	66	59	61	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
278	B	139B	1	66	68	68	No	Yes	0
279	B	140B	1	66	68	69	No	Yes	1
280	B	709B	2	66	58	60	No	No	2
281	B	141B	1	66	68	68	No	Yes	0
282	B	915B	1	66	61	62	No	No	1
283	B	652B	1	66	60	61	No	No	1
284	B	664B	1	66	65	65	No	No	0
285	B	663B	1	66	63	64	No	No	1
286	B	661B	1	66	62	63	No	No	1
287	B	662B	1	66	63	64	No	No	1
288	B	144B	1	66	64	65	No	No	1
289	B	143B	1	66	61	62	No	No	1
290	B	1097B	3	66	57	59	No	No	2
291	B	145B	1	66	66	66	No	Yes	0
292	B	1096B	3	66	61	62	No	No	1
293	B	142B	3	66	63	64	No	No	1
294	B	146B	1	66	67	68	No	Yes	1
295	B	147B	1	66	67	68	No	Yes	1
296	B	153B	1	66	64	65	No	No	1
297	B	653B	7	66	61	62	No	No	1
298	B	148B	1	66	67	68	No	Yes	1
299	B	152B	1	66	65	66	No	Yes	1
300	B	149B	1	66	67	69	No	Yes	2
301	B	151B	1	66	66	68	No	Yes	2
302	B	150B	1	66	68	71	No	Yes	3
303	B	654B	1	66	66	68	No	Yes	2
304	B	156B	1	66	68	70	No	Yes	2
305	B	155B	1	66	67	69	No	Yes	2
306	B	655B	1	66	67	68	No	Yes	1
307	B	656B	1	66	67	68	No	Yes	1
308	B	154B	1	66	67	69	No	Yes	2
309	B	658B	1	66	67	68	No	Yes	1
310	B	657B	1	66	67	68	No	Yes	1
311	B	82B	1	66	65	64	No	No	-1
312	B	650B	1	66	64	65	No	No	1
313	B	649B	1	66	64	66	No	Yes	2
314	B	648B	1	66	64	65	No	No	1
315	B	158B	1	66	66	69	No	Yes	3
316	B	160B	1	66	68	71	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
317	B	159B	1	66	64	67	No	Yes	3
318	B	161B	1	66	67	71	No	Yes	4
319	B	157B	1	66	63	66	No	Yes	3
320	B	162B	1	66	64	67	No	Yes	3
321	B	163B	1	66	65	68	No	Yes	3
322	B	165B	1	66	68	72	No	Yes	4
323	B	164B	1	66	67	71	No	Yes	4
324	B	651B	1	66	68	71	No	Yes	3
325	B	166B	1	66	71	74	No	Yes	3
326	B	167B	1	66	72	75	No	Yes	3
327	B	168B	1	66	73	77	No	Yes	4
328	B	174B	2	66	68	71	No	Yes	3
329	B	169B	1	66	74	77	No	Yes	3
330	B	170B	1	66	74	77	No	Yes	3
331	B	171B	1	66	74	77	No	Yes	3
332	B	175B	3	66	68	71	No	Yes	3
333	B	172B	1	66	72	77	No	Yes	5
334	B	173B	1	66	70	78	No	Yes	8
335	B	177B	1	66	67	72	No	Yes	5
336	B	176B	1	66	66	71	No	Yes	5
337	B	707B	1	66	65	69	No	Yes	4
338	B	178B	1	66	68	76	No	Yes	8
339	B	961B	1	66	65	72	No	Yes	7
340	B	179B	1	66	68	77	No	Yes	9
341	B	962B	1	66	64	70	No	Yes	6
342	B	1094B	1	66	65	70	No	Yes	5
343	B	180B	1	66	67	77	Yes	Yes	10
344	B	181B	1	66	67	77	Yes	Yes	10
345	B	1095B	3	66	65	70	No	Yes	5
346	B	182B	1	66	67	76	No	Yes	9
347	B	183B	1	66	67	76	No	Yes	9
348	B	184B	1	66	67	76	No	Yes	9
349	B	185B	1	66	68	75	No	Yes	7
350	B	647B	2	66	62	66	No	Yes	4
351	B	190B	3	66	65	70	No	Yes	5
352	B	186B	1	66	67	75	No	Yes	8
353	B	187B	1	66	68	75	No	Yes	7
354	B	646B	1	66	63	67	No	Yes	4
355	B	191B	1	66	65	70	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
356	B	188B	1	66	68	75	No	Yes	7
357	B	189B	1	66	68	75	No	Yes	7
358	B	645B	1	66	65	67	No	Yes	2
359	B	192B	1	66	66	70	No	Yes	4
360	B	195B	1	66	69	75	No	Yes	6
361	B	790B	1	66	64	67	No	Yes	3
362	B	193B	1	66	65	69	No	Yes	4
363	B	194B	1	66	67	71	No	Yes	4
364	B	196B	1	66	67	72	No	Yes	5
365	B	197B	1	66	65	68	No	Yes	3
366	B	198B	1	66	67	71	No	Yes	4
367	B	199B	1	66	71	75	No	Yes	4
368	B	706B	1	66	67	68	No	Yes	1
369	B	1150B	1	66	63	61	No	No	-2
370	B	1149B	1	66	69	66	No	Yes	-3
371	B	202B	1	66	72	73	No	Yes	1
372	B	200B	1	66	68	68	No	Yes	0
374	B	203B	1	66	72	73	No	Yes	1
375	B	1092B	1	66	66	67	No	Yes	1
376	B	205B	1	66	75	N/A*	-	-	-
377	B	204B	3	66	65	67	No	Yes	2
379	B	208B	1	66	71	73	No	Yes	2
380	B	207B	1	66	76	N/A*	-	-	-
381	B	1093B	1	66	65	67	No	Yes	2
382	B	704B	1	66	65	67	No	Yes	2
383	B	209B	1	66	69	70	No	Yes	1
384	B	210B	1	66	75	78	No	Yes	3
385	B	211B	1	66	76	80	No	Yes	4
386	B	212B	1	66	76	80	No	Yes	4
387	B	1088B	3	66	64	65	No	No	1
388	B	1090B	3	66	71	74	No	Yes	3
389	B	213B	1	66	76	80	No	Yes	4
390	C	1028C	1	66	62	64	No	No	2
391	B	214B	1	66	76	80	No	Yes	4
392	B	1089B	1	66	66	67	No	Yes	1
393	B	1091B	1	66	71	74	No	Yes	3
394	B	215B	1	66	76	79	No	Yes	3
395	B	216B	1	66	76	79	No	Yes	3
396	B	217B	1	66	74	77	No	Yes	3

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
397	B	218B	1	66	70	71	No	Yes	1
398	B	705B	1	66	65	66	No	Yes	1
399	B	219B	1	66	66	68	No	Yes	2
400	B	220B	1	66	72	74	No	Yes	2
401	B	221B	1	66	75	78	No	Yes	3
402	B	222B	1	66	71	76	No	Yes	5
403	B	229B	1	66	68	71	No	Yes	3
404	B	223B	1	66	71	76	No	Yes	5
405	B	230B	1	66	67	70	No	Yes	3
406	B	224B	1	66	70	76	No	Yes	6
407	B	231B	1	66	67	70	No	Yes	3
408	B	225B	1	66	70	75	No	Yes	5
409	B	226B	1	66	69	75	No	Yes	6
410	B	232B	1	66	66	70	No	Yes	4
411	B	227B	1	66	69	75	No	Yes	6
412	B	233B	1	66	66	70	No	Yes	4
413	B	228B	1	66	69	75	No	Yes	6
414	B	234B	1	66	66	70	No	Yes	4
415	B	237B	1	66	68	74	No	Yes	6
416	B	236B	1	66	65	70	No	Yes	5
417	B	235B	1	66	64	68	No	Yes	4
418	B	238B	1	66	64	68	No	Yes	4
419	B	239B	1	66	66	70	No	Yes	4
420	B	240B	1	66	70	75	No	Yes	5
421	B	242B	1	66	65	70	No	Yes	5
422	B	241B	1	66	64	69	No	Yes	5
423	B	244B	1	66	71	75	No	Yes	4
424	B	245B	1	66	70	75	No	Yes	5
425	B	243B	1	66	71	75	No	Yes	4
426	B	246B	1	66	71	75	No	Yes	4
427	B	247B	1	66	69	75	No	Yes	6
428	B	251B	1	66	65	70	No	Yes	5
429	B	252B	1	66	64	69	No	Yes	5
430	B	248B	1	66	70	75	No	Yes	5
431	B	249B	1	66	70	75	No	Yes	5
432	B	250B	1	66	70	75	No	Yes	5
433	B	253B	3	66	64	69	No	Yes	5
434	B	254B	1	66	62	67	No	Yes	5
435	B	255B	1	66	65	70	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
436	B	256B	1	66	69	74	No	Yes	5
437	B	257B	1	66	63	68	No	Yes	5
438	B	259B	1	66	67	73	No	Yes	6
439	B	258B	1	66	65	70	No	Yes	5
440	B	262B	1	66	62	67	No	Yes	5
441	B	260B	1	66	67	73	No	Yes	6
442	B	261B	1	66	65	70	No	Yes	5
443	B	265B	1	66	67	73	No	Yes	6
444	B	264B	1	66	64	70	No	Yes	6
445	B	263B	1	66	62	67	No	Yes	5
446	B	266B	1	66	68	74	No	Yes	6
447	B	267B	1	66	66	72	No	Yes	6
448	B	268B	1	66	64	69	No	Yes	5
449	B	269B	1	66	63	68	No	Yes	5
450	B	644B	1	66	62	67	No	Yes	5
451	B	270B	1	66	62	68	No	Yes	6
452	B	274B	1	66	69	76	No	Yes	7
453	B	273B	1	66	68	75	No	Yes	7
454	B	271B	1	66	63	69	No	Yes	6
455	B	272B	1	66	66	72	No	Yes	6
456	B	276B	1	66	63	69	No	Yes	6
457	B	277B	1	66	67	74	No	Yes	7
458	B	278B	1	66	69	77	No	Yes	8
459	B	275B	1	66	61	67	No	Yes	6
460	B	279B	1	66	69	78	No	Yes	9
461	B	280B	1	66	68	76	No	Yes	8
462	B	700B	1	66	64	71	No	Yes	7
463	B	281B	1	66	69	78	No	Yes	9
464	B	286B	1	66	65	73	No	Yes	8
465	B	701B	1	66	62	69	No	Yes	7
466	B	282B	1	66	69	78	No	Yes	9
467	B	287B	1	66	66	74	No	Yes	8
468	B	283B	1	66	69	78	No	Yes	9
469	B	284B	1	66	69	78	No	Yes	9
470	B	288B	1	66	65	74	No	Yes	9
471	B	702B	1	66	63	71	No	Yes	8
472	B	285B	1	66	69	78	No	Yes	9
473	B	703B	1	66	63	70	No	Yes	7
474	B	289B	1	66	66	74	No	Yes	8

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
475	B	907B	1	66	69	78	No	Yes	9
476	B	698B	1	66	62	70	No	Yes	8
477	B	1086B	3	66	65	74	No	Yes	9
478	B	908B	1	66	68	78	Yes	Yes	10
479	B	699B	1	66	63	70	No	Yes	7
480	B	909B	1	66	69	78	No	Yes	9
481	B	1087B	1	66	65	73	No	Yes	8
482	B	910B	1	66	68	78	Yes	Yes	10
483	B	911B	1	66	67	75	No	Yes	8
484	B	912B	1	66	66	74	No	Yes	8
485	B	913B	1	66	64	72	No	Yes	8
486	B	290B	1	66	68	77	No	Yes	9
487	B	914B	1	66	64	71	No	Yes	7
488	B	291B	1	66	66	73	No	Yes	7
489	B	894B	1	66	67	75	No	Yes	8
490	B	895B	1	66	67	75	No	Yes	8
491	B	896B	1	66	68	76	No	Yes	8
492	B	897B	1	66	67	75	No	Yes	8
493	B	898B	1	66	67	75	No	Yes	8
494	B	899B	1	66	67	75	No	Yes	8
495	B	900B	1	66	67	75	No	Yes	8
496	B	901B	1	66	67	75	No	Yes	8
497	B	902B	1	66	67	74	No	Yes	7
498	B	903B	1	66	67	73	No	Yes	6
499	B	904B	1	66	66	72	No	Yes	6
500	B	905B	1	66	67	73	No	Yes	6
501	B	906B	1	66	67	72	No	Yes	5
502	B	292B	1	66	71	75	No	Yes	4
503	B	293B	1	66	69	74	No	Yes	5
504	B	294B	1	66	68	74	No	Yes	6
505	B	892B	1	66	64	68	No	Yes	4
506	B	889B	1	66	65	71	No	Yes	6
507	B	893B	1	66	63	68	No	Yes	5
508	B	888B	1	66	65	69	No	Yes	4
509	B	890B	1	66	66	72	No	Yes	6
510	B	891B	1	66	69	77	No	Yes	8
511	B	872B	1	66	69	78	No	Yes	9
512	B	887B	1	66	63	67	No	Yes	4
513	B	871B	1	66	65	72	No	Yes	7

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
514	B	886B	1	66	62	66	No	Yes	4
515	B	870B	1	66	65	72	No	Yes	7
516	B	873B	1	66	69	78	No	Yes	9
517	B	874B	1	66	69	77	No	Yes	8
518	B	885B	1	66	62	68	No	Yes	6
519	B	869B	1	66	65	73	No	Yes	8
520	B	884B	1	66	64	68	No	Yes	4
521	B	868B	1	66	65	73	No	Yes	8
522	B	875B	1	66	69	77	No	Yes	8
523	B	876B	1	66	69	77	No	Yes	8
524	B	883B	1	66	62	68	No	Yes	6
525	B	882B	1	66	63	67	No	Yes	4
526	B	877B	1	66	69	77	No	Yes	8
527	B	881B	1	66	65	69	No	Yes	4
528	B	880B	1	66	64	70	No	Yes	6
529	B	878B	1	66	67	75	No	Yes	8
530	B	879B	1	66	66	74	No	Yes	8
531	B	1085B	1	66	62	67	No	Yes	5
532	B	1083B	1	66	63	69	No	Yes	6
533	B	1084B	1	66	62	68	No	Yes	6
534	B	1082B	1	66	64	70	No	Yes	6
535	B	1071B	1	66	66	73	No	Yes	7
536	B	1070B	1	66	65	72	No	Yes	7
537	B	1069B	1	66	64	70	No	Yes	6
538	B	1072B	1	66	68	75	No	Yes	7
539	B	862B	1	66	70	78	No	Yes	8
540	B	863B	1	66	70	78	No	Yes	8
541	B	864B	1	66	70	78	No	Yes	8
542	B	1073B	1	66	66	73	No	Yes	7
543	B	296B	1	66	64	70	No	Yes	6
544	B	295B	1	66	70	78	No	Yes	8
545	B	1074B	1	66	66	74	No	Yes	8
546	B	865B	1	66	70	78	No	Yes	8
547	B	1075B	1	66	66	74	No	Yes	8
548	B	866B	1	66	70	78	No	Yes	8
549	B	867B	1	66	69	78	No	Yes	9
550	B	1078B	1	66	64	70	No	Yes	6
551	B	1077B	1	66	64	71	No	Yes	7
552	B	1079B	1	66	63	69	No	Yes	6

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
553	B	1080B	1	66	62	68	No	Yes	6
554	B	1081B	1	66	61	67	No	Yes	6
555	B	1076B	1	66	65	73	No	Yes	8
556	B	858B	1	66	69	77	No	Yes	8
557	B	297B	1	66	63	68	No	Yes	5
558	B	859B	1	66	69	78	No	Yes	9
559	B	299B	3	66	66	73	No	Yes	7
560	B	298B	1	66	63	70	No	Yes	7
561	B	300B	1	66	69	77	No	Yes	8
562	B	860B	1	66	69	77	No	Yes	8
563	B	861B	1	66	68	76	No	Yes	8
564	B	302B	1	66	62	68	No	Yes	6
565	B	303B	3	66	65	71	No	Yes	6
566	B	855B	1	66	68	75	No	Yes	7
567	B	304B	1	66	62	67	No	Yes	5
568	B	856B	1	66	68	75	No	Yes	7
569	B	301B	1	66	67	75	No	Yes	8
570	B	1058B	1	66	65	71	No	Yes	6
571	B	857B	1	66	68	76	No	Yes	8
572	B	305B	1	66	61	67	No	Yes	6
573	B	789B	1	66	60	65	No	No	5
574	B	850B	1	66	73	N/A*	-	-	-
575	B	1061B	1	66	68	75	No	Yes	7
576	B	1060B	3	66	64	71	No	Yes	7
577	B	1059B	3	66	62	68	No	Yes	6
578	B	851B	1	66	72	N/A*	-	-	-
579	B	852B	1	66	72	N/A*	-	-	-
580	B	1062B	3	66	68	75	No	Yes	7
581	B	306B	1	66	71	79	No	Yes	8
582	B	1066B	3	66	62	68	No	Yes	6
583	B	853B	1	66	71	79	No	Yes	8
584	B	1063B	1	66	68	75	No	Yes	7
585	B	854B	1	66	72	79	No	Yes	7
586	B	1067B	1	66	62	67	No	Yes	5
587	B	1068B	1	66	60	65	No	No	5
588	B	1065B	1	66	63	69	No	Yes	6
589	B	1064B	1	66	65	72	No	Yes	7
590	B	1056B	1	66	68	75	No	Yes	7
591	B	847B	1	66	71	78	No	Yes	7

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
592	B	1054B	3	66	62	67	No	Yes	5
593	B	1057B	1	66	60	64	No	No	4
594	B	1055B	3	66	62	67	No	Yes	5
595	B	954B	1	66	68	75	No	Yes	7
596	B	307B	1	66	71	72	No	Yes	1
597	B	848B	1	66	71	77	No	Yes	6
598	B	955B	1	66	68	74	No	Yes	6
599	B	849B	1	66	72	77	No	Yes	5
600	B	956B	1	66	67	71	No	Yes	4
601	B	960B	1	66	61	64	No	No	3
602	B	957B	1	66	64	69	No	Yes	5
603	B	958B	1	66	63	67	No	Yes	4
604	B	959B	1	66	61	66	No	Yes	5
608	B	694B	4	66	55	58	No	No	3
609	B	693B	4	66	54	57	No	No	3
610	B	692B	4	66	56	59	No	No	3
611	B	311B	3	66	51	51	No	No	0
612	B	312B	4	66	50	50	No	No	0
613	B	310B	5	66	52	53	No	No	1
614	B	806B	4	66	50	50	No	No	0
615	E	308E	1	71	69	72	No	Yes	3
616	E	641E	1	71	63	66	No	No	3
617	B	316B	5	66	55	56	No	No	1
618	B	314B	4	66	51	50	No	No	-1
619	B	315B	4	66	53	53	No	No	0
620	B	313B	3	66	51	51	No	No	0
621	E	1148E	1	71	64	65	No	No	1
622	E	309E	1	71	65	67	No	No	2
623	D	1147D	1	51	29	32	No	No	3
624	B	673B	8	66	73	73	No	Yes	0
625	B	672B	8	66	74	74	No	Yes	0
626	B	674B	8	66	73	73	No	Yes	0
627	E	320E	1	71	63	63	No	No	0
628	B	677B	8	66	58	58	No	No	0
629	B	676B	8	66	59	59	No	No	0
630	B	675B	8	66	60	60	No	No	0
631	E	317E	1	71	59	61	No	No	2

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
632	E	1053E	1	71	62	63	No	No	1
633	C	1145C	1	66	64	64	No	No	0
634	C	1146C	1	66	63	63	No	No	0
635	E	318E	1	71	64	65	No	No	1
636	C	678C	1	66	59	61	No	No	2
637	E	319E	1	71	64	64	No	No	0
638	B	323B	1	66	65	64	No	No	-1
639	B	322B	1	66	66	65	No	No	-1
640	B	679B	1	66	65	64	No	No	-1
641	B	636B	1	66	67	66	No	Yes	-1
642	B	635B	1	66	71	69	No	Yes	-2
643	B	637B	1	66	65	65	No	No	0
644	B	634B	1	66	72	70	No	Yes	-2
645	B	638B	1	66	66	65	No	No	-1
646	B	633B	1	66	72	70	No	Yes	-2
647	B	632B	1	66	72	70	No	Yes	-2
648	B	639B	1	66	68	67	No	Yes	-1
649	B	631B	1	66	72	70	No	Yes	-2
650	B	640B	1	66	68	67	No	Yes	-1
651	B	630B	1	66	72	70	No	Yes	-2
652	B	629B	1	66	72	70	No	Yes	-2
653	B	628B	1	66	73	70	No	Yes	-3
654	B	627B	1	66	69	67	No	Yes	-2
655	C	626C	1	66	71	68	No	Yes	-3
656	C	625C	1	66	72	69	No	Yes	-3
657	C	001C	1	66	71	68	No	Yes	-3
658	C	624C	1	66	68	67	No	Yes	-1
659	B	835B	1	66	67	68	No	Yes	1
660	B	836B	1	66	67	68	No	Yes	1
661	B	837B	1	66	69	70	No	Yes	1
662	B	324B	1	66	69	70	No	Yes	1
663	B	839B	1	66	64	66	No	Yes	2
664	B	325B	1	66	65	67	No	Yes	2
665	B	623B	1	66	67	66	No	Yes	-1
666	B	840B	1	66	65	67	No	Yes	2
667	B	838B	1	66	65	67	No	Yes	2
668	B	841B	1	66	66	68	No	Yes	2
669	B	326B	1	66	66	67	No	Yes	1
670	B	842B	1	66	66	68	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
671	B	843B	1	66	66	68	No	Yes	2
672	B	622B	1	66	68	67	No	Yes	-1
673	B	327B	1	66	65	66	No	Yes	1
674	B	845B	1	66	63	65	No	No	2
675	B	846B	1	66	63	64	No	No	1
676	B	844B	1	66	63	65	No	No	2
677	B	328B	1	66	66	68	No	Yes	2
678	B	621B	1	66	68	67	No	Yes	-1
679	B	823B	1	66	67	68	No	Yes	1
680	B	620B	1	66	66	66	No	Yes	0
681	B	329B	1	66	69	70	No	Yes	1
682	B	824B	1	66	66	69	No	Yes	3
683	B	1052B	3	66	66	68	No	Yes	2
684	B	1045B	3	66	65	67	No	Yes	2
685	B	825B	1	66	66	69	No	Yes	3
686	B	619B	1	66	67	67	No	Yes	0
687	B	330B	1	66	66	69	No	Yes	3
688	B	618B	1	66	68	67	No	Yes	-1
689	B	826B	1	66	66	69	No	Yes	3
690	B	1051B	3	66	66	69	No	Yes	3
691	B	1046B	3	66	64	67	No	Yes	3
692	B	617B	1	66	68	67	No	Yes	-1
693	B	827B	1	66	66	70	No	Yes	4
694	B	616B	1	66	69	67	No	Yes	-2
695	B	828B	1	66	66	71	No	Yes	5
696	B	829B	1	66	67	71	No	Yes	4
697	B	615B	1	66	69	67	No	Yes	-2
698	B	1050B	3	66	66	69	No	Yes	3
699	B	1047B	3	66	64	68	No	Yes	4
700	B	614B	1	66	70	67	No	Yes	-3
701	B	830B	1	66	67	71	No	Yes	4
702	B	831B	1	66	67	71	No	Yes	4
703	B	613B	1	66	72	68	No	Yes	-4
704	B	1049B	2	66	65	69	No	Yes	4
705	B	1048B	2	66	64	68	No	Yes	4
706	B	331B	1	66	67	71	No	Yes	4
707	B	612B	1	66	73	68	No	Yes	-5
708	B	833B	1	66	66	71	No	Yes	5
709	B	611B	1	66	73	69	No	Yes	-4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
710	B	834B	1	66	66	70	No	Yes	4
711	B	686B	3	66	63	67	No	Yes	4
712	B	610B	1	66	73	69	No	Yes	-4
713	B	688B	3	66	63	67	No	Yes	4
714	B	808B	1	66	66	69	No	Yes	3
715	B	832B	1	66	65	69	No	Yes	4
716	B	809B	1	66	66	67	No	Yes	1
717	B	609B	1	66	74	70	No	Yes	-4
718	B	810B	1	66	65	67	No	Yes	2
719	B	1044B	1	66	64	69	No	Yes	5
720	B	608B	1	66	74	71	No	Yes	-3
721	B	1043B	3	66	62	67	No	Yes	5
722	B	332B	1	66	65	66	No	Yes	1
723	B	1042B	3	66	62	67	No	Yes	5
724	B	607B	1	66	73	71	No	Yes	-2
725	B	1041B	1	66	64	68	No	Yes	4
726	B	811B	1	66	64	66	No	Yes	2
727	B	606B	1	66	72	72	No	Yes	0
728	B	812B	1	66	64	65	No	No	1
729	B	605B	1	66	72	72	No	Yes	0
730	B	813B	1	66	64	65	No	No	1
731	B	687B	3	66	62	66	No	Yes	4
732	B	604B	1	66	71	72	No	Yes	1
733	B	689B	3	66	62	67	No	Yes	5
734	B	814B	1	66	64	66	No	Yes	2
735	B	603B	1	66	71	71	No	Yes	0
736	B	815B	1	66	64	67	No	Yes	3
737	B	816B	1	66	64	67	No	Yes	3
738	B	602B	1	66	71	71	No	Yes	0
739	B	601B	1	66	70	71	No	Yes	1
740	B	333B	1	66	64	66	No	Yes	2
741	B	690B	3	66	62	66	No	Yes	4
742	B	691B	3	66	63	67	No	Yes	4
743	B	817B	1	66	63	66	No	Yes	3
744	B	600B	1	66	70	70	No	Yes	0
745	B	818B	1	66	63	67	No	Yes	4
746	B	599B	1	66	70	70	No	Yes	0
747	B	819B	1	66	63	67	No	Yes	4
748	B	1101B	2	66	60	62	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
749	B	597B	1	66	67	68	No	Yes	1
750	B	598B	1	66	70	69	No	Yes	-1
751	B	820B	1	66	64	68	No	Yes	4
752	B	1100B	3	66	58	60	No	No	2
753	B	1036B	3	66	63	66	No	Yes	3
754	B	596B	1	66	67	67	No	Yes	0
755	B	1037B	3	66	60	64	No	No	4
756	B	1105B	3	66	65	65	No	No	0
757	B	1104B	3	66	58	60	No	No	2
758	B	1040B	3	66	64	68	No	Yes	4
759	B	1039B	3	66	61	65	No	No	4
760	B	1038B	1	66	61	64	No	No	3
761	B	821B	1	66	64	68	No	Yes	4
762	B	595B	1	66	67	67	No	Yes	0
763	B	1102B	2	66	60	61	No	No	1
764	B	822B	1	66	65	69	No	Yes	4
765	B	1099B	2	66	58	60	No	No	2
766	B	594B	1	66	67	67	No	Yes	0
767	B	334B	1	66	66	68	No	Yes	2
768	B	1031B	3	66	61	64	No	No	3
769	B	1032B	1	66	60	63	No	No	3
770	B	1030B	3	66	63	66	No	Yes	3
771	B	1103B	1	66	61	62	No	No	1
772	B	592B	1	66	62	63	No	No	1
773	B	1034B	3	66	61	64	No	No	3
774	B	1035B	3	66	63	66	No	Yes	3
775	B	1033B	1	66	60	63	No	No	3
776	B	593B	1	66	66	66	No	Yes	0
777	B	1098B	1	66	60	61	No	No	1
778	B	591B	1	66	59	60	No	No	1
779	B	590B	1	66	59	61	No	No	2
780	B	588B	1	66	60	61	No	No	1
781	B	589B	1	66	62	63	No	No	1
782	B	1106B	1	66	65	65	No	No	0
783	B	351B	5	66	62	65	No	No	3
784	B	337B	4	66	67	69	No	Yes	2
785	B	587B	1	66	68	67	No	Yes	-1
786	B	335B	4	66	68	71	No	Yes	3
787	B	338B	4	66	67	69	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
788	B	336B	4	66	68	70	No	Yes	2
789	B	586B	1	66	69	68	No	Yes	-1
790	B	1107B	1	66	66	66	No	Yes	0
791	B	343B	4	66	59	62	No	No	3
792	B	344B	4	66	61	64	No	No	3
793	B	341B	4	66	68	70	No	Yes	2
794	B	342B	4	66	66	69	No	Yes	3
795	B	352B	4	66	60	64	No	No	4
796	B	353B	4	66	60	64	No	No	4
797	B	1113B	3	66	60	61	No	No	1
798	B	347B	2	66	57	60	No	No	3
799	B	348B	2	66	60	63	No	No	3
800	B	585B	1	66	69	68	No	Yes	-1
801	B	340B	4	66	66	69	No	Yes	3
802	B	339B	4	66	68	70	No	Yes	2
803	B	345B	4	66	62	64	No	No	2
804	B	346B	4	66	59	62	No	No	3
805	B	684B	5	66	56	59	No	No	3
806	B	349B	2	66	56	59	No	No	3
807	B	350B	2	66	60	63	No	No	3
808	B	354B	4	66	59	62	No	No	3
809	B	355B	4	66	59	62	No	No	3
810	E	393E	1	71	70	N/A*	-	-	-
811	B	1109B	3	66	63	64	No	No	1
812	B	584B	1	66	70	69	No	Yes	-1
813	B	1108B	3	66	67	67	No	Yes	0
814	B	363B	2	66	57	61	No	No	4
815	B	361B	2	66	56	60	No	No	4
816	B	360B	2	66	58	62	No	No	4
817	B	362B	2	66	59	64	No	No	5
818	B	359B	2	66	56	60	No	No	4
819	B	358B	2	66	57	61	No	No	4
820	B	386B	4	66	68	70	No	Yes	2
821	B	385B	4	66	66	69	No	Yes	3
822	B	387B	4	66	68	71	No	Yes	3
823	B	1112B	1	66	60	62	No	No	2
824	B	583B	1	66	70	70	No	Yes	0
825	B	1111B	1	66	60	62	No	No	2
826	B	366B	4	66	59	62	No	No	3

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
827	B	365B	4	66	61	65	No	No	4
828	B	364B	4	66	64	67	No	Yes	3
829	B	1110B	1	66	61	62	No	No	1
830	B	357B	2	66	57	60	No	No	3
831	B	356B	2	66	57	60	No	No	3
832	B	380B	3	66	51	54	No	No	3
833	B	381B	3	66	55	57	No	No	2
834	B	685B	4	66	52	55	No	No	3
835	B	643B	1	66	52	55	No	No	3
836	B	582B	1	66	69	70	No	Yes	1
837	B	388B	4	66	72	74	No	Yes	2
838	B	390B	4	66	71	72	No	Yes	1
839	B	389B	4	66	72	73	No	Yes	1
840	B	378B	3	66	56	58	No	No	2
841	B	379B	3	66	58	61	No	No	3
842	B	384B	4	66	63	65	No	No	2
843	B	382B	4	66	66	68	No	Yes	2
844	B	383B	4	66	64	66	No	Yes	2
845	B	581B	1	66	68	69	No	Yes	1
846	B	367B	4	66	61	64	No	No	3
847	B	368B	4	66	59	61	No	No	2
848	B	642B	1	66	54	56	No	No	2
849	B	369B	4	66	57	59	No	No	2
850	B	580B	1	66	66	67	No	Yes	1
851	B	579B	1	66	64	65	No	No	1
852	B	578B	1	66	63	65	No	No	2
853	B	391B	1	66	73	73	No	Yes	0
854	B	786B	1	66	63	64	No	No	1
855	B	374B	4	66	53	56	No	No	3
856	B	373B	4	66	56	58	No	No	2
857	B	392B	1	66	71	71	No	Yes	0
858	B	372B	4	66	59	62	No	No	3
859	B	370B	1	66	53	56	No	No	3
860	B	371B	1	66	53	56	No	No	3
861	B	377B	4	66	62	64	No	No	2
862	B	376B	4	66	63	65	No	No	2
863	B	375B	4	66	65	67	No	Yes	2
864	B	577B	1	66	64	65	No	No	1
865	B	576B	1	66	64	65	No	No	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
866	B	575B	1	66	64	65	No	No	1
867	B	574B	1	66	64	65	No	No	1
868	B	573B	1	66	66	67	No	Yes	1
869	B	572B	1	66	68	68	No	Yes	0
870	B	945B	1	66	70	80	Yes	Yes	10
871	B	944B	1	66	69	76	No	Yes	7
872	B	571B	1	66	69	69	No	Yes	0
873	B	942B	1	66	68	72	No	Yes	4
874	B	787B	1	66	63	64	No	No	1
875	B	943B	1	66	68	74	No	Yes	6
876	B	938B	1	66	67	68	No	Yes	1
877	B	939B	1	66	67	69	No	Yes	2
878	B	940B	1	66	66	71	No	Yes	5
879	B	941B	1	66	67	72	No	Yes	5
880	B	946B	1	66	68	84	Yes	Yes	16
881	B	937B	1	66	68	69	No	Yes	1
882	B	565B	1	66	64	64	No	No	0
883	C	1142C	1	66	53	54	No	No	1
884	B	570B	1	66	69	69	No	Yes	0
885	C	1143C	1	66	54	55	No	No	1
886	B	947B	1	66	68	84	Yes	Yes	16
887	B	952B	1	66	65	68	No	Yes	3
888	B	950B	1	66	65	71	No	Yes	6
889	B	569B	1	66	69	69	No	Yes	0
890	B	953B	1	66	65	67	No	Yes	2
891	B	951B	1	66	65	69	No	Yes	4
892	B	949B	1	66	65	72	No	Yes	7
893	B	564B	1	66	64	65	No	No	1
894	C	1144C	1	66	55	56	No	No	1
895	B	553B	1	66	56	57	No	No	1
896	B	552B	1	66	57	58	No	No	1
897	B	948B	1	66	66	74	No	Yes	8
898	B	568B	1	66	69	69	No	Yes	0
899	B	563B	1	66	64	65	No	No	1
900	B	567B	1	66	69	69	No	Yes	0
901	B	551B	1	66	56	56	No	No	0
902	B	936B	4	66	56	56	No	No	0
903	B	935B	4	66	55	55	No	No	0
904	B	396B	2	66	58	58	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
905	B	397B	2	66	58	57	No	No	-1
906	B	562B	1	66	64	65	No	No	1
907	B	566B	1	66	68	69	No	Yes	1
908	B	934B	4	66	56	56	No	No	0
909	B	394B	1	66	68	76	No	Yes	8
910	B	395B	1	66	60	60	No	No	0
911	B	561B	1	66	65	66	No	Yes	1
912	B	556B	1	66	60	60	No	No	0
913	B	555B	1	66	60	60	No	No	0
914	B	558B	1	66	60	60	No	No	0
915	B	398B	1	66	69	68	No	Yes	-1
916	B	559B	1	66	61	62	No	No	1
917	B	550B	1	66	69	69	No	Yes	0
918	B	560B	1	66	63	64	No	No	1
919	B	549B	1	66	67	67	No	Yes	0
920	B	931B	1	66	70	69	No	Yes	-1
921	B	930B	1	66	70	69	No	Yes	-1
922	B	933B	1	66	70	69	No	Yes	-1
923	B	554B	1	66	63	63	No	No	0
924	B	557B	1	66	60	60	No	No	0
925	B	932B	1	66	70	69	No	Yes	-1
926	B	805B	1	66	72	72	No	Yes	0
927	B	405B	1	66	72	74	No	Yes	2
928	B	803B	1	66	72	72	No	Yes	0
929	B	404B	1	66	71	73	No	Yes	2
930	B	402B	4	66	70	70	No	Yes	0
931	B	403B	4	66	69	70	No	Yes	1
932	B	544B	1	66	67	67	No	Yes	0
933	B	548B	1	66	65	65	No	No	0
934	B	547B	1	66	62	62	No	No	0
935	B	543B	1	66	61	61	No	No	0
936	B	534B	1	66	60	61	No	No	1
937	B	406B	4	66	58	58	No	No	0
938	B	425B	4	66	58	58	No	No	0
939	B	424B	4	66	56	57	No	No	1
940	B	536B	1	66	61	60	No	No	-1
941	B	423B	4	66	56	57	No	No	1
942	B	535B	1	66	60	60	No	No	0
943	B	546B	1	66	59	59	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
944	B	542B	1	66	58	58	No	No	0
945	B	401B	4	66	55	56	No	No	1
946	B	420B	4	66	59	60	No	No	1
947	B	421B	4	66	57	58	No	No	1
948	B	422B	4	66	56	58	No	No	2
949	B	545B	1	66	58	58	No	No	0
950	B	407B	4	66	54	55	No	No	1
951	B	426B	4	66	68	69	No	Yes	1
952	B	427B	4	66	69	69	No	Yes	0
953	B	428B	4	66	69	69	No	Yes	0
954	B	804B	7	66	56	57	No	No	1
955	B	400B	4	66	53	54	No	No	1
956	B	537B	1	66	58	58	No	No	0
957	B	541B	1	66	57	57	No	No	0
958	B	539B	1	66	57	56	No	No	-1
959	B	417B	4	66	56	57	No	No	1
960	B	419B	4	66	59	59	No	No	0
961	B	418B	4	66	57	58	No	No	1
962	B	408B	4	66	53	54	No	No	1
963	E	429E	1	71	69	69	No	No	0
964	B	399B	4	66	52	54	No	No	2
965	B	540B	1	66	56	56	No	No	0
966	B	538B	1	66	58	57	No	No	-1
967	B	409B	4	66	53	54	No	No	1
968	B	533B	1	66	59	58	No	No	-1
969	B	416B	8	66	66	66	No	Yes	0
970	B	414B	8	66	66	66	No	Yes	0
971	B	415B	8	66	66	66	No	Yes	0
972	B	800B	4	66	52	54	No	No	2
973	B	413B	8	66	62	63	No	No	1
974	B	412B	8	66	62	62	No	No	0
975	B	411B	8	66	62	62	No	No	0
976	B	410B	4	66	51	52	No	No	1
977	B	799B	4	66	51	51	No	No	0
978	B	798B	4	66	50	51	No	No	1
979	B	432B	1	66	54	54	No	No	0
980	B	431B	1	66	56	56	No	No	0
981	B	433B	1	66	55	55	No	No	0
982	B	430B	1	66	60	60	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
983	B	683B	8	66	53	53	No	No	0
984	B	1127B	1	66	69	71	No	Yes	2
985	B	1114B	1	66	67	69	No	Yes	2
986	B	529B	1	66	71	68	No	Yes	-3
987	B	1167B	1	66	66	68	No	Yes	2
988	B	1166B	1	66	65	68	No	Yes	3
989	B	530B	1	66	70	68	No	Yes	-2
990	B	1126B	1	66	69	70	No	Yes	1
991	B	1115B	1	66	67	69	No	Yes	2
992	B	1165B	1	66	65	67	No	Yes	2
993	B	1116B	1	66	66	69	No	Yes	3
994	B	1125B	1	66	68	70	No	Yes	2
995	B	531B	1	66	70	68	No	Yes	-2
996	B	1124B	1	66	68	70	No	Yes	2
997	B	1117B	1	66	66	68	No	Yes	2
998	B	532B	1	66	70	69	No	Yes	-1
999	B	1164B	1	66	64	67	No	Yes	3
1000	B	1123B	1	66	68	69	No	Yes	1
1001	B	1118B	1	66	66	68	No	Yes	2
1002	B	1163B	1	66	64	67	No	Yes	3
1003	B	1122B	1	66	67	69	No	Yes	2
1004	B	1119B	1	66	66	68	No	Yes	2
1005	B	1162B	1	66	64	67	No	Yes	3
1006	B	1121B	1	66	67	69	No	Yes	2
1007	B	1120B	1	66	65	68	No	Yes	3
1008	B	788B	1	66	59	60	No	No	1
1009	B	1161B	1	66	64	67	No	Yes	3
1010	B	1160B	1	66	63	67	No	Yes	4
1011	B	802B	1	66	59	60	No	No	1
1012	B	520B	1	66	64	68	No	Yes	4
1013	B	1159B	1	66	63	67	No	Yes	4
1014	B	521B	1	66	64	68	No	Yes	4
1015	B	434B	1	66	56	57	No	No	1
1016	B	1158B	1	66	63	67	No	Yes	4
1017	B	522B	1	66	64	69	No	Yes	5
1018	B	1157B	1	66	64	67	No	Yes	3
1019	B	435B	1	66	56	57	No	No	1
1020	B	523B	1	66	64	69	No	Yes	5
1021	B	1156B	1	66	64	67	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1022	B	1155B	1	66	64	68	No	Yes	4
1023	B	524B	1	66	65	69	No	Yes	4
1024	B	525B	1	66	66	70	No	Yes	4
1025	B	1154B	1	66	65	68	No	Yes	3
1026	C	439C	1	66	70	69	No	Yes	-1
1027	B	526B	1	66	66	70	No	Yes	4
1028	B	1153B	1	66	65	68	No	Yes	3
1029	B	527B	1	66	67	70	No	Yes	3
1031	B	437B	1	66	56	57	No	No	1
1032	B	1152B	1	66	66	68	No	Yes	2
1033	B	528B	1	66	68	70	No	Yes	2
1034	B	1151B	1	66	67	68	No	Yes	1
1035	B	438B	1	66	56	56	No	No	0
1036	E	440E	1	71	66	68	No	No	2
1037	B	519B	1	66	69	70	No	Yes	1
1038	B	518B	1	66	71	72	No	Yes	1
1039	E	441E	1	71	70		No	No	-70
1040	E	807E	1	71	69	70	No	No	1
1044	C	442C	1	66	56	58	No	No	2
1045	B	509B	1	66	65	70	No	Yes	5
1046	B	505B	1	66	60	62	No	No	2
1047	B	508B	1	66	64	65	No	No	1
1048	B	506B	1	66	62	64	No	No	2
1049	B	510B	1	66	66	72	No	Yes	6
1050	B	507B	1	66	62	64	No	No	2
1051	B	511B	1	66	67	74	No	Yes	7
1052	B	512B	1	66	67	71	No	Yes	4
1053	B	1135B	3	66	66	68	No	Yes	2
1054	B	513B	1	66	68	74	No	Yes	6
1055	B	1130B	1	66	64	66	No	Yes	2
1056	B	514B	1	66	69	76	No	Yes	7
1057	B	1131B	1	66	66	68	No	Yes	2
1058	B	515B	1	66	69	77	No	Yes	8
1059	B	1129B	1	66	63	65	No	No	2
1060	B	1134B	3	66	67	72	No	Yes	5
1061	B	1132B	1	66	66	68	No	Yes	2
1062	B	516B	1	66	69	78	No	Yes	9
1063	B	1128B	1	66	63	65	No	No	2
1064	B	1133B	1	66	66	68	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1065	B	517B	1	66	68	78	Yes	Yes	10
1066	B	504B	1	66	68	79	Yes	Yes	11
1067	B	499B	1	66	66	69	No	Yes	3
1068	B	503B	1	66	68	75	No	Yes	7
1069	B	500B	1	66	66	70	No	Yes	4
1070	B	496B	2	66	63	65	No	No	2
1071	B	443B	1	66	73	83	Yes	Yes	10
1072	B	501B	1	66	67	71	No	Yes	4
1073	B	918B	1	66	63	68	No	Yes	5
1074	B	917B	1	66	62	66	No	Yes	4
1075	B	916B	1	66	61	65	No	No	4
1076	B	919B	1	66	65	71	No	Yes	6
1077	B	921B	1	66	69	79	Yes	Yes	10
1078	B	920B	1	66	66	74	No	Yes	8
1079	B	928B	1	66	60	64	No	No	4
1080	B	498B	1	66	66	69	No	Yes	3
1081	B	502B	1	66	68	75	No	Yes	7
1082	B	497B	1	66	66	69	No	Yes	3
1083	B	488B	1	66	68	76	No	Yes	8
1084	B	922B	1	66	68	79	Yes	Yes	11
1085	B	923B	1	66	67	74	No	Yes	7
1086	B	924B	1	66	65	71	No	Yes	6
1087	B	925B	1	66	63	68	No	Yes	5
1088	B	926B	1	66	61	67	No	Yes	6
1089	B	927B	1	66	61	65	No	No	4
1090	B	929B	1	66	59	64	No	No	5
1091	B	487B	1	66	68	76	No	Yes	8
1092	B	493B	1	66	63	65	No	No	2
1093	B	489B	1	66	64	67	No	Yes	3
1094	B	494B	1	66	62	64	No	No	2
1095	B	486B	1	66	68	77	No	Yes	9
1096	B	490B	1	66	66	71	No	Yes	5
1097	B	446B	4	66	62	67	No	Yes	5
1098	B	447B	4	66	67	74	No	Yes	7
1099	B	445B	4	66	65	70	No	Yes	5
1100	B	448B	4	66	70	76	No	Yes	6
1101	B	444B	4	66	67	72	No	Yes	5
1102	B	449B	4	66	72	76	No	Yes	4
1103	B	485B	1	66	68	77	No	Yes	9

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1104	B	491B	1	66	66	71	No	Yes	5
1105	B	492B	1	66	64	66	No	Yes	2
1106	B	495B	1	66	63	65	No	No	2
1107	B	484B	1	66	69	77	No	Yes	8
1108	C	483C	1	66	68	72	No	Yes	4
1109	C	801C	1	66	73	82	No	Yes	9
1110	C	482C	1	66	68	72	No	Yes	4
1111	C	481C	1	66	64	65	No	No	1
1112	B	450B	1	66	73	82	No	Yes	9
1113	B	466B	1	66	69	73	No	Yes	4
1114	B	467B	1	66	67	70	No	Yes	3
1115	B	468B	1	66	66	68	No	Yes	2
1116	B	469B	1	66	64	65	No	No	1
1117	B	465B	1	66	68	75	No	Yes	7
1118	B	464B	1	66	67	75	No	Yes	8
1119	B	1139B	3	66	65	67	No	Yes	2
1120	B	1138B	1	66	68	70	No	Yes	2
1121	B	451B	1	66	78	77	No	Yes	-1
1122	B	463B	1	66	67	74	No	Yes	7
1123	B	478B	1	66	68	70	No	Yes	2
1124	B	462B	1	66	67	73	No	Yes	6
1125	B	1137B	1	66	68	70	No	Yes	2
1126	B	461B	1	66	68	73	No	Yes	5
1127	B	1136B	1	66	68	70	No	Yes	2
1128	B	1141B	1	66	65	65	No	No	0
1129	B	1140B	1	66	66	67	No	Yes	1
1130	B	460B	1	66	70	73	No	Yes	3
1131	B	477B	1	66	68	70	No	Yes	2
1132	B	459B	1	66	71	72	No	Yes	1
1133	B	480B	1	66	66	66	No	Yes	0
1134	B	479B	1	66	66	66	No	Yes	0
1135	B	476B	1	66	69	69	No	Yes	0
1136	B	458B	1	66	72	72	No	Yes	0
1137	B	452B	6	66	71	73	No	Yes	2
1138	B	475B	1	66	69	69	No	Yes	0
1139	B	474B	1	66	69	69	No	Yes	0
1140	B	457B	1	66	72	72	No	Yes	0
1141	B	473B	1	66	69	69	No	Yes	0
1142	B	455B	1	66	70	71	No	Yes	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1143	B	472B	1	66	69	69	No	Yes	0
1144	B	456B	1	66	72	71	No	Yes	-1
1145	B	453B	1	66	72	73	No	Yes	1
1146	B	471B	1	66	70	69	No	Yes	-1
1147	B	454B	1	66	73	73	No	Yes	0
1148	B	470B	1	66	71	70	No	Yes	-1
1149	B	S-1728B	1	66	68	72	No	Yes	4
1150	B	S-1730B	1	66	63	66	No	Yes	3
1151	B	S-1735B	1	66	70	74	No	Yes	4
1152	B	S-1734B	1	66	62	65	No	No	3
1153	B	S-1766B	1	66	67	71	No	Yes	4
1154	B	S-1729B	1	66	64	67	No	Yes	3
1155	B	S-1767B	1	66	61	65	No	No	4
1156	B	S-1727B	1	66	72	72	No	Yes	0
1157	B	S-1733B	1	66	61	65	No	No	4
1158	B	S-1765B	1	66	63	68	No	Yes	5
1159	B	S-1732B	1	66	61	65	No	No	4
1160	B	S-1768B	1	66	61	65	No	No	4
1161	B	S-1764B	1	66	67	71	No	Yes	4
1162	B	S-1725B	1	66	68	72	No	Yes	4
1163	B	S-1738B	1	66	70	75	No	Yes	5
1164	B	S-1737B	1	66	68	73	No	Yes	5
1165	B	S-1736B	1	66	67	72	No	Yes	5
1166	B	S-1731B	1	66	61	65	No	No	4
1167	B	S-1769B	1	66	62	66	No	Yes	4
1168	B	S-1726B	1	66	67	72	No	Yes	5
1169	B	S-1724B	1	66	62	67	No	Yes	5
1170	B	S-1723B	1	66	63	67	No	Yes	4
1171	B	S-1722B	1	66	59	65	No	No	6
1172	B	S-1770B	1	66	63	68	No	Yes	5
1173	B	S-1718B	1	66	69	75	No	Yes	6
1174	B	S-1721B	1	66	60	66	No	Yes	6
1175	B	S-1741B	1	66	68	74	No	Yes	6
1176	B	S-1740B	1	66	65	72	No	Yes	7
1177	B	S-1739B	1	66	63	70	No	Yes	7
1178	B	S-1719B	1	66	63	67	No	Yes	4
1179	B	S-1771B	1	66	63	68	No	Yes	5
1180	B	S-1720B	1	66	59	66	No	Yes	7
1181	B	S-1717B	1	66	68	73	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1182	B	S-1763B	1	66	62	67	No	Yes	5
1183	B	S-1716B	1	66	66	70	No	Yes	4
1184	B	S-1715B	1	66	64	69	No	Yes	5
1185	B	S-1772B	1	66	63	67	No	Yes	4
1186	B	S-1714B	1	66	59	66	No	Yes	7
1187	B	S-1742B	1	66	70	76	No	Yes	6
1188	B	S-1709B	1	66	70	73	No	Yes	3
1189	B	S-1762B	1	66	63	69	No	Yes	6
1190	B	S-1710B	1	66	67	69	No	Yes	2
1191	B	S-1773B	1	66	61	65	No	No	4
1192	B	S-1743B	1	66	69	76	No	Yes	7
1193	B	S-1713B	1	66	59	66	No	Yes	7
1194	B	S-1711B	1	66	64	68	No	Yes	4
1195	B	S-1708B	1	66	70	75	No	Yes	5
1196	B	S-1761B	1	66	64	69	No	Yes	5
1197	B	S-1712B	1	66	59	66	No	Yes	7
1198	B	S-1774B	1	66	61	65	No	No	4
1199	B	S-1744B	1	66	70	79	No	Yes	9
1200	B	S-1707B	1	66	65	68	No	Yes	3
1201	B	S-1760B	1	66	63	69	No	Yes	6
1202	B	S-1706B	1	66	60	66	No	Yes	6
1203	B	S-1775B	1	66	61	64	No	No	3
1204	B	S-1745B	1	66	69	80	Yes	Yes	11
1205	B	S-1704B	1	66	65	69	No	Yes	4
1206	B	S-1702B	1	66	71	78	No	Yes	7
1207	B	S-1705B	1	66	59	66	No	Yes	7
1208	B	S-1703B	1	66	65	70	No	Yes	5
1209	B	S-1759B	1	66	64	69	No	Yes	5
1210	B	S-1776B	1	66	61	64	No	No	3
1211	B	S-1746B	1	66	69	79	Yes	Yes	10
1212	B	S-1700B	1	66	66	71	No	Yes	5
1213	B	S-1699B	1	66	66	69	No	Yes	3
1214	B	S-1701B	1	66	71	80	No	Yes	9
1215	B	S-1758B	1	66	64	69	No	Yes	5
1216	B	S-1698B	1	66	59	65	No	No	6
1217	B	S-1777B	1	66	61	64	No	No	3
1218	B	S-1747B	1	66	69	80	Yes	Yes	11
1219	B	S-1697B	1	66	59	65	No	No	6
1220	B	S-1696B	1	66	65	68	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1221	B	S-1695B	1	66	70	80	Yes	Yes	10
1222	B	S-1757B	1	66	63	68	No	Yes	5
1223	B	S-1778B	1	66	61	64	No	No	3
1224	B	S-1748B	1	66	68	81	Yes	Yes	13
1225	B	S-1692B	1	66	64	68	No	Yes	4
1226	B	S-1693B	1	66	69	71	No	Yes	2
1227	B	S-1694B	1	66	70	82	Yes	Yes	12
1228	B	S-1756B	1	66	65	70	No	Yes	5
1229	B	S-1749B	1	66	68	81	Yes	Yes	13
1230	B	S-1779B	1	66	62	65	No	No	3
1231	B	S-1785B	1	66	60	66	No	Yes	6
1232	B	S-1691B	1	66	69	71	No	Yes	2
1233	B	S-1690B	1	66	70	81	Yes	Yes	11
1234	B	S-1755B	1	66	66	72	No	Yes	6
1235	B	S-1780B	1	66	64	69	No	Yes	5
1236	B	S-1687B	1	66	68	71	No	Yes	3
1237	B	S-1784B	1	66	60	66	No	Yes	6
1238	B	S-1686B	1	66	61	67	No	Yes	6
1239	B	S-1750B	1	66	69	82	Yes	Yes	13
1240	B	S-1754B	1	66	67	73	No	Yes	6
1241	B	S-1684B	1	66	59	64	No	No	5
1242	B	S-1685B	1	66	60	65	No	No	5
1243	B	S-1689B	1	66	70	82	Yes	Yes	12
1244	B	S-1751B	1	66	70	82	Yes	Yes	12
1245	B	S-1753B	1	66	68	74	No	Yes	6
1246	B	S-1688B	1	66	69	80	Yes	Yes	11
1247	B	S-1681B	1	66	60	65	No	No	5
1248	B	S-1683B	1	66	58	64	No	No	6
1249	B	S-1682B	1	66	60	65	No	No	5
1250	B	S-1786B	1	66	59	63	No	No	4
1251	B	S-1783B	1	66	59	63	No	No	4
1252	B	S-1680B	1	66	63	67	No	Yes	4
1253	B	S-1781B	1	66	63	67	No	Yes	4
1254	B	S-1752B	1	66	70	76	No	Yes	6
1255	B	S-1679B	1	66	67	79	Yes	Yes	12
1256	B	S-1678B	1	66	68	79	Yes	Yes	11
1257	B	S-1677B	1	66	66	70	No	Yes	4
1258	B	S-1676B	1	66	58	63	No	No	5
1259	C	S-1782C	1	66	69	73	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1260	B	S-1675B	1	66	60	63	No	No	3
1261	B	S-1674B	1	66	67	71	No	Yes	4
1262	B	S-1673B	1	66	68	79	Yes	Yes	11
1263	B	S-1670B	1	66	61	63	No	No	2
1264	B	S-1669B	1	66	57	63	No	No	6
1265	B	S-1671B	1	66	67	71	No	Yes	4
1266	B	S-1672B	1	66	69	79	Yes	Yes	10
1267	B	S-1668B	1	66	61	62	No	No	1
1268	B	S-1666B	1	66	71	80	No	Yes	9
1269	B	S-1667B	1	66	68	71	No	Yes	3
1270	B	S-1662B	1	66	61	63	No	No	2
1271	B	S-1663B	1	66	63	64	No	No	1
1272	B	S-1665B	1	66	71	80	No	Yes	9
1273	B	S-1661B	1	66	62	63	No	No	1
1274	B	S-1664B	1	66	68	70	No	Yes	2
1275	B	S-1660B	1	66	61	64	No	No	3
1276	B	S-1654B	1	66	60	63	No	No	3
1277	B	S-1659B	1	66	67	70	No	Yes	3
1278	B	S-1658B	1	66	71	81	Yes	Yes	10
1279	B	S-1655B	1	66	61	63	No	No	2
1280	B	S-1656B	1	66	66	69	No	Yes	3
1281	B	S-1657B	1	66	71	81	Yes	Yes	10
1282	B	S-1653B	1	66	60	63	No	No	3
1283	B	S-1652B	1	66	61	62	No	No	1
1284	B	S-1651B	1	66	66	70	No	Yes	4
1285	B	S-1646B	1	66	59	64	No	No	5
1286	B	S-1650B	1	66	71	81	Yes	Yes	10
1287	D	S-1787D	1	51	45	48	No	No	3
1288	B	S-1647B	1	66	61	63	No	No	2
1289	B	S-1648B	1	66	65	68	No	Yes	3
1290	B	S-1649B	1	66	71	80	No	Yes	9
1291	B	S-1645B	1	66	59	64	No	No	5
1292	B	S-1644B	1	66	60	63	No	No	3
1293	B	S-1643B	1	66	66	70	No	Yes	4
1294	B	S-1642B	1	66	70	81	Yes	Yes	11
1295	B	S-1639B	1	66	61	64	No	No	3
1296	B	S-1640B	1	66	66	70	No	Yes	4
1297	B	S-1641B	1	66	71	80	No	Yes	9

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1298	B	S-1638B	1	66	57	64	No	No	7
1299	B	S-1636B	1	66	62	65	No	No	3
1300	B	S-1635B	1	66	66	71	No	Yes	5
1301	B	S-1634B	1	66	71	79	No	Yes	8
1302	B	S-1637B	1	66	61	65	No	No	4
1303	B	S-1631B	1	66	66	70	No	Yes	4
1304	B	S-1628B	1	66	60	66	No	Yes	6
1305	B	S-1629B	1	66	61	66	No	Yes	5
1306	B	S-1630B	1	66	62	66	No	Yes	4
1307	B	S-1633B	1	66	71	78	No	Yes	7
1308	D	S-1788D	1	51	48	51	No	Yes	3
1309	B	S-1632B	1	66	71	78	No	Yes	7
1310	B	S-1626B	1	66	59	66	No	Yes	7
1311	B	S-1627B	1	66	58	67	No	Yes	9
1312	B	S-1625B	1	66	61	67	No	Yes	6
1313	B	S-1624B	1	66	64	68	No	Yes	4
1314	B	S-1623B	1	66	70	75	No	Yes	5
1315	B	S-1622B	1	66	71	77	No	Yes	6
1316	B	S-1615B	1	66	60	65	No	No	5
1317	B	S-1616B	1	66	61	66	No	Yes	5
1318	B	S-1617B	1	66	62	67	No	Yes	5
1319	B	S-1618B	1	66	65	69	No	Yes	4
1320	B	S-1621B	1	66	70	77	No	Yes	7
1321	B	S-1612B	1	66	60	65	No	No	5
1322	B	S-1613B	1	66	58	66	No	Yes	8
1323	B	S-1614B	1	66	57	66	No	Yes	9
1324	B	S-1620B	1	66	71	75	No	Yes	4
1325	B	S-1619B	1	66	71	75	No	Yes	4
1326	B	S-1611B	1	66	66	70	No	Yes	4
1327	C	S-1789C	1	66	73	76	No	Yes	3
1328	C	S-1790C	1	66	72	75	No	Yes	3
1329	C	S-1792C	1	66	69	73	No	Yes	4
1330	B	S-1607B	1	66	60	66	No	Yes	6
1331	C	S-1791C	1	66	71	75	No	Yes	4
1332	B	S-1608B	1	66	66	70	No	Yes	4
1333	B	S-1610B	1	66	71	74	No	Yes	3
1334	B	S-1602B	1	66	60	65	No	No	5
1335	B	S-1606B	1	66	66	70	No	Yes	4

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1336	B	S-1609B	1	66	72	74	No	Yes	2
1337	B	S-1601B	1	66	60	65	No	No	5
1338	B	S-1603B	1	66	65	69	No	Yes	4
1339	B	S-1605B	1	66	72	73	No	Yes	1
1340	B	S-1592B	1	66	61	67	No	Yes	6
1341	B	S-1600B	1	66	63	68	No	Yes	5
1342	B	S-1604B	1	66	71	71	No	Yes	0
1343	B	S-1599B	1	66	69	70	No	Yes	1
1344	B	S-1593B	1	66	59	66	No	Yes	7
1345	B	S-1591B	1	66	59	67	No	Yes	8
1346	B	S-1594B	1	66	64	69	No	Yes	5
1347	B	S-1598B	1	66	70	72	No	Yes	2
1348	B	S-1595B	1	66	64	68	No	Yes	4
1349	B	S-1597B	1	66	70	71	No	Yes	1
1350	B	S-1590B	1	66	59	66	No	Yes	7
1351	B	S-1596B	1	66	66	67	No	Yes	1
1352	B	S-1587B	1	66	54	66	Yes	Yes	12
1353	B	S-1580B	1	66	57	69	Yes	Yes	12
1354	B	S-1564B	1	66	64	65	No	No	1
1355	B	S-1572B	1	66	61	68	No	Yes	7
1356	B	S-1571B	1	66	60	68	No	Yes	8
1357	B	S-1579B	1	66	53	69	Yes	Yes	16
1358	B	S-1560B	1	66	69	70	No	Yes	1
1359	B	S-1563B	1	66	62	63	No	No	1
1360	B	S-1581B	1	66	54	69	Yes	Yes	15
1361	B	S-1586B	1	66	52	68	Yes	Yes	16
1362	B	S-1565B	1	66	58	61	No	No	3
1363	B	S-1573B	1	66	62	68	No	Yes	6
1364	B	S-1578B	1	66	53	69	Yes	Yes	16
1365	B	S-1570B	1	66	60	68	No	Yes	8
1366	B	S-1559B	1	66	69	70	No	Yes	1
1367	B	S-1562B	1	66	56	59	No	No	3
1368	B	S-1582B	1	66	54	69	Yes	Yes	15
1369	B	S-1585B	1	66	52	68	Yes	Yes	16
1370	B	S-1566B	1	66	57	60	No	No	3
1371	B	S-1574B	1	66	63	69	No	Yes	6
1372	B	S-1577B	1	66	53	69	Yes	Yes	16
1373	B	S-1589B	1	66	51	65	Yes	No	14
1374	B	S-1558B	1	66	70	69	No	Yes	-1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1375	B	S-1569B	1	66	61	68	No	Yes	7
1376	B	S-1561B	1	66	56	59	No	No	3
1377	B	S-1584B	1	66	51	68	Yes	Yes	17
1378	B	S-1583B	1	66	53	69	Yes	Yes	16
1379	B	S-1588B	1	66	50	65	Yes	No	15
1380	B	S-1575B	1	66	67	69	No	Yes	2
1381	B	S-1567B	1	66	57	59	No	No	2
1382	B	S-1576B	1	66	52	69	Yes	Yes	17
1383	C	S-1793C	1	66	67	70	No	Yes	3
1384	B	S-1568B	1	66	64	69	No	Yes	5
1385	B	S-1543B	1	66	64	66	No	Yes	2
1386	B	S-1537B	1	66	63	67	No	Yes	4
1387	B	S-1538B	1	66	64	66	No	Yes	2
1388	B	S-1548B	1	66	68	69	No	Yes	1
1389	B	S-1553B	1	66	70	69	No	Yes	-1
1390	B	S-1540B	1	66	63	66	No	Yes	3
1391	B	S-1551B	1	66	69	69	No	Yes	0
1392	B	S-1541B	1	66	63	66	No	Yes	3
1393	B	S-1552B	1	66	69	69	No	Yes	0
1394	B	S-1545B	1	66	66	68	No	Yes	2
1395	B	S-1542B	1	66	63	66	No	Yes	3
1396	B	S-1549B	1	66	69	69	No	Yes	0
1397	B	S-1546B	1	66	67	68	No	Yes	1
1398	B	S-1539B	1	66	64	67	No	Yes	3
1399	B	S-1544B	1	66	65	67	No	Yes	2
1400	B	S-1554B	1	66	70	68	No	Yes	-2
1401	B	S-1550B	1	66	69	69	No	Yes	0
1402	B	S-1547B	1	66	68	68	No	Yes	0
1403	B	S-1555B	1	66	69	68	No	Yes	-1
1404	B	S-1556B	1	66	71	68	No	Yes	-3
1405	B	S-1557B	1	66	72	69	No	Yes	-3
1406	E	S-1536E	1	71	66	69	No	No	3
1407	E	S-1535E	1	71	65	68	No	No	3
1408	E	S-1794E	1	71	75	72	No	Yes	-3
1409	E	S-1534E	1	71	74	69	No	No	-5
1410	E	S-1795E	1	71	62	65	No	No	3
1411	B	S-1816B	1	66	54	55	No	No	1
1412	B	S-1817B	1	66	55	57	No	No	2
1413	B	S-1815B	1	66	54	56	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1414	B	S-1814B	1	66	54	56	No	No	2
1415	B	S-1818B	1	66	55	58	No	No	3
1416	B	S-1813B	1	66	55	58	No	No	3
1417	B	S-1819B	1	66	55	58	No	No	3
1418	B	S-1829B	1	66	55	58	No	No	3
1419	B	S-1820B	1	66	55	58	No	No	3
1420	B	S-1821B	1	66	55	58	No	No	3
1421	B	S-1822B	1	66	54	57	No	No	3
1422	B	S-1823B	1	66	54	58	No	No	4
1423	B	S-1824B	1	66	54	57	No	No	3
1424	B	S-1828B	1	66	53	53	No	No	0
1425	B	S-1825B	1	66	54	57	No	No	3
1426	C	S-1847C	1	66	58	61	No	No	3
1427	B	S-1826B	1	66	54	57	No	No	3
1428	B	S-1827B	1	66	54	57	No	No	3
1429	B	S-1848B	1	66	57	60	No	No	3
1430	B	S-1849B	1	66	56	60	No	No	4
1431	B	S-1803B	1	66	59	61	No	No	2
1432	B	S-1850B	1	66	56	59	No	No	3
1433	B	S-1805B	1	66	60	61	No	No	1
1434	B	S-1807B	1	66	59	61	No	No	2
1435	B	S-1808B	1	66	59	61	No	No	2
1436	B	S-1806B	1	66	60	61	No	No	1
1437	B	S-1804B	1	66	60	61	No	No	1
1438	B	S-1802B	1	66	59	61	No	No	2
1439	B	S-1851B	1	66	56	60	No	No	4
1440	B	S-1801B	1	66	59	61	No	No	2
1441	B	S-1844B	1	66	58	60	No	No	2
1442	B	S-1809B	1	66	58	60	No	No	2
1443	B	S-1852B	1	66	57	60	No	No	3
1444	B	S-1810B	1	66	59	60	No	No	1
1445	B	S-1811B	1	66	59	61	No	No	2
1446	B	S-1845B	1	66	58	60	No	No	2
1447	B	S-1853B	1	66	57	60	No	No	3
1448	B	S-1831B	1	66	61	61	No	No	0
1449	B	S-1830B	1	66	61	62	No	No	1
1450	B	S-1812B	1	66	59	61	No	No	2
1451	B	S-1832B	1	66	61	62	No	No	1
1452	B	S-1833B	1	66	61	62	No	No	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1453	B	S-1839B	1	66	61	62	No	No	1
1454	B	S-1840B	1	66	61	62	No	No	1
1455	B	S-1841B	1	66	61	62	No	No	1
1456	B	S-1842B	1	66	61	62	No	No	1
1457	B	S-1843B	1	66	61	61	No	No	0
1458	B	S-1838B	1	66	62	62	No	No	0
1459	B	S-1846B	1	66	60	60	No	No	0
1460	B	S-1834B	1	66	62	63	No	No	1
1461	B	S-1837B	1	66	62	62	No	No	0
1462	B	S-1835B	1	66	61	62	No	No	1
1463	B	S-1836B	1	66	62	63	No	No	1
1464	E	S-1799E	1	71	64	66	No	No	2
1465	E	S-1797E	1	71	67	68	No	No	1
1466	E	S-1798E	1	71	69	71	No	Yes	2
1467	B	S-1411B	1	66	69	69	No	Yes	0
1468	E	S-1796E	1	71	71	71	No	Yes	0
1469	E	S-1800E	1	71	71	72	No	Yes	1
1470	B	S-1457B	1	66	70	72	No	Yes	2
1471	B	S-1456B	1	66	68	71	No	Yes	3
1472	B	S-1431B	1	66	67	69	No	Yes	2
1473	B	S-1412B	1	66	67	69	No	Yes	2
1474	B	S-1495B	1	66	66	69	No	Yes	3
1475	E	S-1854E	1	71	71	71	No	Yes	0
1476	B	S-1533B	1	66	70	73	No	Yes	3
1477	B	S-1455B	1	66	61	64	No	No	3
1478	B	S-1496B	1	66	64	67	No	Yes	3
1479	B	S-1532B	1	66	69	71	No	Yes	2
1480	B	S-1458B	1	66	66	68	No	Yes	2
1481	E	S-1882E	1	71	69	71	No	Yes	2
1482	B	S-1454B	1	66	62	65	No	No	3
1483	B	S-1497B	1	66	64	66	No	Yes	2
1484	B	S-1494B	1	66	64	63	No	No	-1
1485	B	S-1531B	1	66	68	69	No	Yes	1
1486	B	S-1459B	1	66	67	68	No	Yes	1
1487	E	S-1881E	1	71	62	65	No	No	3
1488	B	S-1453B	1	66	59	64	No	No	5
1489	B	S-1530B	1	66	67	69	No	Yes	2
1490	B	S-1498B	1	66	63	65	No	No	2
1491	B	S-1493B	1	66	64	66	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1492	B	S-1460B	1	66	67	68	No	Yes	1
1493	B	S-1529B	1	66	67	68	No	Yes	1
1494	B	S-1499B	1	66	64	66	No	Yes	2
1495	B	S-1492B	1	66	64	66	No	Yes	2
1496	B	S-1413B	1	66	60	66	No	Yes	6
1497	B	S-1461B	1	66	67	68	No	Yes	1
1498	B	S-1432B	1	66	61	67	No	Yes	6
1499	B	S-1452B	1	66	58	67	No	Yes	9
1500	B	S-1430B	1	66	62	67	No	Yes	5
1501	B	S-1528B	1	66	68	68	No	Yes	0
1502	B	S-1491B	1	66	64	66	No	Yes	2
1503	B	S-1414B	1	66	61	66	No	Yes	5
1504	B	S-1500B	1	66	66	68	No	Yes	2
1505	B	S-1462B	1	66	67	68	No	Yes	1
1506	B	S-1527B	1	66	65	66	No	Yes	1
1507	B	S-1501B	1	66	64	66	No	Yes	2
1508	B	S-1490B	1	66	64	66	No	Yes	2
1509	B	S-1415B	1	66	61	65	No	No	4
1510	B	S-1451B	1	66	59	67	No	Yes	8
1511	B	S-1463B	1	66	67	68	No	Yes	1
1512	B	S-1526B	1	66	63	65	No	No	2
1513	B	S-1502B	1	66	67	68	No	Yes	1
1514	B	S-1489B	1	66	64	66	No	Yes	2
1515	B	S-1429B	1	66	60	67	No	Yes	7
1516	E	S-1855E	1	71	58	59	No	No	1
1517	B	S-1433B	1	66	61	67	No	Yes	6
1518	B	S-1464B	1	66	66	68	No	Yes	2
1519	B	S-1416B	1	66	63	65	No	No	2
1520	B	S-1450B	1	66	62	68	No	Yes	6
1521	E	S-1886E	1	71	70	71	No	Yes	1
1522	E	S-1885E	1	71	69	71	No	Yes	2
1523	B	S-1525B	1	66	64	65	No	No	1
1524	B	S-1488B	1	66	64	66	No	Yes	2
1525	B	S-1434B	1	66	61	67	No	Yes	6
1526	B	S-1465B	1	66	66	68	No	Yes	2
1527	B	S-1503B	1	66	66	68	No	Yes	2
1528	B	S-1428B	1	66	60	67	No	Yes	7
1529	B	S-1524B	1	66	63	64	No	No	1
1530	B	S-1417B	1	66	62	66	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1531	B	S-1466B	1	66	66	69	No	Yes	3
1532	B	S-1449B	1	66	61	68	No	Yes	7
1533	E	S-1883E	1	71	66	67	No	No	1
1534	C	S-1487C	1	66	64	66	No	Yes	2
1535	C	S-1504C	1	66	66	69	No	Yes	3
1536	B	S-1523B	1	66	63	64	No	No	1
1537	B	S-1486B	1	66	66	67	No	Yes	1
1538	B	S-1435B	1	66	60	67	No	Yes	7
1539	B	S-1467B	1	66	66	69	No	Yes	3
1540	B	S-1418B	1	66	64	66	No	Yes	2
1541	B	S-1427B	1	66	60	67	No	Yes	7
1542	B	S-1878B	1	66	61	63	No	No	2
1543	B	S-1879B-2	1	66	62	64	No	No	2
1544	B	S-1880B-3	1	66	63	66	No	Yes	3
1545	B	S-1872B	1	66	61	63	No	No	2
1546	B	S-1873B-2	1	66	62	64	No	No	2
1547	B	S-1874B-3	1	66	63	66	No	Yes	3
1548	B	S-1869B	1	66	61	63	No	No	2
1549	B	S-1870B-2	1	66	62	64	No	No	2
1550	B	S-1871B-3	1	66	63	65	No	No	2
1551	B	S-1875B	1	66	61	63	No	No	2
1552	B	S-1876B-2	1	66	62	64	No	No	2
1553	B	S-1877B-3	1	66	63	65	No	No	2
1554	B	S-1448B	1	66	60	69	No	Yes	9
1555	B	S-1522B	1	66	64	64	No	No	0
1556	B	S-1468B	1	66	66	69	No	Yes	3
1557	B	S-1419B	1	66	65	66	No	Yes	1
1558	B	S-1436B	1	66	61	67	No	Yes	6
1559	B	S-1485B	1	66	66	67	No	Yes	1
1560	B	S-1505B	1	66	64	66	No	Yes	2
1561	B	S-1426B	1	66	61	67	No	Yes	6
1562	B	S-1521B	1	66	65	66	No	Yes	1
1563	B	S-1469B	1	66	66	69	No	Yes	3
1564	B	S-1447B	1	66	62	69	No	Yes	7
1565	B	S-1866B	1	66	59	62	No	No	3
1566	B	S-1867B-2	1	66	60	62	No	No	2
1567	B	S-1868B-3	1	66	62	64	No	No	2
1568	B	S-1484B	1	66	66	67	No	Yes	1
1569	B	S-1506B	1	66	64	67	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1570	B	S-1520B	1	66	65	65	No	No	0
1571	B	S-1420B	1	66	65	66	No	Yes	1
1572	B	S-1863B	1	66	59	62	No	No	3
1573	B	S-1864B-2	1	66	60	62	No	No	2
1574	B	S-1865B-3	1	66	63	65	No	No	2
1575	E	S-1856E	1	71	57	59	No	No	2
1576	B	S-1860B	1	66	58	61	No	No	3
1577	B	S-1861B-2	1	66	59	62	No	No	3
1578	B	S-1862B-3	1	66	63	65	No	No	2
1579	B	S-1437B	1	66	64	67	No	Yes	3
1580	B	S-1470B	1	66	67	69	No	Yes	2
1581	B	S-1857B	1	66	57	61	No	No	4
1582	B	S-1858B-2	1	66	59	62	No	No	3
1583	B	S-1859B-3	1	66	62	65	No	No	3
1584	B	S-1507B	1	66	67	69	No	Yes	2
1585	B	S-1483B	1	66	66	68	No	Yes	2
1586	B	S-1421B	1	66	64	66	No	Yes	2
1587	B	S-1519B	1	66	71	69	No	Yes	-2
1588	B	S-1446B	1	66	60	69	No	Yes	9
1589	E	S-1884E	1	71	63	64	No	No	1
1590	B	S-1425B	1	66	59	67	No	Yes	8
1591	B	S-1471B	1	66	68	69	No	Yes	1
1592	B	S-1508B	1	66	68	70	No	Yes	2
1593	B	S-1482B	1	66	66	68	No	Yes	2
1594	B	S-1518B	1	66	71	69	No	Yes	-2
1595	B	S-1445B	1	66	62	69	No	Yes	7
1596	B	S-1438B	1	66	65	69	No	Yes	4
1597	B	S-1472B	1	66	68	69	No	Yes	1
1598	B	S-1481B	1	66	67	68	No	Yes	1
1599	E	S-1887E	1	71	72	71	No	Yes	-1
1600	B	S-1509B	1	66	68	70	No	Yes	2
1601	B	S-1517B	1	66	71	69	No	Yes	-2
1602	B	S-1424B	1	66	60	67	No	Yes	7
1603	B	S-1473B	1	66	68	70	No	Yes	2
1604	B	S-1439B	1	66	66	69	No	Yes	3
1605	B	S-1510B	1	66	69	70	No	Yes	1
1606	B	S-1480B	1	66	67	69	No	Yes	2
1607	B	S-1444B	1	66	62	69	No	Yes	7
1608	B	S-1516B	1	66	73	71	No	Yes	-2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1609	B	S-1474B	1	66	70	71	No	Yes	1
1610	B	S-1479B	1	66	68	69	No	Yes	1
1611	B	S-1511B	1	66	70	70	No	Yes	0
1612	B	S-1515B	1	66	73	N/A*	-	-	-
1613	B	S-1475B	1	66	69	70	No	Yes	1
1614	B	S-1512B	1	66	71	70	No	Yes	-1
1615	C	S-1440C	1	66	67	67	No	Yes	0
1616	B	S-1443B	1	66	61	70	No	Yes	9
1617	B	S-1478B	1	66	69	70	No	Yes	1
1618	B	S-1514B	1	66	73	N/A*	-	-	-
1619	B	S-1476B	1	66	71	71	No	Yes	0
1620	B	S-1422B	1	66	61	64	No	No	3
1621	B	S-1513B	1	66	71	71	No	Yes	0
1622	B	S-1442B	1	66	69	70	No	Yes	1
1623	C	S-1477C	1	66	71	71	No	Yes	0
1624	C	S-1423C	1	66	63	65	No	No	2
1625	C	S-1441C	1	66	65	68	No	Yes	3
1626	B	S-1889B	1	66	64	66	No	Yes	2
1627	B	S-1888B	1	66	65	67	No	Yes	2
1628	B	S-1890B	1	66	68	70	No	Yes	2
1629	D	S-1891D	1	51	51	55	No	Yes	4
1630	B	S-1903B	1	66	73	83	Yes	Yes	10
1631	B	S-1902B	1	66	71	80	No	Yes	9
1632	B	S-1901B	1	66	71	78	No	Yes	7
1633	B	S-1893B	1	66	68	73	No	Yes	5
1634	B	S-1894B	1	66	69	74	No	Yes	5
1635	B	S-1896B	1	66	70	75	No	Yes	5
1636	B	S-1895B	1	66	69	74	No	Yes	5
1637	B	S-1898B	1	66	71	76	No	Yes	5
1638	B	S-1897B	1	66	70	75	No	Yes	5
1639	B	S-1900B	1	66	71	77	No	Yes	6
1640	B	S-1899B	1	66	71	77	No	Yes	6
1641	B	S-1892B	1	66	67	72	No	Yes	5
1642	B	S-1954B	1	66	72	85	Yes	Yes	13
1643	B	S-1955B	1	66	74	86	Yes	Yes	12
1644	B	S-1906B	1	66	62	67	No	Yes	5
1645	B	S-1905B	1	66	62	69	No	Yes	7
1646	B	S-1908B	1	66	65	69	No	Yes	4
1647	B	S-1909B	1	66	67	69	No	Yes	2

* Proposed Action noise level not applicable due to total acquisition of the parcel.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1648	B	S-1904B	1	66	66	74	No	Yes	8
1649	B	S-1907B	1	66	65	67	No	Yes	2
1650	B	S-1956B	1	66	71	85	Yes	Yes	14
1651	B	S-1957B	1	66	71	86	Yes	Yes	15
1652	B	S-1917B	1	66	63	66	No	Yes	3
1653	B	S-1910B	1	66	57	68	Yes	Yes	11
1654	B	S-1918B	1	66	61	65	No	No	4
1655	B	S-1958B	1	66	72	85	Yes	Yes	13
1656	B	S-1928B	1	66	65	72	No	Yes	7
1657	B	S-1916B	1	66	61	66	No	Yes	5
1658	B	S-1911B	1	66	55	66	Yes	Yes	11
1659	B	S-1926B	1	66	63	70	No	Yes	7
1660	B	S-1959B	1	66	72	85	Yes	Yes	13
1661	B	S-1919B	1	66	61	66	No	Yes	5
1662	B	S-1929B	1	66	66	73	No	Yes	7
1663	B	S-1924B	1	66	62	70	No	Yes	8
1664	B	S-1915B	1	66	60	66	No	Yes	6
1665	B	S-1912B	1	66	58	67	No	Yes	9
1666	B	S-1927B	1	66	62	68	No	Yes	6
1667	B	S-1960B	1	66	73	85	Yes	Yes	12
1668	B	S-1922B	1	66	60	69	No	Yes	9
1669	B	S-1925B	1	66	62	67	No	Yes	5
1670	B	S-1914B	1	66	60	67	No	Yes	7
1671	B	S-1923B	1	66	61	68	No	Yes	7
1672	B	S-1930B	1	66	65	70	No	Yes	5
1673	B	S-1961B	1	66	74	85	Yes	Yes	11
1674	B	S-1921B	1	66	59	67	No	Yes	8
1675	B	S-1920B	1	66	60	67	No	Yes	7
1676	B	S-1913B	1	66	61	67	No	Yes	6
1677	B	S-1962B	1	66	75	85	Yes	Yes	10
1678	B	S-1931B	1	66	63	69	No	Yes	6
1679	B	S-1932B	1	66	62	68	No	Yes	6
1680	B	S-1933B	1	66	62	66	No	Yes	4
1681	B	S-1944B	1	66	59	59	No	No	0
1682	B	S-1963B	1	66	72	85	Yes	Yes	13
1683	B	S-1934B	1	66	59	64	No	No	5
1684	B	S-1943B	1	66	62	64	No	No	2
1685	B	S-1936B	1	66	57	65	No	No	8
1686	B	S-1935B	1	66	60	65	No	No	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1687	B	S-1942B	1	66	61	65	No	No	4
1688	B	S-1945B	1	66	65	70	No	Yes	5
1689	B	S-1964B	1	66	71	85	Yes	Yes	14
1690	B	S-1941B	1	66	58	65	No	No	7
1691	B	S-1940B	1	66	59	65	No	No	6
1692	B	S-1937B	1	66	58	65	No	No	7
1693	B	S-1965B	1	66	72	85	Yes	Yes	13
1694	B	S-1938B	1	66	59	65	No	No	6
1695	B	S-1939B	1	66	59	65	No	No	6
1696	B	S-1953B	1	66	64	70	No	Yes	6
1697	B	S-1952B	1	66	62	64	No	No	2
1698	B	S-1966B	1	66	70	80	Yes	Yes	10
1699	B	S-1951B	1	66	60	63	No	No	3
1700	B	S-1950B	1	66	60	64	No	No	4
1701	B	S-1967B	1	66	66	72	No	Yes	6
1702	B	S-1969B	1	66	59	62	No	No	3
1703	B	S-1949B	1	66	58	62	No	No	4
1704	B	S-1983B	1	66	71	79	No	Yes	8
1705	B	S-1946B	1	66	59	65	No	No	6
1706	B	S-2008B	1	66	71	83	Yes	Yes	12
1707	B	S-1982B	1	66	67	74	No	Yes	7
1708	B	S-1968B	1	66	61	65	No	No	4
1709	B	S-1970B	1	66	60	62	No	No	2
1710	B	S-1948B	1	66	58	63	No	No	5
1711	B	S-1981B	1	66	63	69	No	Yes	6
1712	B	S-1971B	1	66	58	62	No	No	4
1713	B	S-1947B	1	66	58	63	No	No	5
1714	B	S-2009B	1	66	71	85	Yes	Yes	14
1715	B	S-1972B	1	66	57	62	No	No	5
1716	B	S-1973B	1	66	58	63	No	No	5
1717	B	S-2010B	1	66	71	85	Yes	Yes	14
1718	B	S-1974B	1	66	58	64	No	No	6
1719	B	S-2004B	1	66	66	73	No	Yes	7
1720	B	S-2011B	1	66	72	85	Yes	Yes	13
1721	B	S-2000B	1	66	61	66	No	Yes	5
1722	B	S-1980B	1	66	59	64	No	No	5
1723	B	S-1979B	1	66	58	65	No	No	7
1724	B	S-1995B	1	66	60	64	No	No	4
1725	B	S-2005B	1	66	67	73	No	Yes	6

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1726	B	S-1975B	1	66	58	64	No	No	6
1727	B	S-2012B	1	66	72	84	Yes	Yes	12
1728	B	S-1978B	1	66	58	64	No	No	6
1729	B	S-2006B	1	66	69	72	No	Yes	3
1730	B	S-1977B	1	66	58	65	No	No	7
1731	B	S-1976B	1	66	58	65	No	No	7
1732	B	S-2013B	1	66	73	84	Yes	Yes	11
1733	B	S-1985B	1	66	58	64	No	No	6
1734	B	S-1989B	1	66	59	66	No	Yes	7
1735	B	S-1990B	1	66	60	66	No	Yes	6
1736	B	S-1984B	1	66	58	65	No	No	7
1737	B	S-2014B	1	66	72	85	Yes	Yes	13
1738	B	S-1996B	1	66	59	67	No	Yes	8
1739	C	S-1410C	1	66	73	75	No	Yes	2
1740	B	S-2007B	1	66	69	72	No	Yes	3
1741	B	S-1997B	1	66	58	67	No	Yes	9
1742	B	S-2015B	1	66	70	80	Yes	Yes	10
1743	B	S-2003B	1	66	63	66	No	Yes	3
1744	B	S-2019B	1	66	71	82	Yes	Yes	11
1745	B	S-1991B	1	66	60	67	No	Yes	7
1746	B	S-2016B	1	66	61	64	No	No	3
1747	B	S-1998B	1	66	58	65	No	No	7
1748	B	S-2020B	1	66	72	84	Yes	Yes	12
1749	B	S-1988B	1	66	59	66	No	Yes	7
1750	B	S-2002B	1	66	62	64	No	No	2
1751	B	S-1986B	1	66	59	67	No	Yes	8
1752	B	S-2021B	1	66	72	85	Yes	Yes	13
1753	B	S-1999B	1	66	59	65	No	No	6
1754	B	S-1992B	1	66	61	67	No	Yes	6
1755	B	S-2001B	1	66	61	63	No	No	2
1756	B	S-2017B	1	66	59	61	No	No	2
1757	B	S-1987B	1	66	58	66	No	Yes	8
1758	B	S-2022B	1	66	71	82	Yes	Yes	11
1759	B	S-2018B	1	66	64	66	No	Yes	2
1760	B	S-1993B	1	66	61	67	No	Yes	6
1761	B	S-2028B	1	66	63	66	No	Yes	3
1762	B	S-2026B	1	66	65	70	No	Yes	5
1763	B	S-2027B	1	66	62	67	No	Yes	5
1764	B	S-2029B	1	66	62	66	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1765	B	S-2025B	1	66	69	70	No	Yes	1
1766	B	S-1994B	1	66	60	65	No	No	5
1767	B	S-2023B	1	66	70	79	No	Yes	9
1768	B	S-2024B	1	66	65	71	No	Yes	6
1769	B	S-2038B	1	66	68	77	No	Yes	9
1770	B	S-2040B	1	66	70	82	Yes	Yes	12
1771	B	S-2037B	1	66	66	74	No	Yes	8
1772	B	S-2039B	1	66	69	79	Yes	Yes	10
1773	B	S-2030B	1	66	59	66	No	Yes	7
1774	B	S-2041B	1	66	71	85	Yes	Yes	14
1775	B	S-1409B	1	66	68	71	No	Yes	3
1776	B	S-2042B	1	66	70	86	Yes	Yes	16
1777	B	S-2034B	1	66	61	68	No	Yes	7
1778	B	S-2031B	1	66	57	67	Yes	Yes	10
1779	B	S-2036B	1	66	64	68	No	Yes	4
1780	B	S-2032B	1	66	58	68	Yes	Yes	10
1781	B	S-2035B	1	66	63	67	No	Yes	4
1782	B	S-2033B	1	66	59	68	No	Yes	9
1783	B	S-2049B	1	66	67	67	No	Yes	0
1784	B	S-2046B	1	66	61	67	No	Yes	6
1785	B	S-2045B	1	66	60	67	No	Yes	7
1786	B	S-2044B	1	66	59	66	No	Yes	7
1787	B	S-2050B	1	66	70	70	No	Yes	0
1788	B	S-2043B	1	66	60	67	No	Yes	7
1789	B	S-2047B	1	66	61	66	No	Yes	5
1790	B	S-2048B	1	66	63	66	No	Yes	3
1791	B	S-2051B	1	66	70	77	No	Yes	7
1792	B	S-1408B	1	66	68	71	No	Yes	3
1793	B	S-2052B	1	66	69	77	No	Yes	8
1794	B	S-1407B	1	66	69	71	No	Yes	2
1795	B	S-2053B	1	66	68	76	No	Yes	8
1796	B	S-2058B	1	66	60	65	No	No	5
1797	B	S-2059B	1	66	57	65	No	No	8
1798	B	S-2057B	1	66	59	65	No	No	6
1799	B	S-2055B	1	66	66	69	No	Yes	3
1800	B	S-2056B	1	66	60	67	No	Yes	7
1801	B	S-2060B	1	66	59	65	No	No	6
1802	B	S-2054B	1	66	67	76	No	Yes	9
1803	B	S-2065B	1	66	63	67	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1804	B	S-1406B	1	66	70	72	No	Yes	2
1805	B	S-2066B	1	66	65	70	No	Yes	5
1806	B	S-2064B	1	66	60	66	No	Yes	6
1807	B	S-2062B	1	66	60	66	No	Yes	6
1808	B	S-2061B	1	66	59	65	No	No	6
1809	B	S-2063B	1	66	60	66	No	Yes	6
1810	B	S-2075B	1	66	70	77	No	Yes	7
1811	B	S-1405B	1	66	71	73	No	Yes	2
1812	B	S-2067B	1	66	64	70	No	Yes	6
1813	B	S-1399B	1	66	63	65	No	No	2
1814	B	S-1403B	1	66	71	73	No	Yes	2
1815	B	S-2068B	1	66	64	70	No	Yes	6
1816	B	S-1398B	1	66	63	65	No	No	2
1817	B	S-1402B	1	66	71	73	No	Yes	2
1818	B	S-2076B	1	66	69	77	No	Yes	8
1819	B	S-2074B	1	66	67	76	No	Yes	9
1820	B	S-2073B	1	66	66	75	No	Yes	9
1821	B	S-2072B	1	66	65	73	No	Yes	8
1822	B	S-2069B	1	66	60	65	No	No	5
1823	B	S-1404B	1	66	72	72	No	Yes	0
1824	B	S-1401B	1	66	71	74	No	Yes	3
1825	B	S-2071B	1	66	60	69	No	Yes	9
1826	B	S-2081B	1	66	67	76	No	Yes	9
1827	B	S-2070B	1	66	60	69	No	Yes	9
1828	B	S-2077B	1	66	68	76	No	Yes	8
1829	B	S-1400B	1	66	72	75	No	Yes	3
1830	B	S-2082B	1	66	65	73	No	Yes	8
1831	B	S-2080B	1	66	65	72	No	Yes	7
1832	B	S-2079B	1	66	65	72	No	Yes	7
1833	B	S-2083B	1	66	65	73	No	Yes	8
1834	B	S-2078B	1	66	67	74	No	Yes	7
1835	B	S-2085B	1	66	60	71	Yes	Yes	11
1836	B	S-2084B	1	66	60	71	Yes	Yes	11
1837	B	S-2092B	1	66	67	74	No	Yes	7
1838	B	S-2091B	1	66	65	73	No	Yes	8
1839	B	S-2090B	1	66	63	71	No	Yes	8
1840	B	S-2086B	1	66	62	71	No	Yes	9
1841	B	S-2088B	1	66	63	71	No	Yes	8
1842	B	S-2089B	1	66	64	72	No	Yes	8

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1843	B	S-2087B	1	66	63	72	No	Yes	9
1844	B	S-2093B	1	66	68	74	No	Yes	6
1845	B	S-2094B	1	66	68	74	No	Yes	6
1846	B	S-2103B	1	66	61	71	Yes	Yes	10
1847	B	S-2102B	1	66	65	71	No	Yes	6
1848	B	S-2100B	1	66	66	72	No	Yes	6
1849	B	S-2104B	1	66	59	71	Yes	Yes	12
1850	B	S-2101B	1	66	64	70	No	Yes	6
1851	B	S-2099B	1	66	65	72	No	Yes	7
1852	B	S-2096B	1	66	67	73	No	Yes	6
1853	B	S-2095B	1	66	70	74	No	Yes	4
1854	B	S-2097B	1	66	66	72	No	Yes	6
1855	B	S-2098B	1	66	65	71	No	Yes	6
1856	B	S-2105B	1	66	63	71	No	Yes	8
1857	B	S-2108B	1	66	66	71	No	Yes	5
1858	B	S-2109B	1	66	66	71	No	Yes	5
1859	B	S-2106B	1	66	61	70	No	Yes	9
1860	D	S-2118D	1	51	46	49	No	No	3
1861	B	S-2110B	1	66	66	72	No	Yes	6
1862	B	S-2107B	1	66	62	70	No	Yes	8
1863	B	S-2111B	1	66	66	71	No	Yes	5
1864	D	S-2119D	1	51	45	49	No	No	4
1865	B	S-2112B	1	66	65	71	No	Yes	6
1866	B	S-2113B	1	66	65	71	No	Yes	6
1867	B	S-2132B	1	66	69	75	No	Yes	6
1868	B	S-2114B	1	66	64	70	No	Yes	6
1869	B	S-2120B	1	66	67	73	No	Yes	6
1870	B	S-2115B	1	66	64	70	No	Yes	6
1871	B	S-2133B	1	66	69	78	No	Yes	9
1872	B	S-2116B	1	66	63	70	No	Yes	7
1873	B	S-2121B	1	66	68	75	No	Yes	7
1874	B	S-2117B	1	66	62	69	No	Yes	7
1875	B	S-2122B	1	66	68	74	No	Yes	6
1876	D	S-2124D	1	51	36	44	No	No	8
1877	B	S-2123B	1	66	66	73	No	Yes	7
1878	B	S-2134B	1	66	69	77	No	Yes	8
1879	B	S-2135B	1	66	68	76	No	Yes	8
1880	B	S-2127B	1	66	62	69	No	Yes	7

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1881	B	S-2126B	1	66	63	69	No	Yes	6
1882	B	S-2125B	1	66	63	70	No	Yes	7
1883	B	S-2128B	1	66	65	71	No	Yes	6
1884	B	S-2138B	1	66	66	80	Yes	Yes	14
1885	B	S-2136B	1	66	66	73	No	Yes	7
1886	B	S-2137B	1	66	66	73	No	Yes	7
1887	B	S-2139B	1	66	67	80	Yes	Yes	13
1888	B	S-2129B	1	66	64	70	No	Yes	6
1889	B	S-2130B	1	66	64	69	No	Yes	5
1890	B	S-2144B	1	66	64	72	No	Yes	8
1891	B	S-2145B	1	66	63	72	No	Yes	9
1892	B	S-2147B	1	66	63	72	No	Yes	9
1893	B	S-2146B	1	66	63	72	No	Yes	9
1894	B	S-2143B	1	66	65	73	No	Yes	8
1895	B	S-2142B	1	66	65	72	No	Yes	7
1896	B	S-2149B	1	66	62	70	No	Yes	8
1897	B	S-2148B	1	66	63	71	No	Yes	8
1898	B	S-2140B	1	66	68	76	No	Yes	8
1899	B	S-2141B	1	66	66	73	No	Yes	7
1900	B	S-2131B	1	66	64	69	No	Yes	5
1901	B	S-2153B	1	66	70	78	No	Yes	8
1902	B	S-2152B	1	66	67	73	No	Yes	6
1903	B	S-2154B	1	66	67	81	Yes	Yes	14
1904	B	S-2150B	1	66	63	71	No	Yes	8
1905	B	S-2151B	1	66	63	71	No	Yes	8
1906	B	S-2155B	1	66	69	81	Yes	Yes	12
1907	B	S-2173B	1	66	65	70	No	Yes	5
1908	B	S-2172B	1	66	64	69	No	Yes	5
1909	B	S-2171B	1	66	64	70	No	Yes	6
1910	B	S-2156B	1	66	69	81	Yes	Yes	12
1911	B	S-2168B	1	66	63	69	No	Yes	6
1912	B	S-2174B	1	66	68	72	No	Yes	4
1913	B	S-2157B	1	66	70	81	Yes	Yes	11
1914	B	S-2158B	1	66	69	81	Yes	Yes	12
1915	B	S-2169B	1	66	60	68	No	Yes	8
1916	B	S-2175B	1	66	64	68	No	Yes	4
1917	B	S-2170B	1	66	58	68	Yes	Yes	10
1918	B	S-2176B	1	66	65	68	No	Yes	3
1919	B	S-2159B	1	66	69	81	Yes	Yes	12

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1920	B	S-2187B	1	66	69	71	No	Yes	2
1921	B	S-2160B	1	66	71	81	Yes	Yes	10
1922	B	S-2177B	1	66	64	68	No	Yes	4
1923	B	S-2188B	1	66	68	72	No	Yes	4
1924	B	S-2178B	1	66	63	67	No	Yes	4
1925	B	S-2161B	1	66	71	81	Yes	Yes	10
1926	B	S-2162B	1	66	69	81	Yes	Yes	12
1927	B	S-2189B	1	66	67	71	No	Yes	4
1928	B	S-2179B	1	66	63	67	No	Yes	4
1929	B	S-2186B	1	66	61	62	No	No	1
1930	B	S-2163B	1	66	71	81	Yes	Yes	10
1931	B	S-2180B	1	66	63	67	No	Yes	4
1932	B	S-2185B	1	66	60	66	No	Yes	6
1933	B	S-2190B	1	66	64	69	No	Yes	5
1934	B	S-2164B	1	66	69	81	Yes	Yes	12
1935	B	S-2181B	1	66	62	68	No	Yes	6
1936	B	S-2184B	1	66	64	68	No	Yes	4
1937	B	S-2191B	1	66	67	72	No	Yes	5
1938	B	S-2165B	1	66	70	80	Yes	Yes	10
1939	B	S-2192B	1	66	67	73	No	Yes	6
1940	B	S-2183B	1	66	65	70	No	Yes	5
1941	B	S-2167B	1	66	68	79	Yes	Yes	11
1942	B	S-2166B	1	66	68	76	No	Yes	8
1943	B	S-2193B	1	66	67	74	No	Yes	7
1944	B	S-2182B	1	66	63	70	No	Yes	7
1945	B	S-2200B	1	66	71	82	Yes	Yes	11
1946	B	S-2198B	1	66	68	75	No	Yes	7
1947	B	S-2196B	1	66	66	73	No	Yes	7
1948	B	S-2197B	1	66	68	75	No	Yes	7
1949	B	S-2199B	1	66	68	75	No	Yes	7
1950	B	S-2195B	1	66	66	72	No	Yes	6
1951	B	S-2194B	1	66	64	71	No	Yes	7
1952	C	S-2205C	1	66	73	82	No	Yes	9
1953	C	S-2202C	1	66	68	73	No	Yes	5
1954	C	S-2201C	1	66	68	73	No	Yes	5
1955	C	S-2203C	1	66	72	79	No	Yes	7
1956	C	S-2204C	1	66	73	80	No	Yes	7
1957	C	S-2206C	1	66	69	78	No	Yes	9
1958	C	S-2231C	1	66	67	72	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1959	C	S-2230C	1	66	68	73	No	Yes	5
1960	C	S-2232C	1	66	68	73	No	Yes	5
1961	C	S-2233C	1	66	68	73	No	Yes	5
1962	C	S-2229C	1	66	69	73	No	Yes	4
1963	C	S-2207C	1	66	81	83	No	Yes	2
1964	C	S-2208C	1	66	81	83	No	Yes	2
1965	C	S-2209C	1	66	74	79	No	Yes	5
1966	C	S-2228C	1	66	68	73	No	Yes	5
1967	C	S-2227C	1	66	69	74	No	Yes	5
1968	C	S-2210C	1	66	74	79	No	Yes	5
1969	C	S-2238C	1	66	67	70	No	Yes	3
1970	C	S-2226C	1	66	69	73	No	Yes	4
1971	C	S-2236C	1	66	67	71	No	Yes	4
1972	C	S-2211C	1	66	74	76	No	Yes	2
1973	C	S-2224C	1	66	70	74	No	Yes	4
1974	C	S-2217C	1	66	74	78	No	Yes	4
1975	C	S-2212C	1	66	74	76	No	Yes	2
1976	C	S-2220C	1	66	72	76	No	Yes	4
1977	C	S-2213C	1	66	74	76	No	Yes	2
1978	C	S-2223C	1	66	70	74	No	Yes	4
1979	C	S-2239C	1	66	66	70	No	Yes	4
1980	C	S-2216C	1	66	73	76	No	Yes	3
1981	C	S-2214C	1	66	74	76	No	Yes	2
1982	C	S-2235C	1	66	68	71	No	Yes	3
1983	C	S-2241C	1	66	65	69	No	Yes	4
1984	C	S-2225C	1	66	69	73	No	Yes	4
1985	C	S-2234C	1	66	67	71	No	Yes	4
1986	C	S-2215C	1	66	75	76	No	Yes	1
1987	C	S-2237C	1	66	67	71	No	Yes	4
1988	C	S-2222C	1	66	71	75	No	Yes	4
1989	C	S-2219C	1	66	73	76	No	Yes	3
1990	C	S-2240C	1	66	65	69	No	Yes	4
1991	C	S-2221C	1	66	70	74	No	Yes	4
1992	C	S-2242C	1	66	64	71	No	Yes	7
1993	C	S-2218C	1	66	73	76	No	Yes	3
1994	B	S-2243B	1	66	65	72	No	Yes	7
1995	B	S-2244B-2	1	66	67	72	No	Yes	5
1996	B	S-2245B	1	66	64	69	No	Yes	5
1997	B	S-2246B-2	1	66	66	70	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
1998	B	S-2271B	1	66	55	64	No	No	9
1999	C	S-2272C	1	66	57	63	No	No	6
2000	B	S-2317B	1	66	69	73	No	Yes	4
2001	B	S-2318B-2	1	66	71	75	No	Yes	4
2002	B	S-2319B-3	1	66	72	75	No	Yes	3
2003	B	S-2323B	1	66	70	74	No	Yes	4
2004	B	S-2324B-2	1	66	72	75	No	Yes	3
2005	B	S-2325B-3	1	66	73	76	No	Yes	3
2006	B	S-2311B	1	66	69	73	No	Yes	4
2007	B	S-2312B-2	1	66	71	74	No	Yes	3
2008	B	S-2313B-3	1	66	72	75	No	Yes	3
2009	B	S-2305B	1	66	68	72	No	Yes	4
2010	B	S-2306B-2	1	66	70	74	No	Yes	4
2011	B	S-2307B-3	1	66	71	74	No	Yes	3
2012	B	S-2299B	1	66	68	71	No	Yes	3
2013	B	S-2300B-2	1	66	69	73	No	Yes	4
2014	B	S-2301B-3	1	66	70	73	No	Yes	3
2015	B	S-2329B	1	66	71	75	No	Yes	4
2016	B	S-2330B-2	1	66	73	76	No	Yes	3
2017	B	S-2331B-3	1	66	74	77	No	Yes	3
2018	B	S-2293B	1	66	67	71	No	Yes	4
2019	B	S-2294B-2	1	66	69	72	No	Yes	3
2020	B	S-2295B-3	1	66	70	73	No	Yes	3
2021	B	S-2341B	1	66	72	77	No	Yes	5
2022	B	S-2342B-2	1	66	74	78	No	Yes	4
2023	B	S-2343B-3	1	66	75	78	No	Yes	3
2024	B	S-2335B	1	66	72	76	No	Yes	4
2025	B	S-2336B-2	1	66	74	77	No	Yes	3
2026	B	S-2337B-3	1	66	75	77	No	Yes	2
2027	B	S-2347B	1	66	72	76	No	Yes	4
2028	B	S-2348B-2	1	66	74	79	No	Yes	5
2029	B	S-2349B-3	1	66	75	79	No	Yes	4
2030	B	S-2287B	1	66	67	70	No	Yes	3
2031	B	S-2288B-2	1	66	68	72	No	Yes	4
2032	B	S-2289B-3	1	66	69	72	No	Yes	3
2033	B	S-2273B	1	66	56	62	No	No	6
2034	B	S-2281B	1	66	67	70	No	Yes	3
2035	B	S-2282B-2	1	66	68	71	No	Yes	3
2036	B	S-2283B-3	1	66	69	72	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2037	B	S-2274B	1	66	56	62	No	No	6
2038	B	S-2326B	1	66	60	68	No	Yes	8
2039	B	S-2327B-2	1	66	62	69	No	Yes	7
2040	B	S-2328B-3	1	66	65	70	No	Yes	5
2041	B	S-2320B	1	66	57	66	No	Yes	9
2042	B	S-2321B-2	1	66	59	67	No	Yes	8
2043	B	S-2322B-3	1	66	63	69	No	Yes	6
2044	B	S-2314B	1	66	56	65	No	No	9
2045	B	S-2315B-2	1	66	59	66	No	Yes	7
2046	B	S-2316B-3	1	66	62	68	No	Yes	6
2047	B	S-2308B	1	66	56	65	No	No	9
2048	B	S-2309B-2	1	66	58	66	No	Yes	8
2049	B	S-2310B-3	1	66	61	67	No	Yes	6
2050	B	S-2302B	1	66	56	63	No	No	7
2051	B	S-2303B-2	1	66	58	64	No	No	6
2052	B	S-2304B-3	1	66	61	66	No	Yes	5
2053	B	S-2275B	1	66	56	68	Yes	Yes	12
2054	B	S-2332B	1	66	59	70	Yes	Yes	11
2055	B	S-2333B-2	1	66	62	71	No	Yes	9
2056	B	S-2334B-3	1	66	66	72	No	Yes	6
2057	B	S-2296B	1	66	55	62	No	No	7
2058	B	S-2297B-2	1	66	57	64	No	No	7
2059	B	S-2298B-3	1	66	60	65	No	No	5
2060	B	S-2344B	1	66	61	74	Yes	Yes	13
2061	B	S-2345B-2	1	66	63	74	Yes	Yes	11
2062	B	S-2346B-3	1	66	68	75	No	Yes	7
2063	B	S-2338B	1	66	59	72	Yes	Yes	13
2064	B	S-2339B-2	1	66	61	72	Yes	Yes	11
2065	B	S-2340B-3	1	66	66	73	No	Yes	7
2066	B	S-2350B	1	66	62	76	Yes	Yes	14
2067	B	S-2351B-2	1	66	65	77	Yes	Yes	12
2068	B	S-2352B-3	1	66	71	77	No	Yes	6
2069	B	S-2290B	1	66	55	62	No	No	7
2070	B	S-2291B-2	1	66	57	64	No	No	7
2071	B	S-2292B-3	1	66	60	65	No	No	5
2072	B	S-2284B	1	66	55	62	No	No	7
2073	B	S-2285B-2	1	66	57	63	No	No	6
2074	B	S-2286B-3	1	66	60	65	No	No	5
2075	B	S-2276B	1	66	57	68	Yes	Yes	11

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2076	B	S-2407B	1	66	62	73	Yes	Yes	11
2077	B	S-2408B-2	1	66	64	74	Yes	Yes	10
2078	B	S-2409B-3	1	66	68	75	No	Yes	7
2079	B	S-2401B	1	66	59	72	Yes	Yes	13
2080	B	S-2402B-2	1	66	61	72	Yes	Yes	11
2081	B	S-2403B-3	1	66	65	73	No	Yes	8
2082	B	S-2371B	1	66	60	66	No	Yes	6
2083	B	S-2372B-2	1	66	62	67	No	Yes	5
2084	B	S-2373B-3	1	66	65	69	No	Yes	4
2085	B	S-2365B	1	66	59	65	No	No	6
2086	B	S-2366B-2	1	66	61	66	No	Yes	5
2087	B	S-2367B-3	1	66	64	68	No	Yes	4
2088	B	S-2419B	1	66	70	75	No	Yes	5
2089	B	S-2420B-2	1	66	72	78	No	Yes	6
2090	B	S-2421B-3	1	66	74	79	No	Yes	5
2091	B	S-2413B	1	66	68	75	No	Yes	7
2092	B	S-2414B-2	1	66	70	76	No	Yes	6
2093	B	S-2415B-3	1	66	72	77	No	Yes	5
2094	B	S-2395B	1	66	60	70	Yes	Yes	10
2095	B	S-2396B-2	1	66	62	71	No	Yes	9
2096	B	S-2397B-3	1	66	66	72	No	Yes	6
2097	B	S-2389B	1	66	64	70	No	Yes	6
2098	B	S-2390B-2	1	66	66	71	No	Yes	5
2099	B	S-2391B-3	1	66	68	72	No	Yes	4
2100	B	S-2377B	1	66	61	67	No	Yes	6
2101	B	S-2378B-2	1	66	63	68	No	Yes	5
2102	B	S-2379B-3	1	66	65	70	No	Yes	5
2103	B	S-2383B	1	66	63	69	No	Yes	6
2104	B	S-2384B-2	1	66	65	70	No	Yes	5
2105	B	S-2385B-3	1	66	67	71	No	Yes	4
2106	B	S-2359B	1	66	62	65	No	No	3
2107	B	S-2360B-2	1	66	63	67	No	Yes	4
2108	B	S-2361B-3	1	66	65	68	No	Yes	3
2109	B	S-2353B	1	66	61	65	No	No	4
2110	B	S-2354B-2	1	66	62	66	No	Yes	4
2111	B	S-2355B-3	1	66	64	68	No	Yes	4
2112	C	S-2279C	1	66	59	65	No	No	6
2113	B	S-2256B	1	66	60	67	No	Yes	7
2114	B	S-2257B-2	1	66	63	68	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2115	B	S-2258B-3	1	66	66	71	No	Yes	5
2116	B	S-2253B	1	66	60	66	No	Yes	6
2117	B	S-2254B-2	1	66	63	68	No	Yes	5
2118	B	S-2255B-3	1	66	66	70	No	Yes	4
2119	B	S-2250B	1	66	61	67	No	Yes	6
2120	B	S-2251B-2	1	66	64	69	No	Yes	5
2121	B	S-2252B-3	1	66	66	71	No	Yes	5
2122	B	S-2247B	1	66	61	67	No	Yes	6
2123	B	S-2248B-2	1	66	64	69	No	Yes	5
2124	B	S-2249B-3	1	66	66	70	No	Yes	4
2125	B	S-2280B	1	66	57	63	No	No	6
2126	B	S-2404B	1	66	61	73	Yes	Yes	12
2127	B	S-2405B-2	1	66	63	74	Yes	Yes	11
2128	B	S-2406B-3	1	66	67	75	No	Yes	8
2129	B	S-2368B	1	66	57	67	Yes	Yes	10
2130	B	S-2369B-2	1	66	60	68	No	Yes	8
2131	B	S-2370B-3	1	66	62	69	No	Yes	7
2132	B	S-2374B	1	66	57	68	Yes	Yes	11
2133	B	S-2375B-2	1	66	60	69	No	Yes	9
2134	B	S-2376B-3	1	66	62	69	No	Yes	7
2135	B	S-2410B	1	66	62	75	Yes	Yes	13
2136	B	S-2411B-2	1	66	64	76	Yes	Yes	12
2137	B	S-2412B-3	1	66	69	76	No	Yes	7
2138	B	S-2278B	1	66	58	67	No	Yes	9
2139	B	S-2422B	1	66	65	75	Yes	Yes	10
2140	B	S-2423B-2	1	66	67	80	Yes	Yes	13
2141	B	S-2424B-3	1	66	73	80	No	Yes	7
2142	B	S-2416B	1	66	63	76	Yes	Yes	13
2143	B	S-2417B-2	1	66	65	77	Yes	Yes	12
2144	B	S-2418B-3	1	66	72	78	No	Yes	6
2145	B	S-2386B	1	66	59	70	Yes	Yes	11
2146	B	S-2387B-2	1	66	62	71	No	Yes	9
2147	B	S-2388B-3	1	66	64	71	No	Yes	7
2148	B	S-2398B	1	66	60	73	Yes	Yes	13
2149	B	S-2399B-2	1	66	63	73	Yes	Yes	10
2150	B	S-2400B-3	1	66	68	74	No	Yes	6
2151	C	S-2277C	1	66	60	67	No	Yes	7
2152	B	S-2392B	1	66	59	71	Yes	Yes	12
2153	B	S-2393B-2	1	66	62	72	Yes	Yes	10

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2154	B	S-2394B-3	1	66	66	73	No	Yes	7
2155	B	S-2380B	1	66	58	69	Yes	Yes	11
2156	B	S-2381B-2	1	66	61	69	No	Yes	8
2157	B	S-2382B-3	1	66	63	70	No	Yes	7
2158	B	S-2362B	1	66	57	67	Yes	Yes	10
2159	B	S-2363B-2	1	66	59	68	No	Yes	9
2160	B	S-2364B-3	1	66	62	69	No	Yes	7
2161	B	S-2356B	1	66	57	66	No	Yes	9
2162	B	S-2357B-2	1	66	59	67	No	Yes	8
2163	B	S-2358B-3	1	66	62	68	No	Yes	6
2164	B	S-2268B	1	66	54	67	Yes	Yes	13
2165	B	S-2269B-2	1	66	57	68	Yes	Yes	11
2166	B	S-2270B-3	1	66	60	70	Yes	Yes	10
2167	B	S-2265B	1	66	55	67	Yes	Yes	12
2168	B	S-2266B-2	1	66	57	69	Yes	Yes	12
2169	B	S-2267B-3	1	66	60	70	Yes	Yes	10
2170	B	S-2262B	1	66	55	66	Yes	Yes	11
2171	B	S-2263B-2	1	66	56	68	Yes	Yes	12
2172	B	S-2264B-3	1	66	59	70	Yes	Yes	11
2173	B	S-2259B	1	66	54	66	Yes	Yes	12
2174	B	S-2260B-2	1	66	56	68	Yes	Yes	12
2175	B	S-2261B-3	1	66	59	70	Yes	Yes	11
2176	B	S-2466B	1	66	58	66	No	Yes	8
2177	B	S-2467B-2	1	66	60	67	No	Yes	7
2178	B	S-2468B-3	1	66	62	68	No	Yes	6
2179	B	S-2425B	1	66	68	78	Yes	Yes	10
2180	B	S-2426B-2	1	66	70	79	No	Yes	9
2181	B	S-2427B-3	1	66	75	79	No	Yes	4
2182	B	S-2452B	1	66	60	72	Yes	Yes	12
2183	B	S-2453B-2	1	66	64	73	No	Yes	9
2184	B	S-2454B-3	1	66	67	74	No	Yes	7
2185	B	S-2434B	1	66	64	75	Yes	Yes	11
2186	B	S-2435B-2	1	66	66	76	Yes	Yes	10
2187	B	S-2436B-3	1	66	71	77	No	Yes	6
2188	B	S-2440B	1	66	61	74	Yes	Yes	13
2189	B	S-2441B-2	1	66	64	75	Yes	Yes	11
2190	B	S-2442B-3	1	66	69	76	No	Yes	7
2191	B	S-2446B	1	66	61	73	Yes	Yes	12
2192	B	S-2447B-2	1	66	65	74	No	Yes	9

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2193	B	S-2448B-3	1	66	69	74	No	Yes	5
2194	B	S-2458B	1	66	59	71	Yes	Yes	12
2195	B	S-2459B-2	1	66	62	71	No	Yes	9
2196	B	S-2460B-3	1	66	65	72	No	Yes	7
2197	C	S-2462C	1	66	58	67	No	Yes	9
2198	B	S-2469B	1	66	53	66	Yes	Yes	13
2199	B	S-2470B-2	1	66	56	68	Yes	Yes	12
2200	B	S-2471B-3	1	66	60	69	No	Yes	9
2201	B	S-2478B	1	66	52	66	Yes	Yes	14
2202	B	S-2479B-2	1	66	54	68	Yes	Yes	14
2203	B	S-2480B-3	1	66	59	69	Yes	Yes	10
2204	B	S-2481B	1	66	53	67	Yes	Yes	14
2205	B	S-2482B-2	1	66	57	68	Yes	Yes	11
2206	B	S-2483B-3	1	66	60	69	No	Yes	9
2207	B	S-2463B	1	66	56	67	Yes	Yes	11
2208	B	S-2464B-2	1	66	57	68	Yes	Yes	11
2209	B	S-2465B-3	1	66	61	69	No	Yes	8
2210	B	S-2490B	1	66	54	67	Yes	Yes	13
2211	B	S-2491B-2	1	66	57	69	Yes	Yes	12
2212	B	S-2492B-3	1	66	60	69	No	Yes	9
2213	B	S-2472B	1	66	54	67	Yes	Yes	13
2214	B	S-2473B-2	1	66	55	68	Yes	Yes	13
2215	B	S-2474B-3	1	66	60	69	No	Yes	9
2216	B	S-2428B	1	66	67	77	Yes	Yes	10
2217	B	S-2429B-2	1	66	68	79	Yes	Yes	11
2218	B	S-2430B-3	1	66	75	79	No	Yes	4
2219	B	S-2431B	1	66	65	75	Yes	Yes	10
2220	B	S-2432B-2	1	66	66	77	Yes	Yes	11
2221	B	S-2433B-3	1	66	72	77	No	Yes	5
2222	B	S-2502B	1	66	59	67	No	Yes	8
2223	B	S-2503B-2	1	66	62	69	No	Yes	7
2224	B	S-2504B-3	1	66	65	70	No	Yes	5
2225	B	S-2449B	1	66	58	70	Yes	Yes	12
2226	B	S-2450B-2	1	66	60	70	Yes	Yes	10
2227	B	S-2451B-3	1	66	65	71	No	Yes	6
2228	B	S-2455B	1	66	57	68	Yes	Yes	11
2229	B	S-2456B-2	1	66	59	69	Yes	Yes	10
2230	B	S-2457B-3	1	66	63	70	No	Yes	7
2231	B	S-2493B	1	66	55	67	Yes	Yes	12

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2232	B	S-2494B-2	1	66	58	69	Yes	Yes	11
2233	B	S-2495B-3	1	66	62	70	No	Yes	8
2234	B	S-2443B	1	66	61	71	Yes	Yes	10
2235	B	S-2444B-2	1	66	62	72	Yes	Yes	10
2236	B	S-2445B-3	1	66	65	72	No	Yes	7
2237	B	S-2437B	1	66	63	73	Yes	Yes	10
2238	B	S-2438B-2	1	66	64	74	Yes	Yes	10
2239	B	S-2439B-3	1	66	68	75	No	Yes	7
2240	B	S-2505B	1	66	53	67	Yes	Yes	14
2241	B	S-2506B-2	1	66	55	69	Yes	Yes	14
2242	B	S-2507B-3	1	66	58	70	Yes	Yes	12
2243	B	S-2475B	1	66	55	67	Yes	Yes	12
2244	B	S-2476B-2	1	66	56	69	Yes	Yes	13
2245	B	S-2477B-3	1	66	61	70	No	Yes	9
2246	B	S-2574B	1	66	66	75	No	Yes	9
2247	B	S-2575B-2	1	66	66	76	Yes	Yes	10
2248	B	S-2576B-3	1	66	71	76	No	Yes	5
2249	B	S-2571B	1	66	63	72	No	Yes	9
2250	B	S-2572B-2	1	66	63	73	Yes	Yes	10
2251	B	S-2573B-3	1	66	67	73	No	Yes	6
2252	B	S-2484B	1	66	55	67	Yes	Yes	12
2253	B	S-2485B-2	1	66	56	69	Yes	Yes	13
2254	B	S-2486B-3	1	66	60	70	Yes	Yes	10
2255	B	S-2565B	1	66	58	70	Yes	Yes	12
2256	B	S-2566B-2	1	66	62	71	No	Yes	9
2257	B	S-2567B-3	1	66	67	71	No	Yes	4
2258	C	S-2461C	1	66	57	66	No	Yes	9
2259	B	S-2487B	1	66	54	67	Yes	Yes	13
2260	B	S-2488B-2	1	66	56	69	Yes	Yes	13
2261	B	S-2489B-3	1	66	59	70	Yes	Yes	11
2262	B	S-2556B	1	66	57	68	Yes	Yes	11
2263	B	S-2557B-2	1	66	60	69	No	Yes	9
2264	B	S-2558B-3	1	66	64	70	No	Yes	6
2265	B	S-2553B	1	66	56	67	Yes	Yes	11
2266	B	S-2554B-2	1	66	59	68	No	Yes	9
2267	B	S-2555B-3	1	66	62	68	No	Yes	6
2268	B	S-2496B	1	66	54	67	Yes	Yes	13
2269	B	S-2497B-2	1	66	56	69	Yes	Yes	13
2270	B	S-2498B-3	1	66	59	70	Yes	Yes	11

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2271	B	S-2499B	1	66	59	67	No	Yes	8
2272	B	S-2500B-2	1	66	61	69	No	Yes	8
2273	B	S-2501B-3	1	66	64	70	No	Yes	6
2274	B	S-2544B	1	66	57	66	No	Yes	9
2275	B	S-2545B-2	1	66	59	67	No	Yes	8
2276	B	S-2546B-3	1	66	63	68	No	Yes	5
2277	B	S-2541B	1	66	56	67	Yes	Yes	11
2278	B	S-2542B-2	1	66	58	69	Yes	Yes	11
2279	B	S-2543B-3	1	66	62	70	No	Yes	8
2280	B	S-2529B	1	66	56	67	Yes	Yes	11
2281	B	S-2530B-2	1	66	58	69	Yes	Yes	11
2282	B	S-2531B-3	1	66	61	70	No	Yes	9
2283	B	S-2532B	1	66	56	67	Yes	Yes	11
2284	B	S-2533B-2	1	66	57	69	Yes	Yes	12
2285	B	S-2534B-3	1	66	60	70	Yes	Yes	10
2286	B	S-2520B	1	66	56	67	Yes	Yes	11
2287	B	S-2521B-2	1	66	57	69	Yes	Yes	12
2288	B	S-2522B-3	1	66	60	70	Yes	Yes	10
2289	B	S-2517B	1	66	56	68	Yes	Yes	12
2290	B	S-2518B-2	1	66	57	69	Yes	Yes	12
2291	B	S-2519B-3	1	66	61	71	Yes	Yes	10
2292	B	S-2508B	1	66	55	68	Yes	Yes	13
2293	B	S-2509B-2	1	66	57	69	Yes	Yes	12
2294	B	S-2510B-3	1	66	60	70	Yes	Yes	10
2295	B	S-2577B	1	66	70	78	No	Yes	8
2296	B	S-2578B-2	1	66	70	80	Yes	Yes	10
2297	B	S-2579B-3	1	66	77	80	No	Yes	3
2298	B	S-2568B	1	66	65	78	Yes	Yes	13
2299	B	S-2569B-2	1	66	69	78	No	Yes	9
2300	B	S-2570B-3	1	66	76	79	No	Yes	3
2301	B	S-2562B	1	66	64	77	Yes	Yes	13
2302	B	S-2563B-2	1	66	67	78	Yes	Yes	11
2303	B	S-2564B-3	1	66	74	78	No	Yes	4
2304	B	S-2559B	1	66	63	76	Yes	Yes	13
2305	B	S-2560B-2	1	66	67	77	Yes	Yes	10
2306	B	S-2561B-3	1	66	73	77	No	Yes	4
2307	B	S-2550B	1	66	62	75	Yes	Yes	13
2308	B	S-2551B-2	1	66	65	76	Yes	Yes	11
2309	B	S-2552B-3	1	66	71	76	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2310	B	S-2547B	1	66	62	74	Yes	Yes	12
2311	B	S-2548B-2	1	66	66	75	No	Yes	9
2312	B	S-2549B-3	1	66	71	75	No	Yes	4
2313	B	S-2538B	1	66	60	70	Yes	Yes	10
2314	B	S-2539B-2	1	66	63	71	No	Yes	8
2315	B	S-2540B-3	1	66	66	72	No	Yes	6
2316	B	S-2535B	1	66	60	69	No	Yes	9
2317	B	S-2536B-2	1	66	62	70	No	Yes	8
2318	B	S-2537B-3	1	66	65	71	No	Yes	6
2319	B	S-2526B	1	66	60	69	No	Yes	9
2320	B	S-2527B-2	1	66	62	70	No	Yes	8
2321	B	S-2528B-3	1	66	65	71	No	Yes	6
2322	B	S-2523B	1	66	59	69	Yes	Yes	10
2323	B	S-2524B-2	1	66	61	70	No	Yes	9
2324	B	S-2525B-3	1	66	64	71	No	Yes	7
2325	B	S-2514B	1	66	58	69	Yes	Yes	11
2326	B	S-2515B-2	1	66	61	70	No	Yes	9
2327	B	S-2516B-3	1	66	64	71	No	Yes	7
2328	B	S-2511B	1	66	57	69	Yes	Yes	12
2329	B	S-2512B-2	1	66	60	70	Yes	Yes	10
2330	B	S-2513B-3	1	66	63	71	No	Yes	8
2331	B	S-2601B	1	66	62	73	Yes	Yes	11
2332	B	S-2602B-2	1	66	65	74	No	Yes	9
2333	B	S-2603B-3	1	66	70	74	No	Yes	4
2334	B	S-2604B	1	66	60	71	Yes	Yes	11
2335	B	S-2605B-2	1	66	63	72	No	Yes	9
2336	B	S-2606B-3	1	66	66	72	No	Yes	6
2337	B	S-2592B	1	66	62	74	Yes	Yes	12
2338	B	S-2593B-2	1	66	66	75	No	Yes	9
2339	B	S-2594B-3	1	66	71	75	No	Yes	4
2340	B	S-2589B	1	66	63	75	Yes	Yes	12
2341	B	S-2590B-2	1	66	67	76	No	Yes	9
2342	B	S-2591B-3	1	66	73	76	No	Yes	3
2343	B	S-2613B	1	66	59	71	Yes	Yes	12
2344	B	S-2614B-2	1	66	62	72	Yes	Yes	10
2345	B	S-2615B-3	1	66	66	73	No	Yes	7
2346	B	S-2580B	1	66	64	76	Yes	Yes	12
2347	B	S-2581B-2	1	66	68	77	No	Yes	9
2348	B	S-2582B-3	1	66	74	78	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2349	B	S-2619B	1	66	59	71	Yes	Yes	12
2350	B	S-2620B-2	1	66	61	72	Yes	Yes	11
2351	B	S-2621B-3	1	66	64	73	No	Yes	9
2352	B	S-2622B	1	66	58	70	Yes	Yes	12
2353	B	S-2623B-2	1	66	60	72	Yes	Yes	12
2354	B	S-2624B-3	1	66	63	72	No	Yes	9
2355	B	S-2631B	1	66	58	70	Yes	Yes	12
2356	B	S-2632B-2	1	66	60	72	Yes	Yes	12
2357	B	S-2633B-3	1	66	64	73	No	Yes	9
2358	B	S-2637B	1	66	57	70	Yes	Yes	13
2359	B	S-2638B-2	1	66	59	71	Yes	Yes	12
2360	B	S-2639B-3	1	66	62	72	Yes	Yes	10
2361	B	S-2598B	1	66	60	70	Yes	Yes	10
2362	B	S-2599B-2	1	66	63	73	Yes	Yes	10
2363	B	S-2600B-3	1	66	70	73	No	Yes	3
2364	B	S-2595B	1	66	61	73	Yes	Yes	12
2365	B	S-2596B-2	1	66	65	75	Yes	Yes	10
2366	B	S-2597B-3	1	66	72	75	No	Yes	3
2367	B	S-2607B	1	66	61	70	No	Yes	9
2368	B	S-2608B-2	1	66	64	72	No	Yes	8
2369	B	S-2609B-3	1	66	69	72	No	Yes	3
2370	B	S-2586B	1	66	61	74	Yes	Yes	13
2371	B	S-2587B-2	1	66	65	76	Yes	Yes	11
2372	B	S-2588B-3	1	66	73	77	No	Yes	4
2373	B	S-2583B	1	66	65	77	Yes	Yes	12
2374	B	S-2584B-2	1	66	70	78	No	Yes	8
2375	B	S-2585B-3	1	66	76	78	No	Yes	2
2376	B	S-2610B	1	66	59	69	Yes	Yes	10
2377	B	S-2611B-2	1	66	62	71	No	Yes	9
2378	B	S-2612B-3	1	66	67	72	No	Yes	5
2379	B	S-2616B	1	66	59	70	Yes	Yes	11
2380	B	S-2617B-2	1	66	62	71	No	Yes	9
2381	B	S-2618B-3	1	66	67	72	No	Yes	5
2382	B	S-2640B	1	66	61	70	No	Yes	9
2383	B	S-2641B-2	1	66	64	71	No	Yes	7
2384	B	S-2642B-3	1	66	67	73	No	Yes	6
2385	B	S-2625B	1	66	58	70	Yes	Yes	12
2386	B	S-2626B-2	1	66	61	71	Yes	Yes	10
2387	B	S-2627B-3	1	66	65	72	No	Yes	7

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2388	B	S-2628B	1	66	58	70	Yes	Yes	12
2389	B	S-2629B-2	1	66	61	72	Yes	Yes	11
2390	B	S-2630B-3	1	66	65	73	No	Yes	8
2391	B	S-2634B	1	66	58	70	Yes	Yes	12
2392	B	S-2635B-2	1	66	60	72	Yes	Yes	12
2393	B	S-2636B-3	1	66	64	72	No	Yes	8
2394	B	S-2643B	1	66	54	69	Yes	Yes	15
2395	B	S-2644B-2	1	66	56	70	Yes	Yes	14
2396	B	S-2645B-3	1	66	60	71	Yes	Yes	11
2397	B	S-2649B	1	66	63	70	No	Yes	7
2398	B	S-2650B-2	1	66	66	72	No	Yes	6
2399	B	S-2651B-3	1	66	69	73	No	Yes	4
2400	B	S-2652B	1	66	58	71	Yes	Yes	13
2401	B	S-2653B-2	1	66	61	72	Yes	Yes	11
2402	B	S-2654B-3	1	66	66	73	No	Yes	7
2403	B	S-2697B	1	66	63	76	Yes	Yes	13
2404	B	S-2698B-2	1	66	68	77	No	Yes	9
2405	B	S-2699B-3	1	66	74	77	No	Yes	3
2406	B	S-2661B	1	66	59	71	Yes	Yes	12
2407	B	S-2662B-2	1	66	63	73	Yes	Yes	10
2408	B	S-2663B-3	1	66	67	74	No	Yes	7
2409	B	S-2688B	1	66	61	73	Yes	Yes	12
2410	B	S-2689B-2	1	66	66	74	No	Yes	8
2411	B	S-2690B-3	1	66	71	75	No	Yes	4
2412	B	S-2664B	1	66	59	71	Yes	Yes	12
2413	B	S-2665B-2	1	66	63	72	No	Yes	9
2414	B	S-2666B-3	1	66	67	73	No	Yes	6
2415	B	S-2685B	1	66	61	72	Yes	Yes	11
2416	B	S-2686B-2	1	66	65	73	No	Yes	8
2417	B	S-2687B-3	1	66	70	73	No	Yes	3
2418	B	S-2676B	1	66	60	71	Yes	Yes	11
2419	B	S-2677B-2	1	66	64	72	No	Yes	8
2420	B	S-2678B-3	1	66	69	72	No	Yes	3
2421	B	S-2673B	1	66	59	71	Yes	Yes	12
2422	B	S-2674B-2	1	66	62	72	Yes	Yes	10
2423	B	S-2675B-3	1	66	67	73	No	Yes	6
2424	B	S-2646B	1	66	53	69	Yes	Yes	16
2425	B	S-2647B-3	1	66	59	72	Yes	Yes	13
2426	B	S-2648B-2	1	66	53	71	Yes	Yes	18

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2427	B	S-2655B	1	66	63	71	No	Yes	8
2428	B	S-2656B-2	1	66	67	73	No	Yes	6
2429	B	S-2657B-3	1	66	69	74	No	Yes	5
2430	B	S-2658B	1	66	64	72	No	Yes	8
2431	B	S-2659B-2	1	66	68	73	No	Yes	5
2432	B	S-2660B-3	1	66	70	74	No	Yes	4
2433	B	S-2667B	1	66	64	72	No	Yes	8
2434	B	S-2668B-2	1	66	68	74	No	Yes	6
2435	B	S-2669B-3	1	66	70	74	No	Yes	4
2436	B	S-2694B	1	66	66	78	Yes	Yes	12
2437	B	S-2695B-2	1	66	71	79	No	Yes	8
2438	B	S-2696B-3	1	66	77	79	No	Yes	2
2439	B	S-2691B	1	66	65	75	Yes	Yes	10
2440	B	S-2692B-2	1	66	68	77	No	Yes	9
2441	B	S-2693B-3	1	66	75	77	No	Yes	2
2442	B	S-2682B	1	66	66	75	No	Yes	9
2443	B	S-2683B-2	1	66	70	77	No	Yes	7
2444	B	S-2684B-3	1	66	75	77	No	Yes	2
2445	B	S-2670B	1	66	66	73	No	Yes	7
2446	B	S-2671B-2	1	66	69	75	No	Yes	6
2447	B	S-2672B-3	1	66	72	75	No	Yes	3
2448	B	S-2679B	1	66	66	74	No	Yes	8
2449	B	S-2680B-2	1	66	69	76	No	Yes	7
2450	B	S-2681B-3	1	66	73	76	No	Yes	3
2451	B	S-2722B	1	66	56	70	Yes	Yes	14
2452	B	S-2723B-2	1	66	59	71	Yes	Yes	12
2453	B	S-2724B	1	66	55	69	Yes	Yes	14
2454	B	S-2725B-2	1	66	57	71	Yes	Yes	14
2455	B	S-2738B	1	66	55	66	Yes	Yes	11
2456	B	S-2739B-2	1	66	56	68	Yes	Yes	12
2457	B	S-2742B	1	66	51	66	Yes	Yes	15
2458	B	S-2743B-2	1	66	54	67	Yes	Yes	13
2459	B	S-2744B	1	66	54	66	Yes	Yes	12
2460	B	S-2726B	1	66	56	67	Yes	Yes	11
2461	B	S-2727B-2	1	66	58	68	Yes	Yes	10
2462	B	S-2720B	1	66	57	67	Yes	Yes	10
2463	B	S-2721B-2	1	66	59	68	No	Yes	9
2464	B	S-2740B	1	66	51	65	Yes	No	14
2465	B	S-2741B-2	1	66	54	67	Yes	Yes	13

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2466	B	S-2745B	1	66	54	66	Yes	Yes	12
2467	B	S-2736B	1	66	55	66	Yes	Yes	11
2468	B	S-2737B-2	1	66	56	67	Yes	Yes	11
2469	B	S-2746B	1	66	54	65	Yes	No	11
2470	B	S-2747B	1	66	54	65	Yes	No	11
2471	B	S-2718B	1	66	53	57	No	No	4
2472	B	S-2719B-2	1	66	55	59	No	No	4
2473	B	S-2714B	1	66	67	73	No	Yes	6
2474	B	S-2715B-2	1	66	70	74	No	Yes	4
2475	B	S-2728B	1	66	55	64	No	No	9
2476	B	S-2729B-2	1	66	56	66	Yes	Yes	10
2477	B	S-2734B	1	66	54	64	Yes	No	10
2478	B	S-2735B-2	1	66	56	66	Yes	Yes	10
2479	B	S-2716B	1	66	54	57	No	No	3
2480	B	S-2717B-2	1	66	55	58	No	No	3
2481	B	S-2712B	1	66	67	72	No	Yes	5
2482	B	S-2713B-2	1	66	70	74	No	Yes	4
2483	B	S-2748B	1	66	58	65	No	No	7
2484	B	S-2749B	1	66	58	64	No	No	6
2485	B	S-2730B	1	66	58	63	No	No	5
2486	B	S-2731B-2	1	66	62	65	No	No	3
2487	B	S-2732B	1	66	57	63	No	No	6
2488	B	S-2733B-2	1	66	62	65	No	No	3
2489	B	S-2703B	1	66	71	75	No	Yes	4
2490	B	S-2704B-2	1	66	74	77	No	Yes	3
2491	B	S-2705B-3	1	66	76	77	No	Yes	1
2492	B	S-2700B	1	66	72	76	No	Yes	4
2493	B	S-2701B-2	1	66	76	77	No	Yes	1
2494	B	S-2702B-3	1	66	76	78	No	Yes	2
2495	B	S-2709B	1	66	59	61	No	No	2
2496	B	S-2710B-2	1	66	60	62	No	No	2
2497	B	S-2711B-3	1	66	64	65	No	No	1
2498	B	S-2706B	1	66	61	63	No	No	2
2499	B	S-2707B-2	1	66	64	65	No	No	1
2500	B	S-2708B-3	1	66	66	67	No	Yes	1
2501	B	S-2756B	1	66	64	66	No	Yes	2
2502	B	S-2750B	1	66	57	67	Yes	Yes	10
2503	B	S-2757B	1	66	65	67	No	Yes	2
2504	B	S-2751B	1	66	53	67	Yes	Yes	14

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2505	B	S-2758B	1	66	66	68	No	Yes	2
2506	B	S-2752B	1	66	54	67	Yes	Yes	13
2507	B	S-2759B	1	66	66	69	No	Yes	3
2508	B	S-2753B	1	66	54	67	Yes	Yes	13
2509	B	S-2760B	1	66	67	69	No	Yes	2
2510	B	S-2761B	1	66	67	70	No	Yes	3
2511	B	S-2754B	1	66	54	68	Yes	Yes	14
2512	B	S-2755B	1	66	58	69	Yes	Yes	11
2513	C	S-2762C	1	66	70	72	No	Yes	2
2514	B	S-2765B-2	1	66	73	74	No	Yes	1
2515	B	S-2767B-2	1	66	70	71	No	Yes	1
2516	B	S-2766B-2	1	66	71	72	No	Yes	1
2517	B	S-2764B-2	1	66	75	76	No	Yes	1
2518	B	S-2763B-2	1	66	77	78	No	Yes	1
2519	B	S-2771B-2	1	66	64	70	No	Yes	6
2520	B	S-2769B-2	1	66	66	70	No	Yes	4
2521	B	S-2773B-2	1	66	63	69	No	Yes	6
2522	B	S-2772B-2	1	66	63	70	No	Yes	7
2523	B	S-2770B-2	1	66	65	70	No	Yes	5
2524	B	S-2768B-2	1	66	69	70	No	Yes	1
2525	B	S-2780B-2	1	66	66	70	No	Yes	4
2526	B	S-2781B-2	1	66	68	70	No	Yes	2
2527	B	S-2778B-2	1	66	65	69	No	Yes	4
2528	B	S-2779B-2	1	66	65	69	No	Yes	4
2529	B	S-2777B-2	1	66	64	69	No	Yes	5
2530	B	S-2782B-2	1	66	72	73	No	Yes	1
2531	B	S-2783B-2	1	66	76	76	No	Yes	0
2532	B	S-2776B-2	1	66	63	69	No	Yes	6
2533	B	S-2775B-2	1	66	62	68	No	Yes	6
2534	B	S-2774B-2	1	66	62	68	No	Yes	6
2535	B	S-2796B	1	66	53	61	No	No	8
2536	B	S-2803B	1	66	56	63	No	No	7
2537	B	S-2784B-2	1	66	76	76	No	Yes	0
2538	B	S-2785B-4	1	66	77	77	No	Yes	0
2539	B	S-2786B-3	1	66	76	77	No	Yes	1
2540	B	S-2793B	1	66	56	58	No	No	2
2541	B	S-2794B-2	1	66	56	59	No	No	3
2542	B	S-2795B-3	1	66	62	66	No	Yes	4
2543	B	S-2797B	1	66	53	60	No	No	7

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2544	B	S-2802B	1	66	56	62	No	No	6
2545	B	S-2804B	1	66	57	64	No	No	7
2546	B	S-2805B-2	1	66	61	66	No	Yes	5
2547	B	S-2806B-3	1	66	65	68	No	Yes	3
2548	B	S-2813B	1	66	58	64	No	No	6
2549	B	S-2814B-2	1	66	61	66	No	Yes	5
2550	B	S-2815B-3	1	66	65	68	No	Yes	3
2551	B	S-2798B	1	66	54	60	No	No	6
2552	B	S-2801B	1	66	56	62	No	No	6
2553	B	S-2790B	1	66	56	58	No	No	2
2554	B	S-2791B-2	1	66	56	59	No	No	3
2555	B	S-2792B-3	1	66	60	63	No	No	3
2556	B	S-2787B-2	1	66	76	77	No	Yes	1
2557	B	S-2788B-3	1	66	76	77	No	Yes	1
2558	B	S-2789B-4	1	66	77	77	No	Yes	0
2559	B	S-2816B	1	66	59	64	No	No	5
2560	B	S-2817B-2	1	66	61	66	No	Yes	5
2561	B	S-2818B-3	1	66	65	68	No	Yes	3
2562	B	S-2807B	1	66	56	64	No	No	8
2563	B	S-2808B-2	1	66	61	66	No	Yes	5
2564	B	S-2809B-3	1	66	65	68	No	Yes	3
2565	B	S-2800B	1	66	57	62	No	No	5
2566	B	S-2799B	1	66	54	62	No	No	8
2567	B	S-2819B	1	66	60	64	No	No	4
2568	B	S-2820B-2	1	66	63	67	No	Yes	4
2569	B	S-2821B-3	1	66	66	68	No	Yes	2
2570	B	S-2810B	1	66	59	64	No	No	5
2571	B	S-2811B-2	1	66	62	66	No	Yes	4
2572	B	S-2812B-3	1	66	65	68	No	Yes	3
2573	B	S-2822B	1	66	74	75	No	Yes	1
2574	B	S-2823B-2	1	66	75	76	No	Yes	1
2575	B	S-2824B-3	1	66	75	76	No	Yes	1
2576	B	S-2825B-4	1	66	75	76	No	Yes	1
2577	B	S-2826B-5	1	66	75	76	No	Yes	1
2578	B	S-2827B	1	66	78	78	No	Yes	0
2579	B	S-2828B-2	1	66	79	79	No	Yes	0
2580	B	S-2829B-3	1	66	79	79	No	Yes	0
2581	B	S-2830B-4	1	66	79	79	No	Yes	0
2582	B	S-2831B-5	1	66	79	79	No	Yes	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2583	B	S-2907B	1	66	56	58	No	No	2
2584	B	S-2908B-2	1	66	57	59	No	No	2
2585	B	S-2909B-3	1	66	59	60	No	No	1
2586	B	S-2910B-4	1	66	62	64	No	No	2
2587	B	S-2911B-5	1	66	64	66	No	Yes	2
2588	B	S-2912B	1	66	57	59	No	No	2
2589	B	S-2913B-2	1	66	58	60	No	No	2
2590	B	S-2914B-3	1	66	60	62	No	No	2
2591	B	S-2915B-4	1	66	63	64	No	No	1
2592	B	S-2916B-5	1	66	64	66	No	Yes	2
2593	B	S-2917B	1	66	65	66	No	Yes	1
2594	B	S-2918B-2	1	66	67	67	No	Yes	0
2595	B	S-2919B-3	1	66	67	68	No	Yes	1
2596	B	S-2920B-4	1	66	69	69	No	Yes	0
2597	B	S-2921B-5	1	66	69	70	No	Yes	1
2598	B	S-2832B	1	66	78	79	No	Yes	1
2599	B	S-2833B-2	1	66	79	79	No	Yes	0
2600	B	S-2834B-3	1	66	79	79	No	Yes	0
2601	B	S-2835B-4	1	66	79	79	No	Yes	0
2602	B	S-2836B-5	1	66	79	79	No	Yes	0
2603	B	S-2929B-3	1	66	66	68	No	Yes	2
2604	B	S-2930B-4	1	66	68	70	No	Yes	2
2605	B	S-2931B-5	1	66	69	71	No	Yes	2
2606	B	S-2837B	1	66	78	79	No	Yes	1
2607	B	S-2838B-2	1	66	79	79	No	Yes	0
2608	B	S-2839B-3	1	66	79	79	No	Yes	0
2609	B	S-2840B-4	1	66	79	79	No	Yes	0
2610	B	S-2841B-5	1	66	79	79	No	Yes	0
2611	B	S-2842B	1	66	79	79	No	Yes	0
2612	B	S-2843B-2	1	66	79	79	No	Yes	0
2613	B	S-2844B-3	1	66	79	79	No	Yes	0
2614	B	S-2845B-4	1	66	79	79	No	Yes	0
2615	B	S-2846B-5	1	66	79	79	No	Yes	0
2616	B	S-2927B-3	1	66	65	66	No	Yes	1
2617	B	S-2928B-4	1	66	67	68	No	Yes	1
2618	B	S-2902B	1	66	56	56	No	No	0
2619	B	S-2903B-2	1	66	55	56	No	No	1
2620	B	S-2904B-3	1	66	58	59	No	No	1
2621	B	S-2905B-4	1	66	60	61	No	No	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2622	B	S-2906B-5	1	66	62	64	No	No	2
2623	B	S-2897B	1	66	55	56	No	No	1
2624	B	S-2898B-2	1	66	56	57	No	No	1
2625	B	S-2899B-3	1	66	58	59	No	No	1
2626	B	S-2900B-4	1	66	60	61	No	No	1
2627	B	S-2901B-5	1	66	64	66	No	Yes	2
2628	B	S-2924B-3	1	66	65	66	No	Yes	1
2629	B	S-2925B-4	1	66	66	67	No	Yes	1
2630	C	S-2926C-5	1	66	67	68	No	Yes	1
2631	B	S-2847B	1	66	79	79	No	Yes	0
2632	B	S-2848B-2	1	66	79	79	No	Yes	0
2633	B	S-2849B-3	1	66	79	79	No	Yes	0
2634	B	S-2850B-4	1	66	79	80	No	Yes	1
2635	B	S-2851B-5	1	66	79	79	No	Yes	0
2636	B	S-2892B	1	66	55	56	No	No	1
2637	B	S-2893B-2	1	66	55	56	No	No	1
2638	B	S-2894B-3	1	66	57	58	No	No	1
2639	B	S-2895B-4	1	66	59	60	No	No	1
2640	B	S-2896B-5	1	66	62	63	No	No	1
2641	B	S-2852B	1	66	79	79	No	Yes	0
2642	B	S-2853B-2	1	66	79	79	No	Yes	0
2643	B	S-2854B-3	1	66	79	79	No	Yes	0
2644	B	S-2855B-4	1	66	79	79	No	Yes	0
2645	B	S-2856B-5	1	66	79	79	No	Yes	0
2646	B	S-2887B	1	66	55	56	No	No	1
2647	B	S-2888B-2	1	66	55	56	No	No	1
2648	B	S-2889B-3	1	66	57	58	No	No	1
2649	B	S-2890B-4	1	66	59	60	No	No	1
2650	B	S-2891B-5	1	66	62	63	No	No	1
2651	B	S-2857B	1	66	79	79	No	Yes	0
2652	B	S-2858B-2	1	66	79	80	No	Yes	1
2653	B	S-2859B-3	1	66	79	80	No	Yes	1
2654	B	S-2860B-4	1	66	79	80	No	Yes	1
2655	B	S-2861B-5	1	66	79	79	No	Yes	0
2656	B	S-2932B	1	66	60	62	No	No	2
2657	B	S-2933B-2	1	66	62	63	No	No	1
2658	B	S-2934B-3	1	66	64	65	No	No	1
2659	B	S-2935B-4	1	66	66	67	No	Yes	1
2660	B	S-2882B	1	66	55	56	No	No	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2661	B	S-2883B-2	1	66	55	56	No	No	1
2662	B	S-2884B-3	1	66	57	58	No	No	1
2663	B	S-2885B-4	1	66	59	60	No	No	1
2664	B	S-2886B-5	1	66	63	64	No	No	1
2665	B	S-2877B	1	66	55	56	No	No	1
2666	B	S-2878B-2	1	66	55	56	No	No	1
2667	B	S-2879B-3	1	66	57	58	No	No	1
2668	B	S-2880B-4	1	66	59	60	No	No	1
2669	B	S-2881B-5	1	66	63	64	No	No	1
2670	C	S-2922C	1	66	57	59	No	No	2
2671	B	S-2936B	1	66	63	65	No	No	2
2672	B	S-2937B-2	1	66	66	67	No	Yes	1
2673	B	S-2938B-3	1	66	67	68	No	Yes	1
2674	B	S-2939B-4	1	66	68	69	No	Yes	1
2675	B	S-2862B	1	66	79	79	No	Yes	0
2676	B	S-2863B-2	1	66	79	79	No	Yes	0
2677	B	S-2864B-3	1	66	79	79	No	Yes	0
2678	B	S-2865B-4	1	66	79	79	No	Yes	0
2679	B	S-2866B-5	1	66	79	79	No	Yes	0
2680	B	S-3064B	1	66	55	55	No	No	0
2681	B	S-3065B-2	1	66	56	56	No	No	0
2682	B	S-3066B-3	1	66	59	59	No	No	0
2683	B	S-3067B-4	1	66	65	66	No	Yes	1
2684	B	S-2940B	1	66	64	66	No	Yes	2
2685	B	S-2941B-2	1	66	67	68	No	Yes	1
2686	B	S-2942B-3	1	66	68	70	No	Yes	2
2687	B	S-2943B-4	1	66	69	70	No	Yes	1
2688	C	S-2923C	1	66	67	68	No	Yes	1
2689	B	S-3060B	1	66	55	55	No	No	0
2690	B	S-3061B-2	1	66	57	56	No	No	-1
2691	B	S-3062B-3	1	66	60	60	No	No	0
2692	B	S-3063B-4	1	66	67	68	No	Yes	1
2693	B	S-2867B	1	66	75	75	No	Yes	0
2694	B	S-2868B-2	1	66	76	77	No	Yes	1
2695	B	S-2869B-3	1	66	76	77	No	Yes	1
2696	B	S-2870B-4	1	66	76	77	No	Yes	1
2697	B	S-2871B-5	1	66	77	77	No	Yes	0
2698	B	S-2944B	1	66	67	68	No	Yes	1
2699	B	S-2945B-2	1	66	69	71	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2700	B	S-2946B-3	1	66	70	72	No	Yes	2
2701	B	S-2947B-4	1	66	71	72	No	Yes	1
2702	B	S-2872B	1	66	72	73	No	Yes	1
2703	B	S-2873B-2	1	66	74	75	No	Yes	1
2704	B	S-2874B-3	1	66	74	75	No	Yes	1
2705	B	S-2875B-4	1	66	75	75	No	Yes	0
2706	B	S-2876B-5	1	66	75	75	No	Yes	0
2707	B	S-2948B	1	66	68	69	No	Yes	1
2708	B	S-2949B-2	1	66	71	72	No	Yes	1
2709	B	S-2950B-3	1	66	72	73	No	Yes	1
2710	B	S-2951B-4	1	66	72	73	No	Yes	1
2711	B	S-3056B	1	66	56	56	No	No	0
2712	B	S-3057B-2	1	66	57	57	No	No	0
2713	B	S-3058B-3	1	66	61	61	No	No	0
2714	B	S-3059B-4	1	66	67	69	No	Yes	2
2715	B	S-3052B	1	66	56	56	No	No	0
2716	B	S-3053B-2	1	66	57	57	No	No	0
2717	B	S-3054B-3	1	66	61	61	No	No	0
2718	B	S-3055B-4	1	66	67	69	No	Yes	2
2719	B	S-2952B	1	66	70	72	No	Yes	2
2720	B	S-2953B-2	1	66	72	74	No	Yes	2
2721	B	S-2954B-3	1	66	73	74	No	Yes	1
2722	B	S-2955B-4	1	66	74	75	No	Yes	1
2723	B	S-3048B	1	66	57	56	No	No	-1
2724	B	S-3049B-2	1	66	58	57	No	No	-1
2725	B	S-3050B-3	1	66	61	61	No	No	0
2726	B	S-3051B-4	1	66	67	69	No	Yes	2
2727	B	S-2956B	1	66	70	72	No	Yes	2
2728	B	S-2957B-2	1	66	73	74	No	Yes	1
2729	B	S-2958B-3	1	66	74	75	No	Yes	1
2730	B	S-2959B-4	1	66	74	75	No	Yes	1
2731	B	S-3044B	1	66	57	56	No	No	-1
2732	B	S-3045B-2	1	66	58	57	No	No	-1
2733	B	S-3046B-3	1	66	61	61	No	No	0
2734	B	S-3047B-4	1	66	67	69	No	Yes	2
2735	B	S-2960B	1	66	71	72	No	Yes	1
2736	B	S-2961B-2	1	66	73	74	No	Yes	1
2737	B	S-2962B-3	1	66	74	75	No	Yes	1
2738	B	S-2963B-4	1	66	74	75	No	Yes	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2739	C	S-3068C	1	66	52	53	No	No	1
2740	B	S-3040B	1	66	57	56	No	No	-1
2741	B	S-3041B-2	1	66	58	58	No	No	0
2742	B	S-3042B-3	1	66	61	61	No	No	0
2743	B	S-3043B-4	1	66	66	68	No	Yes	2
2744	B	S-2964B	1	66	71	72	No	Yes	1
2745	B	S-2965B-2	1	66	73	74	No	Yes	1
2746	B	S-2966B-3	1	66	74	75	No	Yes	1
2747	B	S-2967B-4	1	66	75	75	No	Yes	0
2748	B	S-3036B	1	66	57	56	No	No	-1
2749	B	S-3037B-2	1	66	58	58	No	No	0
2750	B	S-3038B-3	1	66	61	61	No	No	0
2751	B	S-3039B-4	1	66	66	67	No	Yes	1
2752	C	S-3069C	1	66	52	53	No	No	1
2753	B	S-2968B	1	66	71	72	No	Yes	1
2754	B	S-2969B-2	1	66	73	75	No	Yes	2
2755	B	S-2970B-3	1	66	75	76	No	Yes	1
2756	B	S-2971B-4	1	66	75	76	No	Yes	1
2757	B	S-2972B	1	66	70	72	No	Yes	2
2758	B	S-2973B-2	1	66	73	74	No	Yes	1
2759	B	S-2974B-3	1	66	75	76	No	Yes	1
2760	B	S-2975B-4	1	66	75	76	No	Yes	1
2761	B	S-3032B	1	66	57	57	No	No	0
2762	B	S-3033B-2	1	66	59	58	No	No	-1
2763	B	S-3034B-3	1	66	61	61	No	No	0
2764	B	S-3035B-4	1	66	66	67	No	Yes	1
2765	B	S-2976B	1	66	70	71	No	Yes	1
2766	B	S-2977B-2	1	66	73	74	No	Yes	1
2767	B	S-2978B-3	1	66	75	76	No	Yes	1
2768	B	S-2979B-4	1	66	75	76	No	Yes	1
2769	B	S-3028B	1	66	58	57	No	No	-1
2770	B	S-3029B-2	1	66	59	58	No	No	-1
2771	B	S-3030B-3	1	66	62	62	No	No	0
2772	B	S-3031B-4	1	66	67	68	No	Yes	1
2773	B	S-3024B	1	66	57	57	No	No	0
2774	B	S-3025B-2	1	66	58	58	No	No	0
2775	B	S-3026B-3	1	66	61	61	No	No	0
2776	B	S-3027B-4	1	66	65	65	No	No	0
2777	B	S-2980B	1	66	69	70	No	Yes	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2778	B	S-2981B-2	1	66	73	74	No	Yes	1
2779	B	S-2982B-3	1	66	75	76	No	Yes	1
2780	B	S-2983B-4	1	66	76	76	No	Yes	0
2781	B	S-3020B	1	66	56	57	No	No	1
2782	B	S-3021B-2	1	66	58	57	No	No	-1
2783	B	S-3022B-3	1	66	61	60	No	No	-1
2784	B	S-3023B-4	1	66	63	63	No	No	0
2785	B	S-2984B	1	66	67	68	No	Yes	1
2786	B	S-2985B-2	1	66	73	74	No	Yes	1
2787	B	S-2986B-3	1	66	75	76	No	Yes	1
2788	B	S-2987B-4	1	66	76	76	No	Yes	0
2789	B	S-3016B	1	66	57	57	No	No	0
2790	B	S-3017B-2	1	66	58	58	No	No	0
2791	B	S-3018B-3	1	66	61	61	No	No	0
2792	B	S-3019B-4	1	66	64	64	No	No	0
2793	B	S-2988B	1	66	66	68	No	Yes	2
2794	B	S-2989B-2	1	66	72	73	No	Yes	1
2795	B	S-2990B-3	1	66	75	76	No	Yes	1
2796	B	S-2991B-4	1	66	76	76	No	Yes	0
2797	B	S-2992B	1	66	66	67	No	Yes	1
2798	B	S-2993B-2	1	66	72	73	No	Yes	1
2799	B	S-2994B-3	1	66	75	76	No	Yes	1
2800	B	S-2995B-4	1	66	76	76	No	Yes	0
2801	B	S-3012B	1	66	57	57	No	No	0
2802	B	S-3013B-2	1	66	59	58	No	No	-1
2803	B	S-3014B-3	1	66	62	61	No	No	-1
2804	B	S-3015B-4	1	66	64	64	No	No	0
2805	B	S-2996B	1	66	66	67	No	Yes	1
2806	B	S-2997B-2	1	66	72	73	No	Yes	1
2807	B	S-2998B-3	1	66	75	76	No	Yes	1
2808	B	S-2999B-4	1	66	76	76	No	Yes	0
2809	B	S-3008B	1	66	58	58	No	No	0
2810	B	S-3009B-2	1	66	60	58	No	No	-2
2811	B	S-3010B-3	1	66	62	61	No	No	-1
2812	B	S-3011B-4	1	66	65	64	No	No	-1
2813	B	S-3004B	1	66	56	57	No	No	1
2814	B	S-3005B-2	1	66	60	59	No	No	-1
2815	B	S-3006B-3	1	66	62	61	No	No	-1
2816	B	S-3007B-4	1	66	64	63	No	No	-1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2817	C	S-3070C	1	66	55	56	No	No	1
2818	B	S-3000B	1	66	59	60	No	No	1
2819	B	S-3001B-2	1	66	65	66	No	Yes	1
2820	B	S-3002B-3	1	66	69	70	No	Yes	1
2821	B	S-3003B-4	1	66	71	72	No	Yes	1
2822	C	S-3071C	1	66	55	56	No	No	1
2823	C	S-3072C	1	66	55	56	No	No	1
2824	B	S-3073B	1	66	55	54	No	No	-1
2825	B	S-3074B-2	1	66	56	56	No	No	0
2826	B	S-3075B-3	1	66	58	60	No	No	2
2827	B	S-3076B-4	1	66	61	62	No	No	1
2828	B	S-3077B	1	66	55	54	No	No	-1
2829	B	S-3078B-2	1	66	56	56	No	No	0
2830	B	S-3079B-3	1	66	59	61	No	No	2
2831	B	S-3080B-4	1	66	61	63	No	No	2
2832	B	S-3081B	1	66	55	55	No	No	0
2833	B	S-3082B-2	1	66	56	57	No	No	1
2834	B	S-3083B-3	1	66	59	61	No	No	2
2835	B	S-3084B-4	1	66	61	63	No	No	2
2836	B	S-3085B	1	66	56	55	No	No	-1
2837	B	S-3086B-2	1	66	58	58	No	No	0
2838	B	S-3087B-3	1	66	60	61	No	No	1
2839	B	S-3088B-4	1	66	61	63	No	No	2
2840	B	S-3089B	1	66	56	56	No	No	0
2841	B	S-3090B-2	1	66	58	59	No	No	1
2842	B	S-3091B-3	1	66	60	61	No	No	1
2843	B	S-3092B-4	1	66	61	62	No	No	1
2844	B	S-3159B	1	66	57	59	No	No	2
2845	B	S-3160B-2	1	66	61	62	No	No	1
2846	B	S-3161B-3	1	66	62	64	No	No	2
2847	B	S-3162B-4	1	66	64	66	No	Yes	2
2848	B	S-3155B	1	66	54	55	No	No	1
2849	B	S-3156B-2	1	66	58	59	No	No	1
2850	B	S-3157B-3	1	66	59	61	No	No	2
2851	B	S-3158B-4	1	66	61	63	No	No	2
2852	B	S-3093B	1	66	52	52	No	No	0
2853	B	S-3094B-2	1	66	54	55	No	No	1
2854	B	S-3095B-3	1	66	56	56	No	No	0
2855	B	S-3096B-4	1	66	58	60	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2856	B	S-3151B	1	66	52	53	No	No	1
2857	B	S-3152B-2	1	66	55	56	No	No	1
2858	B	S-3153B-3	1	66	56	58	No	No	2
2859	B	S-3154B-4	1	66	58	60	No	No	2
2860	B	S-3163B	1	66	60	60	No	No	0
2861	B	S-3164B-2	1	66	64	64	No	No	0
2862	B	S-3165B-3	1	66	65	66	No	Yes	1
2863	B	S-3166B-4	1	66	67	68	No	Yes	1
2864	B	S-3147B	1	66	52	53	No	No	1
2865	B	S-3148B-2	1	66	54	55	No	No	1
2866	B	S-3149B-3	1	66	56	58	No	No	2
2867	B	S-3150B-4	1	66	58	60	No	No	2
2868	B	S-3167B	1	66	60	61	No	No	1
2869	B	S-3168B-2	1	66	64	64	No	No	0
2870	B	S-3169B-3	1	66	65	66	No	Yes	1
2871	B	S-3170B-4	1	66	67	68	No	Yes	1
2872	B	S-3171B	1	66	60	60	No	No	0
2873	B	S-3172B-2	1	66	64	64	No	No	0
2874	B	S-3173B-3	1	66	65	66	No	Yes	1
2875	B	S-3174B-4	1	66	67	68	No	Yes	1
2876	B	S-3143B	1	66	50	49	No	No	-1
2877	B	S-3144B-2	1	66	49	49	No	No	0
2878	B	S-3145B-3	1	66	52	52	No	No	0
2879	B	S-3146B-4	1	66	56	56	No	No	0
2880	B	S-3175B	1	66	58	55	No	No	-3
2881	B	S-3176B-2	1	66	59	57	No	No	-2
2882	B	S-3177B-3	1	66	61	58	No	No	-3
2883	B	S-3178B-4	1	66	62	59	No	No	-3
2884	B	S-3139B	1	66	50	49	No	No	-1
2885	B	S-3140B-2	1	66	49	48	No	No	-1
2886	B	S-3141B-3	1	66	52	51	No	No	-1
2887	B	S-3142B-4	1	66	56	56	No	No	0
2888	B	S-3179B	1	66	59	58	No	No	-1
2889	B	S-3180B-2	1	66	61	61	No	No	0
2890	B	S-3181B-3	1	66	63	62	No	No	-1
2891	B	S-3182B-4	1	66	64	64	No	No	0
2892	B	S-3097B-2	1	66	53	53	No	No	0
2893	B	S-3098B-3	1	66	55	55	No	No	0
2894	B	S-3099B-4	1	66	57	57	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2895	B	S-3100B-2	1	66	59	57	No	No	-2
2896	B	S-3101B-3	1	66	60	58	No	No	-2
2897	B	S-3102B-4	1	66	61	60	No	No	-1
2898	B	S-3183B	1	66	59	59	No	No	0
2899	B	S-3184B-2	1	66	62	62	No	No	0
2900	B	S-3185B-3	1	66	64	64	No	No	0
2901	B	S-3186B-4	1	66	65	65	No	No	0
2902	B	S-3135B	1	66	49	49	No	No	0
2903	B	S-3136B-2	1	66	48	48	No	No	0
2904	B	S-3137B-3	1	66	52	52	No	No	0
2905	B	S-3138B-4	1	66	57	57	No	No	0
2906	B	S-3131B	1	66	49	49	No	No	0
2907	B	S-3132B-2	1	66	47	47	No	No	0
2908	B	S-3133B-3	1	66	52	52	No	No	0
2909	B	S-3134B-4	1	66	56	55	No	No	-1
2910	B	S-3187B	1	66	60	59	No	No	-1
2911	B	S-3188B-2	1	66	63	63	No	No	0
2912	B	S-3189B-3	1	66	64	64	No	No	0
2913	B	S-3190B-4	1	66	66	66	No	Yes	0
2914	B	S-3103B	1	66	57	56	No	No	-1
2915	B	S-3104B-2	1	66	59	57	No	No	-2
2916	B	S-3105B-3	1	66	60	59	No	No	-1
2917	B	S-3106B-4	1	66	62	60	No	No	-2
2918	B	S-3127B	1	66	48	49	No	No	1
2919	B	S-3128B-2	1	66	48	48	No	No	0
2920	B	S-3129B-3	1	66	52	52	No	No	0
2921	B	S-3130B-4	1	66	56	56	No	No	0
2922	B	S-3191B	1	66	60	60	No	No	0
2923	B	S-3192B-2	1	66	63	63	No	No	0
2924	B	S-3193B-3	1	66	65	65	No	No	0
2925	B	S-3194B-4	1	66	66	66	No	Yes	0
2926	B	S-3107B	1	66	57	57	No	No	0
2927	B	S-3108B-2	1	66	59	58	No	No	-1
2928	B	S-3109B-3	1	66	61	59	No	No	-2
2929	B	S-3110B-4	1	66	62	61	No	No	-1
2930	B	S-3123B	1	66	47	47	No	No	0
2931	B	S-3124B-2	1	66	48	48	No	No	0
2932	B	S-3125B-3	1	66	50	51	No	No	1
2933	B	S-3126B-4	1	66	54	54	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2934	B	S-3111B	1	66	57	57	No	No	0
2935	B	S-3112B-2	1	66	59	59	No	No	0
2936	B	S-3113B-3	1	66	61	60	No	No	-1
2937	B	S-3114B-4	1	66	62	61	No	No	-1
2938	B	S-3115B	1	66	58	58	No	No	0
2939	B	S-3116B-2	1	66	61	61	No	No	0
2940	B	S-3117B-3	1	66	62	62	No	No	0
2941	B	S-3118B-4	1	66	63	63	No	No	0
2942	B	S-3119B	1	66	58	59	No	No	1
2943	B	S-3120B-2	1	66	61	61	No	No	0
2944	B	S-3121B-3	1	66	62	62	No	No	0
2945	B	S-3122B-4	1	66	63	63	No	No	0
2946	B	S-3195B	1	66	51	53	No	No	2
2947	B	S-3209B	1	66	53	55	No	No	2
2948	B	S-3196B	1	66	48	50	No	No	2
2949	B	S-3208B	1	66	53	56	No	No	3
2950	B	S-3207B	1	66	52	54	No	No	2
2951	B	S-3197B	1	66	45	48	No	No	3
2952	B	S-3206B	1	66	52	54	No	No	2
2953	B	S-3198B	1	66	48	50	No	No	2
2954	B	S-3205B	1	66	52	54	No	No	2
2955	B	S-3199B	1	66	48	50	No	No	2
2956	B	S-3204B	1	66	51	54	No	No	3
2957	B	S-3203B	1	66	51	53	No	No	2
2958	B	S-3200B	1	66	49	51	No	No	2
2959	B	S-3202B	1	66	50	52	No	No	2
2960	B	S-3201B	1	66	49	51	No	No	2
2961	B	S-3210B	1	66	48	49	No	No	1
2962	B	S-3211B	1	66	48	52	No	No	4
2963	C	S-1397C	1	66	64	72	No	Yes	8
2964	C	S-1394C	1	66	68	76	No	Yes	8
2965	C	S-1396C	1	66	65	73	No	Yes	8
2966	C	S-1393C	1	66	71	80	No	Yes	9
2967	C	S-1392C	1	66	69	80	Yes	Yes	11
2968	C	S-1395C	1	66	63	72	No	Yes	9
2969	C	S-1391C	1	66	68	78	Yes	Yes	10
2970	C	S-1390C	1	66	67	78	Yes	Yes	11
2971	C	S-1389C	1	66	64	74	Yes	Yes	10
2972	C	S-1388C	1	66	63	71	No	Yes	8

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
2973	B	S-1383B	1	66	67	77	Yes	Yes	10
2974	B	S-1384B	1	66	64	72	No	Yes	8
2975	B	S-1387B	1	66	62	70	No	Yes	8
2976	B	S-1385B	1	66	63	72	No	Yes	9
2977	B	S-1382B	1	66	67	78	Yes	Yes	11
2978	B	S-1386B	1	66	62	70	No	Yes	8
2979	B	S-1378B	1	66	67	78	Yes	Yes	11
2980	B	S-1380B	1	66	64	66	No	Yes	2
2981	B	S-1379B	1	66	63	69	No	Yes	6
2982	B	S-1381B	1	66	64	65	No	No	1
2983	B	S-1376B	1	66	68	79	Yes	Yes	11
2984	B	S-1377B	1	66	64	69	No	Yes	5
2985	B	S-1375B	1	66	66	78	Yes	Yes	12
2986	B	S-1374B	1	66	67	79	Yes	Yes	12
2987	B	S-1373B	1	66	66	78	Yes	Yes	12
2988	B	S-1371B	1	66	63	68	No	Yes	5
2989	B	S-1369B	1	66	58	69	Yes	Yes	11
2990	B	S-1368B	1	66	58	69	Yes	Yes	11
2991	B	S-1370B	1	66	59	66	No	Yes	7
2992	B	S-1372B	1	66	67	79	Yes	Yes	12
2993	B	S-1366B	1	66	60	69	No	Yes	9
2994	B	S-1365B	1	66	61	68	No	Yes	7
2995	B	S-1367B	1	66	59	69	Yes	Yes	10
2996	B	S-1364B	1	66	63	70	No	Yes	7
2997	B	S-1363B	1	66	67	79	Yes	Yes	12
2998	B	S-1362B	1	66	66	78	Yes	Yes	12
2999	B	S-1361B	1	66	66	78	Yes	Yes	12
3000	B	S-1360B	1	66	62	68	No	Yes	6
3001	B	S-1358B	1	66	63	67	No	Yes	4
3002	B	S-1359B	1	66	66	77	Yes	Yes	11
3003	B	S-1357B	1	66	66	78	Yes	Yes	12
3004	B	S-1356B	1	66	62	67	No	Yes	5
3005	B	S-1355B	1	66	66	78	Yes	Yes	12
3006	B	S-1354B	1	66	62	67	No	Yes	5
3007	B	S-1353B	1	66	65	76	Yes	Yes	11
3008	B	S-1352B	1	66	62	66	No	Yes	4
3009	B	S-1350B	1	66	62	67	No	Yes	5
3010	B	S-1351B	1	66	65	75	Yes	Yes	10
3011	B	S-1349B	1	66	64	74	Yes	Yes	10

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3012	B	S-1347B	1	66	61	65	No	No	4
3013	B	S-1345B	1	66	58	63	No	No	5
3014	B	S-1346B	1	66	57	63	No	No	6
3015	B	S-1348B	1	66	64	74	Yes	Yes	10
3016	B	S-1343B	1	66	59	64	No	No	5
3017	B	S-1341B	1	66	64	73	No	Yes	9
3018	B	S-1342B	1	66	61	65	No	No	4
3019	B	S-1339B	1	66	64	72	No	Yes	8
3020	B	S-1340B	1	66	60	65	No	No	5
3021	B	S-1344B	1	66	58	63	No	No	5
3022	B	S-1337B	1	66	63	72	No	Yes	9
3023	B	S-1338B	1	66	60	65	No	No	5
3024	B	S-1335B	1	66	63	71	No	Yes	8
3025	B	S-1336B	1	66	60	64	No	No	4
3026	B	S-1334B	1	66	59	66	No	Yes	7
3027	B	S-1333B	1	66	62	70	No	Yes	8
3028	B	S-1331B	1	66	62	71	No	Yes	9
3029	B	S-1332B	1	66	59	65	No	No	6
3030	B	S-1329B	1	66	62	70	No	Yes	8
3031	B	S-1330B	1	66	59	64	No	No	5
3032	B	S-1327B	1	66	62	69	No	Yes	7
3033	B	S-1328B	1	66	60	64	No	No	4
3034	B	S-1325B	1	66	63	69	No	Yes	6
3035	B	S-1326B	1	66	60	63	No	No	3
3036	B	S-1323B	1	66	63	68	No	Yes	5
3037	B	S-1324B	1	66	59	63	No	No	4
3038	B	S-1321B	1	66	61	67	No	Yes	6
3039	B	S-1322B	1	66	59	63	No	No	4
3040	B	S-1294B	1	66	60	64	No	No	4
3041	B	S-1295B	1	66	60	64	No	No	4
3042	B	S-1296B	1	66	60	63	No	No	3
3043	B	S-1319B	1	66	59	64	No	No	5
3044	B	S-1320B	1	66	64	65	No	No	1
3045	B	S-1316B	1	66	58	63	No	No	5
3046	B	S-1312B	1	66	55	59	No	No	4
3047	B	S-1313B-2	1	66	59	61	No	No	2
3048	B	S-1318B	1	66	58	62	No	No	4
3049	B	S-1315B	1	66	58	62	No	No	4
3050	B	S-1310B	1	66	54	58	No	No	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3051	B	S-1311B-2	1	66	59	61	No	No	2
3052	B	S-1317B	1	66	63	63	No	No	0
3053	B	S-1293B	1	66	59	64	No	No	5
3054	B	S-1314B	1	66	57	60	No	No	3
3055	B	S-1308B	1	66	56	59	No	No	3
3056	B	S-1309B-2	1	66	61	62	No	No	1
3057	B	S-1306B	1	66	58	60	No	No	2
3058	B	S-1307B-2	1	66	62	63	No	No	1
3059	B	S-1292B	1	66	58	63	No	No	5
3060	B	S-1297B	1	66	62	62	No	No	0
3061	B	S-1291B	1	66	58	63	No	No	5
3062	B	S-1304B	1	66	58	60	No	No	2
3063	B	S-1302B	1	66	62	64	No	No	2
3064	B	S-1305B	1	66	58	59	No	No	1
3065	B	S-1303B	1	66	60	61	No	No	1
3066	E	S-3212E	1	71	66	70	No	No	4
3067	B	S-1290B	1	66	58	62	No	No	4
3068	B	S-1300B	1	66	61	63	No	No	2
3069	E	S-1301E	1	71	67	69	No	No	2
3070	B	S-1289B	1	66	58	62	No	No	4
3071	B	S-1299B	1	66	61	62	No	No	1
3072	B	S-1298B	1	66	58	59	No	No	1
3073	B	S-1288B	1	66	62	61	No	No	-1
3074	B	S-1286B	1	66	58	62	No	No	4
3075	B	S-1287B	1	66	59	62	No	No	3
3076	B	S-1284B	1	66	62	65	No	No	3
3077	B	S-1285B	1	66	67	68	No	Yes	1
3078	B	S-1280B	1	66	65	68	No	Yes	3
3079	B	S-1274B	1	66	65	68	No	Yes	3
3080	B	S-1283B	1	66	65	67	No	Yes	2
3081	B	S-1277B	1	66	65	67	No	Yes	2
3082	B	S-1259B	1	66	65	67	No	Yes	2
3083	B	S-1268B	1	66	65	67	No	Yes	2
3084	B	S-1237B	1	66	66	69	No	Yes	3
3085	B	S-1258B	1	66	66	67	No	Yes	1
3086	B	S-1236B	1	66	68	70	No	Yes	2
3087	B	S-1260B	1	66	61	64	No	No	3
3088	B	S-1238B	1	66	64	67	No	Yes	3
3089	B	S-1257B	1	66	66	64	No	No	-2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3090	B	S-1269B	1	66	60	63	No	No	3
3091	B	S-1235B	1	66	66	68	No	Yes	2
3092	B	S-1261B	1	66	59	63	No	No	4
3093	B	S-1239B	1	66	62	64	No	No	2
3094	B	S-1256B	1	66	65	63	No	No	-2
3095	B	S-1270B	1	66	58	63	No	No	5
3096	B	S-1281B	1	66	55	59	No	No	4
3097	B	S-1262B	1	66	58	64	No	No	6
3098	B	S-1282B	1	66	54	58	No	No	4
3099	B	S-1275B	1	66	54	59	No	No	5
3100	B	S-1255B	1	66	65	62	No	No	-3
3101	B	S-1278B	1	66	55	59	No	No	4
3102	B	S-1240B	1	66	61	64	No	No	3
3103	B	S-1234B	1	66	65	67	No	Yes	2
3104	B	S-1263B	1	66	57	64	No	No	7
3105	B	S-1254B	1	66	63	62	No	No	-1
3106	B	S-1241B	1	66	60	62	No	No	2
3107	B	S-1233B	1	66	64	67	No	Yes	3
3108	B	S-1276B	1	66	56	63	No	No	7
3109	B	S-1264B	1	66	57	64	No	No	7
3110	B	S-1271B	1	66	56	64	No	No	8
3111	B	S-1279B	1	66	55	62	No	No	7
3112	B	S-1253B	1	66	59	63	No	No	4
3113	B	S-1242B	1	66	60	62	No	No	2
3114	B	S-1232B	1	66	63	67	No	Yes	4
3115	B	S-1252B	1	66	58	63	No	No	5
3116	B	S-1265B	1	66	57	64	No	No	7
3117	B	S-1243B	1	66	60	63	No	No	3
3118	B	S-1272B	1	66	56	64	No	No	8
3119	B	S-1231B	1	66	63	66	No	Yes	3
3120	B	S-1244B	1	66	59	62	No	No	3
3121	B	S-1267B	1	66	56	64	No	No	8
3122	B	S-1230B	1	66	63	66	No	Yes	3
3123	B	S-1251B	1	66	58	62	No	No	4
3124	B	S-1273B	1	66	58	64	No	No	6
3125	B	S-1266B	1	66	57	63	No	No	6
3126	B	S-1229B	1	66	62	66	No	Yes	4
3127	B	S-1245B	1	66	59	63	No	No	4
3128	B	S-1246B	1	66	59	63	No	No	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3129	B	S-1228B	1	66	62	66	No	Yes	4
3130	B	S-1250B	1	66	57	61	No	No	4
3131	B	S-1247B	1	66	57	60	No	No	3
3132	B	S-1227B	1	66	61	65	No	No	4
3133	B	S-1248B	1	66	58	62	No	No	4
3134	B	S-1249B	1	66	57	61	No	No	4
3135	B	S-1226B	1	66	61	66	No	Yes	5
3136	E	S-1225E	1	71	63	68	No	No	5
3137	B	S-1223B	1	66	64	69	No	Yes	5
3138	B	S-1224B-2	1	66	67	73	No	Yes	6
3139	B	S-1201B	1	66	64	69	No	Yes	5
3140	B	S-1202B-2	1	66	67	73	No	Yes	6
3141	B	S-1191B	1	66	66	74	No	Yes	8
3142	B	S-1192B-2	1	66	70	78	No	Yes	8
3143	B	S-1193B	1	66	65	72	No	Yes	7
3144	B	S-1194B-2	1	66	68	76	No	Yes	8
3145	B	S-1199B	1	66	64	70	No	Yes	6
3146	B	S-1200B-2	1	66	67	74	No	Yes	7
3147	B	S-1219B	1	66	63	68	No	Yes	5
3148	B	S-1220B-2	1	66	66	72	No	Yes	6
3149	B	S-1221B	1	66	56	67	Yes	Yes	11
3150	B	S-1222B-2	1	66	58	71	Yes	Yes	13
3151	B	S-1215B	1	66	60	65	No	No	5
3152	B	S-1216B-2	1	66	62	69	No	Yes	7
3153	B	S-1217B	1	66	56	66	Yes	Yes	10
3154	B	S-1218B-2	1	66	58	70	Yes	Yes	12
3155	B	S-1189B	1	66	60	68	No	Yes	8
3156	B	S-1190B-2	1	66	64	73	No	Yes	9
3157	B	S-1197B	1	66	56	61	No	No	5
3158	B	S-1198B-2	1	66	58	65	No	No	7
3159	B	S-1203B	1	66	55	59	No	No	4
3160	B	S-1204B-2	1	66	57	64	No	No	7
3161	B	S-1195B	1	66	57	64	No	No	7
3162	B	S-1196B-2	1	66	60	68	No	Yes	8
3163	B	S-1213B	1	66	56	65	No	No	9
3164	B	S-1214B-2	1	66	57	69	Yes	Yes	12
3165	B	S-1211B	1	66	58	63	No	No	5
3166	B	S-1212B-2	1	66	61	68	No	Yes	7
3167	B	S-1187B	1	66	67	76	No	Yes	9

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3168	B	S-1188B-2	1	66	73	80	No	Yes	7
3169	B	S-1185B-2	1	66	68	76	No	Yes	8
3170	B	S-1186B	1	66	64	72	No	Yes	8
3171	B	S-1181B-2	1	66	67	75	No	Yes	8
3172	B	S-1182B	1	66	63	71	No	Yes	8
3173	B	S-1209B	1	66	56	64	No	No	8
3174	B	S-1210B-2	1	66	57	68	Yes	Yes	11
3175	B	S-1207B	1	66	58	62	No	No	4
3176	B	S-1208B-2	1	66	60	67	No	Yes	7
3177	B	S-1173B-2	1	66	59	68	No	Yes	9
3178	B	S-1174B	1	66	57	63	No	No	6
3179	B	S-1183B-2	1	66	69	76	No	Yes	7
3180	B	S-1184B	1	66	65	73	No	Yes	8
3181	B	S-1177B	1	66	56	58	No	No	2
3182	B	S-1178B-2	1	66	58	60	No	No	2
3183	B	S-1179B-2	1	66	67	75	No	Yes	8
3184	B	S-1180B	1	66	64	72	No	Yes	8
3185	B	S-1205B	1	66	56	63	No	No	7
3186	B	S-1206B-2	1	66	57	67	Yes	Yes	10
3187	B	S-1175B-2	1	66	65	72	No	Yes	7
3188	B	S-1176B	1	66	62	70	No	Yes	8
3189	B	S-1171B-2	1	66	54	56	No	No	2
3190	B	S-1172B	1	66	53	55	No	No	2
3191	B	S-1169B-2	1	66	65	73	No	Yes	8
3192	B	S-1170B	1	66	63	71	No	Yes	8
3193	B	S-1167B-2	1	66	54	56	No	No	2
3194	B	S-1168B	1	66	53	55	No	No	2
3195	C	S-1166C	1	66	56	58	No	No	2
3196	B	S-1164B-2	1	66	64	72	No	Yes	8
3197	B	S-1165B	1	66	61	70	No	Yes	9
3198	B	S-1162B-2	1	66	65	73	No	Yes	8
3199	B	S-1163B	1	66	62	71	No	Yes	9
3200	B	S-1142B-2	1	66	69	76	No	Yes	7
3201	B	S-1143B	1	66	65	75	Yes	Yes	10
3202	B	S-1140B-2	1	66	74	80	No	Yes	6
3203	B	S-1141B	1	66	67	79	Yes	Yes	12
3204	B	S-1081B-2	1	66	58	66	No	Yes	8
3205	B	S-1082B	1	66	57	65	No	No	8
3206	B	S-1079B-2	1	66	55	66	Yes	Yes	11

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3207	B	S-1080B	1	66	53	64	Yes	No	11
3208	B	S-1146B-2	1	66	67	75	No	Yes	8
3209	B	S-1147B	1	66	64	73	No	Yes	9
3210	B	S-1158B-2	1	66	65	73	No	Yes	8
3211	B	S-1159B	1	66	63	72	No	Yes	9
3212	B	S-1083B-2	1	66	59	67	No	Yes	8
3213	B	S-1084B	1	66	58	65	No	No	7
3214	B	S-1144B-2	1	66	66	75	No	Yes	9
3215	B	S-1145B	1	66	62	74	Yes	Yes	12
3216	B	S-1077B-2	1	66	55	67	Yes	Yes	12
3217	B	S-1078B	1	66	54	64	Yes	No	10
3218	B	S-1160B-2	1	66	54	56	No	No	2
3219	B	S-1161B	1	66	53	55	No	No	2
3220	B	S-1154B-2	1	66	64	71	No	Yes	7
3221	B	S-1155B	1	66	62	70	No	Yes	8
3222	B	S-1150B-2	1	66	60	62	No	No	2
3223	B	S-1151B	1	66	58	59	No	No	1
3224	B	S-1138B	1	66	64	76	Yes	Yes	12
3225	B	S-1139B-2	1	66	69	77	No	Yes	8
3226	B	S-1148B-2	1	66	63	72	No	Yes	9
3227	B	S-1149B	1	66	60	71	Yes	Yes	11
3228	B	S-1156B-2	1	66	54	56	No	No	2
3229	B	S-1157B	1	66	53	55	No	No	2
3230	B	S-1075B-2	1	66	55	67	Yes	Yes	12
3231	B	S-1076B	1	66	54	64	Yes	No	10
3232	B	S-1085B-2	1	66	58	67	No	Yes	9
3233	B	S-1086B	1	66	57	64	No	No	7
3234	B	S-1136B-2	1	66	72	79	No	Yes	7
3235	B	S-1137B	1	66	67	79	Yes	Yes	12
3236	C	S-1117C	1	66	60	66	No	Yes	6
3237	B	S-1152B-2	1	66	60	67	No	Yes	7
3238	B	S-1153B	1	66	58	66	No	Yes	8
3239	B	S-1120B-2	1	66	60	61	No	No	1
3240	B	S-1121B	1	66	59	60	No	No	1
3241	B	S-1134B-2	1	66	72	79	No	Yes	7
3242	B	S-1135B	1	66	67	78	Yes	Yes	11
3243	B	S-1087B-2	1	66	57	67	Yes	Yes	10
3244	B	S-1088B	1	66	56	63	No	No	7
3245	B	S-1073B-2	1	66	55	67	Yes	Yes	12

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3246	B	S-1074B	1	66	53	64	Yes	No	11
3247	B	S-1115B-2	1	66	59	65	No	No	6
3248	B	S-1116B	1	66	58	64	No	No	6
3249	B	S-1111B-2	1	66	59	66	No	Yes	7
3250	B	S-1112B	1	66	58	65	No	No	7
3251	B	S-1132B-2	1	66	72	79	No	Yes	7
3252	B	S-1133B	1	66	67	78	Yes	Yes	11
3253	B	S-1122B-2	1	66	60	61	No	No	1
3254	B	S-1123B	1	66	59	60	No	No	1
3255	B	S-1118B-2	1	66	61	64	No	No	3
3256	B	S-1119B	1	66	60	61	No	No	1
3257	B	S-1107B-2	1	66	56	59	No	No	3
3258	B	S-1108B	1	66	55	58	No	No	3
3259	B	S-1071B	1	66	54	64	Yes	No	10
3260	B	S-1072B-2	1	66	56	67	Yes	Yes	11
3261	B	S-1093B-2	1	66	56	67	Yes	Yes	11
3262	B	S-1094B	1	66	55	64	No	No	9
3263	B	S-1097B-2	1	66	57	67	Yes	Yes	10
3264	B	S-1098B	1	66	55	64	No	No	9
3265	B	S-1089B-2	1	66	56	67	Yes	Yes	11
3266	B	S-1090B	1	66	55	64	No	No	9
3267	B	S-1101B-2	1	66	58	67	No	Yes	9
3268	B	S-1102B	1	66	56	64	No	No	8
3269	B	S-1124B-2	1	66	60	61	No	No	1
3270	B	S-1125B	1	66	59	61	No	No	2
3271	B	S-1130B-2	1	66	72	79	No	Yes	7
3272	B	S-1131B	1	66	67	79	Yes	Yes	12
3273	B	S-1105B	1	66	57	59	No	No	2
3274	B	S-1106B-2	1	66	60	66	No	Yes	6
3275	B	S-1109B-2	1	66	62	68	No	Yes	6
3276	B	S-1110B	1	66	58	63	No	No	5
3277	B	S-1113B-2	1	66	63	69	No	Yes	6
3278	B	S-1114B	1	66	59	63	No	No	4
3279	B	S-1126B-2	1	66	60	61	No	No	1
3280	B	S-1127B	1	66	59	60	No	No	1
3281	B	S-1099B-2	1	66	60	67	No	Yes	7
3282	B	S-1100B	1	66	57	65	No	No	8
3283	B	S-1095B-2	1	66	60	68	No	Yes	8
3284	B	S-1096B	1	66	57	65	No	No	8

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3285	B	S-1091B-2	1	66	59	67	No	Yes	8
3286	B	S-1092B	1	66	56	65	No	No	9
3287	B	S-1103B-2	1	66	60	67	No	Yes	7
3288	B	S-1104B	1	66	57	65	No	No	8
3289	B	S-1128B	1	66	65	75	Yes	Yes	10
3290	B	S-1129B-2	1	66	69	77	No	Yes	8
3291	B	S-1067B	1	66	59	68	No	Yes	9
3292	B	S-1068B-2	1	66	61	70	No	Yes	9
3293	B	S-1065B-2	1	66	62	70	No	Yes	8
3294	B	S-1066B	1	66	59	68	No	Yes	9
3295	B	S-1069B	1	66	52	66	Yes	Yes	14
3296	B	S-1070B-2	1	66	54	69	Yes	Yes	15
3297	B	S-1063B	1	66	60	69	No	Yes	9
3298	B	S-1064B-2	1	66	63	71	No	Yes	8
3299	B	S-1038B-2	1	66	66	75	No	Yes	9
3300	B	S-1039B	1	66	63	72	No	Yes	9
3301	B	S-1042B-2	1	66	64	73	No	Yes	9
3302	B	S-1043B	1	66	61	70	No	Yes	9
3303	B	S-1055B-2	1	66	53	68	Yes	Yes	15
3304	B	S-1056B	1	66	52	66	Yes	Yes	14
3305	B	S-1061B	1	66	60	67	No	Yes	7
3306	B	S-1062B-2	1	66	62	70	No	Yes	8
3307	B	S-1046B	1	66	55	61	No	No	6
3308	B	S-1047B-2	1	66	57	61	No	No	4
3309	B	S-1036B	1	66	65	74	No	Yes	9
3310	B	S-1037B-2	1	66	68	76	No	Yes	8
3311	B	S-1053B-2	1	66	56	67	Yes	Yes	11
3312	B	S-1054B	1	66	55	64	No	No	9
3313	B	S-1057B-2	1	66	55	67	Yes	Yes	12
3314	B	S-1058B	1	66	54	65	Yes	No	11
3315	B	S-1048B-2	1	66	56	60	No	No	4
3316	B	S-1049B	1	66	55	58	No	No	3
3317	B	S-1059B	1	66	54	65	Yes	No	11
3318	B	S-1060B-2	1	66	56	68	Yes	Yes	12
3319	B	S-1034B-2	1	66	68	75	No	Yes	7
3320	B	S-1035B	1	66	65	74	No	Yes	9
3321	B	S-1051B-2	1	66	56	67	Yes	Yes	11
3322	B	S-1052B	1	66	55	64	No	No	9
3323	C	S-1024C	1	66	67	77	Yes	Yes	10

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3324	B	S-1040B-2	1	66	59	66	No	Yes	7
3325	B	S-1041B	1	66	58	65	No	No	7
3326	B	S-1044B-2	1	66	58	63	No	No	5
3327	B	S-1045B	1	66	56	61	No	No	5
3328	B	S-1027B	1	66	66	76	Yes	Yes	10
3329	B	S-1028B-2	1	66	70	77	No	Yes	7
3330	B	S-1025B	1	66	66	76	Yes	Yes	10
3331	B	S-1026B-2	1	66	70	77	No	Yes	7
3332	B	S-1029B	1	66	60	67	No	Yes	7
3333	B	S-1030B-2	1	66	62	69	No	Yes	7
3334	C	S-1050C	1	66	57	62	No	No	5
3335	B	S-1022B	1	66	66	76	Yes	Yes	10
3336	B	S-1023B-2	1	66	70	77	No	Yes	7
3337	C	S-1033C	1	66	61	69	No	Yes	8
3338	B	S-1031B-2	1	66	61	67	No	Yes	6
3339	B	S-1032B	1	66	59	65	No	No	6
3340	B	S-1010B-2	1	66	60	68	No	Yes	8
3341	B	S-1011B	1	66	59	66	No	Yes	7
3342	B	S-1006B	1	66	56	64	No	No	8
3343	B	S-1007B-2	1	66	58	66	No	Yes	8
3344	B	S-0994B	1	66	56	62	No	No	6
3345	B	S-0995B-2	1	66	58	64	No	No	6
3346	B	S-0996B-2	1	66	58	64	No	No	6
3347	B	S-0997B	1	66	57	62	No	No	5
3348	B	S-1020B	1	66	65	74	No	Yes	9
3349	B	S-1021B-2	1	66	68	75	No	Yes	7
3350	B	S-1000B-2	1	66	55	65	Yes	No	10
3351	B	S-1001B	1	66	53	63	Yes	No	10
3352	B	S-1014B-2	1	66	62	68	No	Yes	6
3353	B	S-1015B	1	66	60	66	No	Yes	6
3354	B	S-0998B-2	1	66	58	65	No	No	7
3355	B	S-0999B	1	66	56	63	No	No	7
3356	B	S-1016B	1	66	56	59	No	No	3
3357	B	S-1017B-2	1	66	60	63	No	No	3
3358	B	S-1002B	1	66	54	63	No	No	9
3359	B	S-1003B-2	1	66	55	65	Yes	No	10
3360	B	S-1012B	1	66	60	66	No	Yes	6
3361	B	S-1013B-2	1	66	62	68	No	Yes	6
3362	B	S-1018B	1	66	58	63	No	No	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3363	B	S-1019B-2	1	66	61	66	No	Yes	5
3364	B	S-1008B-2	1	66	60	68	No	Yes	8
3365	B	S-1009B	1	66	58	66	No	Yes	8
3366	B	S-1004B	1	66	56	64	No	No	8
3367	B	S-1005B-2	1	66	58	66	No	Yes	8
3368	D	S-0964D	1	51	48	54	No	Yes	6
3369	B	S-0963B	1	66	67	79	Yes	Yes	12
3370	B	S-0962B	1	66	66	77	Yes	Yes	11
3371	B	S-0984B-2	1	66	62	69	No	Yes	7
3372	B	S-0985B	1	66	59	67	No	Yes	8
3373	B	S-0982B	1	66	60	67	No	Yes	7
3374	B	S-0983B-2	1	66	63	69	No	Yes	6
3375	B	S-0992B-2	1	66	61	68	No	Yes	7
3376	B	S-0993B	1	66	58	66	No	Yes	8
3377	B	S-0961B	1	66	65	76	Yes	Yes	11
3378	B	S-0980B-2	1	66	63	69	No	Yes	6
3379	B	S-0981B	1	66	61	67	No	Yes	6
3380	B	S-0986B	1	66	55	66	Yes	Yes	11
3381	B	S-0987B-2	1	66	59	69	Yes	Yes	10
3382	B	S-0990B	1	66	58	66	No	Yes	8
3383	B	S-0991B-2	1	66	61	68	No	Yes	7
3384	B	S-0960B	1	66	64	75	Yes	Yes	11
3385	B	S-0988B	1	66	58	66	No	Yes	8
3386	B	S-0989B-2	1	66	61	68	No	Yes	7
3387	B	S-0959B	1	66	63	73	Yes	Yes	10
3388	B	S-0951B	1	66	66	78	Yes	Yes	12
3389	B	S-0978B-2	1	66	58	68	Yes	Yes	10
3390	B	S-0979B	1	66	55	66	Yes	Yes	11
3391	B	S-0975B-2	1	66	63	69	No	Yes	6
3392	B	S-0977B	1	66	60	66	No	Yes	6
3393	B	S-0950B	1	66	66	78	Yes	Yes	12
3394	B	S-0958B	1	66	62	70	No	Yes	8
3395	B	S-0972B	1	66	56	65	No	No	9
3396	B	S-0973B-2	1	66	60	68	No	Yes	8
3397	B	S-0974B-2	1	66	60	68	No	Yes	8
3398	B	S-0976B	1	66	57	66	No	Yes	9
3399	B	S-0949B	1	66	66	78	Yes	Yes	12
3400	B	S-0957B	1	66	62	67	No	Yes	5

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3401	C	S-0971C	1	66	58	65	No	No	7
3402	B	S-0969B-2	1	66	61	68	No	Yes	7
3403	B	S-0970B	1	66	58	65	No	No	7
3404	B	S-0948B	1	66	66	78	Yes	Yes	12
3405	B	S-0967B-2	1	66	62	68	No	Yes	6
3406	B	S-0968B	1	66	59	66	No	Yes	7
3407	B	S-0956B	1	66	61	65	No	No	4
3408	B	S-0965B	1	66	59	65	No	No	6
3409	B	S-0966B-2	1	66	62	68	No	Yes	6
3410	B	S-0947B	1	66	66	78	Yes	Yes	12
3411	B	S-0955B	1	66	60	65	No	No	5
3412	B	S-0946B	1	66	66	77	Yes	Yes	11
3413	B	S-0954B	1	66	60	65	No	No	5
3414	B	S-0945B	1	66	66	77	Yes	Yes	11
3415	B	S-0952B	1	66	59	66	No	Yes	7
3416	B	S-0953B	1	66	61	67	No	Yes	6
3417	B	S-0933B	1	66	62	70	No	Yes	8
3418	B	S-0934B	1	66	61	69	No	Yes	8
3419	B	S-0932B	1	66	62	72	Yes	Yes	10
3420	B	S-0944B	1	66	59	65	No	No	6
3421	B	S-0935B	1	66	60	67	No	Yes	7
3422	B	S-0943B	1	66	57	61	No	No	4
3423	B	S-0936B	1	66	60	65	No	No	5
3424	B	S-0942B	1	66	57	60	No	No	3
3425	B	S-0937B	1	66	61	65	No	No	4
3426	B	S-0930B	1	66	62	68	No	Yes	6
3427	B	S-0931B-2	1	66	63	73	Yes	Yes	10
3428	B	S-3218B	1	66	55	57	No	No	2
3429	B	S-3219B	1	66	55	57	No	No	2
3430	B	S-0928B	1	66	63	71	No	Yes	8
3431	B	S-0929B-2	1	66	65	76	Yes	Yes	11
3432	B	S-3217B	1	66	54	57	No	No	3
3433	B	S-3215B	1	66	54	57	No	No	3
3434	B	S-3214B	1	66	54	57	No	No	3
3435	B	S-3216B	1	66	53	56	No	No	3
3436	B	S-0941B	1	66	57	61	No	No	4
3437	B	S-3253B	1	66	72	72	No	Yes	0
3438	B	S-3254B-2	1	66	72	73	No	Yes	1
3439	B	S-3255B-3	1	66	72	72	No	Yes	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3440	B	S-3250B	1	66	61	61	No	No	0
3441	B	S-3251B-2	1	66	62	62	No	No	0
3442	B	S-3252B-3	1	66	63	63	No	No	0
3443	B	S-0938B	1	66	61	65	No	No	4
3444	B	S-3220B	1	66	55	57	No	No	2
3445	B	S-0940B	1	66	58	61	No	No	3
3446	B	S-0939B	1	66	61	65	No	No	4
3447	B	S-3256B	1	66	72	72	No	Yes	0
3448	B	S-3257B-2	1	66	72	72	No	Yes	0
3449	B	S-3258B-3	1	66	72	72	No	Yes	0
3450	B	S-3244B	1	66	60	60	No	No	0
3451	B	S-3245B-2	1	66	62	62	No	No	0
3452	B	S-3246B-3	1	66	63	63	No	No	0
3453	B	S-3247B	1	66	62	62	No	No	0
3454	B	S-3248B-2	1	66	63	63	No	No	0
3455	B	S-3249B-3	1	66	64	65	No	No	1
3456	B	S-0927B	1	66	63	73	Yes	Yes	10
3457	B	S-3222B	1	66	54	57	No	No	3
3458	B	S-3223B-2	1	66	56	59	No	No	3
3459	B	S-3224B-3	1	66	58	60	No	No	2
3460	B	S-0925B	1	66	60	67	No	Yes	7
3461	B	S-0920B	1	66	57	64	No	No	7
3462	B	S-0922B	1	66	58	65	No	No	7
3463	B	S-0919B	1	66	56	63	No	No	7
3464	B	S-0923B	1	66	58	66	No	Yes	8
3465	B	S-0921B	1	66	57	65	No	No	8
3466	B	S-0924B	1	66	59	67	No	Yes	8
3467	B	S-3221B	1	66	53	56	No	No	3
3468	E	S-3259E	1	71	73	73	No	Yes	0
3469	B	S-3228B	1	66	58	58	No	No	0
3470	B	S-3229B-2	1	66	60	61	No	No	1
3471	B	S-3230B-3	1	66	62	62	No	No	0
3472	B	S-3225B	1	66	56	58	No	No	2
3473	B	S-3226B-2	1	66	58	60	No	No	2
3474	B	S-3227B-3	1	66	60	61	No	No	1
3475	B	S-0899B	1	66	59	64	No	No	5
3476	B	S-0898B	1	66	60	64	No	No	4
3477	B	S-0917B	1	66	55	58	No	No	3
3478	B	S-0915B	1	66	55	60	No	No	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3479	B	S-0918B	1	66	55	58	No	No	3
3480	B	S-0914B	1	66	54	60	No	No	6
3481	B	S-0916B	1	66	55	59	No	No	4
3482	B	S-0913B	1	66	59	67	No	Yes	8
3483	B	S-0926B	1	66	59	68	No	Yes	9
3484	B	S-0908B	1	66	53	58	No	No	5
3485	B	S-0909B	1	66	53	58	No	No	5
3486	B	S-0910B	1	66	53	59	No	No	6
3487	B	S-0911B	1	66	54	60	No	No	6
3488	B	S-0912B	1	66	56	62	No	No	6
3489	B	S-0896B	1	66	55	64	No	No	9
3490	B	S-0897B-2	1	66	59	66	No	Yes	7
3491	B	S-0894B-2	1	66	60	66	No	Yes	6
3492	B	S-0895B	1	66	56	64	No	No	8
3493	B	S-0893B	1	66	60	64	No	No	4
3494	B	S-0889B	1	66	57	63	No	No	6
3495	B	S-3231B	1	66	57	58	No	No	1
3496	B	S-0907B	1	66	57	62	No	No	5
3497	B	S-0904B	1	66	57	63	No	No	6
3498	B	S-0906B	1	66	57	62	No	No	5
3499	B	S-0905B	1	66	57	62	No	No	5
3500	B	S-0890B	1	66	58	63	No	No	5
3501	B	S-3232B	1	66	57	58	No	No	1
3502	B	S-3260B	1	66	73	73	No	Yes	0
3503	B	S-0892B	1	66	60	65	No	No	5
3504	B	S-0888B	1	66	57	61	No	No	4
3505	B	S-3233B	1	66	56	54	No	No	-2
3506	B	S-0903B	1	66	60	65	No	No	5
3507	B	S-0891B	1	66	61	65	No	No	4
3508	B	S-3234B	1	66	56	55	No	No	-1
3509	B	S-0887B	1	66	59	61	No	No	2
3510	B	S-0902B	1	66	60	66	No	Yes	6
3511	B	S-3261B	1	66	72	73	No	Yes	1
3512	B	S-0901B	1	66	54	57	No	No	3
3513	B	S-3262B	1	66	73	74	No	Yes	1
3514	B	S-0886B	1	66	65	69	No	Yes	4
3515	D	S-3213D	1	51	35	34	No	No	-1
3516	B	S-0900B	1	66	66	69	No	Yes	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3517	B	S-0880B	1	66	68	69	No	Yes	1
3518	B	S-0881B	1	66	68	69	No	Yes	1
3519	B	S-0884B	1	66	68	69	No	Yes	1
3520	B	S-0883B	1	66	68	69	No	Yes	1
3521	B	S-0885B	1	66	68	70	No	Yes	2
3522	B	S-0882B	1	66	68	69	No	Yes	1
3523	B	S-3243B	1	66	70	70	No	Yes	0
3524	B	S-3242B	1	66	70	70	No	Yes	0
3525	B	S-3239B	1	66	69	70	No	Yes	1
3526	B	S-3237B	1	66	69	71	No	Yes	2
3527	B	S-3236B	1	66	69	71	No	Yes	2
3528	B	S-3238B	1	66	69	70	No	Yes	1
3529	B	S-3241B	1	66	70	70	No	Yes	0
3530	B	S-3235B	1	66	69	72	No	Yes	3
3531	B	S-3240B	1	66	70	71	No	Yes	1
3532	B	S-0872B	1	66	69	69	No	Yes	0
3533	B	S-0871B	1	66	68	70	No	Yes	2
3534	B	S-0851B	1	66	68	71	No	Yes	3
3535	B	S-3294B	1	66	70	72	No	Yes	2
3536	B	S-3295B	1	66	70	72	No	Yes	2
3537	B	S-3293B	1	66	69	72	No	Yes	3
3538	B	S-3296B	1	66	70	72	No	Yes	2
3539	B	S-3289B	1	66	68	69	No	Yes	1
3540	B	S-0879B	1	66	66	65	No	No	-1
3541	B	S-3266B	1	66	67	68	No	Yes	1
3542	B	S-3297B	1	66	68	70	No	Yes	2
3543	B	S-0852B	1	66	66	69	No	Yes	3
3544	B	S-3298B	1	66	67	68	No	Yes	1
3545	B	S-0878B	1	66	63	61	No	No	-2
3546	B	S-3288B	1	66	63	64	No	No	1
3547	B	S-0853B	1	66	65	68	No	Yes	3
3548	B	S-3299B	1	66	66	67	No	Yes	1
3549	B	S-3267B	1	66	62	62	No	No	0
3550	B	S-0854B	1	66	63	67	No	Yes	4
3551	B	S-0849B	1	66	58	65	No	No	7
3552	B	S-3300B	1	66	65	66	No	Yes	1
3553	B	S-3287B	1	66	60	62	No	No	2
3554	B	S-0877B	1	66	61	63	No	No	2
3555	B	S-3301B	1	66	64	66	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3556	B	S-0870B	1	66	61	66	No	Yes	5
3557	B	S-0850B	1	66	57	63	No	No	6
3558	B	S-3318B	1	66	65	62	No	No	-3
3559	B	S-3268B	1	66	59	60	No	No	1
3560	B	S-3286B	1	66	58	60	No	No	2
3561	B	S-3317B	1	66	65	62	No	No	-3
3562	B	S-3302B	1	66	62	65	No	No	3
3563	B	S-0855B	1	66	57	66	No	Yes	9
3564	B	S-0856B-2	1	66	63	68	No	Yes	5
3565	B	S-0857B	1	66	57	66	No	Yes	9
3566	B	S-0858B-2	1	66	63	68	No	Yes	5
3567	E	S-3265E	1	71	74	75	No	Yes	1
3568	B	S-0848B	1	66	58	65	No	No	7
3569	B	S-0876B	1	66	59	63	No	No	4
3570	B	S-3269B	1	66	57	58	No	No	1
3571	B	S-3316B	1	66	64	63	No	No	-1
3572	B	S-0847B	1	66	59	65	No	No	6
3573	B	S-0869B	1	66	60	65	No	No	5
3574	B	S-3319B	1	66	60	60	No	No	0
3575	B	S-0859B	1	66	59	66	No	Yes	7
3576	B	S-3285B	1	66	49	59	Yes	No	10
3577	B	S-3303B	1	66	60	63	No	No	3
3578	B	S-0875B	1	66	58	63	No	No	5
3579	B	S-3315B	1	66	64	62	No	No	-2
3580	B	S-3270B	1	66	56	57	No	No	1
3581	B	S-3314B	1	66	64	62	No	No	-2
3582	B	S-0846B	1	66	59	65	No	No	6
3583	C	S-0832C	1	66	57	64	No	No	7
3584	B	S-3304B	1	66	59	62	No	No	3
3585	B	S-0860B	1	66	60	66	No	Yes	6
3586	B	S-3271B	1	66	55	57	No	No	2
3587	B	S-0868B	1	66	59	64	No	No	5
3588	B	S-0833B	1	66	57	63	No	No	6
3589	B	S-0834B-2	1	66	62	67	No	Yes	5
3590	B	S-0830B	1	66	56	63	No	No	7
3591	B	S-0831B-2	1	66	62	67	No	Yes	5
3592	B	S-3313B	1	66	64	62	No	No	-2
3593	B	S-3272B	1	66	55	57	No	No	2
3594	B	S-0861B	1	66	59	65	No	No	6

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3595	B	S-0874B	1	66	58	62	No	No	4
3596	B	S-0845B	1	66	59	63	No	No	4
3597	B	S-3305B	1	66	58	60	No	No	2
3598	B	S-3284B	1	66	54	59	No	No	5
3599	B	S-3312B	1	66	64	63	No	No	-1
3600	B	S-3273B	1	66	54	57	No	No	3
3601	B	S-0873B	1	66	58	62	No	No	4
3602	B	S-0829B	1	66	60	65	No	No	5
3603	B	S-0867B	1	66	59	64	No	No	5
3604	B	S-0862B	1	66	59	65	No	No	6
3605	B	S-3320B	1	66	58	63	No	No	5
3606	B	S-3283B	1	66	54	58	No	No	4
3607	B	S-3274B	1	66	55	57	No	No	2
3608	B	S-3306B	1	66	58	60	No	No	2
3609	B	S-0828B	1	66	58	63	No	No	5
3610	B	S-0843B	1	66	54	64	Yes	No	10
3611	B	S-0844B-2	1	66	62	67	No	Yes	5
3612	B	S-0841B	1	66	53	64	Yes	No	11
3613	B	S-0842B-2	1	66	62	67	No	Yes	5
3614	B	S-0839B-2	1	66	62	67	No	Yes	5
3615	B	S-0840B	1	66	53	64	Yes	No	11
3616	B	S-0837B	1	66	54	64	Yes	No	10
3617	B	S-0838B-2	1	66	62	67	No	Yes	5
3618	B	S-0825B	1	66	60	66	No	Yes	6
3619	B	S-3311B	1	66	58	62	No	No	4
3620	B	S-3321B	1	66	57	63	No	No	6
3621	B	S-0863B	1	66	58	65	No	No	7
3622	B	S-0866B	1	66	58	64	No	No	6
3623	B	S-3275B	1	66	52	57	No	No	5
3624	B	S-0827B	1	66	59	64	No	No	5
3625	B	S-0824B	1	66	59	65	No	No	6
3626	B	S-0823B	1	66	60	67	No	Yes	7
3627	E	S-3264E	1	71	73	74	No	Yes	1
3628	B	S-0822B	1	66	62	66	No	Yes	4
3629	B	S-3282B	1	66	54	58	No	No	4
3630	B	S-3307B	1	66	57	59	No	No	2
3631	B	S-0864B	1	66	58	65	No	No	7
3632	B	S-0826B	1	66	59	63	No	No	4
3633	B	S-3322B	1	66	58	65	No	No	7

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3634	D	S-3332D	1	51	34	39	No	No	5
3635	B	S-0836B	1	66	59	65	No	No	6
3636	B	S-0821B	1	66	63	71	No	Yes	8
3637	B	S-0865B	1	66	58	65	No	No	7
3638	B	S-3276B	1	66	51	57	No	No	6
3639	B	S-3323B	1	66	58	64	No	No	6
3640	B	S-3308B	1	66	55	59	No	No	4
3641	B	S-3281B	1	66	55	58	No	No	3
3642	E	S-3263E	1	71	73	73	No	Yes	0
3643	B	S-0835B	1	66	59	65	No	No	6
3644	B	S-0817B	1	66	59	64	No	No	5
3645	B	S-3277B	1	66	51	56	No	No	5
3646	B	S-3324B	1	66	57	65	No	No	8
3647	B	S-0819B	1	66	57	61	No	No	4
3648	B	S-0818B	1	66	57	60	No	No	3
3649	B	S-0820B	1	66	60	70	Yes	Yes	10
3650	B	S-3278B	1	66	53	57	No	No	4
3651	B	S-3280B	1	66	56	58	No	No	2
3652	B	S-3325B	1	66	58	66	No	Yes	8
3653	B	S-3309B	1	66	55	59	No	No	4
3654	B	S-3326B	1	66	58	66	No	Yes	8
3655	B	S-0809B	1	66	64	73	No	Yes	9
3656	B	S-0815B	1	66	56	67	Yes	Yes	11
3657	B	S-3279B	1	66	57	59	No	No	2
3658	B	S-0810B	1	66	62	73	Yes	Yes	11
3659	B	S-0813B	1	66	57	60	No	No	3
3660	B	S-0811B	1	66	59	70	Yes	Yes	11
3661	B	S-0814B	1	66	54	67	Yes	Yes	13
3662	B	S-0816B	1	66	57	68	Yes	Yes	11
3663	B	S-3292B	1	66	52	58	No	No	6
3664	B	S-0812B	1	66	57	60	No	No	3
3665	B	S-3328B	1	66	59	67	No	Yes	8
3666	B	S-3310B	1	66	53	58	No	No	5
3667	B	S-3333B	1	66	60	66	No	Yes	6
3668	B	S-3334B	1	66	62	67	No	Yes	5
3669	D	S-3330D	1	51	36	43	No	No	7
3670	B	S-3331B	1	66	61	69	No	Yes	8
3671	B	S-0801B	1	66	56	65	No	No	9

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3672	B	S-0800B	1	66	56	65	No	No	9
3673	B	S-3291B	1	66	55	58	No	No	3
3674	B	S-0802B	1	66	57	66	No	Yes	9
3675	B	S-3290B	1	66	55	58	No	No	3
3676	B	S-3329B	1	66	60	68	No	Yes	8
3677	B	S-3327B	1	66	60	67	No	Yes	7
3678	B	S-0804B	1	66	59	70	Yes	Yes	11
3679	B	S-0806B	1	66	61	73	Yes	Yes	12
3680	B	S-0807B	1	66	62	73	Yes	Yes	11
3681	B	S-0805B	1	66	61	72	Yes	Yes	11
3682	B	S-0803B	1	66	59	68	No	Yes	9
3683	B	S-0808B	1	66	64	76	Yes	Yes	12
3684	C	S-0799C	1	66	58	63	No	No	5
3685	B	S-0779B	1	66	58	67	No	Yes	9
3686	B	S-0778B	1	66	59	68	No	Yes	9
3687	B	S-3335B	1	66	62	73	Yes	Yes	11
3688	B	S-3337B	1	66	60	68	No	Yes	8
3689	B	S-3336B	1	66	62	69	No	Yes	7
3690	C	S-3339C	1	66	63	68	No	Yes	5
3691	C	S-0798C	1	66	59	64	No	No	5
3692	C	S-0797C	1	66	58	64	No	No	6
3693	C	S-3338C	1	66	61	68	No	Yes	7
3694	B	S-0780B	1	66	59	66	No	Yes	7
3695	B	S-0781B	1	66	59	66	No	Yes	7
3696	B	S-0776B	1	66	59	71	Yes	Yes	12
3697	B	S-0777B-2	1	66	65	76	Yes	Yes	11
3698	B	S-0774B	1	66	62	73	Yes	Yes	11
3699	B	S-0775B-2	1	66	66	78	Yes	Yes	12
3700	C	S-0796C	1	66	58	64	No	No	6
3701	D	S-0773D	1	51	39	50	Yes	No	11
3702	B	S-3340B	1	66	60	69	No	Yes	9
3703	B	S-0795B	1	66	58	64	No	No	6
3704	B	S-0782B	1	66	58	66	No	Yes	8
3705	B	S-0772B	1	66	64	75	Yes	Yes	11
3706	B	S-3341B	1	66	60	69	No	Yes	9
3707	B	S-0783B	1	66	60	67	No	Yes	7
3708	B	S-0794B	1	66	58	64	No	No	6
3709	B	S-0771B	1	66	64	75	Yes	Yes	11

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3710	B	S-3344B	1	66	61	70	No	Yes	9
3711	B	S-3343B	1	66	59	69	Yes	Yes	10
3712	B	S-3345B	1	66	62	71	No	Yes	9
3713	B	S-0793B	1	66	58	64	No	No	6
3714	B	S-3342B	1	66	57	69	Yes	Yes	12
3715	B	S-0784B	1	66	60	68	No	Yes	8
3716	B	S-0770B	1	66	64	74	Yes	Yes	10
3717	B	S-3356B	1	66	60	69	No	Yes	9
3718	B	S-3359B	1	66	57	67	Yes	Yes	10
3719	B	S-3357B	1	66	59	68	No	Yes	9
3720	B	S-3358B	1	66	57	68	Yes	Yes	11
3721	B	S-0785B	1	66	60	68	No	Yes	8
3722	B	S-0769B	1	66	64	74	Yes	Yes	10
3723	B	S-3346B	1	66	63	69	No	Yes	6
3724	B	S-0792B	1	66	58	64	No	No	6
3725	B	S-3360B	1	66	58	69	Yes	Yes	11
3726	B	S-0786B	1	66	60	68	No	Yes	8
3727	B	S-3347B	1	66	63	69	No	Yes	6
3728	B	S-0791B	1	66	58	64	No	No	6
3729	B	S-0768B	1	66	64	73	No	Yes	9
3730	B	S-3348B	1	66	63	68	No	Yes	5
3731	B	S-0790B	1	66	58	64	No	No	6
3732	B	S-0787B	1	66	60	68	No	Yes	8
3733	B	S-3361B	1	66	60	69	No	Yes	9
3734	B	S-3349B	1	66	63	68	No	Yes	5
3735	B	S-3362B	1	66	60	69	No	Yes	9
3736	B	S-0788B	1	66	59	68	No	Yes	9
3737	D	S-0767D	1	51	39	48	No	No	9
3738	B	S-3350B	1	66	63	67	No	Yes	4
3739	B	S-3363B	1	66	56	69	Yes	Yes	13
3740	B	S-0789B	1	66	59	68	No	Yes	9
3741	B	S-3351B	1	66	63	66	No	Yes	3
3742	B	S-3364B	1	66	60	69	No	Yes	9
3743	B	S-0766B	1	66	64	73	No	Yes	9
3744	B	S-3352B	1	66	63	66	No	Yes	3
3745	D	S-0758D	1	51	32	41	No	No	9
3746	B	S-3365B	1	66	60	70	Yes	Yes	10
3747	B	S-3353B	1	66	63	66	No	Yes	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3748	B	S-0765B	1	66	64	73	No	Yes	9
3749	C	S-0757C	1	66	56	67	Yes	Yes	11
3750	B	S-3354B	1	66	63	66	No	Yes	3
3751	B	S-0764B	1	66	64	73	No	Yes	9
3752	B	S-3355B	1	66	63	67	No	Yes	4
3753	B	S-3366B	1	66	63	69	No	Yes	6
3754	B	S-0760B	1	66	56	67	Yes	Yes	11
3755	B	S-0762B	1	66	59	70	Yes	Yes	11
3756	B	S-3371B	1	66	61	71	Yes	Yes	10
3757	B	S-0761B	1	66	58	70	Yes	Yes	12
3758	B	S-3369B	1	66	60	71	Yes	Yes	11
3759	B	S-0763B	1	66	60	71	Yes	Yes	11
3760	B	S-3370B	1	66	61	71	Yes	Yes	10
3761	B	S-3367B	1	66	61	71	Yes	Yes	10
3762	B	S-3368B	1	66	61	71	Yes	Yes	10
3763	D	S-0759D	1	51	32	44	Yes	No	12
3764	B	S-3374B	1	66	61	71	Yes	Yes	10
3765	B	S-3373B	1	66	61	72	Yes	Yes	11
3766	B	S-3372B	1	66	61	72	Yes	Yes	11
3767	B	S-0746B	1	66	59	71	Yes	Yes	12
3768	B	S-0751B	1	66	58	69	Yes	Yes	11
3769	B	S-0752B	1	66	57	69	Yes	Yes	12
3770	B	S-0750B	1	66	57	69	Yes	Yes	12
3771	B	S-0747B	1	66	59	70	Yes	Yes	11
3772	B	S-3376B	1	66	61	71	Yes	Yes	10
3773	B	S-3377B	1	66	61	71	Yes	Yes	10
3774	B	S-0749B	1	66	58	69	Yes	Yes	11
3775	B	S-3379B	1	66	60	71	Yes	Yes	11
3776	B	S-3380B	1	66	61	71	Yes	Yes	10
3777	B	S-3378B	1	66	60	71	Yes	Yes	11
3778	B	S-0748B	1	66	58	69	Yes	Yes	11
3779	B	S-0754B	1	66	56	68	Yes	Yes	12
3780	B	S-0755B	1	66	56	68	Yes	Yes	12
3781	B	S-0756B	1	66	57	68	Yes	Yes	11
3782	B	S-0753B	1	66	56	68	Yes	Yes	12
3783	B	S-3375B	1	66	64	71	No	Yes	7
3784	B	S-3381B	1	66	62	71	No	Yes	9
3785	B	S-0745B	1	66	63	73	Yes	Yes	10
3786	B	S-3382B	1	66	62	68	No	Yes	6

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3787	B	S-0744B	1	66	63	73	Yes	Yes	10
3788	B	S-3383B	1	66	62	67	No	Yes	5
3789	B	S-3384B	1	66	62	67	No	Yes	5
3790	B	S-3406B	1	66	59	70	Yes	Yes	11
3791	B	S-3405B	1	66	60	70	Yes	Yes	10
3792	B	S-0743B	1	66	63	73	Yes	Yes	10
3793	B	S-3385B	1	66	62	68	No	Yes	6
3794	B	S-3404B	1	66	60	69	No	Yes	9
3795	B	S-3407B	1	66	59	70	Yes	Yes	11
3796	B	S-0739B	1	66	57	66	No	Yes	9
3797	B	S-0740B	1	66	57	66	No	Yes	9
3798	B	S-0737B	1	66	58	66	No	Yes	8
3799	B	S-0738B	1	66	58	66	No	Yes	8
3800	B	S-0736B	1	66	58	67	No	Yes	9
3801	B	S-3386B	1	66	62	68	No	Yes	6
3802	B	S-0735B	1	66	58	67	No	Yes	9
3803	B	S-0732B	1	66	58	68	Yes	Yes	10
3804	B	S-0741B	1	66	57	66	No	Yes	9
3805	B	S-0733B	1	66	58	67	No	Yes	9
3806	B	S-0734B	1	66	57	67	Yes	Yes	10
3807	B	S-3403B	1	66	63	71	No	Yes	8
3808	B	S-0742B-2	1	66	56	62	No	No	6
3809	B	S-0731B-2	1	66	65	76	Yes	Yes	11
3810	B	S-3408B	1	66	59	70	Yes	Yes	11
3811	B	S-3387B	1	66	62	68	No	Yes	6
3812	B	S-0718B	1	66	57	65	No	No	8
3813	B	S-0717B	1	66	57	66	No	Yes	9
3814	B	S-0716B	1	66	57	66	No	Yes	9
3815	B	S-0715B	1	66	57	66	No	Yes	9
3816	B	S-0719B-2	1	66	57	62	No	No	5
3817	B	S-3411B	1	66	61	69	No	Yes	8
3818	B	S-0730B-2	1	66	65	76	Yes	Yes	11
3819	B	S-3409B	1	66	59	69	Yes	Yes	10
3820	B	S-3410B	1	66	60	69	No	Yes	9
3821	B	S-3388B	1	66	62	69	No	Yes	7
3822	C	S-0714C	1	66	58	66	No	Yes	8
3823	B	S-0723B	1	66	53	62	No	No	9
3824	B	S-0720B	1	66	52	61	No	No	9
3825	B	S-0722B	1	66	53	61	No	No	8

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3826	B	S-0721B	1	66	52	61	No	No	9
3827	B	S-0724B	1	66	53	62	No	No	9
3828	B	S-0729B	1	66	56	66	Yes	Yes	10
3829	B	S-0727B	1	66	54	63	No	No	9
3830	B	S-0726B	1	66	54	63	No	No	9
3831	B	S-3402B	1	66	63	70	No	Yes	7
3832	B	S-0728B	1	66	54	64	Yes	No	10
3833	B	S-0725B	1	66	54	62	No	No	8
3834	B	S-3389B	1	66	62	67	No	Yes	5
3835	B	S-3412B	1	66	61	69	No	Yes	8
3836	B	S-0713B	1	66	59	67	No	Yes	8
3837	B	S-0703B	1	66	57	65	No	No	8
3838	B	S-0700B	1	66	56	65	No	No	9
3839	B	S-0702B	1	66	57	65	No	No	8
3840	B	S-0699B	1	66	56	65	No	No	9
3841	B	S-0701B	1	66	56	64	No	No	8
3842	B	S-0696B	1	66	62	71	No	Yes	9
3843	B	S-0698B	1	66	56	66	Yes	Yes	10
3844	B	S-0697B	1	66	58	67	No	Yes	9
3845	B	S-0712B	1	66	59	67	No	Yes	8
3846	B	S-0692B	1	66	56	65	No	No	9
3847	B	S-0690B	1	66	55	64	No	No	9
3848	B	S-0691B	1	66	55	65	Yes	No	10
3849	B	S-0694B	1	66	58	69	Yes	Yes	11
3850	B	S-0693B	1	66	57	66	No	Yes	9
3851	B	S-0711B	1	66	59	67	No	Yes	8
3852	B	S-3413B	1	66	61	70	No	Yes	9
3853	B	S-3401B	1	66	63	70	No	Yes	7
3854	B	S-3390B	1	66	63	69	No	Yes	6
3855	B	S-0689B-2	1	66	62	73	Yes	Yes	11
3856	B	S-0695B-2	1	66	65	76	Yes	Yes	11
3857	B	S-0710B	1	66	60	67	No	Yes	7
3858	B	S-3414B	1	66	61	70	No	Yes	9
3859	B	S-0709B	1	66	60	67	No	Yes	7
3860	B	S-0708B	1	66	59	67	No	Yes	8
3861	B	S-3400B	1	66	63	70	No	Yes	7
3862	B	S-0707B	1	66	59	67	No	Yes	8
3863	B	S-3415B	1	66	59	70	Yes	Yes	11
3864	B	S-3391B	1	66	60	67	No	Yes	7

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3865	B	S-0688B	1	66	54	63	No	No	9
3866	B	S-0687B	1	66	54	63	No	No	9
3867	B	S-0706B	1	66	59	67	No	Yes	8
3868	B	S-0685B	1	66	55	64	No	No	9
3869	B	S-0686B	1	66	55	64	No	No	9
3870	B	S-0682B	1	66	58	69	Yes	Yes	11
3871	B	S-0684B	1	66	55	65	Yes	No	10
3872	B	S-0683B	1	66	56	66	Yes	Yes	10
3873	B	S-0678B	1	66	55	64	No	No	9
3874	B	S-0679B-2	1	66	64	74	Yes	Yes	10
3875	B	S-0680B	1	66	57	67	Yes	Yes	10
3876	B	S-0681B-2	1	66	65	75	Yes	Yes	10
3877	B	S-0676B	1	66	55	63	No	No	8
3878	B	S-0677B-2	1	66	64	74	Yes	Yes	10
3879	B	S-3392B	1	66	61	69	No	Yes	8
3880	B	S-0705B	1	66	59	67	No	Yes	8
3881	B	S-3399B	1	66	62	70	No	Yes	8
3882	B	S-3416B	1	66	62	70	No	Yes	8
3883	B	S-0704B	1	66	59	67	No	Yes	8
3884	B	S-0675B	1	66	65	73	No	Yes	8
3885	B	S-3417B	1	66	61	70	No	Yes	9
3886	B	S-3398B	1	66	63	70	No	Yes	7
3887	B	S-3393B	1	66	59	67	No	Yes	8
3888	B	S-0674B	1	66	59	68	No	Yes	9
3889	B	S-3394B	1	66	59	67	No	Yes	8
3890	B	S-3418B	1	66	61	71	Yes	Yes	10
3891	B	S-3397B	1	66	63	71	No	Yes	8
3892	B	S-0673B	1	66	67	74	No	Yes	7
3893	B	S-3396B	1	66	66	73	No	Yes	7
3894	B	S-0669B	1	66	62	69	No	Yes	7
3895	B	S-3395B	1	66	69	77	No	Yes	8
3896	B	S-0664B	1	66	59	66	No	Yes	7
3897	B	S-0663B	1	66	59	66	No	Yes	7
3898	B	S-0670B	1	66	63	70	No	Yes	7
3899	B	S-0671B	1	66	63	71	No	Yes	8
3900	B	S-0672B	1	66	64	71	No	Yes	7
3901	B	S-0668B	1	66	62	68	No	Yes	6
3902	B	S-0666B	1	66	60	67	No	Yes	7
3903	B	S-0665B	1	66	60	66	No	Yes	6

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3904	B	S-3420B	1	66	63	70	No	Yes	7
3905	B	S-3419B	1	66	63	70	No	Yes	7
3906	B	S-0667B	1	66	61	67	No	Yes	6
3907	B	S-3421B	1	66	64	71	No	Yes	7
3908	B	S-0662B	1	66	60	67	No	Yes	7
3909	B	S-0661B	1	66	60	67	No	Yes	7
3910	B	S-0660B	1	66	61	67	No	Yes	6
3911	B	S-3434B	1	66	62	70	No	Yes	8
3912	B	S-3435B	1	66	62	70	No	Yes	8
3913	B	S-3422B	1	66	68	76	No	Yes	8
3914	B	S-3433B	1	66	63	70	No	Yes	7
3915	B	S-3436B	1	66	60	69	No	Yes	9
3916	D	S-0658D	1	51	41	49	No	No	8
3917	B	S-3423B	1	66	66	74	No	Yes	8
3918	B	S-3432B	1	66	61	70	No	Yes	9
3919	C	S-0659C	1	66	60	68	No	Yes	8
3920	B	S-3437B	1	66	60	68	No	Yes	8
3921	B	S-3424B	1	66	65	72	No	Yes	7
3922	B	S-3431B	1	66	61	68	No	Yes	7
3923	C	S-0654C	1	66	61	69	No	Yes	8
3924	B	S-0657B	1	66	65	73	No	Yes	8
3925	B	S-3438B	1	66	60	67	No	Yes	7
3926	B	S-3425B	1	66	65	72	No	Yes	7
3927	B	S-3430B	1	66	61	68	No	Yes	7
3928	B	S-0656B	1	66	64	73	No	Yes	9
3929	B	S-3439B	1	66	58	66	No	Yes	8
3930	B	S-0655B	1	66	65	73	No	Yes	8
3931	B	S-3429B	1	66	62	69	No	Yes	7
3932	B	S-3426B	1	66	64	72	No	Yes	8
3933	B	S-3440B	1	66	60	67	No	Yes	7
3934	D	S-0653D	1	51	38	47	No	No	9
3935	B	S-3441B	1	66	60	68	No	Yes	8
3936	B	S-3427B	1	66	65	73	No	Yes	8
3937	B	S-3428B	1	66	62	69	No	Yes	7
3938	B	S-3442B	1	66	60	68	No	Yes	8
3939	C	S-0652C	1	66	63	73	Yes	Yes	10
3940	C	S-0650C	1	66	61	69	No	Yes	8
3941	C	S-0651C	1	66	63	73	Yes	Yes	10

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3942	B	S-3445B	1	66	61	68	No	Yes	7
3943	B	S-3443B	1	66	62	70	No	Yes	8
3944	B	S-3444B	1	66	61	68	No	Yes	7
3945	C	S-0649C	1	66	61	70	No	Yes	9
3946	B	S-3446B	1	66	61	68	No	Yes	7
3947	B	S-3447B	1	66	61	68	No	Yes	7
3948	B	S-3448B	1	66	60	68	No	Yes	8
3949	B	S-3453B	1	66	64	71	No	Yes	7
3950	B	S-3452B	1	66	62	69	No	Yes	7
3951	B	S-3450B	1	66	59	66	No	Yes	7
3952	B	S-3451B	1	66	60	66	No	Yes	6
3953	B	S-3449B	1	66	60	66	No	Yes	6
3954	B	S-0644B	1	66	62	74	Yes	Yes	12
3955	B	S-0647B	1	66	60	71	Yes	Yes	11
3956	B	S-0645B	1	66	62	72	Yes	Yes	10
3957	B	S-0648B	1	66	60	71	Yes	Yes	11
3958	B	S-0646B	1	66	61	71	Yes	Yes	10
3959	B	S-3499B-2	1	66	64	74	Yes	Yes	10
3960	B	S-3500B-3	1	66	66	78	Yes	Yes	12
3961	B	S-3501B-4	1	66	72	79	No	Yes	7
3962	B	S-3502B-5	1	66	75	79	No	Yes	4
3963	B	S-3503B-6	1	66	76	79	No	Yes	3
3964	B	S-3479B-2	1	66	62	72	Yes	Yes	10
3965	B	S-3480B-3	1	66	64	74	Yes	Yes	10
3966	B	S-3481B-4	1	66	66	75	No	Yes	9
3967	B	S-3482B-5	1	66	70	75	No	Yes	5
3968	B	S-3483B-6	1	66	71	75	No	Yes	4
3969	B	S-3494B-2	1	66	63	73	Yes	Yes	10
3970	B	S-3495B-3	1	66	65	76	Yes	Yes	11
3971	B	S-3496B-4	1	66	70	77	No	Yes	7
3972	B	S-3497B-5	1	66	73	77	No	Yes	4
3973	B	S-3498B-6	1	66	74	77	No	Yes	3
3974	B	S-3489B-2	1	66	63	72	No	Yes	9
3975	B	S-3490B-3	1	66	64	75	Yes	Yes	11
3976	B	S-3491B-4	1	66	68	77	No	Yes	9
3977	B	S-3492B-5	1	66	72	77	No	Yes	5
3978	B	S-3493B-6	1	66	73	76	No	Yes	3
3979	B	S-3484B-2	1	66	62	72	Yes	Yes	10
3980	B	S-3485B-3	1	66	64	75	Yes	Yes	11

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
3981	B	S-3486B-4	1	66	67	76	No	Yes	9
3982	B	S-3487B-5	1	66	71	76	No	Yes	5
3983	B	S-3488B-6	1	66	72	76	No	Yes	4
3984	B	S-3474B-2	1	66	62	71	No	Yes	9
3985	B	S-3475B-3	1	66	63	73	Yes	Yes	10
3986	B	S-3476B-4	1	66	66	75	No	Yes	9
3987	B	S-3477B-5	1	66	69	75	No	Yes	6
3988	B	S-3478B-6	1	66	70	75	No	Yes	5
3989	B	S-3469B-2	1	66	61	70	No	Yes	9
3990	B	S-3470B-3	1	66	63	73	Yes	Yes	10
3991	B	S-3471B-4	1	66	65	74	No	Yes	9
3992	B	S-3472B-5	1	66	67	74	No	Yes	7
3993	B	S-3473B-6	1	66	70	74	No	Yes	4
3994	B	S-3464B-2	1	66	61	69	No	Yes	8
3995	B	S-3465B-3	1	66	63	72	No	Yes	9
3996	B	S-3466B-4	1	66	65	73	No	Yes	8
3997	B	S-3467B-5	1	66	67	74	No	Yes	7
3998	B	S-3468B-6	1	66	69	74	No	Yes	5
3999	B	S-3459B-2	1	66	62	69	No	Yes	7
4000	B	S-3460B-3	1	66	63	72	No	Yes	9
4001	B	S-3461B-4	1	66	65	73	No	Yes	8
4002	B	S-3462B-5	1	66	66	74	No	Yes	8
4003	B	S-3463B-6	1	66	69	74	No	Yes	5
4004	B	S-3454B-2	1	66	64	69	No	Yes	5
4005	B	S-3455B-3	1	66	65	71	No	Yes	6
4006	B	S-3456B-4	1	66	66	72	No	Yes	6
4007	B	S-3457B-5	1	66	67	73	No	Yes	6
4008	B	S-3458B-6	1	66	69	73	No	Yes	4
4009	B	S-3504B-2	1	66	65	75	Yes	Yes	10
4010	B	S-3505B-3	1	66	67	80	Yes	Yes	13
4011	B	S-3506B-4	1	66	74	81	No	Yes	7
4012	B	S-3507B-5	1	66	77	81	No	Yes	4
4013	B	S-3508B-6	1	66	78	80	No	Yes	2
4014	B	S-3597B-2	1	66	63	62	No	No	-1
4015	B	S-3598B-3	1	66	64	65	No	No	1
4016	B	S-3599B-4	1	66	64	66	No	Yes	2
4017	B	S-3600B-5	1	66	64	66	No	Yes	2
4018	B	S-3548B-2	1	66	56	57	No	No	1
4019	B	S-3549B-3	1	66	56	58	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4020	B	S-3550B-4	1	66	57	60	No	No	3
4021	B	S-3551B-5	1	66	59	61	No	No	2
4022	B	S-3552B-6	1	66	63	65	No	No	2
4023	B	S-3553B-2	1	66	56	56	No	No	0
4024	B	S-3554B-3	1	66	56	57	No	No	1
4025	B	S-3555B-4	1	66	57	58	No	No	1
4026	B	S-3556B-5	1	66	59	60	No	No	1
4027	B	S-3557B-6	1	66	63	64	No	No	1
4028	B	S-3543B-2	1	66	56	57	No	No	1
4029	B	S-3544B-3	1	66	56	57	No	No	1
4030	B	S-3545B-4	1	66	57	58	No	No	1
4031	B	S-3546B-5	1	66	59	61	No	No	2
4032	B	S-3547B-6	1	66	63	65	No	No	2
4033	B	S-3578B-2	1	66	56	55	No	No	-1
4034	B	S-3579B-4	1	66	58	58	No	No	0
4035	B	S-3580B-5	1	66	59	59	No	No	0
4036	B	S-3581B-6	1	66	61	63	No	No	2
4037	B	S-3582B-4	1	66	58	57	No	No	-1
4038	B	S-3583B-5	1	66	59	59	No	No	0
4039	B	S-3584B-6	1	66	62	63	No	No	1
4040	B	S-3585B-3	1	66	59	56	No	No	-3
4041	B	S-3586B-4	1	66	59	57	No	No	-2
4042	B	S-3587B-5	1	66	60	59	No	No	-1
4043	B	S-3588B-6	1	66	62	63	No	No	1
4044	B	S-3558B-2	1	66	55	56	No	No	1
4045	B	S-3559B-3	1	66	57	57	No	No	0
4046	B	S-3560B-4	1	66	57	58	No	No	1
4047	B	S-3561B-5	1	66	59	60	No	No	1
4048	B	S-3562B-6	1	66	62	64	No	No	2
4049	B	S-3568B-2	1	66	56	55	No	No	-1
4050	B	S-3569B-3	1	66	57	57	No	No	0
4051	B	S-3570B-4	1	66	57	58	No	No	1
4052	B	S-3571B-5	1	66	59	60	No	No	1
4053	B	S-3572B-6	1	66	62	64	No	No	2
4054	B	S-3573B-2	1	66	56	55	No	No	-1
4055	B	S-3574B-3	1	66	57	57	No	No	0
4056	B	S-3575B-4	1	66	58	58	No	No	0
4057	B	S-3576B-5	1	66	59	60	No	No	1
4058	B	S-3577B-6	1	66	62	63	No	No	1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4059	B	S-3589B-3	1	66	60	56	No	No	-4
4060	B	S-3590B-4	1	66	60	57	No	No	-3
4061	B	S-3591B-5	1	66	60	59	No	No	-1
4062	B	S-3592B-6	1	66	62	63	No	No	1
4063	B	S-3563B-2	1	66	56	56	No	No	0
4064	B	S-3564B-3	1	66	57	57	No	No	0
4065	B	S-3565B-4	1	66	57	58	No	No	1
4066	B	S-3566B-5	1	66	59	60	No	No	1
4067	B	S-3567B-6	1	66	62	64	No	No	2
4068	B	S-3593B-3	1	66	61	56	No	No	-5
4069	B	S-3594B-4	1	66	61	57	No	No	-4
4070	B	S-3595B-5	1	66	61	59	No	No	-2
4071	B	S-3596B-6	1	66	63	63	No	No	0
4072	B	S-3601B-2	1	66	63	56	No	No	-7
4073	B	S-3602B-3	1	66	63	58	No	No	-5
4074	B	S-3603B-4	1	66	63	59	No	No	-4
4075	B	S-3604B-5	1	66	64	61	No	No	-3
4076	B	S-3539B-3	1	66	56	57	No	No	1
4077	B	S-3540B-4	1	66	57	58	No	No	1
4078	B	S-3541B-5	1	66	60	61	No	No	1
4079	B	S-3542B-6	1	66	64	65	No	No	1
4080	B	S-3509B-2	1	66	65	75	Yes	Yes	10
4081	B	S-3510B-3	1	66	67	79	Yes	Yes	12
4082	B	S-3511B-4	1	66	74	81	No	Yes	7
4083	B	S-3512B-5	1	66	77	81	No	Yes	4
4084	B	S-3513B-6	1	66	78	80	No	Yes	2
4085	B	S-3605B-3	1	66	61	55	No	No	-6
4086	B	S-3606B-4	1	66	61	57	No	No	-4
4087	B	S-3607B-5	1	66	62	59	No	No	-3
4088	B	S-3608B-6	1	66	63	63	No	No	0
4089	B	S-3534B-2	1	66	56	57	No	No	1
4090	B	S-3535B-3	1	66	56	57	No	No	1
4091	B	S-3536B-4	1	66	57	58	No	No	1
4092	B	S-3537B-5	1	66	59	61	No	No	2
4093	B	S-3538B-6	1	66	64	65	No	No	1
4094	B	S-3609B-2	1	66	63	54	No	No	-9
4095	B	S-3610B-3	1	66	63	55	No	No	-8
4096	B	S-3611B-4	1	66	63	57	No	No	-6
4097	B	S-3612B-5	1	66	63	59	No	No	-4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4098	B	S-3613B-3	1	66	61	55	No	No	-6
4099	B	S-3614B-5	1	66	62	59	No	No	-3
4100	B	S-3615B-6	1	66	63	62	No	No	-1
4101	B	S-0643B	1	66	65	75	Yes	Yes	10
4102	B	S-3514B-2	1	66	65	75	Yes	Yes	10
4103	B	S-3515B-3	1	66	67	79	Yes	Yes	12
4104	B	S-3516B-4	1	66	73	81	No	Yes	8
4105	B	S-3517B-5	1	66	76	81	No	Yes	5
4106	B	S-3518B-6	1	66	78	80	No	Yes	2
4107	B	S-3529B-2	1	66	56	57	No	No	1
4108	B	S-3530B-3	1	66	56	58	No	No	2
4109	B	S-3531B-4	1	66	57	58	No	No	1
4110	B	S-3532B-5	1	66	59	61	No	No	2
4111	B	S-3533B-6	1	66	64	65	No	No	1
4112	C	S-3674C	1	66	57	55	No	No	-2
4113	B	S-3690B-2	1	66	56	56	No	No	0
4114	B	S-3691B-3	1	66	56	57	No	No	1
4115	B	S-3692B-4	1	66	57	58	No	No	1
4116	B	S-3693B-5	1	66	59	60	No	No	1
4117	B	S-3694B-6	1	66	62	64	No	No	2
4118	B	S-3680B-2	1	66	55	55	No	No	0
4119	B	S-3681B-3	1	66	57	57	No	No	0
4120	B	S-3682B-4	1	66	57	58	No	No	1
4121	B	S-3683B-5	1	66	59	60	No	No	1
4122	B	S-3684B-6	1	66	62	64	No	No	2
4123	B	S-3616B-2	1	66	63	54	No	No	-9
4124	B	S-3617B-3	1	66	63	55	No	No	-8
4125	B	S-3618B-4	1	66	63	56	No	No	-7
4126	B	S-3619B-5	1	66	63	58	No	No	-5
4127	B	S-3620B-3	1	66	61	55	No	No	-6
4128	B	S-3621B-4	1	66	61	56	No	No	-5
4129	B	S-3622B-5	1	66	61	59	No	No	-2
4130	B	S-3623B-6	1	66	63	62	No	No	-1
4131	B	S-3519B-2	1	66	65	75	Yes	Yes	10
4132	B	S-3520B-3	1	66	67	79	Yes	Yes	12
4133	B	S-3521B-4	1	66	73	81	No	Yes	8
4134	B	S-3522B-5	1	66	76	81	No	Yes	5
4135	B	S-3523B-6	1	66	78	80	No	Yes	2
4136	B	S-3524B-2	1	66	58	68	Yes	Yes	10

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4137	B	S-3525B-3	1	66	59	72	Yes	Yes	13
4138	B	S-3526B-4	1	66	64	75	Yes	Yes	11
4139	B	S-3527B-5	1	66	72	76	No	Yes	4
4140	B	S-3528B-6	1	66	74	77	No	Yes	3
4141	B	S-3685B-2	1	66	54	62	No	No	8
4142	B	S-3686B-3	1	66	56	66	Yes	Yes	10
4143	B	S-3687B-4	1	66	60	70	Yes	Yes	10
4144	B	S-3688B-5	1	66	66	71	No	Yes	5
4145	B	S-3689B-6	1	66	71	75	No	Yes	4
4146	B	S-3695B-2	1	66	56	65	No	No	9
4147	B	S-3696B-3	1	66	57	68	Yes	Yes	11
4148	B	S-3697B-4	1	66	60	71	Yes	Yes	11
4149	B	S-3698B-5	1	66	69	73	No	Yes	4
4150	B	S-3699B-6	1	66	72	76	No	Yes	4
4151	B	S-3675B-2	1	66	53	60	No	No	7
4152	B	S-3676B-3	1	66	55	64	No	No	9
4153	B	S-3677B-4	1	66	59	67	No	Yes	8
4154	B	S-3678B-5	1	66	65	70	No	Yes	5
4155	B	S-3679B-6	1	66	70	73	No	Yes	3
4156	B	S-0642B	1	66	65	75	Yes	Yes	10
4157	B	S-3669B-2	1	66	56	54	No	No	-2
4158	B	S-3670B-3	1	66	57	56	No	No	-1
4159	B	S-3671B-4	1	66	57	56	No	No	-1
4160	B	S-3672B-5	1	66	58	58	No	No	0
4161	B	S-3673B-6	1	66	61	63	No	No	2
4162	B	S-3650B-2	1	66	58	54	No	No	-4
4163	B	S-3651B-3	1	66	58	55	No	No	-3
4164	B	S-3652B-4	1	66	59	57	No	No	-2
4165	B	S-3653B-5	1	66	59	58	No	No	-1
4166	B	S-3654B-6	1	66	61	62	No	No	1
4167	B	S-3655B-2	1	66	56	54	No	No	-2
4168	B	S-3656B-3	1	66	57	55	No	No	-2
4169	B	S-3657B-4	1	66	58	57	No	No	-1
4170	B	S-3658B-5	1	66	59	58	No	No	-1
4171	B	S-3659B-6	1	66	61	62	No	No	1
4172	B	S-3628B-3	1	66	60	55	No	No	-5
4173	B	S-3629B-4	1	66	60	56	No	No	-4
4174	B	S-3630B-5	1	66	61	58	No	No	-3
4175	B	S-3631B-6	1	66	62	62	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4176	B	S-3624B-2	1	66	63	53	No	No	-10
4177	B	S-3625B-3	1	66	63	56	No	No	-7
4178	B	S-3626B-4	1	66	63	57	No	No	-6
4179	B	S-3627B-5	1	66	64	59	No	No	-5
4180	B	S-3700B-2	1	66	66	76	Yes	Yes	10
4181	B	S-3701B-3	1	66	68	81	Yes	Yes	13
4182	B	S-3702B-4	1	66	75	81	No	Yes	6
4183	B	S-3646B-2	1	66	55	56	No	No	1
4184	B	S-3647B-3	1	66	58	59	No	No	1
4185	B	S-3648B-4	1	66	60	62	No	No	2
4186	B	S-3649B-5	1	66	63	66	No	Yes	3
4187	B	S-3665B-2	1	66	54	59	No	No	5
4188	B	S-3666B-3	1	66	57	62	No	No	5
4189	B	S-3667B-4	1	66	60	65	No	No	5
4190	B	S-3668B-5	1	66	64	68	No	Yes	4
4191	B	S-3632B-2	1	66	64	57	No	No	-7
4192	B	S-3633B-3	1	66	64	59	No	No	-5
4193	B	S-3634B-4	1	66	64	61	No	No	-3
4194	B	S-3635B-5	1	66	66	65	No	No	-1
4195	C	S-3636C-6	1	66	68	69	No	Yes	1
4196	B	S-3660B-2	1	66	54	58	No	No	4
4197	B	S-3661B-3	1	66	57	62	No	No	5
4198	B	S-3662B-4	1	66	60	64	No	No	4
4199	B	S-3663B-5	1	66	64	68	No	Yes	4
4200	B	S-3641B-2	1	66	58	55	No	No	-3
4201	B	S-3642B-3	1	66	60	58	No	No	-2
4202	B	S-3643B-4	1	66	61	60	No	No	-1
4203	B	S-3644B-5	1	66	63	65	No	No	2
4204	B	S-3637B-2	1	66	61	56	No	No	-5
4205	B	S-3638B-3	1	66	62	58	No	No	-4
4206	B	S-3639B-4	1	66	62	60	No	No	-2
4207	B	S-3640B-5	1	66	65	65	No	No	0
4208	B	S-0641B	1	66	65	74	No	Yes	9
4209	B	S-3817B-2	1	66	51	51	No	No	0
4210	B	S-3818B-3	1	66	52	50	No	No	-2
4211	B	S-3819B-4	1	66	57	58	No	No	1
4212	B	S-3645B	1	66	54	54	No	No	0
4213	B	S-0629B	1	66	62	70	No	Yes	8
4214	B	S-3703B-2	1	66	66	76	Yes	Yes	10

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4215	B	S-3704B-3	1	66	68	80	Yes	Yes	12
4216	B	S-3705B-4	1	66	75	81	No	Yes	6
4217	B	S-3664B	1	66	51	54	No	No	3
4218	B	S-0630B	1	66	61	69	No	Yes	8
4219	B	S-3706B	1	66	64	71	No	Yes	7
4220	B	S-3707B-2	1	66	66	76	Yes	Yes	10
4221	B	S-3708B-3	1	66	68	80	Yes	Yes	12
4222	B	S-3709B-4	1	66	75	81	No	Yes	6
4223	B	S-3813B-2	1	66	50	48	No	No	-2
4224	B	S-3814B-3	1	66	50	48	No	No	-2
4225	B	S-3815B-4	1	66	55	54	No	No	-1
4226	B	S-3816B-5	1	66	63	66	No	Yes	3
4227	B	S-0640B	1	66	65	74	No	Yes	9
4228	B	S-3710B	1	66	64	71	No	Yes	7
4229	B	S-3711B-2	1	66	66	76	Yes	Yes	10
4230	B	S-3712B-3	1	66	69	80	Yes	Yes	11
4231	B	S-3713B-4	1	66	75	81	No	Yes	6
4232	B	S-3809B-2	1	66	49	48	No	No	-1
4233	B	S-3810B-3	1	66	50	48	No	No	-2
4234	B	S-3811B-4	1	66	55	54	No	No	-1
4235	B	S-3812B-5	1	66	63	66	No	Yes	3
4236	B	S-3834B	1	66	50	51	No	No	1
4237	B	S-0631B	1	66	60	66	No	Yes	6
4238	B	S-3820B-2	1	66	49	47	No	No	-2
4239	B	S-3821B-3	1	66	53	51	No	No	-2
4240	B	S-3822B-4	1	66	57	58	No	No	1
4241	B	S-3823B-5	1	66	64	67	No	Yes	3
4242	B	S-0632B	1	66	60	67	No	Yes	7
4243	B	S-3831B-2	1	66	52	54	No	No	2
4244	B	S-3832B-3	1	66	55	55	No	No	0
4245	B	S-3833B-4	1	66	59	60	No	No	1
4246	B	S-3714B	1	66	65	71	No	Yes	6
4247	B	S-3715B-2	1	66	66	76	Yes	Yes	10
4248	B	S-3716B-3	1	66	69	80	Yes	Yes	11
4249	B	S-3717B-4	1	66	74	81	No	Yes	7
4250	B	S-0639B	1	66	65	74	No	Yes	9
4251	B	S-0628B	1	66	60	70	Yes	Yes	10
4252	B	S-0635B	1	66	60	70	Yes	Yes	10
4253	B	S-0624B	1	66	58	70	Yes	Yes	12

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4254	B	S-0636B	1	66	61	70	No	Yes	9
4255	B	S-3718B	1	66	65	71	No	Yes	6
4256	B	S-3719B-2	1	66	66	76	Yes	Yes	10
4257	B	S-3720B-3	1	66	69	79	Yes	Yes	10
4258	B	S-3721B-4	1	66	74	81	No	Yes	7
4259	B	S-3828B-2	1	66	54	53	No	No	-1
4260	B	S-3829B-3	1	66	56	55	No	No	-1
4261	B	S-3830B-4	1	66	60	59	No	No	-1
4262	B	S-0627B	1	66	60	71	Yes	Yes	11
4263	B	S-3824B	1	66	51	48	No	No	-3
4264	B	S-3825B-2	1	66	52	50	No	No	-2
4265	B	S-3826B-3	1	66	53	51	No	No	-2
4266	B	S-3827B-4	1	66	57	56	No	No	-1
4267	B	S-0634B	1	66	61	67	No	Yes	6
4268	B	S-3722B	1	66	65	71	No	Yes	6
4269	B	S-3723B-2	1	66	66	75	No	Yes	9
4270	B	S-3724B-3	1	66	69	79	Yes	Yes	10
4271	B	S-3725B-4	1	66	73	80	No	Yes	7
4272	B	S-0626B	1	66	62	70	No	Yes	8
4273	B	S-0638B	1	66	66	73	No	Yes	7
4274	B	S-3805B	1	66	49	47	No	No	-2
4275	B	S-3806B-2	1	66	51	50	No	No	-1
4276	B	S-3807B-3	1	66	53	53	No	No	0
4277	B	S-3808B-4	1	66	59	58	No	No	-1
4278	B	S-0622B	1	66	59	69	Yes	Yes	10
4279	B	S-0633B	1	66	63	71	No	Yes	8
4280	B	S-0625B	1	66	64	71	No	Yes	7
4281	B	S-0621B	1	66	58	69	Yes	Yes	11
4282	B	S-0623B	1	66	61	70	No	Yes	9
4283	B	S-3726B	1	66	66	71	No	Yes	5
4284	B	S-3727B-2	1	66	67	75	No	Yes	8
4285	B	S-3728B-3	1	66	69	79	Yes	Yes	10
4286	B	S-3729B-4	1	66	73	80	No	Yes	7
4287	B	S-0637B	1	66	63	72	No	Yes	9
4288	B	S-3730B	1	66	66	71	No	Yes	5
4289	B	S-3731B-2	1	66	67	75	No	Yes	8
4290	B	S-3732B-3	1	66	70	78	No	Yes	8
4291	B	S-3733B-4	1	66	73	80	No	Yes	7
4292	B	S-3801B	1	66	48	48	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4293	B	S-3802B-2	1	66	51	51	No	No	0
4294	B	S-3803B-3	1	66	53	53	No	No	0
4295	B	S-3804B-4	1	66	59	58	No	No	-1
4296	B	S-3797B	1	66	48	48	No	No	0
4297	B	S-3798B-2	1	66	51	51	No	No	0
4298	B	S-3799B-3	1	66	53	53	No	No	0
4299	B	S-3800B-4	1	66	59	59	No	No	0
4300	B	S-3734B	1	66	67	71	No	Yes	4
4301	B	S-3735B-2	1	66	68	75	No	Yes	7
4302	B	S-3736B-3	1	66	71	78	No	Yes	7
4303	B	S-3737B-4	1	66	73	80	No	Yes	7
4304	B	S-3793B	1	66	48	49	No	No	1
4305	B	S-3794B-2	1	66	51	52	No	No	1
4306	B	S-3795B-3	1	66	52	53	No	No	1
4307	B	S-3796B-4	1	66	59	59	No	No	0
4308	B	S-3738B	1	66	67	71	No	Yes	4
4309	B	S-3739B-2	1	66	69	74	No	Yes	5
4310	B	S-3740B-3	1	66	71	78	No	Yes	7
4311	B	S-3741B-4	1	66	73	80	No	Yes	7
4312	B	S-3789B	1	66	48	49	No	No	1
4313	B	S-3790B-2	1	66	51	52	No	No	1
4314	B	S-3791B-3	1	66	53	54	No	No	1
4315	B	S-3792B-4	1	66	59	59	No	No	0
4316	B	S-3742B	1	66	68	70	No	Yes	2
4317	B	S-3743B-2	1	66	70	73	No	Yes	3
4318	B	S-3744B-3	1	66	71	77	No	Yes	6
4319	B	S-3745B-4	1	66	73	80	No	Yes	7
4320	C	S-3746C	1	66	69	70	No	Yes	1
4321	B	S-3785B	1	66	48	50	No	No	2
4322	B	S-3786B-2	1	66	51	52	No	No	1
4323	B	S-3787B-3	1	66	53	54	No	No	1
4324	B	S-3788B-4	1	66	59	60	No	No	1
4325	B	S-3835B	1	66	66	53	No	No	-13
4326	B	S-3781B	1	66	49	50	No	No	1
4327	B	S-3782B-2	1	66	52	53	No	No	1
4328	B	S-3783B-3	1	66	53	54	No	No	1
4329	B	S-3784B-4	1	66	60	60	No	No	0
4330	B	S-3747B	1	66	68	68	No	Yes	0
4331	B	S-3748B-2	1	66	70	72	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4332	B	S-3749B-4	1	66	73	80	No	Yes	7
4333	B	S-3750B-3	1	66	71	77	No	Yes	6
4334	B	S-3755B	1	66	61	67	No	Yes	6
4335	B	S-3756B-2	1	66	63	71	No	Yes	8
4336	B	S-3757B-3	1	66	64	75	Yes	Yes	11
4337	B	S-3758B-4	1	66	68	78	Yes	Yes	10
4338	B	S-3751B	1	66	60	67	No	Yes	7
4339	B	S-3752B-2	1	66	62	71	No	Yes	9
4340	B	S-3753B-3	1	66	63	75	Yes	Yes	12
4341	B	S-3754B-4	1	66	68	78	Yes	Yes	10
4342	B	S-3836B	1	66	66	53	No	No	-13
4343	B	S-3837B	1	66	66	53	No	No	-13
4344	B	S-3777B	1	66	49	50	No	No	1
4345	B	S-3778B-2	1	66	52	53	No	No	1
4346	B	S-3779B-3	1	66	54	54	No	No	0
4347	B	S-3780B-4	1	66	61	60	No	No	-1
4348	B	S-3773B	1	66	50	50	No	No	0
4349	B	S-3774B-2	1	66	52	53	No	No	1
4350	B	S-3775B-3	1	66	54	54	No	No	0
4351	B	S-3776B-4	1	66	61	60	No	No	-1
4352	B	S-3759B	1	66	72	71	No	Yes	-1
4353	B	S-3760B-2	1	66	74	73	No	Yes	-1
4354	B	S-3761B-3	1	66	76	77	No	Yes	1
4355	B	S-3762B-4	1	66	77	81	No	Yes	4
4356	B	S-3838B	1	66	66	55	No	No	-11
4357	B	S-3839B	1	66	66	55	No	No	-11
4358	B	S-3769B	1	66	58	57	No	No	-1
4359	B	S-3770B-2	1	66	59	59	No	No	0
4360	B	S-3771B-3	1	66	61	61	No	No	0
4361	B	S-3772B-4	1	66	64	65	No	No	1
4362	E	S-0620E	1	71	61	66	No	No	5
4363	B	S-3763B-2	1	66	73	73	No	Yes	0
4364	B	S-3764B-3	1	66	74	75	No	Yes	1
4365	B	S-3765B-4	1	66	75	77	No	Yes	2
4366	B	S-3766B-2	1	66	73	72	No	Yes	-1
4367	B	S-3767B-3	1	66	73	74	No	Yes	1
4368	B	S-3768B-4	1	66	74	76	No	Yes	2
4369	E	S-0619E	1	71	62	69	No	No	7
4370	B	S-3842B	1	66	64	63	No	No	-1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4371	B	S-3841B	1	66	63	62	No	No	-1
4372	B	S-3840B	1	66	66	61	No	No	-5
4373	B	S-3887B	1	66	74	74	No	Yes	0
4374	B	S-3888B-2	1	66	77	76	No	Yes	-1
4375	B	S-3889B-3	1	66	80	80	No	Yes	0
4376	B	S-3890B-4	1	66	80	82	No	Yes	2
4377	B	S-3883B	1	66	73	72	No	Yes	-1
4378	B	S-3884B-2	1	66	75	75	No	Yes	0
4379	B	S-3885B-3	1	66	77	77	No	Yes	0
4380	B	S-3886B-4	1	66	77	79	No	Yes	2
4381	B	S-0443B-2	1	66	62	69	No	Yes	7
4382	B	S-0444B-3	1	66	66	72	No	Yes	6
4383	B	S-0445B-4	1	66	66	73	No	Yes	7
4384	B	S-3875B	1	66	70	70	No	Yes	0
4385	B	S-3876B-2	1	66	73	72	No	Yes	-1
4386	B	S-3877B-3	1	66	74	74	No	Yes	0
4387	B	S-3878B-4	1	66	74	76	No	Yes	2
4388	B	S-3871B	1	66	69	69	No	Yes	0
4389	B	S-3872B-2	1	66	72	71	No	Yes	-1
4390	B	S-3873B-3	1	66	72	73	No	Yes	1
4391	B	S-3874B-4	1	66	72	74	No	Yes	2
4392	B	S-0424B-2	1	66	64	70	No	Yes	6
4393	B	S-0425B-3	1	66	65	72	No	Yes	7
4394	B	S-0426B-4	1	66	66	72	No	Yes	6
4395	B	S-3868B-2	1	66	71	70	No	Yes	-1
4396	B	S-3869B-3	1	66	71	71	No	Yes	0
4397	B	S-3870B-4	1	66	71	72	No	Yes	1
4398	B	S-3865B-2	1	66	69	68	No	Yes	-1
4399	B	S-3866B-3	1	66	70	70	No	Yes	0
4400	B	S-3867B-4	1	66	70	71	No	Yes	1
4401	B	S-3879B	1	66	71	71	No	Yes	0
4402	B	S-3880B-2	1	66	74	73	No	Yes	-1
4403	B	S-3881B-3	1	66	75	75	No	Yes	0
4404	B	S-3882B-4	1	66	75	77	No	Yes	2
4405	B	S-0542B-2	1	66	71	75	No	Yes	4
4406	B	S-0543B-4	1	66	75	80	No	Yes	5
4407	B	S-0544B-5	1	66	76	80	No	Yes	4
4408	B	S-0545B-6	1	66	77	80	No	Yes	3
4409	B	S-0546B-7	1	66	77	80	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4410	B	S-0547B-8	1	66	77	80	No	Yes	3
4411	B	S-0446B-4	1	66	62	67	No	Yes	5
4412	B	S-0447B-5	1	66	63	68	No	Yes	5
4413	B	S-0448B-6	1	66	64	68	No	Yes	4
4414	B	S-0449B-7	1	66	65	68	No	Yes	3
4415	B	S-0450B-8	1	66	66	69	No	Yes	3
4416	B	S-0617B-2	1	66	64	72	No	Yes	8
4417	B	S-0618B-2	1	66	65	72	No	Yes	7
4418	B	S-0612B-4	1	66	66	73	No	Yes	7
4419	B	S-0613B-5	1	66	67	73	No	Yes	6
4420	B	S-0614B-6	1	66	68	73	No	Yes	5
4421	B	S-0615B-7	1	66	70	73	No	Yes	3
4422	B	S-0616B-8	1	66	70	74	No	Yes	4
4423	B	S-0548B-4	1	66	61	70	No	Yes	9
4424	B	S-0549B-5	1	66	64	70	No	Yes	6
4425	B	S-0550B-6	1	66	66	70	No	Yes	4
4426	B	S-0551B-7	1	66	67	70	No	Yes	3
4427	B	S-0552B-8	1	66	68	71	No	Yes	3
4428	B	S-0439B	1	66	60	66	No	Yes	6
4429	B	S-0440B-2	1	66	64	70	No	Yes	6
4430	B	S-0441B-3	1	66	66	72	No	Yes	6
4431	B	S-0442B-4	1	66	67	73	No	Yes	6
4432	B	S-0418B-2	1	66	50	53	No	No	3
4433	B	S-0419B-3	1	66	52	55	No	No	3
4434	B	S-0420B-4	1	66	57	61	No	No	4
4435	B	S-0537B-4	1	66	75	79	No	Yes	4
4436	B	S-0538B-5	1	66	76	80	No	Yes	4
4437	B	S-0539B-6	1	66	77	80	No	Yes	3
4438	B	S-0540B-7	1	66	77	80	No	Yes	3
4439	B	S-0541B-8	1	66	77	79	No	Yes	2
4440	B	S-0553B-4	1	66	60	66	No	Yes	6
4441	B	S-0554B-5	1	66	62	67	No	Yes	5
4442	B	S-0555B-6	1	66	63	67	No	Yes	4
4443	B	S-0556B-7	1	66	64	67	No	Yes	3
4444	B	S-0557B-8	1	66	66	68	No	Yes	2
4445	B	S-0451B-4	1	66	62	67	No	Yes	5
4446	B	S-0452B-5	1	66	63	67	No	Yes	4
4447	B	S-0453B-6	1	66	64	68	No	Yes	4
4448	B	S-0454B-7	1	66	65	68	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4449	B	S-0455B-8	1	66	66	68	No	Yes	2
4450	C	S-0417C	1	66	47	51	No	No	4
4451	B	S-0607B-4	1	66	65	72	No	Yes	7
4452	B	S-0608B-5	1	66	66	72	No	Yes	6
4453	B	S-0609B-6	1	66	67	72	No	Yes	5
4454	B	S-0610B-7	1	66	69	72	No	Yes	3
4455	B	S-0611B-8	1	66	69	73	No	Yes	4
4456	B	S-0435B	1	66	58	62	No	No	4
4457	B	S-0436B-2	1	66	64	70	No	Yes	6
4458	B	S-0437B-3	1	66	66	72	No	Yes	6
4459	B	S-0438B-4	1	66	67	73	No	Yes	6
4460	B	S-3843B-2	1	66	64	63	No	No	-1
4461	B	S-3844B-3	1	66	65	65	No	No	0
4462	B	S-3845B-4	1	66	66	66	No	Yes	0
4463	B	S-0532B-4	1	66	75	79	No	Yes	4
4464	B	S-0533B-5	1	66	76	80	No	Yes	4
4465	B	S-0534B-6	1	66	77	80	No	Yes	3
4466	B	S-0535B-7	1	66	77	80	No	Yes	3
4467	B	S-0536B-8	1	66	77	79	No	Yes	2
4468	B	S-3891B	1	66	73	71	No	Yes	-2
4469	B	S-3892B-2	1	66	76	74	No	Yes	-2
4470	B	S-3893B-3	1	66	79	79	No	Yes	0
4471	B	S-3894B-4	1	66	80	82	No	Yes	2
4472	B	S-0558B-4	1	66	59	66	No	Yes	7
4473	B	S-0559B-5	1	66	61	66	No	Yes	5
4474	B	S-0560B-6	1	66	62	66	No	Yes	4
4475	B	S-0561B-7	1	66	63	67	No	Yes	4
4476	B	S-0562B-8	1	66	65	68	No	Yes	3
4477	B	S-0602B-4	1	66	63	71	No	Yes	8
4478	B	S-0603B-5	1	66	65	71	No	Yes	6
4479	B	S-0604B-6	1	66	67	72	No	Yes	5
4480	B	S-0605B-7	1	66	68	72	No	Yes	4
4481	B	S-0606B-8	1	66	69	72	No	Yes	3
4482	B	S-0456B-4	1	66	63	68	No	Yes	5
4483	B	S-0457B-5	1	66	64	69	No	Yes	5
4484	B	S-0458B-6	1	66	65	69	No	Yes	4
4485	B	S-0459B-7	1	66	66	69	No	Yes	3
4486	B	S-0460B-8	1	66	67	69	No	Yes	2
4487	B	S-0431B	1	66	61	64	No	No	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4488	B	S-0432B-2	1	66	64	70	No	Yes	6
4489	B	S-0433B-3	1	66	66	72	No	Yes	6
4490	B	S-0434B-4	1	66	67	73	No	Yes	6
4491	B	S-0527B-4	1	66	75	79	No	Yes	4
4492	B	S-0528B-5	1	66	76	80	No	Yes	4
4493	B	S-0529B-6	1	66	77	80	No	Yes	3
4494	B	S-0530B-7	1	66	77	80	No	Yes	3
4495	B	S-0531B-8	1	66	77	79	No	Yes	2
4496	C	S-0601C-4	1	66	62	70	No	Yes	8
4497	B	S-3895B	1	66	73	70	No	Yes	-3
4498	B	S-3896B-2	1	66	76	73	No	Yes	-3
4499	B	S-3897B-3	1	66	79	78	No	Yes	-1
4500	B	S-3898B-4	1	66	80	82	No	Yes	2
4501	B	S-0563B-4	1	66	58	64	No	No	6
4502	B	S-0564B-5	1	66	60	65	No	No	5
4503	B	S-0565B-6	1	66	61	65	No	No	4
4504	B	S-0566B-7	1	66	62	65	No	No	3
4505	B	S-0567B-8	1	66	64	67	No	Yes	3
4506	B	S-3862B-2	1	66	55	50	No	No	-5
4507	B	S-3863B-3	1	66	56	53	No	No	-3
4508	B	S-3864B-4	1	66	59	58	No	No	-1
4509	B	S-0413B	1	66	60	63	No	No	3
4510	B	S-0414B-2	1	66	63	67	No	Yes	4
4511	B	S-0415B-3	1	66	65	70	No	Yes	5
4512	B	S-0416B-4	1	66	67	71	No	Yes	4
4513	B	S-0522B-4	1	66	75	79	No	Yes	4
4514	B	S-0523B-5	1	66	76	80	No	Yes	4
4515	B	S-0524B-6	1	66	77	80	No	Yes	3
4516	B	S-0525B-7	1	66	77	80	No	Yes	3
4517	B	S-0526B-8	1	66	77	79	No	Yes	2
4518	B	S-0421B-2	1	66	64	69	No	Yes	5
4519	B	S-0422B-3	1	66	66	72	No	Yes	6
4520	B	S-0423B-4	1	66	67	72	No	Yes	5
4521	B	S-0427B	1	66	61	64	No	No	3
4522	B	S-0428B-2	1	66	64	69	No	Yes	5
4523	B	S-0429B-3	1	66	66	72	No	Yes	6
4524	B	S-0430B-4	1	66	68	73	No	Yes	5
4525	B	S-0461B-4	1	66	65	70	No	Yes	5
4526	B	S-0462B-5	1	66	65	70	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4527	B	S-0463B-6	1	66	66	70	No	Yes	4
4528	B	S-0464B-7	1	66	68	70	No	Yes	2
4529	B	S-0465B-8	1	66	68	71	No	Yes	3
4530	B	S-0596B-4	1	66	62	70	No	Yes	8
4531	B	S-0597B-5	1	66	63	70	No	Yes	7
4532	B	S-0598B-6	1	66	65	71	No	Yes	6
4533	B	S-0599B-7	1	66	67	71	No	Yes	4
4534	B	S-0600B-8	1	66	68	71	No	Yes	3
4535	B	S-0568B-4	1	66	58	64	No	No	6
4536	B	S-0569B-5	1	66	59	64	No	No	5
4537	B	S-0570B-6	1	66	60	65	No	No	5
4538	B	S-0571B-7	1	66	62	65	No	No	3
4539	B	S-0572B-8	1	66	64	67	No	Yes	3
4540	B	S-0517B-4	1	66	75	79	No	Yes	4
4541	B	S-0518B-5	1	66	76	79	No	Yes	3
4542	B	S-0519B-6	1	66	77	80	No	Yes	3
4543	B	S-0520B-7	1	66	77	79	No	Yes	2
4544	B	S-0521B-8	1	66	77	79	No	Yes	2
4545	C	S-3911C	1	66	58	60	No	No	2
4546	B	S-3899B	1	66	72	70	No	Yes	-2
4547	B	S-3900B-2	1	66	75	73	No	Yes	-2
4548	B	S-3901B-3	1	66	78	78	No	Yes	0
4549	B	S-3902B-4	1	66	80	82	No	Yes	2
4550	B	S-3846B-2	1	66	54	52	No	No	-2
4551	B	S-3847B-3	1	66	56	55	No	No	-1
4552	B	S-3848B-4	1	66	58	59	No	No	1
4553	B	S-0466B-4	1	66	67	72	No	Yes	5
4554	B	S-0467B-5	1	66	68	72	No	Yes	4
4555	B	S-0468B-6	1	66	69	72	No	Yes	3
4556	B	S-0469B-7	1	66	70	72	No	Yes	2
4557	B	S-0470B-8	1	66	71	72	No	Yes	1
4558	B	S-0591B-4	1	66	61	69	No	Yes	8
4559	B	S-0592B-5	1	66	63	69	No	Yes	6
4560	B	S-0593B-6	1	66	65	69	No	Yes	4
4561	B	S-0594B-7	1	66	66	70	No	Yes	4
4562	B	S-0595B-8	1	66	67	70	No	Yes	3
4563	B	S-0573B-4	1	66	58	64	No	No	6
4564	B	S-0574B-5	1	66	59	64	No	No	5
4565	B	S-0575B-6	1	66	60	64	No	No	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4566	B	S-0576B-7	1	66	61	65	No	No	4
4567	B	S-0577B-8	1	66	64	67	No	Yes	3
4568	B	S-0512B-4	1	66	75	79	No	Yes	4
4569	B	S-0513B-5	1	66	76	79	No	Yes	3
4570	B	S-0514B-6	1	66	77	79	No	Yes	2
4571	B	S-0515B-7	1	66	77	79	No	Yes	2
4572	B	S-0516B-8	1	66	77	79	No	Yes	2
4573	C	S-3912C	1	66	57	59	No	No	2
4574	B	S-3859B-2	1	66	53	49	No	No	-4
4575	B	S-3860B-3	1	66	54	52	No	No	-2
4576	B	S-3861B-4	1	66	58	58	No	No	0
4577	B	S-3903B	1	66	72	69	No	Yes	-3
4578	B	S-3904B-2	1	66	74	73	No	Yes	-1
4579	B	S-3905B-3	1	66	77	78	No	Yes	1
4580	B	S-3906B-4	1	66	79	81	No	Yes	2
4581	B	S-0578B-5	1	66	59	64	No	No	5
4582	B	S-0579B-6	1	66	60	64	No	No	4
4583	B	S-0580B-7	1	66	61	65	No	No	4
4584	B	S-0581B-8	1	66	64	66	No	Yes	2
4585	B	S-3849B-2	1	66	52	52	No	No	0
4586	B	S-3850B-3	1	66	54	54	No	No	0
4587	B	S-3851B-4	1	66	58	59	No	No	1
4588	B	S-0507B-4	1	66	75	79	No	Yes	4
4589	B	S-0508B-5	1	66	76	79	No	Yes	3
4590	B	S-0509B-6	1	66	77	79	No	Yes	2
4591	B	S-0510B-7	1	66	77	79	No	Yes	2
4592	B	S-0511B-8	1	66	77	79	No	Yes	2
4593	B	S-0586B-4	1	66	60	68	No	Yes	8
4594	B	S-0587B-5	1	66	62	68	No	Yes	6
4595	B	S-0588B-6	1	66	64	68	No	Yes	4
4596	B	S-0589B-7	1	66	65	69	No	Yes	4
4597	B	S-0590B-8	1	66	66	69	No	Yes	3
4598	B	S-3907B	1	66	71	69	No	Yes	-2
4599	B	S-3908B-2	1	66	74	73	No	Yes	-1
4600	B	S-3909B-3	1	66	77	78	No	Yes	1
4601	B	S-3910B-4	1	66	79	82	No	Yes	3
4602	B	S-0582B-5	1	66	61	67	No	Yes	6
4603	B	S-0583B-6	1	66	63	67	No	Yes	4
4604	B	S-0584B-7	1	66	63	67	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4605	B	S-0585B-8	1	66	65	68	No	Yes	3
4606	B	S-0471B-4	1	66	71	74	No	Yes	3
4607	B	S-0472B-5	1	66	71	75	No	Yes	4
4608	B	S-0473B-6	1	66	72	75	No	Yes	3
4609	B	S-0474B-7	1	66	73	75	No	Yes	2
4610	B	S-0475B-8	1	66	73	75	No	Yes	2
4611	B	S-3856B-2	1	66	54	51	No	No	-3
4612	B	S-3857B-3	1	66	55	52	No	No	-3
4613	B	S-3858B-4	1	66	58	59	No	No	1
4614	B	S-3852B-2	1	66	52	52	No	No	0
4615	B	S-3853B-3	1	66	54	54	No	No	0
4616	B	S-3854B-4	1	66	58	59	No	No	1
4617	E	S-3855E	1	71	52	51	No	No	-1
4618	B	S-0502B-4	1	66	75	79	No	Yes	4
4619	B	S-0503B-5	1	66	76	79	No	Yes	3
4620	B	S-0504B-6	1	66	77	79	No	Yes	2
4621	B	S-0505B-7	1	66	77	79	No	Yes	2
4622	B	S-0506B-8	1	66	77	79	No	Yes	2
4623	B	S-0476B-4	1	66	72	75	No	Yes	3
4624	B	S-0477B-5	1	66	73	76	No	Yes	3
4625	B	S-0478B-6	1	66	73	76	No	Yes	3
4626	B	S-0479B-7	1	66	74	76	No	Yes	2
4627	B	S-0480B-8	1	66	74	76	No	Yes	2
4628	B	S-0497B-4	1	66	75	79	No	Yes	4
4629	B	S-0498B-5	1	66	76	79	No	Yes	3
4630	B	S-0499B-6	1	66	77	79	No	Yes	2
4631	B	S-0500B-7	1	66	77	79	No	Yes	2
4632	B	S-0501B-8	1	66	77	79	No	Yes	2
4633	B	S-0486B-4	1	66	73	77	No	Yes	4
4634	B	S-0487B-5	1	66	74	77	No	Yes	3
4635	B	S-0488B-6	1	66	75	77	No	Yes	2
4636	B	S-0489B-7	1	66	75	77	No	Yes	2
4637	B	S-0490B-8	1	66	75	77	No	Yes	2
4638	B	S-0491B-4	1	66	74	78	No	Yes	4
4639	B	S-0492B-5	1	66	75	78	No	Yes	3
4640	B	S-0493B-6	1	66	76	78	No	Yes	2
4641	B	S-0494B-7	1	66	76	78	No	Yes	2
4642	B	S-0495B-8	1	66	76	78	No	Yes	2
4643	B	S-0481B-4	1	66	72	76	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4644	B	S-0482B-5	1	66	73	77	No	Yes	4
4645	B	S-0483B-6	1	66	74	77	No	Yes	3
4646	B	S-0484B-7	1	66	74	77	No	Yes	3
4647	B	S-0485B-8	1	66	75	77	No	Yes	2
4648	B	S-3927B	1	66	60	59	No	No	-1
4649	B	S-3928B-2	1	66	61	62	No	No	1
4650	B	S-3929B-3	1	66	61	63	No	No	2
4651	B	S-3930B-4	1	66	63	64	No	No	1
4652	B	S-3923B	1	66	58	59	No	No	1
4653	B	S-3924B-2	1	66	59	62	No	No	3
4654	B	S-3925B-3	1	66	60	63	No	No	3
4655	B	S-3926B-4	1	66	62	65	No	No	3
4656	B	S-3919B	1	66	57	59	No	No	2
4657	B	S-3920B-2	1	66	59	62	No	No	3
4658	B	S-3921B-3	1	66	60	63	No	No	3
4659	B	S-3922B-4	1	66	62	65	No	No	3
4660	B	S-3913B-3	1	66	64	67	No	Yes	3
4661	B	S-3914B-4	1	66	66	69	No	Yes	3
4662	B	S-3915B	1	66	58	60	No	No	2
4663	B	S-3916B-2	1	66	59	62	No	No	3
4664	B	S-3917B-3	1	66	60	63	No	No	3
4665	B	S-3918B-4	1	66	63	65	No	No	2
4666	E	S-0496E	1	71	63	65	No	No	2
4667	B	S-3931B	1	66	60	56	No	No	-4
4668	B	S-3932B-2	1	66	61	59	No	No	-2
4669	B	S-3933B-3	1	66	62	60	No	No	-2
4670	B	S-3934B-4	1	66	63	62	No	No	-1
4671	B	S-3935B	1	66	60	59	No	No	-1
4672	B	S-3936B-2	1	66	61	61	No	No	0
4673	B	S-3937B-3	1	66	62	63	No	No	1
4674	B	S-3938B-4	1	66	64	66	No	Yes	2
4675	B	S-0412B	1	66	62	65	No	No	3
4676	B	S-3939B	1	66	60	60	No	No	0
4677	B	S-3940B-2	1	66	61	63	No	No	2
4678	B	S-3941B-3	1	66	62	64	No	No	2
4679	B	S-3942B-4	1	66	64	65	No	No	1
4680	B	S-3947B-3	1	66	65	68	No	Yes	3
4681	B	S-3948B-4	1	66	67	69	No	Yes	2
4682	B	S-3943B	1	66	60	62	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4683	B	S-3944B-2	1	66	61	64	No	No	3
4684	B	S-3945B-3	1	66	62	65	No	No	3
4685	B	S-3946B-4	1	66	64	67	No	Yes	3
4686	B	S-3964B	1	66	61	60	No	No	-1
4687	B	S-3965B-2	1	66	62	62	No	No	0
4688	B	S-3966B-3	1	66	62	63	No	No	1
4689	B	S-3967B-4	1	66	64	65	No	No	1
4690	C	S-3951C	1	66	62	64	No	No	2
4691	B	S-3960B	1	66	60	61	No	No	1
4692	B	S-3961B-2	1	66	61	63	No	No	2
4693	B	S-3962B-3	1	66	62	64	No	No	2
4694	B	S-3963B-4	1	66	63	65	No	No	2
4695	B	S-3956B	1	66	60	62	No	No	2
4696	B	S-3957B-2	1	66	62	64	No	No	2
4697	B	S-3958B-3	1	66	63	65	No	No	2
4698	B	S-3959B-4	1	66	64	66	No	Yes	2
4699	B	S-3949B-3	1	66	65	67	No	Yes	2
4700	B	S-3950B-4	1	66	66	68	No	Yes	2
4701	B	S-3952B	1	66	60	62	No	No	2
4702	B	S-3953B-2	1	66	61	64	No	No	3
4703	B	S-3954B-3	1	66	62	65	No	No	3
4704	B	S-3955B-4	1	66	64	66	No	Yes	2
4705	B	S-0368B-2	1	66	54	58	No	No	4
4706	B	S-0369B-3	1	66	58	62	No	No	4
4707	B	S-0370B-4	1	66	62	66	No	Yes	4
4708	B	S-0371B-5	1	66	71	76	No	Yes	5
4709	B	S-0408B-2	1	66	67	70	No	Yes	3
4710	B	S-0409B-3	1	66	70	74	No	Yes	4
4711	B	S-0410B-4	1	66	72	76	No	Yes	4
4712	B	S-0411B-5	1	66	73	77	No	Yes	4
4713	B	S-0364B-2	1	66	54	58	No	No	4
4714	B	S-0365B-3	1	66	58	62	No	No	4
4715	B	S-0366B-4	1	66	62	66	No	Yes	4
4716	B	S-0367B-5	1	66	71	76	No	Yes	5
4717	B	S-0404B-2	1	66	68	71	No	Yes	3
4718	B	S-0405B-3	1	66	70	74	No	Yes	4
4719	B	S-0406B-4	1	66	72	76	No	Yes	4
4720	B	S-0407B-5	1	66	73	77	No	Yes	4
4721	B	S-3968B	1	66	58	55	No	No	-3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4722	B	S-3969B-2	1	66	59	57	No	No	-2
4723	B	S-3970B-3	1	66	60	58	No	No	-2
4724	B	S-3971B-4	1	66	62	62	No	No	0
4725	B	S-0360B-2	1	66	54	58	No	No	4
4726	B	S-0361B-3	1	66	58	61	No	No	3
4727	B	S-0362B-4	1	66	62	66	No	Yes	4
4728	B	S-0363B-5	1	66	71	76	No	Yes	5
4729	B	S-3992B	1	66	57	57	No	No	0
4730	B	S-3993B-2	1	66	58	59	No	No	1
4731	B	S-3994B-3	1	66	59	60	No	No	1
4732	B	S-3995B-4	1	66	61	63	No	No	2
4733	B	S-3997B-3	1	66	61	64	No	No	3
4734	B	S-3998B-4	1	66	63	65	No	No	2
4735	B	S-0400B-2	1	66	68	71	No	Yes	3
4736	B	S-0401B-3	1	66	70	74	No	Yes	4
4737	B	S-0402B-4	1	66	72	77	No	Yes	5
4738	B	S-0403B-5	1	66	73	77	No	Yes	4
4739	B	S-0329B	1	66	56	61	No	No	5
4740	B	S-0330B-2	1	66	59	63	No	No	4
4741	C	S-4051C	1	66	63	65	No	No	2
4742	B	S-0356B-2	1	66	54	58	No	No	4
4743	B	S-0357B-3	1	66	58	61	No	No	3
4744	B	S-0358B-4	1	66	62	66	No	Yes	4
4745	B	S-0359B-5	1	66	71	76	No	Yes	5
4746	B	S-3972B	1	66	59	56	No	No	-3
4747	B	S-3973B-2	1	66	59	58	No	No	-1
4748	B	S-3974B-3	1	66	60	59	No	No	-1
4749	B	S-3975B-4	1	66	62	63	No	No	1
4750	B	S-0396B-2	1	66	68	71	No	Yes	3
4751	B	S-0397B-3	1	66	70	74	No	Yes	4
4752	B	S-0398B-4	1	66	72	77	No	Yes	5
4753	B	S-0399B-5	1	66	73	77	No	Yes	4
4754	C	S-3996C	1	66	57	58	No	No	1
4755	B	S-4143B	1	66	69	69	No	Yes	0
4756	B	S-4144B-2	1	66	71	72	No	Yes	1
4757	B	S-4145B-3	1	66	73	75	No	Yes	2
4758	B	S-4146B-4	1	66	76	79	No	Yes	3
4759	B	S-4092B-2	1	66	67	68	No	Yes	1
4760	B	S-4093B-3	1	66	68	70	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4761	B	S-4094B-4	1	66	70	73	No	Yes	3
4762	B	S-4035B	1	66	53	51	No	No	-2
4763	B	S-4036B-2	1	66	54	54	No	No	0
4764	B	S-4037B-3	1	66	55	55	No	No	0
4765	B	S-4038B-4	1	66	60	61	No	No	1
4766	B	S-4095B-2	1	66	67	66	No	Yes	-1
4767	B	S-4096B-3	1	66	68	69	No	Yes	1
4768	B	S-4097B-4	1	66	70	72	No	Yes	2
4769	B	S-4047B	1	66	62	63	No	No	1
4770	B	S-4048B-2	1	66	63	65	No	No	2
4771	B	S-4049B-3	1	66	65	67	No	Yes	2
4772	B	S-4050B-4	1	66	67	69	No	Yes	2
4773	B	S-4052B	1	66	61	60	No	No	-1
4774	B	S-4053B-2	1	66	63	62	No	No	-1
4775	B	S-4054B-3	1	66	64	64	No	No	0
4776	B	S-4055B-4	1	66	66	67	No	Yes	1
4777	B	S-3988B	1	66	56	57	No	No	1
4778	B	S-3989B-2	1	66	57	58	No	No	1
4779	B	S-3990B-3	1	66	58	60	No	No	2
4780	B	S-3991B-4	1	66	61	63	No	No	2
4781	B	S-0352B-2	1	66	54	58	No	No	4
4782	B	S-0353B-3	1	66	58	62	No	No	4
4783	B	S-0354B-4	1	66	62	67	No	Yes	5
4784	B	S-0355B-5	1	66	71	76	No	Yes	5
4785	B	S-0328B	1	66	56	61	No	No	5
4786	B	S-4098B	1	66	64	65	No	No	1
4787	B	S-4099B-2	1	66	66	66	No	Yes	0
4788	B	S-4100B-3	1	66	67	69	No	Yes	2
4789	B	S-4101B-4	1	66	69	71	No	Yes	2
4790	B	S-4043B	1	66	61	61	No	No	0
4791	B	S-4044B-2	1	66	62	63	No	No	1
4792	B	S-4045B-3	1	66	64	65	No	No	1
4793	B	S-4046B-4	1	66	66	67	No	Yes	1
4794	B	S-4056B	1	66	58	56	No	No	-2
4795	B	S-4057B-2	1	66	59	58	No	No	-1
4796	B	S-4058B-3	1	66	60	60	No	No	0
4797	B	S-4059B-4	1	66	63	65	No	No	2
4798	B	S-4102B	1	66	63	63	No	No	0
4799	B	S-4103B-2	1	66	66	65	No	No	-1

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4800	B	S-4104B-3	1	66	67	67	No	Yes	0
4801	B	S-4105B-4	1	66	69	71	No	Yes	2
4802	B	S-4031B	1	66	53	52	No	No	-1
4803	B	S-4032B-2	1	66	54	53	No	No	-1
4804	B	S-4033B-3	1	66	55	55	No	No	0
4805	B	S-4034B-4	1	66	60	61	No	No	1
4806	B	S-4147B	1	66	69	69	No	Yes	0
4807	B	S-4148B-2	1	66	71	72	No	Yes	1
4808	B	S-4149B-3	1	66	73	75	No	Yes	2
4809	B	S-4150B-4	1	66	75	79	No	Yes	4
4810	B	S-0392B-2	1	66	68	71	No	Yes	3
4811	B	S-0393B-3	1	66	70	74	No	Yes	4
4812	B	S-0394B-4	1	66	72	77	No	Yes	5
4813	B	S-0395B-5	1	66	73	78	No	Yes	5
4814	B	S-4039B	1	66	60	59	No	No	-1
4815	B	S-4040B-2	1	66	61	61	No	No	0
4816	B	S-4041B-3	1	66	63	63	No	No	0
4817	B	S-4042B-4	1	66	65	66	No	Yes	1
4818	B	S-0348B-2	1	66	54	58	No	No	4
4819	B	S-0349B-3	1	66	58	61	No	No	3
4820	B	S-0350B-4	1	66	62	67	No	Yes	5
4821	B	S-0351B-5	1	66	72	77	No	Yes	5
4822	B	S-4106B	1	66	63	64	No	No	1
4823	B	S-4107B-2	1	66	65	65	No	No	0
4824	B	S-4108B-3	1	66	67	67	No	Yes	0
4825	B	S-4109B-4	1	66	69	71	No	Yes	2
4826	B	S-4151B	1	66	69	69	No	Yes	0
4827	B	S-4152B-2	1	66	71	72	No	Yes	1
4828	B	S-4153B-3	1	66	73	75	No	Yes	2
4829	B	S-4154B-4	1	66	75	79	No	Yes	4
4830	B	S-3999B	1	66	53	53	No	No	0
4831	B	S-4000B-2	1	66	53	52	No	No	-1
4832	B	S-4001B-3	1	66	56	57	No	No	1
4833	B	S-4002B-4	1	66	60	61	No	No	1
4834	C	S-4110C	1	66	63	63	No	No	0
4835	B	S-0388B-2	1	66	68	71	No	Yes	3
4836	B	S-0389B-3	1	66	70	74	No	Yes	4
4837	B	S-0390B-4	1	66	72	77	No	Yes	5
4838	B	S-0391B-5	1	66	73	78	No	Yes	5

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4839	B	S-4111B	1	66	61	62	No	No	1
4840	B	S-4112B-2	1	66	63	63	No	No	0
4841	B	S-4113B-3	1	66	65	66	No	Yes	1
4842	B	S-4114B-4	1	66	67	70	No	Yes	3
4843	B	S-4060B	1	66	53	55	No	No	2
4844	B	S-4061B-2	1	66	54	55	No	No	1
4845	B	S-4062B-3	1	66	57	59	No	No	2
4846	B	S-4063B-4	1	66	62	63	No	No	1
4847	B	S-4027B	1	66	52	52	No	No	0
4848	B	S-4028B-2	1	66	52	52	No	No	0
4849	B	S-4029B-3	1	66	55	56	No	No	1
4850	B	S-4030B-4	1	66	60	61	No	No	1
4851	B	S-0344B-2	1	66	54	58	No	No	4
4852	B	S-0345B-3	1	66	58	62	No	No	4
4853	B	S-0346B-4	1	66	63	67	No	Yes	4
4854	B	S-0347B-5	1	66	72	77	No	Yes	5
4855	B	S-0384B-2	1	66	69	72	No	Yes	3
4856	B	S-0385B-3	1	66	71	75	No	Yes	4
4857	B	S-0386B-4	1	66	72	78	No	Yes	6
4858	B	S-0387B-5	1	66	73	78	No	Yes	5
4859	B	S-4155B	1	66	69	69	No	Yes	0
4860	B	S-4156B-2	1	66	71	72	No	Yes	1
4861	B	S-4157B-3	1	66	73	75	No	Yes	2
4862	B	S-4158B-4	1	66	75	79	No	Yes	4
4863	B	S-4064B	1	66	54	56	No	No	2
4864	B	S-4065B-2	1	66	54	56	No	No	2
4865	B	S-4066B-3	1	66	57	59	No	No	2
4866	B	S-4067B-4	1	66	61	64	No	No	3
4867	B	S-4115B	1	66	62	63	No	No	1
4868	B	S-4116B-2	1	66	64	64	No	No	0
4869	B	S-4117B-3	1	66	66	66	No	Yes	0
4870	B	S-4118B-4	1	66	68	70	No	Yes	2
4871	B	S-4003B	1	66	53	53	No	No	0
4872	B	S-4004B-3	1	66	56	57	No	No	1
4873	B	S-4005B-2	1	66	52	53	No	No	1
4874	B	S-4006B-4	1	66	60	62	No	No	2
4875	B	S-0340B-2	1	66	54	58	No	No	4
4876	B	S-0341B-3	1	66	58	62	No	No	4
4877	B	S-0342B-4	1	66	63	67	No	Yes	4

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4878	B	S-0343B-5	1	66	72	77	No	Yes	5
4879	B	S-0380B-2	1	66	69	72	No	Yes	3
4880	B	S-0381B-3	1	66	71	75	No	Yes	4
4881	B	S-0382B-4	1	66	73	78	No	Yes	5
4882	B	S-0383B-5	1	66	74	78	No	Yes	4
4883	B	S-3976B	1	66	58	51	No	No	-7
4884	B	S-3977B-2	1	66	58	51	No	No	-7
4885	B	S-3978B-3	1	66	59	55	No	No	-4
4886	B	S-3979B-4	1	66	60	59	No	No	-1
4887	B	S-4088B	1	66	52	54	No	No	2
4888	B	S-4089B-2	1	66	54	55	No	No	1
4889	B	S-4090B-3	1	66	56	58	No	No	2
4890	B	S-4091B-4	1	66	61	63	No	No	2
4891	B	S-4023B	1	66	51	51	No	No	0
4892	B	S-4024B-2	1	66	52	52	No	No	0
4893	B	S-4025B-3	1	66	55	56	No	No	1
4894	B	S-4026B-4	1	66	60	61	No	No	1
4895	B	S-4123B	1	66	56	58	No	No	2
4896	B	S-4124B-2	1	66	57	60	No	No	3
4897	B	S-4125B-3	1	66	60	63	No	No	3
4898	B	S-4126B-4	1	66	65	68	No	Yes	3
4899	B	S-4159B	1	66	69	69	No	Yes	0
4900	B	S-4160B-2	1	66	71	72	No	Yes	1
4901	B	S-4161B-3	1	66	73	75	No	Yes	2
4902	B	S-4162B-4	1	66	75	79	No	Yes	4
4903	B	S-4068B	1	66	54	56	No	No	2
4904	B	S-4069B-2	1	66	53	55	No	No	2
4905	B	S-4070B-3	1	66	57	59	No	No	2
4906	B	S-4071B-4	1	66	61	64	No	No	3
4907	B	S-4119B	1	66	59	61	No	No	2
4908	B	S-4120B-2	1	66	61	61	No	No	0
4909	B	S-4121B-3	1	66	64	65	No	No	1
4910	B	S-4122B-4	1	66	67	69	No	Yes	2
4911	B	S-3980B	1	66	57	51	No	No	-6
4912	B	S-3981B-2	1	66	58	52	No	No	-6
4913	B	S-3982B-3	1	66	59	55	No	No	-4
4914	B	S-3983B-4	1	66	61	61	No	No	0
4915	B	S-4127B	1	66	55	58	No	No	3
4916	B	S-4128B-2	1	66	57	60	No	No	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4917	B	S-4129B-3	1	66	59	62	No	No	3
4918	B	S-4130B-4	1	66	65	68	No	Yes	3
4919	B	S-4019B	1	66	50	51	No	No	1
4920	B	S-4020B-2	1	66	52	52	No	No	0
4921	B	S-4021B-3	1	66	54	55	No	No	1
4922	B	S-4022B-4	1	66	60	61	No	No	1
4923	B	S-4007B	1	66	53	53	No	No	0
4924	B	S-4008B-2	1	66	51	52	No	No	1
4925	B	S-4009B-3	1	66	56	57	No	No	1
4926	B	S-4010B-4	1	66	60	62	No	No	2
4927	B	S-4084B	1	66	52	54	No	No	2
4928	B	S-4085B-2	1	66	54	55	No	No	1
4929	B	S-4086B-3	1	66	56	58	No	No	2
4930	B	S-4087B-4	1	66	61	63	No	No	2
4931	B	S-0376B-2	1	66	69	72	No	Yes	3
4932	B	S-0377B-3	1	66	71	75	No	Yes	4
4933	B	S-0378B-4	1	66	73	78	No	Yes	5
4934	B	S-0379B-5	1	66	74	78	No	Yes	4
4935	B	S-0336B-2	1	66	54	58	No	No	4
4936	B	S-0337B-3	1	66	58	62	No	No	4
4937	B	S-0338B-4	1	66	62	67	No	Yes	5
4938	B	S-0339B-5	1	66	72	77	No	Yes	5
4939	B	S-0372B-2	1	66	69	72	No	Yes	3
4940	B	S-0373B-3	1	66	71	75	No	Yes	4
4941	B	S-0374B-4	1	66	73	78	No	Yes	5
4942	B	S-0375B-5	1	66	74	78	No	Yes	4
4943	B	S-4135B	1	66	58	60	No	No	2
4944	B	S-4136B-2	1	66	59	61	No	No	2
4945	B	S-4137B-3	1	66	62	64	No	No	2
4946	B	S-4138B-4	1	66	66	69	No	Yes	3
4947	B	S-4076B	1	66	53	55	No	No	2
4948	B	S-4077B-2	1	66	53	55	No	No	2
4949	B	S-4078B-3	1	66	57	59	No	No	2
4950	B	S-4079B-4	1	66	61	64	No	No	3
4951	B	S-4163B	1	66	69	70	No	Yes	1
4952	B	S-4164B-2	1	66	71	72	No	Yes	1
4953	B	S-4165B-3	1	66	73	75	No	Yes	2
4954	B	S-4166B-4	1	66	75	79	No	Yes	4
4955	B	S-4131B	1	66	64	64	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4956	B	S-4132B-2	1	66	65	66	No	Yes	1
4957	B	S-4133B-3	1	66	67	68	No	Yes	1
4958	B	S-4134B-4	1	66	69	72	No	Yes	3
4959	B	S-3984B	1	66	58	51	No	No	-7
4960	B	S-3985B-2	1	66	58	53	No	No	-5
4961	B	S-3986B-3	1	66	59	56	No	No	-3
4962	B	S-3987B-4	1	66	62	62	No	No	0
4963	B	S-0332B-2	1	66	56	60	No	No	4
4964	B	S-0333B-3	1	66	58	63	No	No	5
4965	B	S-0334B-4	1	66	63	67	No	Yes	4
4966	B	S-0335B-5	1	66	72	77	No	Yes	5
4967	B	S-4015B	1	66	52	52	No	No	0
4968	B	S-4016B-2	1	66	53	53	No	No	0
4969	B	S-4017B-3	1	66	56	56	No	No	0
4970	B	S-4018B-4	1	66	60	62	No	No	2
4971	B	S-4139B	1	66	56	58	No	No	2
4972	B	S-4140B-2	1	66	57	60	No	No	3
4973	B	S-4141B-3	1	66	59	63	No	No	4
4974	B	S-4142B-4	1	66	65	69	No	Yes	4
4975	B	S-4080B	1	66	53	54	No	No	1
4976	B	S-4081B-2	1	66	54	56	No	No	2
4977	B	S-4082B-3	1	66	56	58	No	No	2
4978	B	S-4083B-4	1	66	61	64	No	No	3
4979	B	S-4072B	1	66	60	59	No	No	-1
4980	B	S-4073B-2	1	66	61	62	No	No	1
4981	B	S-4074B-3	1	66	63	65	No	No	2
4982	B	S-4075B-4	1	66	65	67	No	Yes	2
4983	B	S-4011B	1	66	60	59	No	No	-1
4984	B	S-4012B-2	1	66	61	62	No	No	1
4985	B	S-4013B-3	1	66	62	65	No	No	3
4986	B	S-4014B-4	1	66	64	66	No	Yes	2
4987	B	S-0331B	1	66	63	65	No	No	2
4988	B	S-0327B-2	1	66	65	68	No	Yes	3
4989	B	S-0322B-3	1	66	66	70	No	Yes	4
4990	B	S-0323B-4	1	66	67	71	No	Yes	4
4991	B	S-0324B-5	1	66	68	72	No	Yes	4
4992	B	S-0325B-6	1	66	69	73	No	Yes	4
4993	B	S-0326B-7	1	66	70	73	No	Yes	3
4994	B	S-0321B-2	1	66	65	68	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
4995	B	S-0316B-3	1	66	66	70	No	Yes	4
4996	B	S-0317B-4	1	66	67	71	No	Yes	4
4997	B	S-0318B-5	1	66	68	72	No	Yes	4
4998	B	S-0319B-6	1	66	69	73	No	Yes	4
4999	B	S-0320B-7	1	66	70	73	No	Yes	3
5000	E	S-0315E	1	71	64	66	No	No	2
5001	B	S-0310B	1	66	66	67	No	Yes	1
5002	B	S-0309B	1	66	66	67	No	Yes	1
5003	B	S-0314B	1	66	64	65	No	No	1
5004	B	S-0313B	1	66	63	65	No	No	2
5005	B	S-0308B	1	66	65	66	No	Yes	1
5006	B	S-0312B	1	66	63	65	No	No	2
5007	B	S-0307B	1	66	65	66	No	Yes	1
5008	B	S-0306B	1	66	65	66	No	Yes	1
5009	B	S-0305B	1	66	64	66	No	Yes	2
5010	B	S-0311B	1	66	63	65	No	No	2
5011	B	S-0304B	1	66	63	64	No	No	1
5012	B	S-0294B	1	66	59	62	No	No	3
5013	B	S-0296B	1	66	60	63	No	No	3
5014	B	S-0295B	1	66	60	63	No	No	3
5015	B	S-0301B	1	66	62	65	No	No	3
5016	B	S-0298B	1	66	62	64	No	No	2
5017	B	S-0303B	1	66	63	66	No	Yes	3
5018	B	S-0302B	1	66	64	66	No	Yes	2
5019	B	S-0297B	1	66	60	63	No	No	3
5020	B	S-0300B	1	66	62	65	No	No	3
5021	B	S-0299B	1	66	62	65	No	No	3
5022	D	S-4167D	1	51	40	41	No	No	1
5023	B	S-0268B	1	66	59	63	No	No	4
5024	B	S-0269B	1	66	59	62	No	No	3
5025	B	S-0293B	1	66	61	64	No	No	3
5026	B	S-0280B	1	66	60	62	No	No	2
5027	B	S-0281B	1	66	60	62	No	No	2
5028	B	S-0279B	1	66	61	64	No	No	3
5029	B	S-0270B	1	66	58	59	No	No	1
5030	B	S-0292B	1	66	61	62	No	No	1
5031	B	S-0271B	1	66	52	53	No	No	1
5032	B	S-0278B	1	66	57	60	No	No	3

¹ Receptors with a D suffix represent the interiors of structures. Masonry buildings with double-glazed glass windows generally provide a noise reduction of approximately 25-35 dBA. Therefore, the interior noise levels for these buildings were estimated to be 25-35 dBA less than the exterior noise levels calculated by TNM.

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5033	B	S-0282B	1	66	62	64	No	No	2
5034	B	S-0288B	1	66	60	60	No	No	0
5035	B	S-0289B	1	66	60	60	No	No	0
5036	B	S-0290B	1	66	60	60	No	No	0
5037	B	S-0272B	1	66	51	52	No	No	1
5038	B	S-0277B	1	66	57	60	No	No	3
5039	B	S-0291B	1	66	61	63	No	No	2
5040	B	S-0287B	1	66	61	61	No	No	0
5041	B	S-0273B	1	66	51	52	No	No	1
5042	B	S-0276B	1	66	59	61	No	No	2
5043	B	S-0283B	1	66	63	65	No	No	2
5044	B	S-0286B	1	66	61	62	No	No	1
5045	B	S-0274B	1	66	53	56	No	No	3
5046	B	S-0275B	1	66	60	62	No	No	2
5047	B	S-0285B	1	66	61	62	No	No	1
5048	B	S-0284B	1	66	61	62	No	No	1
5049	B	S-0267B	1	66	58	61	No	No	3
5050	B	S-0266B	1	66	62	64	No	No	2
5051	B	S-0040B	1	66	59	61	No	No	2
5052	B	S-0246B	1	66	54	57	No	No	3
5053	B	S-0247B-2	1	66	56	59	No	No	3
5054	B	S-0248B-3	1	66	63	66	No	Yes	3
5055	B	S-0249B-4	1	66	66	68	No	Yes	2
5056	B	S-0250B-5	1	66	68	70	No	Yes	2
5057	B	S-0256B	1	66	57	60	No	No	3
5058	B	S-0257B-2	1	66	58	62	No	No	4
5059	B	S-0258B-3	1	66	64	67	No	Yes	3
5060	B	S-0259B-4	1	66	68	70	No	Yes	2
5061	B	S-0260B-5	1	66	70	71	No	Yes	1
5062	B	S-0261B	1	66	59	63	No	No	4
5063	B	S-0262B-2	1	66	61	64	No	No	3
5064	B	S-0263B-3	1	66	66	69	No	Yes	3
5065	B	S-0264B-4	1	66	70	72	No	Yes	2
5066	B	S-0265B-5	1	66	72	73	No	Yes	1
5067	B	S-0251B	1	66	55	58	No	No	3
5068	B	S-0252B-2	1	66	57	60	No	No	3
5069	B	S-0253B-3	1	66	64	67	No	Yes	3
5070	B	S-0254B-4	1	66	67	69	No	Yes	2
5071	B	S-0255B-5	1	66	69	71	No	Yes	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5072	B	S-0122B	1	66	54	55	No	No	1
5073	B	S-0123B-2	1	66	54	55	No	No	1
5074	B	S-0124B-3	1	66	56	57	No	No	1
5075	B	S-0125B-4	1	66	58	60	No	No	2
5076	B	S-0126B-5	1	66	61	63	No	No	2
5077	B	S-0039B	1	66	57	58	No	No	1
5078	B	S-0117B	1	66	55	55	No	No	0
5079	B	S-0118B-2	1	66	54	55	No	No	1
5080	B	S-0119B-3	1	66	56	57	No	No	1
5081	B	S-0120B-4	1	66	58	60	No	No	2
5082	B	S-0121B-5	1	66	61	63	No	No	2
5083	B	S-0210B	1	66	61	64	No	No	3
5084	B	S-0211B-2	1	66	63	66	No	Yes	3
5085	B	S-0212B-3	1	66	66	69	No	Yes	3
5086	B	S-0213B-4	1	66	70	73	No	Yes	3
5087	B	S-0214B-5	1	66	75	76	No	Yes	1
5088	B	S-0112B	1	66	55	56	No	No	1
5089	B	S-0113B-2	1	66	54	56	No	No	2
5090	B	S-0114B-3	1	66	56	58	No	No	2
5091	B	S-0115B-4	1	66	59	60	No	No	1
5092	B	S-0116B-5	1	66	62	63	No	No	1
5093	B	S-0038B	1	66	56	57	No	No	1
5094	C	S-0193C	1	66	61	64	No	No	3
5095	B	S-0241B	1	66	55	56	No	No	1
5096	B	S-0242B-2	1	66	54	56	No	No	2
5097	B	S-0243B-3	1	66	57	58	No	No	1
5098	B	S-0244B-4	1	66	58	60	No	No	2
5099	B	S-0245B-5	1	66	62	64	No	No	2
5100	B	S-0225B	1	66	55	55	No	No	0
5101	B	S-0226B-2	1	66	55	57	No	No	2
5102	B	S-0227B-3	1	66	57	58	No	No	1
5103	B	S-0228B-4	1	66	60	61	No	No	1
5104	B	S-0229B-5	1	66	64	65	No	No	1
5105	B	S-0215B	1	66	54	55	No	No	1
5106	B	S-0216B-2	1	66	56	57	No	No	1
5107	B	S-0217B-3	1	66	56	58	No	No	2
5108	B	S-0218B-4	1	66	60	61	No	No	1
5109	B	S-0219B-5	1	66	65	65	No	No	0
5110	B	S-0205B	1	66	62	65	No	No	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5111	B	S-0206B-2	1	66	64	67	No	Yes	3
5112	B	S-0207B-3	1	66	67	70	No	Yes	3
5113	B	S-0208B-4	1	66	72	74	No	Yes	2
5114	B	S-0209B-5	1	66	76	77	No	Yes	1
5115	B	S-0107B	1	66	55	56	No	No	1
5116	B	S-0108B-2	1	66	54	55	No	No	1
5117	B	S-0109B-3	1	66	57	58	No	No	1
5118	B	S-0110B-4	1	66	59	60	No	No	1
5119	B	S-0111B-5	1	66	62	63	No	No	1
5120	C	S-0230C	1	66	54	55	No	No	1
5121	B	S-0200B	1	66	61	63	No	No	2
5122	B	S-0201B-2	1	66	63	66	No	Yes	3
5123	B	S-0202B-3	1	66	65	69	No	Yes	4
5124	B	S-0203B-4	1	66	70	73	No	Yes	3
5125	B	S-0204B-5	1	66	75	76	No	Yes	1
5126	B	S-0102B	1	66	56	56	No	No	0
5127	B	S-0103B-2	1	66	54	56	No	No	2
5128	B	S-0104B-3	1	66	57	58	No	No	1
5129	B	S-0105B-4	1	66	59	61	No	No	2
5130	B	S-0106B-5	1	66	62	63	No	No	1
5131	B	S-0236B	1	66	55	56	No	No	1
5132	B	S-0237B-2	1	66	54	55	No	No	1
5133	B	S-0238B-3	1	66	57	59	No	No	2
5134	B	S-0239B-4	1	66	59	60	No	No	1
5135	B	S-0240B-5	1	66	63	64	No	No	1
5136	B	S-0231B	1	66	55	56	No	No	1
5137	B	S-0232B-2	1	66	56	57	No	No	1
5138	B	S-0233B-3	1	66	57	58	No	No	1
5139	B	S-0234B-4	1	66	60	61	No	No	1
5140	B	S-0235B-5	1	66	65	66	No	Yes	1
5141	B	S-0220B	1	66	54	55	No	No	1
5142	B	S-0221B-2	1	66	56	57	No	No	1
5143	B	S-0222B-3	1	66	57	58	No	No	1
5144	B	S-0223B-4	1	66	60	61	No	No	1
5145	B	S-0224B-5	1	66	65	66	No	Yes	1
5146	B	S-0037B	1	66	55	56	No	No	1
5147	C	S-0194C	1	66	60	63	No	No	3
5148	B	S-0195B	1	66	62	64	No	No	2
5149	B	S-0196B-2	1	66	63	66	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5150	B	S-0197B-3	1	66	67	70	No	Yes	3
5151	B	S-0198B-4	1	66	72	73	No	Yes	1
5152	B	S-0199B-5	1	66	77	77	No	Yes	0
5153	B	S-0097B	1	66	56	56	No	No	0
5154	B	S-0098B-2	1	66	54	56	No	No	2
5155	B	S-0099B-3	1	66	57	58	No	No	1
5156	B	S-0100B-4	1	66	60	61	No	No	1
5157	B	S-0101B-5	1	66	62	64	No	No	2
5158	B	S-0036B	1	66	56	56	No	No	0
5159	C	S-0192C	1	66	60	62	No	No	2
5160	B	S-0187B	1	66	60	62	No	No	2
5161	B	S-0188B-2	1	66	62	64	No	No	2
5162	B	S-0189B-4	1	66	70	72	No	Yes	2
5163	B	S-0190B-3	1	66	65	68	No	Yes	3
5164	B	S-0191B-5	1	66	76	77	No	Yes	1
5165	B	S-0092B	1	66	56	56	No	No	0
5166	B	S-0093B-2	1	66	54	55	No	No	1
5167	B	S-0094B-3	1	66	57	58	No	No	1
5168	B	S-0095B-4	1	66	60	61	No	No	1
5169	B	S-0096B-5	1	66	62	64	No	No	2
5170	B	S-0087B	1	66	56	57	No	No	1
5171	B	S-0088B-2	1	66	54	55	No	No	1
5172	B	S-0089B-3	1	66	57	58	No	No	1
5173	B	S-0090B-4	1	66	60	61	No	No	1
5174	B	S-0091B-5	1	66	62	64	No	No	2
5175	B	S-0031B	1	66	59	59	No	No	0
5176	B	S-0035B	1	66	56	56	No	No	0
5177	B	S-0166B	1	66	60	62	No	No	2
5178	B	S-0167B-2	1	66	61	63	No	No	2
5179	B	S-0168B-3	1	66	65	67	No	Yes	2
5180	B	S-0169B-4	1	66	69	71	No	Yes	2
5181	B	S-0170B-5	1	66	77	77	No	Yes	0
5182	B	S-0182B	1	66	55	56	No	No	1
5183	B	S-0183B-2	1	66	55	55	No	No	0
5184	B	S-0184B-3	1	66	57	58	No	No	1
5185	B	S-0185B-4	1	66	59	60	No	No	1
5186	B	S-0186B-5	1	66	63	64	No	No	1
5187	B	S-0176B	1	66	54	55	No	No	1
5188	B	S-0177B-2	1	66	56	56	No	No	0

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5189	B	S-0178B-3	1	66	56	57	No	No	1
5190	B	S-0179B-4	1	66	59	60	No	No	1
5191	B	S-0180B-5	1	66	63	64	No	No	1
5192	B	S-0171B	1	66	54	55	No	No	1
5193	B	S-0172B-2	1	66	57	57	No	No	0
5194	B	S-0173B-3	1	66	56	57	No	No	1
5195	B	S-0174B-4	1	66	60	61	No	No	1
5196	B	S-0175B-5	1	66	66	67	No	Yes	1
5197	B	S-0161B	1	66	60	61	No	No	1
5198	B	S-0162B-2	1	66	61	63	No	No	2
5199	B	S-0163B-3	1	66	65	66	No	Yes	1
5200	B	S-0164B-4	1	66	69	70	No	Yes	1
5201	B	S-0165B-5	1	66	77	78	No	Yes	1
5202	B	S-0082B	1	66	56	56	No	No	0
5203	B	S-0083B-2	1	66	54	55	No	No	1
5204	B	S-0084B-3	1	66	57	58	No	No	1
5205	B	S-0085B-4	1	66	59	61	No	No	2
5206	B	S-0086B-5	1	66	63	64	No	No	1
5207	B	S-0030B	1	66	58	59	No	No	1
5208	C	S-0181C	1	66	54	55	No	No	1
5209	B	S-0034B	1	66	57	58	No	No	1
5210	B	S-0156B	1	66	59	60	No	No	1
5211	B	S-0157B-2	1	66	61	62	No	No	1
5212	B	S-0158B-3	1	66	64	66	No	Yes	2
5213	B	S-0159B-4	1	66	68	69	No	Yes	1
5214	B	S-0160B-5	1	66	78	78	No	Yes	0
5215	B	S-0077B	1	66	55	56	No	No	1
5216	B	S-0078B-2	1	66	54	55	No	No	1
5217	B	S-0079B-3	1	66	57	58	No	No	1
5218	B	S-0080B-4	1	66	59	61	No	No	2
5219	B	S-0081B-5	1	66	63	64	No	No	1
5220	B	S-0072B	1	66	55	56	No	No	1
5221	B	S-0073B-2	1	66	54	55	No	No	1
5222	B	S-0074B-3	1	66	57	58	No	No	1
5223	B	S-0075B-4	1	66	59	61	No	No	2
5224	B	S-0076B-5	1	66	62	64	No	No	2
5225	B	S-0151B	1	66	59	60	No	No	1
5226	B	S-0152B-2	1	66	60	62	No	No	2
5227	B	S-0153B-3	1	66	64	67	No	Yes	3

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5228	B	S-0154B-4	1	66	72	73	No	Yes	1
5229	B	S-0155B-5	1	66	77	78	No	Yes	1
5230	B	S-0029B	1	66	60	61	No	No	1
5231	C	S-0041C	1	66	55	56	No	No	1
5232	B	S-0067B	1	66	55	56	No	No	1
5233	B	S-0068B-2	1	66	55	56	No	No	1
5234	B	S-0069B-3	1	66	57	58	No	No	1
5235	B	S-0070B-4	1	66	59	61	No	No	2
5236	B	S-0071B-5	1	66	62	64	No	No	2
5237	B	S-0136B	1	66	62	57	No	No	-5
5238	B	S-0137B-2	1	66	64	59	No	No	-5
5239	B	S-0138B-3	1	66	66	64	No	No	-2
5240	B	S-0139B-4	1	66	68	70	No	Yes	2
5241	B	S-0140B-5	1	66	73	73	No	Yes	0
5242	B	S-0141B	1	66	61	57	No	No	-4
5243	B	S-0142B-2	1	66	62	59	No	No	-3
5244	B	S-0143B-3	1	66	65	64	No	No	-1
5245	B	S-0144B-4	1	66	68	70	No	Yes	2
5246	B	S-0145B-5	1	66	74	74	No	Yes	0
5247	B	S-0146B	1	66	60	59	No	No	-1
5248	B	S-0147B-2	1	66	61	61	No	No	0
5249	B	S-0148B-3	1	66	64	68	No	Yes	4
5250	B	S-0149B-4	1	66	72	73	No	Yes	1
5251	B	S-0150B-5	1	66	76	77	No	Yes	1
5252	B	S-0062B	1	66	54	56	No	No	2
5253	B	S-0063B-2	1	66	55	56	No	No	1
5254	B	S-0064B-3	1	66	56	58	No	No	2
5255	B	S-0065B-4	1	66	59	62	No	No	3
5256	B	S-0066B-5	1	66	64	65	No	No	1
5257	B	S-0058B-2	1	66	55	56	No	No	1
5258	B	S-0059B-3	1	66	57	58	No	No	1
5259	B	S-0060B-4	1	66	59	62	No	No	3
5260	B	S-0061B-5	1	66	64	65	No	No	1
5261	C	S-0135C	1	66	64	58	No	No	-6
5262	B	S-0131B-2	1	66	66	62	No	No	-4
5263	B	S-0132B-3	1	66	69	69	No	Yes	0
5264	B	S-0133B-4	1	66	72	73	No	Yes	1
5265	B	S-0134B-5	1	66	75	75	No	Yes	0
5266	B	S-0042B-2	1	66	56	57	No	No	1

Southern Option



Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5267	B	S-0043B-3	1	66	57	60	No	No	3
5268	B	S-0044B-4	1	66	60	63	No	No	3
5269	B	S-0045B-5	1	66	64	66	No	Yes	2
5270	B	S-0046B-2	1	66	56	58	No	No	2
5271	B	S-0047B-3	1	66	57	60	No	No	3
5272	B	S-0048B-4	1	66	60	63	No	No	3
5273	B	S-0049B-5	1	66	64	66	No	Yes	2
5274	B	S-0050B-2	1	66	56	59	No	No	3
5275	B	S-0051B-3	1	66	58	61	No	No	3
5276	B	S-0052B-4	1	66	60	64	No	No	4
5277	B	S-0053B-5	1	66	64	66	No	Yes	2
5278	B	S-0127B-2	1	66	67	62	No	No	-5
5279	B	S-0128B-3	1	66	70	70	No	Yes	0
5280	B	S-0129B-4	1	66	74	74	No	Yes	0
5281	B	S-0130B-5	1	66	75	76	No	Yes	1
5282	B	S-0028B	1	66	62	60	No	No	-2
5283	B	S-0027B	1	66	61	60	No	No	-1
5284	B	S-0033B	1	66	64	63	No	No	-1
5285	B	S-0032B	1	66	64	63	No	No	-1
5286	B	S-0054B-2	1	66	67	62	No	No	-5
5287	B	S-0055B-3	1	66	70	69	No	Yes	-1
5288	B	S-0056B-4	1	66	72	73	No	Yes	1
5289	B	S-0057B-5	1	66	74	75	No	Yes	1
5290	B	S-0026B	1	66	54	58	No	No	4
5291	B	S-0025B	1	66	55	58	No	No	3
5292	B	S-0023B	1	66	54	56	No	No	2
5293	B	S-0022B	1	66	54	56	No	No	2
5294	B	S-0024B	1	66	54	56	No	No	2
5295	B	S-0021B	1	66	56	58	No	No	2
5296	B	S-0020B	1	66	55	57	No	No	2
5297	B	S-0019B	1	66	57	58	No	No	1
5298	B	S-0018B	1	66	57	58	No	No	1
5299	B	S-0017B	1	66	58	59	No	No	1
5300	B	S-0016B	1	66	58	59	No	No	1
5301	B	S-0015B	1	66	58	59	No	No	1
5302	B	S-0014B	1	66	58	60	No	No	2
5303	B	S-0013B	1	66	56	58	No	No	2
5304	B	S-0012B	1	66	58	60	No	No	2
5305	B	S-0011B	1	66	58	60	No	No	2

Southern Option

Map Label	UDOT Noise Activity Category	TNM Model Number	Number of Dwelling Units	UDOT Noise Abatement Criteria L _{eq} (h)	Existing Noise Levels (dBA)	Action Alternative Noise Levels (dBA) ¹	Projected Impact		
							≥ 10 dBA Increase From Existing Level	≥ UDOT Noise Abatement Criteria	Difference
5306	B	S-0010B	1	66	60	61	No	No	1
5307	B	S-0009B	1	66	59	61	No	No	2
5308	B	S-0008B	1	66	59	61	No	No	2
5309	B	S-0007B	1	66	60	62	No	No	2
5310	B	S-0006B	1	66	62	63	No	No	1
5311	B	S-0001B	1	66	65	67	No	Yes	2
5312	B	S-0005B	1	66	65	65	No	No	0
5313	B	S-0004B	1	66	72	72	No	Yes	0
5314	B	S-0003B	1	66	72	72	No	Yes	0
5315	B	S-0002B	1	66	72	72	No	Yes	0

ATTACHMENT C: BUILD NOISE IMPACTS MAPS




This page is intentionally left blank



0 200 400
Feet

- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



18857: I-15; Farmington to Salt Lake

Build Noise Impacts - Northern Option

Map 3 of 26





18857: I-15; Farmington to Salt Lake

Build Noise Impacts - Northern Option



A scale bar indicating distances in feet. It features a black triangle at the top pointing right, followed by the letter 'Z'. Below the triangle is a horizontal bar divided into three segments. The first segment is black and labeled '0' to its left. The middle segment is white and labeled '200' to its left. The third segment is black and labeled '400' to its left. Below the horizontal bar, the word 'Feet' is written.

Map 4 of 26



- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



0 200 400
Feet

- Not Impacted
- Impacted
- Relocation


18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



0 200 400
Feet

- Not Impacted
- Impacted
- Relocation




18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



- Not Impacted
- Impacted
- Relocation




0 200 400
Feet

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation



18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option





- Not Impacted
- Impacted
- Relocation




- Not Impacted
- Impacted
- Relocation



18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option







18857: I-15; Farmington to Salt Lake



Build Noise Impacts - Northern Option

Map 17 of 26





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



- Not Impacted
- Impacted
- Relocation


18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



- Not Impacted
- Impacted
- Relocation




0 200 400
Feet

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option




- Not Impacted
- Impacted
- Relocation



18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Northern Option



- Not Impacted
- Impacted
- Relocation


18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option







- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option



- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option




- Not Impacted
- Impacted
- Relocation



A scale bar representing distance in feet. It features a thick black horizontal line segment followed by a thinner white segment. Numerical labels '0', '200', and '400' are positioned above the bar at regular intervals. Below the bar, the word 'Feet' is centered in a bold, black, sans-serif font.

18857: I-15; Farmington to Salt Lake

Build Noise Impacts - Southern Option

Map 8 of 26







- Not Impacted
- Impacted
- Relocation

0 200 400
Feet

18857: I-15; Farmington to Salt Lake



Build Noise Impacts - Southern Option



- Not Impacted
- Impacted
- Relocation



18857: I-15; Farmington to Salt Lake

Build Noise Impacts - Southern Option



- Not Impacted
- Impacted
- Relocation


18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option



0 200 400
Feet

- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

0 200 400
Feet

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option







18857: I-15; Farmington to Salt Lake

Build Noise Impacts - Southern Option



Map 16 of 26



- Not Impacted
- Impacted
- Relocation




0 200 400
Feet

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option






- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option




- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option



- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option





- Not Impacted
- Impacted
- Relocation

18857: I-15; Farmington to Salt Lake
Build Noise Impacts - Southern Option


ATTACHMENT D: NOISE WALL MAPS

This page is intentionally left blank




- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls




0 200 400
Feet

- 18857: I-15; Farmington to Salt Lake
Noise Walls
- Evaluated Noise Wall - Feasible and Reasonable
 - Evaluated Noise Wall - Not Feasible and Reasonable
 - Evaluated Noise Wall - Replace in-Kind
 - Existing Noise Wall - Remain in Place





- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

**18857: I-15; Farmington to Salt Lake
Noise Walls**



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place



18857: I-15; Farmington to Salt Lake
Noise Walls



0 200 400
Feet


- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place



18857: I-15; Farmington to Salt Lake
Noise Walls



0 200 400
Feet


- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

**18857: I-15; Farmington to Salt Lake
Noise Walls**





- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls





- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls



- █ Evaluated Noise Wall - Feasible and Reasonable
- █ Evaluated Noise Wall - Not Feasible and Reasonable
- █ Evaluated Noise Wall - Replace in-Kind
- █ Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls



- █ Evaluated Noise Wall - Feasible and Reasonable
- █ Evaluated Noise Wall - Not Feasible and Reasonable
- █ Evaluated Noise Wall - Replace in-Kind
- █ Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls




- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place



0 200 400
Feet


18857: I-15; Farmington to Salt Lake
Noise Walls



0 200 400
Feet



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls





- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls




- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

18857: I-15; Farmington to Salt Lake
Noise Walls




- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

**18857: I-15; Farmington to Salt Lake
Noise Walls**



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place


18857: I-15; Farmington to Salt Lake
Noise Walls



0 200 400
Feet

- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

**18857: I-15; Farmington to Salt Lake
Noise Walls**



- Evaluated Noise Wall - Feasible and Reasonable
- Evaluated Noise Wall - Not Feasible and Reasonable
- Evaluated Noise Wall - Replace in-Kind
- Existing Noise Wall - Remain in Place

N
0 200 400
Feet

18857: I-15; Farmington to Salt Lake
Noise Walls

ATTACHMENT E: BARRIER ANALYSIS WORKSHEETS

This page is intentionally left blank

Wall 1 - Northern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
56B	1	B	x	3	4	4	5
57B	1	B	x	2	2	2	2
58B	1	B		1	1	1	1
59B	1	B		0	1	1	1
982B	1	B	x	4	5	5	6
983B	1	B	x	4	5	6	7
984B	1	B		3	4	4	5
985B	1	B		2	3	3	4
60B	1	B		0	0	1	1
61B	1	B		0	0	0	0
986B	1	B		2	3	3	4
987B	1	B		2	2	3	3
988B	1	B		2	2	2	2
51C	1	C		0	1	1	2
53B	1	B		2	2	3	4
54B	1	B		3	4	4	5
55B	1	B	x	4	4	5	5
1019C	1	C	x	2	3	4	4
1020C	1	C	x	2	2	3	3
1021C	1	C		2	3	3	4
1022C	1	C		2	3	3	4
1023C	1	C		2	3	3	4
1024C	1	C		2	3	3	4
1025C	1	C		2	3	4	4
1026C	1	C		2	3	3	3
1027C	1	C		2	3	3	3
52B	1	B		1	2	2	2
977B	1	B		1	2	3	3
978B	1	B		1	1	2	2

Input Data

Total Wall Length:	1,313
Length of Activity Category A/C/D/E Land Use:	320
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0
Cost of items critical to safety (safety barrier):	\$0
No. of 1st row receptors:	7
	per linear foot
	per linear foot

Feasibility Factors

No. of 1st row 5 dBA reduction:	0	2	3	4
---------------------------------	---	---	---	---

Wall 1 - Northern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
			% of 1st row 5 dBA reduction:	0%	29%	43%	57%
			Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	No	No	No	Yes
Reasonableness Factors							
				0	0	0	1
				0%	0%	0%	14%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	No	No	No
Cost Analysis							
No. of Benefited (Category B):				0	2	3	6
Cost of Noise Wall (L x H x \$/sq ft):				\$262,600	\$315,120	\$367,640	\$420,160
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$262,600	\$315,120	\$367,640	\$420,160
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$60,000	\$90,000	\$180,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$115,200	\$115,200	\$115,200	\$115,200
Total Allowable Cost:				\$115,200	\$175,200	\$205,200	\$295,200
Allowable - Anticipated Cost:				-\$147,400	-\$139,920	-\$162,440	-\$124,960
Cost Effective (Anticipated < Allowable):				No	No	No	No
Feasible and Reasonable:				No	No	No	No

Wall 1 - Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
56B	1	B		1	2	3	3
57B	1	B		1	1	1	2
58B	1	B		1	1	1	1
59B	1	B		1	1	1	1
982B	1	B		2	3	3	4
983B	1	B		2	3	3	4
984B	1	B		2	3	4	5
985B	1	B		2	3	3	4
989C	1	B	x	2	2	4	5
60B	1	B		1	1	1	1
61B	1	B		1	1	1	1
986B	1	B		2	2	3	4
987B	1	B		2	2	3	3
988B	1	C		1	1	2	2
51C	1	B		2	3	3	4
53B	1	B		2	2	4	5
54B	1	B		2	3	4	5
55B	1	C		3	4	6	7
1019C	1	C	x	2	3	4	4
1020C	1	C	x	2	3	4	4
1021C	1	C		2	3	4	4
1022C	1	C		2	3	4	4
1023C	1	C		2	3	4	4
1024C	1	C		2	3	4	4
1025C	1	C		2	3	4	4
1026C	1	C		1	3	4	4
1027C	1	B		1	2	4	4
52B	1	B		1	2	3	4
977B	1	B		1	2	3	3
978B	1	B		1	1	2	3

Input Data

Total Wall Length:	1,300
Length of Activity Category A/C/D/E Land Use:	320
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0 per linear foot
Cost of items critical to safety (safety barrier):	\$0 per linear foot
No. of 1st row receptors:	3

Feasibility Factors

Wall 1 - Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
No. of 1st row 5 dBA reduction:				0	0	0	1
%. of 1st row 5 dBA reduction:				0%	0%	0%	33%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):				No	No	No	No
Reasonableness Factors							
No. of 1st row Design Goal:				0	0	0	0
%. of 1st row Design Goal:				0%	0%	0%	0%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	No	No	No
Cost Analysis							
No. of Benefited (Category B):				0	0	0	4
Cost of Noise Wall (L x H x \$/sq ft):				\$260,000	\$312,000	\$364,000	\$416,000
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$260,000	\$312,000	\$364,000	\$416,000
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$0	\$0	\$120,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$115,200	\$115,200	\$115,200	\$115,200
Total Allowable Cost:				\$115,200	\$115,200	\$115,200	\$235,200
Allowable - Anticipated Cost:				-\$144,800	-\$196,800	-\$248,800	-\$180,800
Cost Effective (Anticipated < Allowable):				No	No	No	No
Feasible and Reasonable:							
				No	No	No	No

Wall 2 - Northern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
79C	1	C	x	3	4	5	7
670D	1	D	x	5	6	7	8
671D	1	D		1	1	2	3
668C	1	C		0	0	1	1
669C	1	C		0	0	1	1
64B	1	B		2	3	3	3
65B	1	B		3	4	4	5
66B	1	B	x	4	5	6	6
68B	1	B	x	4	5	6	7
71B	1	B		4	5	5	6
72B	1	B		3	4	6	7
73B	1	B		2	2	2	3
62B	1	B		1	1	1	2
63B	1	B		1	2	2	2
74B	1	B		3	4	5	7
75B	1	B		1	2	3	3
76B	1	B		3	4	5	6
77B	1	B		1	1	2	2
78B	1	B		3	4	4	6
714B	1	B		3	3	4	5
715B	1	B		2	2	2	3
70B	1	B	x	2	4	5	7

Input Data

Total Wall Length:	1,651
Length of Activity Category A/C/D/E Land Use:	840
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0 per linear foot
Cost of items critical to safety (safety barrier):	\$0 per linear foot
No. of 1st row receptors:	5

Feasibility Factors

No. of 1st row 5 dBA reduction:	1	3	5	5
% of 1st row 5 dBA reduction:	20%	60%	100%	100%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	No	Yes	Yes	Yes

Reasonableness Factors

No. of 1st row Design Goal:	0	0	1	4
% of 1st row Design Goal:	0%	0%	20%	80%

Wall 2 - Northern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	No	No	Yes
Cost Analysis							
No. of Benefited (Category B):				0	3	7	10
Cost of Noise Wall (L x H x \$/sq ft):				\$330,200	\$396,240	\$462,280	\$528,320
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$330,200	\$396,240	\$462,280	\$528,320
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$90,000	\$210,000	\$300,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$302,400	\$302,400	\$302,400	\$302,400
Total Allowable Cost:				\$302,400	\$392,400	\$512,400	\$602,400
Allowable - Anticipated Cost:				-\$27,800	-\$3,840	\$50,120	\$74,080
Cost Effective (Anticipated < Allowable):				No	No	Yes	Yes
Feasible and Reasonable:				No	No	No	Yes

Wall 2 - Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
79C	1	C	x	4	4	6	7
670D	1	D	x	7	8	9	10
671D	1	D		1	1	2	3
668C	1	C		0	0	1	1
669C	1	C		0	0	1	1
64B	1	B		1	1	2	2
65B	1	B		2	2	2	2
66B	1	B	x	4	4	5	5
68B	1	B	x	10	11	12	13
71B	1	B		3	3	3	3
72B	1	B		5	7	8	9
73B	1	B		2	2	2	2
62B	1	B		1	1	1	1
63B	1	B		1	1	1	2
74B	1	B		4	5	6	8
75B	1	B		2	3	4	4
76B	1	B		4	5	5	6
77B	1	B		1	1	1	2
78B	1	B		4	4	5	6
714B	1	B		3	4	5	6
715B	1	B		1	1	1	2
70B	1	B	x	11	12	14	15

Input Data

Total Wall Length:	1,704
Length of Activity Category A/C/D/E Land Use:	840
Length of Safety Barrier	0
Wall Cost per sq ft:	20
Cost of items critical to safety (snow storage):	0 per linear foot
Cost of items critical to safety (safety barrier):	0 per linear foot
No. of 1st row receptors:	5

Feasibility Factors

No. of 1st row 5 dBA reduction:	3	3	5	5
% of 1st row 5 dBA reduction:	60%	60%	100%	100%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	Yes	Yes	Yes	Yes

Reasonableness Factors

No. of 1st row Design Goal:	3	3	3	4
% of 1st row Design Goal:	60%	60%	60%	80%

Wall 2 - Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				Yes	Yes	Yes	Yes
Cost Analysis							
No. of Benefited (Category B):				3	5	8	8
Cost of Noise Wall (L x H x \$/sq ft):				\$280,000	\$336,000	\$392,000	\$448,000
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$280,000	\$336,000	\$392,000	\$448,000
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$90,000	\$150,000	\$240,000	\$240,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$302,400	\$302,400	\$302,400	\$302,400
Total Allowable Cost:				\$392,400	\$452,400	\$542,400	\$542,400
Allowable - Anticipated Cost:				\$112,400	\$116,400	\$150,400	\$94,400
Cost Effective (Anticipated < Allowable):				Yes	Yes	Yes	Yes
Feasible and Reasonable:				Yes	Yes	Yes	Yes

Wall 3 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
134B	1	B	x	2	3	4	4
135B	1	B	x	2	3	4	4
136B	1	B	x	2	3	4	4
137B	1	B	x	2	3	4	4
138B	1	B	x	2	3	4	4
139B	1	B	x	2	3	3	4
140B	1	B	x	2	3	3	4
141B	1	B	x	2	3	3	4
142B	3	B		1	2	2	3
143B	1	B		1	1	2	2
144B	1	B		1	2	3	3
145B	1	B	x	2	2	3	3
146B	1	B	x	1	2	2	3
147B	1	B	x	1	2	2	2
148B	1	B	x	1	2	2	2
149B	1	B	x	1	1	2	2
150B	1	B	x	1	1	1	1
151B	1	B		1	1	1	1
152B	1	B		1	1	2	2
153B	1	B		1	2	2	2
155B	1	B		0	1	1	1
156B	1	B		0	1	1	1
661B	1	B		1	2	2	2
662B	1	B		1	2	2	3
663B	1	B		1	2	3	3
664B	1	B	x	2	3	3	3
708B	2	B		1	2	3	3
709B	2	B		1	1	2	2
711B	2	B		1	2	2	3
712B	2	B		1	2	2	3
713B	2	B		1	2	3	3
915B	1	B		1	2	2	2
1096B	3	B		1	1	2	2
154B	1	B		1	1	1	1
652B	1	B		1	1	2	2
653B	7	B		1	1	2	2
654B	1	B		0	0	0	1
655B	1	B		0	1	1	1
656B	1	B		0	0	0	1
657B	1	B		0	0	0	1

Wall 3 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
658B	1	B		0	0	0	1
1097B	3	B		1	2	2	2
112B	1	B		2	2	2	3
113B	1	B		1	2	2	3
114B	1	B		2	2	2	3
115B	1	B		2	2	2	3
116B	1	B		2	2	2	2
117B	1	B		2	2	2	2
118B	1	B		2	2	3	3
119B	1	B		2	2	3	3
120B	1	B		2	2	3	3
121B	1	B		2	3	3	3
122B	1	B		2	3	3	4
123B	1	B		2	3	3	4
124B	1	B		2	3	3	4
125B	1	B	x	2	3	3	3
126B	1	B	x	2	3	3	4
127B	1	B	x	2	3	4	4
128B	1	B	x	3	4	4	5
129B	1	B	x	2	3	3	3
130B	1	B	x	2	2	2	3
131B	1	B	x	2	2	2	3
132B	1	B	x	2	3	2	3
133B	1	B	x	2	3	3	3
659B	1	B		2	3	4	4
660B	1	B		2	3	3	4
710B	1	B		2	2	2	3
94B	1	B	x	1	2	2	2
95B	1	B		2	2	2	2
96B	1	B		2	2	2	2
97B	1	B		2	2	2	2
98B	1	B		1	1	2	2
99B	1	B	x	1	1	2	2
100B	1	B	x	1	1	1	2
101B	1	B	x	1	1	1	1
102B	1	B	x	1	1	1	1
103B	1	B	x	1	1	1	1
104B	1	B	x	1	1	1	2
105B	1	B	x	1	1	2	2
106B	1	B	x	1	2	2	2

Wall 3 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
107B	1	B	x	2	2	2	2
108B	1	B		2	2	2	3
109B	1	B		1	2	2	3
110B	1	B		1	2	2	3
111B	1	B		1	2	2	2
665B	1	B		2	2	2	3
666B	1	B		2	2	2	2
667B	1	B		2	2	2	2
963B	1	B		2	3	3	3
964B	1	B		2	2	3	3
965B	1	B		2	2	2	3
966B	1	B		2	2	2	3
967B	1	B		2	2	2	2
968B	1	B		1	2	2	2
969B	1	B		1	2	2	2
970B	1	B		2	2	2	2
971B	1	B		2	2	2	2
972B	1	B		2	2	2	2
973B	1	B		2	2	2	2
974B	1	B		2	2	2	2
975B	1	B		2	2	2	2
976B	1	B		2	2	2	2
88B	1	B	x	2	2	2	2
83B	1	B		1	2	2	2
84B	1	B		1	1	1	1
85B	1	B		1	1	2	2
86B	1	B		2	2	2	2
87B	1	B		2	2	2	2
89B	1	B		2	2	2	2
90B	1	B		2	2	2	2
91B	1	B		2	2	2	2
92B	1	B		2	2	2	2
93B	1	B		2	2	2	2

Input Data

Total Wall Length:	3,970
Length of Activity Category A/C/D/E Land Use:	0
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0 per linear foot
Cost of items critical to safety (safety barrier):	\$0 per linear foot

Wall 3 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)						
				10	12	14	16			
No. of 1st row receptors:				35						
Feasibility Factors										
No. of 1st row 5 dBA reduction:				0	0	0	1			
% of 1st row 5 dBA reduction:				0%	0%	0%	3%			
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):				No	No	No	No			
Reasonableness Factors										
No. of 1st row Design Goal:				0	0	0	0			
% of 1st row Design Goal:				0%	0%	0%	0%			
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	No	No	No			
Cost Analysis										
No. of Benefited (Category B):				0	0	0	1			
Cost of Noise Wall (L x H x \$/sq ft):				\$794,000	\$952,800	\$1,111,600	\$1,270,400			
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0			
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0			
Anticipated Cost of Noise Abatement:				\$794,000	\$952,800	\$1,111,600	\$1,270,400			
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$0	\$0	\$30,000			
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$0	\$0	\$0	\$0			
Total Allowable Cost:				\$0	\$0	\$0	\$30,000			
Allowable - Anticipated Cost:				-\$794,000	-\$952,800	-\$1,111,600	-\$1,240,400			
Cost Effective (Anticipated < Allowable):				No	No	No	No			

Wall 4 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
706B	1	B	x	1	2	2	3
187B	1	B	x	3	5	6	6
188B	1	B	x	4	5	6	6
189B	1	B	x	4	5	6	6
191B	1	B		2	4	5	5
192B	1	B		3	4	5	6
193B	1	B		2	3	4	5
194B	1	B		2	4	5	6
195B	1	B	x	4	5	6	6
196B	1	C	x	3	5	5	6
197B	1	C		2	3	4	5
198B	1	C	x	2	4	5	5
199B	1	B	x	3	5	5	6
645B	1	B		2	3	4	5
646B	1	B		2	3	4	5
790B	1	B		2	2	4	4
172B	1	B	x	3	4	6	7
173B	1	B	x	3	4	7	7
175B	3	B		2	3	4	5
176B	1	B		2	3	4	5
177B	1	B		3	3	5	6
178B	1	B	x	4	4	6	7
179B	1	B	x	4	6	7	8
180B	1	B	x	4	6	7	8
181B	1	B	x	4	6	7	8
182B	1	B	x	4	6	6	7
183B	1	B	x	4	6	6	7
184B	1	B	x	4	6	6	7
185B	1	B	x	4	5	6	7
186B	1	B	x	3	5	5	6
190B	3	B		2	4	5	5
647B	2	B		2	3	4	5
707B	1	B		2	2	3	5
961B	1	B		3	3	5	6
962B	1	B		2	2	4	5
1094B	1	B		2	2	4	5
1095B	3	B		2	3	4	5
157B	1	B		2	2	2	2
159B	1	B		1	1	1	2
161B	1	B	x	2	2	3	3

Wall 4 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
162B	1	B		2	2	2	2
163B	1	B		2	2	3	3
164B	1	B		2	3	4	4
165B	1	B	x	2	3	4	4
166B	1	B	x	3	4	5	6
167B	1	B	x	3	4	5	7
168B	1	B	x	3	4	6	7
169B	1	B	x	3	4	6	7
170B	1	B	x	3	4	6	7
171B	1	B	x	3	4	6	7
174B	2	B		3	3	4	5
651B	1	B		3	3	4	5
158B	1	B		1	1	2	2
160B	1	B	x	1	2	2	2
648B	1	B		0	0	0	0
649B	1	B		1	1	1	1
650B	1	B		0	0	0	0

Input Data

Total Wall Length:	4,199
Length of Activity Category A/C/D/E Land Use:	600
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0
Cost of items critical to safety (safety barrier):	\$0
No. of 1st row receptors:	28

Feasibility Factors

No. of 1st row 5 dBA reduction:	0	14	24	24
% of 1st row 5 dBA reduction:	0%	50%	86%	86%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	No	Yes	Yes	Yes

Reasonableness Factors

No. of 1st row Design Goal:	0	0	4	15
% of 1st row Design Goal:	0%	0%	14%	54%

Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):

No No No Yes

Cost Analysis

No. of Benefited (Category B):	0	13	30	48
Cost of Noise Wall (L x H x \$/sq ft):	\$839,800	\$1,007,760	\$1,175,720	\$1,343,680

Wall 4 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				10	12	14	16
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$839,800	\$1,007,760	\$1,175,720	\$1,343,680
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$390,000	\$900,000	\$1,440,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$216,000	\$216,000	\$216,000	\$216,000
Total Allowable Cost:				\$216,000	\$606,000	\$1,116,000	\$1,656,000
Allowable - Anticipated Cost:				-\$623,800	-\$401,760	-\$59,720	\$312,320
Cost Effective (Anticipated < Allowable):				No	No	No	Yes
Feasible and Reasonable:				No	No	No	Yes

This page is intentionally left blank

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft)
				Noise Reduction Values (dBA)
309E	1	E	x	4
1148E	1	E		1
307B	1	B	x	9
308E	1	E	x	6
641E	1	E		6
847B	1	B	x	9
848B	1	B	x	8
849B	1	B	x	7
954B	1	B		10
955B	1	B		9
956B	1	B		8
957B	1	B		8
958B	1	B		8
959B	1	B		7
960B	1	B		7
1054B	3	B		9
1055B	3	B		9
1056B	1	B		10
1057B	1	B		8
301B	1	B	x	11
302B	1	B		10
303B	3	B		10
304B	1	B		9
305B	1	B		10
306B	1	B	x	9
789B	1	B		8
853B	1	B	x	9
854B	1	B	x	9
855B	1	B	x	11
856B	1	B	x	11
857B	1	B	x	11
860B	1	B	x	11
861B	1	B	x	11
1058B	1	B		11
1059B	3	B		10
1060B	3	B		10
1061B	1	B		11
1062B	3	B		11
1063B	1	B		11

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)
				17
1064B	1	B		11
1065B	1	B		10
1066B	3	B		10
1067B	1	B		9
1068B	1	B		8
295B	1	B	x	11
296B	1	B		10
297B	1	B		9
298B	1	B		10
299B	3	B		11
300B	1	B	x	11
858B	1	B	x	11
859B	1	B	x	10
862B	1	B	x	11
863B	1	B	x	11
864B	1	B	x	11
865B	1	B	x	11
866B	1	B	x	11
867B	1	B	x	11
868B	1	B		12
869B	1	B		11
874B	1	B	x	11
875B	1	B	x	11
876B	1	B	x	11
877B	1	B	x	11
878B	1	B		10
879B	1	B		11
880B	1	B		10
881B	1	B		10
882B	1	B		9
883B	1	B		10
884B	1	B		8
885B	1	B		9
1069B	1	B		10
1070B	1	B		10
1071B	1	B		11
1072B	1	B		11
1073B	1	B		11
1074B	1	B		12

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft)
				Noise Reduction Values (dBA)
1075B	1	B		11
1076B	1	B		11
1077B	1	B		11
1078B	1	B		10
1079B	1	B		10
1080B	1	B		10
1081B	1	B		10
1082B	1	B		10
1083B	1	B		10
1084B	1	B		10
1085B	1	B		10
870B	1	B		11
871B	1	B		11
872B	1	B	x	11
873B	1	B	x	11
886B	1	B		8
887B	1	B		8
888B	1	B		10
889B	1	B		10
890B	1	B		11
891B	1	B	x	11
892B	1	B		10
893B	1	B		9
293C	1	C	x	10
294C	1	C	x	10
292C	1	C	x	10
902B	1	B	x	10
903B	1	B	x	9
904B	3	B	x	9
905B	1	B	x	9
906B	1	B	x	9
290B	1	B	x	11
291B	1	B		10
894B	1	B	x	10
895B	1	B	x	10
896B	1	B	x	10
897B	1	B	x	10
898B	1	B	x	10
899B	1	B	x	10

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft)
				Noise Reduction Values (dBA)
900B	1	B	x	10
901B	1	B	x	10
913B	1	B		10
914B	1	B		10
281B	1	B	x	11
282B	1	B	x	11
283B	3	B	x	11
284B	1	B	x	11
285B	3	B	x	11
286B	1	B	c	10
287B	1	B		11
288B	1	B		11
289B	1	B		10
698B	1	B		11
699B	1	B		11
700B	1	B		10
701B	1	B		10
702B	1	B		10
703B	1	B		10
907B	1	B	x	11
908B	1	B	x	11
909B	1	B	x	11
910B	1	B	x	11
911B	1	B		11
912B	1	B		11
1086B	1	B		11
1087B	1	B		11
257B	1	B		6
258B	1	B		7
259B	1	B	x	7
260B	1	B	x	7
261B	1	B		7
262B	1	B		6
263B	1	B		6
264B	1	B		7
265B	1	B	x	7
266B	1	B	x	7
267B	1	B		7
268B	1	B		7

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft)
				Noise Reduction Values (dBA)
269B	1	B		6
270B	1	B		8
271B	1	B		8
272B	1	B		8
273B	1	B	x	8
274B	1	B	x	8
275B	1	B		8
276B	1	B		8
277B	1	B		9
278B	1	B	x	10
279B	1	B	XC	10
280B	1	B		10
644B	1	B		6
225B	1	B	x	7
226B	1	B	x	7
227B	1	B	x	7
228B	1	B	x	7
231B	1	B		6
232B	1	B		6
233B	1	B		6
234B	1	B		6
235B	1	B		6
236B	1	B		6
237B	1	B	x	7
238B	1	B		6
239B	1	B		6
240B	1	B	x	7
241B	1	B		6
242B	1	B		6
243B	1	B	x	6
244B	1	B	x	6
245B	1	B	x	6
246B	1	B	x	6
247B	1	B		7
248B	1	B		7
249B	1	B		7
250B	1	B		7
251B	1	B		6
252B	1	B		6

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft)
				Noise Reduction Values (dBA)
253B	1	B		6
254B	1	B		6
255B	1	B		6
256B	1	B		7
221B	1	B	x	9
222B	1	B	x	7
223B	1	B	x	7
224B	1	B	x	7
229B	1	B		6
230B	1	B		6
200B	1	B		4
202B	1	B	x	5
203B	1	B	x	6
204B	1	B		4
208B	1	B	x	7
209B	1	B		6
210B	1	B	x	8
211B	1	B	x	9
212B	1	B	x	8
213B	1	B	x	9
214B	1	B	x	9
215B	1	B	x	9
216B	1	B	x	9
217B	1	B	x	8
218B	1	B		6
219B	1	B		5
220B	1	B	x	7
704B	1	B		4
705B	1	B		4
1028B	1	B		3
1088B	1	B		3
1089B	1	B		4
1090B	1	B		7
1091B	1	B		7
1092B	1	B		4
1093B	1	B		4
1149B	1	B	x	3
1150B	1	B		1

Input Data

Wall 5 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)
			17	
		Total Wall Length:	12,345	
		Length of Activity Category A/C/D/E Land Use:	1,655	
		Length of Safety Barrier	0	
		Wall Cost per sq ft:	\$20	
		Cost of items critical to safety (snow storage):	\$0	
		Cost of items critical to safety (safety barrier):	\$0	
		No. of 1st row receptors:	98	

Feasibility Factors

No. of 1st row 5 dBA reduction:	96
% of 1st row 5 dBA reduction:	98%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	Yes

Reasonableness Factors

No. of 1st row Design Goal:	89
% of 1st row Design Goal:	91%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):	Yes

Cost Analysis

No. of Benefited (Category B):	237
Cost of Noise Wall (L x H x \$/sq ft):	\$4,197,300
Cost of item critical to safety (snow storage):	\$0
Cost of item critical to safety (safety barrier):	\$0
Anticipated Cost of Noise Abatement:	\$4,197,300
Activity Category B Allowable Cost (\$30k/benefited receptor):	\$7,110,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):	\$595,800
Total Allowable Cost:	\$7,705,800
Allowable - Anticipated Cost:	\$3,508,500
Cost Effective (Anticipated < Allowable):	Yes
Feasible and Reasonable:	Yes

This page is intentionally left blank

Wall 6 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				13	14	15	16	17
335B	4	B		0	1	1	1	1
336B	4	B		1	1	1	1	1
337B	4	B	x	1	1	2	3	3
338B	4	B	x	1	2	3	3	4
339B	4	B		1	1	1	1	1
340B	4	B	x	1	2	2	2	2
341B	4	B		0	1	1	1	1
342B	4	B	x	1	1	2	2	3
343B	4	B		1	1	1	1	1
344B	4	B		0	1	1	1	1
345B	4	B		0	0	0	0	0
346B	4	B		0	0	0	0	0
347B	2	B		1	1	1	1	1
348B	2	B		1	1	1	1	1
349B	2	B		1	1	1	1	1
350B	2	B		1	1	1	1	1
351B	5	B		1	1	1	1	1
352B	4	B		1	1	1	1	1
353B	4	B		1	1	1	1	1
354B	4	B		1	1	1	1	1
355B	4	B		1	1	1	1	1
684B	5	B		2	2	2	2	2
1030B	3	B		1	1	1	1	2
1031B	3	B		1	1	1	1	1
1032B	1	B		1	1	1	1	1
1033B	1	B		1	1	1	1	1
1034B	3	B		1	1	1	1	1
1035B	3	B		1	1	1	1	2
821B	1	B	x	4	4	5	5	5
822B	1	B	x	3	4	4	5	5
333B	1	B	x	3	4	4	4	4
334B	1	B	x	2	3	3	4	4
687B	3	B		5	5	6	6	6
689B	3	B		5	5	5	6	6
690B	3	B		3	4	4	5	5
691B	3	B		3	4	4	5	5
811B	1	B	x	4	4	4	5	5
812B	1	B	x	4	4	4	4	5
813B	1	B	x	4	4	4	4	4
814B	1	B	x	4	4	4	4	4
815B	1	B	x	4	4	4	4	4
816B	1	B	x	4	4	4	4	4
817B	1	B	x	4	4	4	4	4
818B	1	B	x	4	4	4	4	4
819B	1	B	x	4	4	5	5	5
820B	1	B	x	4	5	5	5	5
1036B	3	B		2	2	3	3	4
1037B	3	B		1	2	2	2	3

Wall 6 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				13	14	15	16	17
1038B	1	B		2	2	2	2	3
1039B	3	B		1	2	2	2	3
1040B	3	B		2	2	3	3	4
1041B	1	B		5	5	5	6	6
330B	1	B	x	5	5	5	6	6
331B	1	B	x	5	5	6	6	6
332B	1	B	x	4	4	5	5	5
686B	3	B		5	5	5	6	6
688B	3	B		5	5	5	6	6
808B	1	B	x	5	5	5	5	6
809B	1	B	x	4	5	5	5	5
810B	1	B	x	4	5	5	5	5
826B	1	B	x	5	5	6	6	6
827B	1	B	x	5	5	6	6	6
828B	1	B	x	5	5	6	6	6
829B	1	B	x	5	5	6	6	6
830B	1	B	x	5	5	6	6	6
831B	1	B	x	5	5	6	6	6
832B	1	B		5	5	5	6	6
833B	1	B	x	5	5	5	6	6
834B	1	B	x	5	5	5	5	6
1042B	3	B		5	5	5	6	6
1043B	3	B		5	5	5	6	6
1044B	1	B		5	5	6	6	6
1046B	3	B		5	6	6	6	7
1047B	3	B		5	6	6	6	6
1048B	2	B		5	5	6	6	6
1049B	2	B		4	5	5	5	6
1050B	3	B		5	5	5	6	6
1051B	3	B		5	5	5	6	6
324B	1	B	x	5	6	6	7	7
325B	1	B	x	4	4	4	5	5
326B	1	B	x	4	5	5	5	5
327B	1	B	x	5	5	5	5	6
328B	1	B	x	5	5	5	5	6
329B	1	B	x	5	5	6	6	6
823B	1	B		4	4	4	5	5
824B	1	B	x	5	5	5	5	5
825B	1	B	x	5	5	5	6	6
835B	1	B	x	5	5	5	6	6
836B	1	B	x	5	5	5	6	6
837B	1	B	x	5	6	6	7	7
838B	1	B	x	4	4	4	5	5
839B	1	B	x	3	4	4	4	4
840B	1	B	x	4	4	5	5	5
841B	1	B	x	4	5	5	5	6
842B	1	B	x	4	5	5	5	6
843B	1	B	x	4	5	5	5	6

Wall 6 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				13	14	15	16	17
844B	1	B	X	4	4	4	4	4
845B	1	B	X	4	4	4	5	5
846B	1	B	X	4	4	4	5	5
1045B	3	B		5	6	6	6	6
1052B	3	B		5	5	5	6	6
Input Data								
Total Wall Length:				4,481				
Length of Activity Category A/C/D/E Land Use:				0				
Length of Safety Barrier				0				
Wall Cost per sq ft:				\$20				
Cost of items critical to safety (snow storage):				\$0	per linear foot			
Cost of items critical to safety (safety barrier):				\$0	per linear foot			
No. of 1st row receptors:				64				
Feasibility Factors								
No. of 1st row 5 dBA reduction:			20	27	31	37	38	
%. of 1st row 5 dBA reduction:			31%	42%	48%	58%	59%	
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):			No	No	No	Yes	Yes	
Reasonableness Factors								
No. of 1st row Design Goal:			0	0	0	2	2	
%. of 1st row Design Goal:			0%	0%	0%	3%	3%	
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):			No	No	No	No	No	
Cost Analysis								
No. of Benefited (Category B):			61	70	74	87	88	
Cost of Noise Wall (L x H x \$/sq ft):			\$1,165,060	\$1,254,680	\$1,344,300	\$1,433,920	\$1,523,540	
Cost of item critical to safety (snow storage):			\$0	\$0	\$0	\$0	\$0	
Cost of item critical to safety (safety barrier):			\$0	\$0	\$0	\$0	\$0	
Anticipated Cost of Noise Abatement:			\$1,165,060	\$1,254,680	\$1,344,300	\$1,433,920	\$1,523,540	
Activity Category B Allowable Cost (\$30k/benefited receptor):			\$1,830,000	\$2,100,000	\$2,220,000	\$2,610,000	\$2,640,000	
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):			\$0	\$0	\$0	\$0	\$0	
Total Allowable Cost:			\$1,830,000	\$2,100,000	\$2,220,000	\$2,610,000	\$2,640,000	
Allowable - Anticipated Cost:			\$664,940	\$845,320	\$875,700	\$1,176,080	\$1,116,460	
Cost Effective (Anticipated < Allowable):			Yes	Yes	Yes	Yes	Yes	
Feasible and Reasonable:			No	No	No	No	No	

This page is intentionally left blank

Wall 7 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				13	14	15	16	17
394B	1	B	x	7	7	8	8	8
937B	1	B		0	0	0	0	1
938B	1	B		1	2	2	2	2
939B	1	B		3	3	4	4	4
940B	1	B		3	3	4	4	4
941B	1	B		0	0	0	0	1
942B	1	B		4	5	5	6	6
943B	1	B		5	6	6	6	7
944B	1	B		6	7	7	7	8
945B	1	B	x	9	9	10	10	10
948B	1	B	x	6	7	8	8	8
949B	1	B		5	6	6	7	7
950B	1	B		4	5	6	6	6
951B	1	B		3	4	5	5	5
952B	1	B		3	3	4	4	4
953B	1	B		2	2	2	2	2
375B	4	B		0	0	0	0	1
376B	4	B		0	0	0	0	0
377B	4	B		0	0	0	0	0
380B	3	B		0	0	0	0	0
381B	3	B		0	0	0	0	0
382B	4	B		0	0	0	0	0
383B	4	B		0	0	0	0	0
384B	4	B		0	0	0	0	0
385B	4	B		0	0	0	0	0
386B	4	B		0	0	0	0	0
387B	4	B		0	0	0	0	0
388B	4	B		0	0	0	0	0
389B	4	B		0	0	0	0	0
390B	4	B		0	0	0	0	0
391B	1	B		0	0	0	0	0
392B	1	B		0	0	0	0	0
356B	2	B		0	0	0	0	0
357B	2	B		0	0	0	0	0
358B	2	B		0	0	0	0	0
359B	2	B		0	0	0	0	0
360B	2	B		0	0	0	0	0
361B	2	B		0	0	0	0	0
362B	2	B		0	0	0	0	0
363B	2	B		0	0	0	0	0
364B	4	B		0	0	0	0	0
365B	4	B		0	0	0	0	0
366B	4	B		0	0	0	0	0
367B	4	B		0	0	0	0	0
368B	4	B		0	0	0	0	0
369B	4	B		0	0	0	0	0
370B	1	B		0	0	0	0	0
371B	1	B		0	0	0	0	0
372B	4	B		0	0	0	0	0

Wall 7 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				13	14	15	16	17
373B	4	B		0	0	0	0	0
374B	4	B		0	0	0	0	0
378B	3	B		0	0	0	0	0
379B	3	B		1	1	1	1	1
642B	1	B		0	0	0	0	0
643B	1	B		0	0	0	0	0
685B	4	B		0	0	0	0	0
Input Data								
Total Wall Length:				986				
Length of Activity Category A/C/D/E Land Use:								
Length of Safety Barrier				0				
Wall Cost per sq ft:				\$20				
Cost of items critical to safety (snow storage):				\$0	per linear foot			
Cost of items critical to safety (safety barrier):				\$0	per linear foot			
No. of 1st row receptors:				3				
Feasibility Factors								
No. of 1st row 5 dBA reduction:		3	3	3	3	3	3	3
% of 1st row 5 dBA reduction:		100%	100%	100%	100%	100%	100%	100%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Reasonableness Factors								
No. of 1st row Design Goal:		2	3	3	3	3	3	3
% of 1st row Design Goal:		67%	100%	100%	100%	100%	100%	100%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):		Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cost Analysis								
No. of Benefited (Category B):		6	8	9	9	9	9	9
Cost of Noise Wall (L x H x \$/sq ft):		\$256,360	\$276,080	\$295,800	\$315,520	\$335,240		
Cost of item critical to safety (snow storage):		\$0	\$0	\$0	\$0	\$0		
Cost of item critical to safety (safety barrier):		\$0	\$0	\$0	\$0	\$0		
Anticipated Cost of Noise Abatement:		\$256,360	\$276,080	\$295,800	\$315,520	\$335,240		
Activity Category B Allowable Cost (\$30k/benefited receptor):		\$180,000	\$240,000	\$270,000	\$270,000	\$270,000		
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):		\$0	\$0	\$0	\$0	\$0		
Total Allowable Cost:		\$180,000	\$240,000	\$270,000	\$270,000	\$270,000		
Allowable - Anticipated Cost:		-\$76,360	-\$36,080	-\$25,800	-\$45,520	-\$65,240		
Cost Effective (Anticipated < Allowable):		No	No	No	No	No		
Feasible and Reasonable:		No	No	No	No	No		

Wall 8 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
549B	1	B		0	0	0	0	0
550B	1	B		0	0	0	0	0
554B	1	B		0	0	0	0	0
555B	1	B		0	1	1	1	1
556B	1	B		1	1	1	1	1
557B	1	B		1	1	1	1	1
558B	1	B		1	1	1	1	1
559B	1	B		1	1	2	2	2
560B	1	B		1	2	2	2	2
561B	1	B	x	2	2	2	2	3
551B	1	B		0	0	0	0	0
552B	1	B		1	1	1	2	2
553B	1	B		1	1	1	2	2
562B	1	B		2	3	3	3	3
563B	1	B		2	3	3	4	4
564B	1	B		2	3	4	4	4
565B	1	B		2	4	4	4	4
566B	1	B	x	2	3	3	4	4
567B	1	B	x	3	4	4	4	5
568B	1	B	x	3	4	4	5	5
569B	1	B	x	3	4	4	5	5
570B	1	B	x	3	4	4	5	5
571B	1	B	x	3	4	4	5	5
572B	1	B	x	3	4	4	5	5
573B	1	B	x	2	4	4	4	5
574B	1	B	x	2	3	4	4	4
575B	1	B	x	2	3	4	4	4
576B	1	B	x	2	3	4	4	4
577B	1	B	x	2	3	4	4	4
787B	1	B		2	4	4	4	4
578B	1	B		2	3	4	4	4
579B	1	B		2	4	4	4	4
580B	1	B		3	4	4	5	5
581B	1	B	x	3	4	5	5	5
582B	1	B	x	4	4	5	5	6
583B	1	B	x	4	4	5	5	6
584B	1	B	x	3	4	5	5	5
585B	1	B	x	3	4	4	5	5
586B	1	B	x	3	3	4	4	5
587B	1	B	x	2	3	4	4	4
588B	1	B		2	2	3	3	3
589B	1	B		1	2	3	3	3
590B	1	B		1	2	2	2	3
591B	1	B		1	2	2	2	3
592B	1	B		1	1	1	2	2
593B	1	B		1	2	2	3	3

Wall 8 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
786B	1	B		2	3	4	4	4
1098B	1	B		1	3	3	3	4
1103B	1	B		1	2	2	3	3
1106B	1	B		2	3	3	3	3
1107B	1	B		2	3	4	4	4
1108B	3	B		3	4	5	5	5
1109B	3	B		2	3	4	4	4
1110B	1	B		2	3	4	4	4
1111B	1	B		2	3	3	4	4
1112B	1	B		2	3	3	3	4
1113B	3	B		1	2	3	3	3
1099B	2	B		1	2	3	3	3
1100B	3	B		1	2	2	2	3
1101B	2	B		1	1	1	2	2
1102B	2	B		1	2	2	3	3
1104B	3	B		1	2	2	3	3
1105B	3	B		1	1	1	2	2
594B	1	B	x	1	2	2	2	3
595B	1	B	x	1	1	2	2	2
596B	1	B	x	1	1	2	2	2
597B	1	B		1	1	2	2	2
598B	1	B	x	1	1	2	3	3
599B	1	B	x	1	1	2	2	3
600B	1	B	x	1	1	2	2	3
601B	1	B	x	1	1	2	2	3
602B	1	B	x	1	1	2	3	4
603B	1	B	x	1	1	2	3	4
604B	1	B	x	1	2	3	4	5
605B	1	B	x	2	3	3	5	5
606B	1	B	x	2	3	4	5	6
607B	1	B	x	3	4	5	6	7
608B	1	B	x	4	5	6	7	7
609B	1	B	x	4	4	5	6	6
610B	1	B	x	3	4	5	5	6
611B	1	B	x	3	4	4	5	5
612B	1	B	x	3	4	4	5	5
613B	1	B	x	3	4	4	5	5
614B	1	B	x	3	3	4	4	5
615B	1	B	x	3	3	4	4	5
616B	1	B	x	3	3	4	4	5
617B	1	B	x	3	3	4	4	5
618B	1	B	x	3	4	4	5	5
619B	1	B	x	3	4	4	5	5
620B	1	B		3	3	4	4	4
621B	1	B	x	3	4	4	5	5
622C	1	C	x	3	3	4	4	5

Wall 8 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
623C	1	C	x	3	3	4	4	5
624C	1	C	x	2	3	4	4	5
001C	1	C		3	4	4	5	5
625C	1	C	x	3	4	4	5	5
626C	1	C	x	2	3	4	5	5
627C	1	C	x	2	3	4	5	5
628B	1	B		3	4	5	6	6
629B	1	B	x	3	4	5	5	6
630B	1	B	x	3	4	5	6	6
631B	1	B	x	3	4	5	6	6
632B	1	B	x	3	4	5	6	6
633B	1	B	x	3	4	5	6	6
634B	1	B	x	3	4	5	6	6
635B	1	B	x	2	4	5	5	6
636B	1	B		2	3	4	5	5
637B	1	B		2	4	4	5	5
638B	1	B		2	3	4	4	5
639B	1	B		2	4	4	5	5
640B	1	B		2	4	5	5	5

Input Data

Total Wall Length:	8,780
Length of Activity Category A/C/D/E Land Use:	958
Length of Safety Barrier	0
Wall Cost per sq ft:	\$0
Cost of items critical to safety (snow storage):	\$0
Cost of items critical to safety (safety barrier):	\$0
No. of 1st row receptors:	59

Feasibility Factors

No. of 1st row 5 dBA reduction:	0	1	15	32	43
% of 1st row 5 dBA reduction:	0%	2%	25%	54%	73%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):	No	No	No	Yes	Yes

Reasonableness Factors

No. of 1st row Design Goal:	0	0	0	1	2
% of 1st row Design Goal:	0%	0%	0%	2%	3%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):	No	No	No	No	No

Cost Analysis

No. of Benefited (Category B):	0	1	20	38	47
Cost of Noise Wall (L x H x \$/sq ft):	\$0	\$0	\$0	\$0	\$0
Cost of item critical to safety (snow storage):	\$0	\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):	\$0	\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:	\$0	\$0	\$0	\$0	\$0

Wall 8 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$30,000	\$600,000	\$1,140,000	\$1,410,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$344,880	\$344,880	\$344,880	\$344,880	\$344,880
Total Allowable Cost:				\$344,880	\$374,880	\$944,880	\$1,484,880	\$1,754,880
Allowable - Anticipated Cost:				\$344,880	\$374,880	\$944,880	\$1,484,880	\$1,754,880
Cost Effective (Anticipated < Allowable):				Yes	Yes	Yes	Yes	Yes
Feasible and Reasonable:				No	No	No	No	No

Wall 9 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
1151B	1	B		0	0	1	1	1
1152B	1	B		0	0	1	1	1
1153B	1	B		0	1	1	1	2
1154B	1	B		0	1	1	2	2
1155B	1	B		1	1	2	2	2
1156B	1	B		1	1	2	2	2
1157B	1	B		1	1	2	2	2
518B	1	B	x	0	0	1	1	2
519B	1	B	x	0	0	1	1	2
523B	1	B	x	1	2	3	3	4
524B	1	B	x	1	2	3	3	4
525B	1	B	x	1	1	2	3	3
526B	1	B	x	1	1	2	3	3
527B	1	B	x	0	1	2	2	3
528B	1	B	x	0	1	1	2	3
1158B	1	B		1	2	2	2	2
1159B	1	B		1	2	3	3	3
1160B	1	B		1	2	2	3	3
1161B	1	B		1	2	2	3	3
1162B	1	B		1	2	3	3	3
1163B	1	B		2	2	3	3	3
1164B	1	B		2	3	3	3	4
1165B	1	B		2	3	3	4	4
1166B	1	B		2	3	3	4	4
1167B	1	B		2	3	3	4	4
520B	1	B	x	2	2	3	4	4
521B	1	B	x	2	2	3	4	4
522B	1	B	x	2	2	3	3	4
529B	1	B	x	3	3	4	5	5
530B	1	B	x	3	3	4	5	5
531B	1	B	x	2	3	3	4	4
532B	1	B	x	2	3	3	4	4
1114B	1	B		3	4	4	5	5
1115B	1	B		3	4	4	5	5
1116B	1	B		3	4	4	5	5
1117B	1	B		3	3	4	4	4
1118B	1	B		3	3	4	4	4
1119B	1	B		3	3	4	4	4
1120B	1	B	x	2	3	4	4	4
1121B	1	B	x	2	3	3	4	4
1122B	1	B	x	2	3	3	4	4
1123B	1	B		2	3	4	4	4
1124B	1	B		3	3	4	5	5
1125B	1	B		3	3	4	5	5
1126B	1	B		3	4	4	5	5
1127B	1	B		3	4	5	5	6

Wall 9 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)				
				10	12	14	16	17
Input Data								
Total Wall Length:				2,235				
Length of Activity Category A/C/D/E Land Use:				0				
Length of Safety Barrier				0				
Wall Cost per sq ft:				\$20				
Cost of items critical to safety (snow storage):				\$0	per linear foot			
Cost of items critical to safety (safety barrier):				\$0	per linear foot			
No. of 1st row receptors:				18				
Feasibility Factors								
No. of 1st row 5 dBA reduction:				0	0	0	2	2
%. of 1st row 5 dBA reduction:				0%	0%	0%	11%	11%
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):				No	No	No	No	No
Reasonableness Factors								
No. of 1st row Design Goal:				0	0	0	0	0
%. of 1st row Design Goal:				0%	0%	0%	0%	0%
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	No	No	No	No
Cost Analysis								
No. of Benefited (Category B):				0	0	1	9	9
Cost of Noise Wall (L x H x \$/sq ft):				\$447,000	\$536,400	\$625,800	\$715,200	\$759,900
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0	\$0
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0	\$0
Anticipated Cost of Noise Abatement:				\$447,000	\$536,400	\$625,800	\$715,200	\$759,900
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$0	\$0	\$30,000	\$270,000	\$270,000
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$0	\$0	\$0	\$0	\$0
Total Allowable Cost:				\$0	\$0	\$30,000	\$270,000	\$270,000
Allowable - Anticipated Cost:				-\$447,000	-\$536,400	-\$595,800	-\$445,200	-\$489,900
Cost Effective (Anticipated < Allowable):				No	No	No	No	No
Feasible and Reasonable:				No	No	No	No	No

Wall 10 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				12	13	14	16
469B	1	B		3	3	3	4
470B	1	B		1	1	1	1
471B	1	B		1	1	1	1
472B	1	B		1	1	2	2
473B	1	B		1	2	2	2
479B	1	B		2	2	2	3
480B	1	B		2	2	2	3
481C	1	C		3	3	3	4
1139B	3	B		3	3	4	4
1140B	1	B		3	3	3	4
1141B	1	B		2	2	3	3
454B	1	B		1	2	2	2
455B	1	B		2	2	2	3
456B	1	B	x	4	5	5	5
457B	1	B	x	4	4	4	5
458B	1	B	x	4	4	4	5
459B	1	B	x	4	4	5	5
460B	1	B	x	4	5	5	6
461B	1	B	x	5	5	5	6
462B	1	B	x	5	5	6	6
463B	1	B	x	5	6	6	7
464B	1	B	x	5	6	6	7
465B	1	B	x	5	6	6	7
466B	1	B		4	5	5	6
467B	1	B		4	4	4	5
468B	1	B		3	4	4	4
474B	1	B		2	2	2	2
475B	1	B		2	2	2	3
476B	1	B		2	3	3	3
477B	1	B		3	3	3	4
478B	1	B		3	4	4	4
482C	1	C	x	4	5	5	6
1136B	1	B		3	3	4	4
1137B	1	B		3	3	3	4
1138B	1	B		4	4	4	5
494B	1	B		2	3	3	4
495B	1	B		3	3	3	4
496B	2	B		3	3	3	4
1128B	1	B		3	3	3	3
483C	1	C	x	5	5	5	6

Wall 10 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)			
				12	13	14	16
484B	1	B	x	7	7	8	8
485B	1	B	x	7	7	8	8
486B	1	B	x	7	7	8	8
487B	1	B	x	6	7	7	8
488B	1	B	x	6	7	7	8
489B	1	B		3	4	5	5
490B	1	B		4	5	5	6
491B	1	B		4	5	5	6
492B	1	B		3	3	4	4
493B	1	B		3	3	3	4
497B	1	B		4	4	5	6
498B	1	B		4	4	5	5
499B	1	B		4	4	4	5
500B	1	B		4	5	5	6
501B	1	B		4	5	5	6
502B	1	B	x	6	7	7	8
503B	1	B		6	7	7	8
504B	1	B	x	8	8	9	10
517B	1	B	x	7	8	8	9
1133B	1	B		4	4	4	5
505B	1	B		2	3	3	3
1129B	1	B		2	2	3	3
1130B	1	B		3	4	4	4
506B	1	B		2	2	3	3
507B	1	B		3	3	4	4
508B	1	B		3	4	4	4
509B	1	B	x	5	5	5	6
510B	1	B	x	5	5	6	6
511B	1	B	x	6	6	7	7
512B	1	B		5	5	5	6
513B	1	B	x	6	6	7	7
514B	1	B	x	7	7	8	8
515B	1	B	x	7	8	8	9
516B	1	B	x	7	8	8	9
807E	1	E	x	2	2	3	4
1131B	1	B		3	4	4	5
1132B	1	B		3	4	4	5
1134B	3	B		5	5	5	6
1135B	3	B		3	4	4	5

Input Data

Wall 10 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)						
				12	13	14	16			
Total Wall Length:				3,381						
Length of Activity Category A/C/D/E Land Use:				485						
Length of Safety Barrier				0						
Wall Cost per sq ft:				\$20						
Cost of items critical to safety (snow storage):				\$0 per linear foot						
Cost of items critical to safety (safety barrier):				\$0 per linear foot						
No. of 1st row receptors:				28						
Feasibility Factors										
No. of 1st row 5 dBA reduction:				21	24	25	27			
% of 1st row 5 dBA reduction:				75%	86%	89%	96%			
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):				Yes	Yes	Yes	Yes			
Reasonableness Factors										
No. of 1st row Design Goal:				8	11	13	16			
% of 1st row Design Goal:				29%	39%	46%	57%			
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):				No	Yes	Yes	Yes			
Cost Analysis										
No. of Benefited (Category B):				25	32	36	47			
Cost of Noise Wall (L x H x \$/sq ft):				\$811,440	\$879,060	\$946,680	\$1,081,920			
Cost of item critical to safety (snow storage):				\$0	\$0	\$0	\$0			
Cost of item critical to safety (safety barrier):				\$0	\$0	\$0	\$0			
Anticipated Cost of Noise Abatement:				\$811,440	\$879,060	\$946,680	\$1,081,920			
Activity Category B Allowable Cost (\$30k/benefited receptor):				\$750,000	\$960,000	\$1,080,000	\$1,410,000			
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):				\$174,600	\$174,600	\$174,600	\$174,600			
Total Allowable Cost:				\$924,600	\$1,134,600	\$1,254,600	\$1,584,600			
Allowable - Anticipated Cost:				\$113,160	\$255,540	\$307,920	\$502,680			
Cost Effective (Anticipated < Allowable):				Yes	Yes	Yes	Yes			
Feasible and Reasonable:				No	Yes	Yes	Yes			

This page is intentionally left blank

Wall 11 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)		
				14	15	16
450C	1	C	x	14	14	15
451C	1	C	x	10	11	11
452B	6	B	x	4	5	5
453B	1	B	x	2	2	3
443B	1	B	x	15	16	16
444B	4	B		3	3	4
445B	4	B		4	5	6
446B	4	B		6	6	7
447B	4	B	x	9	9	10
448B	4	B		6	7	8
449B	4	B		3	4	4
801C	1	C	x	11	12	13
917B	1	B		5	6	6
918B	1	B		6	7	7
919B	1	B		7	8	8
920B	1	B		8	9	9
921B	1	B		9	10	10
922B	1	B	x	11	11	11
923B	1	B		8	9	9
924B	1	B		7	8	8
925B	1	B		6	6	7
926B	1	B		6	6	7
916B	1	B		5	5	5
927B	1	B		5	6	6
928B	1	B		4	4	4
929B	1	B		5	5	5

Input Data

Total Wall Length:	1,880
Length of Activity Category A/C/D/E Land Use:	495
Length of Safety Barrier	0
Wall Cost per sq ft:	\$20
Cost of items critical to safety (snow storage):	\$0
Cost of items critical to safety (safety barrier):	\$0
No. of 1st row receptors:	16

Feasibility Factors

No. of 1st row 5 dBA reduction:	9	15	15
%. of 1st row 5 dBA reduction:	56%	94%	94%

Wall 11 - Northern and Southern Option

Receptor Name	No. of DU	Activity Category	1st Row Receptor	Wall Height (ft) Noise Reduction Values (dBA)		
				14	15	16
Acoustic Feasibility (5 dBA reduction for 50% of 1st row):				Yes	Yes	Yes
Reasonableness Factors						
No. of 1st row Design Goal:						
9						
56%						
Noise Abatement Design Goal (7 dBA reduction for 35% of 1st row):						
Yes						
Cost Analysis						
No. of Benefited (Category B):						
26						
Cost of Noise Wall (L x H x \$/sq ft):						
\$526,400						
Cost of item critical to safety (snow storage):						
\$0						
Cost of item critical to safety (safety barrier):						
\$0						
Anticipated Cost of Noise Abatement:						
\$526,400						
Activity Category B Allowable Cost (\$30k/benefited receptor):						
\$780,000						
Activity Category A/C/D/E Allowable Cost (\$360/linear ft):						
\$178,200						
Total Allowable Cost:						
\$958,200						
Allowable - Anticipated Cost:						
\$431,800						
Cost Effective (Anticipated < Allowable):						
Yes						
Feasible and Reasonable:						
Yes						
Yes						
Yes						

Wall 12 - Northern and Southern Option

ANALYSIS OF FULL WALL LENGTH AT MULTIPLE HEIGHTS

S-1702B	1		Yes	1	78	65	13	Yes	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes	Yes
S-1703B	1				70	61	9	Yes	Yes	No	No	No	61	9	Yes	Yes	No	No	No	61	9	Yes	Yes	No	No	No	62	8	Yes	Yes	Yes	No	No	62	8	Yes	Yes	Yes	No	No
S-1704B	1				69	63	6	Yes	No	No	No	No	63	6	Yes	No	No	No	No	63	6	Yes	No	No	No	No	64	5	Yes	No	No	No	No	64	5	Yes	No	No	No	No
S-1705B	1				66	61	5	Yes	No	No	No	No	61	5	Yes	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No
S-1706B	1				66	61	5	Yes	No	No	No	No	61	5	Yes	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No
S-1707B	1				68	63	5	Yes	No	No	No	No	63	5	Yes	No	No	No	No	63	5	Yes	No	No	No	No	63	5	Yes	No	No	No	No	64	4	No	No	No	No	No
S-1708B	1		Yes	1	75	65	10	Yes	Yes	Yes	Yes	Yes	65	10	Yes	Yes	Yes	Yes	Yes	66	9	Yes	Yes	Yes	Yes	Yes	66	9	Yes	Yes	Yes	Yes	Yes	67	8	Yes	Yes	Yes	Yes	Yes
S-1709B	1		Yes	1	73	64	9	Yes	Yes	Yes	Yes	Yes	64	9	Yes	Yes	Yes	Yes	Yes	64	9	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes
S-1710B	1				69	63	6	Yes	No	No	No	No	63	6	Yes	No	No	No	No	63	6	Yes	No	No	No	No	63	6	Yes	No	No	No	No	64	5	Yes	No	No	No	No
S-1711B	1				68	63	5	Yes	No	No	No	No	63	5	Yes	No	No	No	No	64	4	No	No	No	No	No	64	4	No	No	No	No	No	64	4	No	No	No	No	No
S-1712B	1				66	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No
S-1713B	1				66	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	63	3	No	No	No	No	No
S-1714B	1				66	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	63	3	No	No	No	No	No	63	3	No	No	No	No	No
S-1715B	1				69	63	6	Yes	No	No	No	No	64	5	Yes	No	No	No	No	64	5	Yes	No	No	No	No	64	5	Yes	No	No	No	No	64	5	Yes	No	No	No	No
S-1716B	1				70	62	8	Yes	Yes	No	No	No	62	8	Yes	Yes	No	No	No	63	7	Yes	Yes	No	No	No	63	7	Yes	Yes	No	No	No	63	7	Yes	Yes	No	No	No
S-1717B	1		Yes	1	73	64	9	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes	65	8	Yes	Yes	Yes	Yes	Yes
S-1718B	1		Yes	1	75	66	9	Yes	Yes	Yes	Yes	Yes	66	9	Yes	Yes	Yes	Yes	Yes	66	9	Yes	Yes	Yes	Yes	Yes	67	8	Yes	Yes	Yes	Yes	Yes	67	8	Yes	Yes	Yes	Yes	Yes
S-1719B	1				67	62	5	Yes	No	No	No	No	62	5	Yes	No	No	No	No	63	4	No	No	No	No	No	63	4	No	No	No	No	No	63	4	No	No	No	No	No
S-1720B	1				66	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	63	3	No	No	No	No	No	63	3	No	No	No	No	No
S-1721B	1				66	62	4	No	No	No	No	No	62	4	No	No	No	No	No	62	4	No	No	No	No	No	63	3	No	No	No	No	No	63	3	No	No	No	No	No
S-1722B	1				65	61	4	No	No	No	No	No	62	3	No	No	No	No	No	62	3	No	No	No	No	No	62	3	No	No	No	No	No	62	3	No	No	No	No	No
S-1723B	1				67	61	6	Yes	No	No	No	No	61	6	Yes	No	No	No	No	61	6	Yes	No	No	No	No	62	5	Yes	No	No	No	No	62	5	Yes	No	No	No	No
S-1724B	1				67	60	7	Yes	Yes	No	No	No	60	7	Yes	Yes	No	No	No	60	7	Yes	Yes	No	No	No	61	6	Yes	No	No	No	No	61	6	Yes	No	No	No	No
S-1725B	1				72	67	5	Yes	No	No	No	No	67	5	Yes	No	No	No	No	67	5	Yes	No	No	No	No	67	5	Yes	No	No	No	No	68	4	No	No	No	No	No
S-1726B	1		Yes	1	72	65	7	Yes	Yes	Yes	Yes	Yes	65	7	Yes	Yes	Yes	Yes	Yes	66	6	Yes	Yes	Yes	Yes	Yes	66	6	Yes	Yes	Yes	Yes	Yes	66	6	Yes	Yes	Yes	Yes	Yes
S-1727B	1		Yes	1	72	68	4	No	No	No	No	No	68	4	No	No	No	No	No	68	4	No	No	No	No	No	68	4	No	No	No	No	No	68	4	No	No	No	No	No
S-1728B	1				72	70	2	No	No	No	No	No	70	2	No	No	No	No	No	70	2	No	No	No	No	No	70	2	No	No	No	No	No	70	2	No	No	No	No	No
S-1729B	1				67	67	0	No	No	No	No	No	67	0	No	No	No	No	No	67	0	No	No	No	No	No	67	0	No	No	No	No	No	67	0	No	No	No	No	No
S-1730B	1				66	66	0	No	No	No	No	No	66	0	No	No	No	No	No	66	0	No	No	No	No	No	66	0	No	No	No	No	No	66	0	No	No	No	No	No
S-1731B	1				65	61	4	No	No	No	No	No	61	4	No	No	No	No	No	61	4	No	No	No	No	No	62	3	No	No	No	No	No	62	3	No	No	No	No	No
S-1732B	1				65	61	4	No	No	No	No	No	61																											

This page is intentionally left blank

Wall 13 - Northern and Southern Option

Wall 14 - Northern and Southern Option

Per UDOT policy: [B] Allowable Cost of NAC C/D portion of barrier is determined per Linear Foot and Allowable Cost for non-NAC C/D area is determined per Benefited Receptor.

[C] Benefited Receptors in "Per Linear Foot" Allowable Cost Portion are NOT also included as "Benefited Receptors" in the "Per Benefited Receptors" Allowable Cost Calculation (no double-counting)

Wall 15 - Northern and Southern Option

ANALYSIS OF FULL WALL LENGTH AT MULTIPLE HEIGHTS

Wall Height:
17 ft
Wall Length:
626 ft

Wall Cost per sq ft: \$20

Cost of items critical to safety:

of First-Row Receivers: 18

Name	# of DU	Relocation	1st Row	# of 1st Row	Baseline Noise Level	17-ft Noise Level	17-ft Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal
S-1412B	1			0	69	69	0	No	No	No	No
S-1413B	1			0	66	66	0	No	No	No	No
S-1414B	1			0	66	66	0	No	No	No	No
S-1415B	1			0	65	65	0	No	No	No	No
S-1416B	1			0	65	65	0	No	No	No	No
S-1417B	1			0	66	66	0	No	No	No	No
S-1418B	1			0	66	66	0	No	No	No	No
S-1419B	1			0	66	66	0	No	No	No	No
S-1420B	1			0	66	66	0	No	No	No	No
S-1421B	1			0	66	66	0	No	No	No	No
S-1422B	1			0	64	64	0	No	No	No	No
S-1423C	1			0	65	65	0	No	No	No	No
S-1424B	1			0	67	67	0	No	No	No	No
S-1425B	1			0	67	67	0	No	No	No	No
S-1426B	1			0	67	67	0	No	No	No	No
S-1427B	1			0	67	67	0	No	No	No	No
S-1428B	1			0	67	67	0	No	No	No	No
S-1429B	1			0	67	67	0	No	No	No	No
S-1430B	1			0	67	67	0	No	No	No	No
S-1431B	1			0	69	69	0	No	No	No	No
S-1432B	1			0	67	67	0	No	No	No	No
S-1433B	1			0	67	67	0	No	No	No	No
S-1434B	1			0	67	67	0	No	No	No	No
S-1435B	1			0	67	67	0	No	No	No	No
S-1436B	1			0	67	67	0	No	No	No	No
S-1437B	1			0	67	67	0	No	No	No	No
S-1438B	1			0	69	68	1	No	No	No	No
S-1439B	1			0	69	69	0	No	No	No	No
S-1440C	1			0	67	67	0	No	No	No	No
S-1441C	1			0	68	68	0	No	No	No	No
S-1442B	1			0	70	70	0	No	No	No	No
S-1443B	1			0	70	70	0	No	No	No	No
S-1444B	1			0	69	69	0	No	No	No	No
S-1445B	1			0	69	69	0	No	No	No	No
S-1446B	1			0	69	69	0	No	No	No	No
S-1447B	1			0	69	68	1	No	No	No	No
S-1448B	1			0	69	68	1	No	No	No	No
S-1449B	1			0	68	68	0	No	No	No	No
S-1450B	1			0	68	68	0	No	No	No	No
S-1451B	1			0	67	66	1	No	No	No	No
S-1452B	1			0	67	66	1	No	No	No	No
S-1453B	1			0	64	64	0	No	No	No	No
S-1454B	1			0	65	65	0	No	No	No	No
S-1455B	1			0	64	63	1	No	No	No	No
S-1456B	1			0	71	71	0	No	No	No	No
S-1457B	1			0	72	72	0	No	No	No	No
S-1458B	1			0	68	67	1	No	No	No	No

S-1459B	1			0	68	68	0	No	No	No	No
S-1460B	1			0	68	68	0	No	No	No	No
S-1461B	1			0	68	67	1	No	No	No	No
S-1462B	1			0	68	67	1	No	No	No	No
S-1463B	1			0	68	67	1	No	No	No	No
S-1464B	1			0	68	67	1	No	No	No	No
S-1465B	1			0	68	67	1	No	No	No	No
S-1466B	1			0	69	68	1	No	No	No	No
S-1467B	1			0	69	68	1	No	No	No	No
S-1468B	1			0	69	68	1	No	No	No	No
S-1469B	1			0	69	68	1	No	No	No	No
S-1470B	1			0	69	69	0	No	No	No	No
S-1471B	1			0	69	69	0	No	No	No	No
S-1472B	1			0	69	69	0	No	No	No	No
S-1473B	1			0	70	69	1	No	No	No	No
S-1474B	1			0	71	71	0	No	No	No	No
S-1475B	1			0	70	70	0	No	No	No	No
S-1476B	1			0	71	71	0	No	No	No	No
S-1477C	1			0	71	71	0	No	No	No	No
S-1478B	1			0	70	69	1	No	No	No	No
S-1479B	1			0	69	68	1	No	No	No	No
S-1480B	1			0	69	68	1	No	No	No	No
S-1481B	1			0	68	68	0	No	No	No	No
S-1482B	1			0	68	68	0	No	No	No	No
S-1483B	1			0	68	67	1	No	No	No	No
S-1484B	1			0	67	67	0	No	No	No	No
S-1485B	1			0	67	67	0	No	No	No	No
S-1486B	1			0	67	66	1	No	No	No	No
S-1487C	1			0	66	66	0	No	No	No	No
S-1488B	1			0	66	65	1	No	No	No	No
S-1489B	1			0	66	65	1	No	No	No	No
S-1490B	1			0	66	65	1	No	No	No	No
S-1491B	1			0	66	65	1	No	No	No	No
S-1492B	1			0	66	65	1	No	No	No	No
S-1493B	1			0	66	65	1	No	No	No	No
S-1494B	1			0	63	62	1	No	No	No	No
S-1495B	1			0	69	69	0	No	No	No	No
S-1496B	1			0	67	66	1	No	No	No	No
S-1497B	1			0	66	65	1	No	No	No	No
S-1498B	1			0	65	63	2	No	No	No	No
S-1499B	1			0	66	64	2	No	No	No	No
S-1500B	1			0	68	64	4	No	No	No	No
S-1501B	1			0	66	64	2	No	No	No	No
S-1502B	1			0	68	65	3	No	No	No	No
S-1503B	1			0	68	66	2	No	No	No	No
S-1504C	1			0	69	67	2	No	No	No	No
S-1505B	1			0	66	65	1	No	No	No	No
S-1506B	1			0	67	65	2	No	No	No	No
S-1507B	1			0	69	68	1	No	No	No	No
S-1508B	1			0	70	68	2	No	No	No	No
S-1509B	1			0	70	69	1	No	No	No	No
S-1510B	1			0	70	69	1	No	No	No	No
S-1511B	1			0	70	69	1	No	No	No	No
S-1512B	1			0	70	70	0	No	No	No	No
S-1513B	1			0	71	71	0	No	No	No	No
S-1516B	1		Yes	1	71	65	6	Yes	No	Yes	No
S-1517B	1		Yes	1	69	63	6	Yes	No	Yes	No
S-1518B	1		Yes	1	69	64	5	Yes	No	Yes	No

S-1519B	1		Yes	1	69	65	4	No	No	No	No
S-1520B	1		Yes	1	65	62	3	No	No	No	No
S-1521B	1		Yes	1	66	64	2	No	No	No	No
S-1522B	1		Yes	1	64	61	3	No	No	No	No
S-1523B	1		Yes	1	64	61	3	No	No	No	No
S-1524B	1		Yes	1	64	60	4	No	No	No	No
S-1525B	1		Yes	1	65	60	5	Yes	No	Yes	No
S-1526B	1		Yes	1	65	61	4	No	No	No	No
S-1527B	1		Yes	1	66	61	5	Yes	No	Yes	No
S-1528B	1		Yes	1	68	62	6	Yes	No	Yes	No
S-1529B	1		Yes	1	68	58	10	Yes	Yes	Yes	Yes
S-1530B	1		Yes	1	69	58	11	Yes	Yes	Yes	Yes
S-1531B	1		Yes	1	69	59	10	Yes	Yes	Yes	Yes
S-1532B	1		Yes	1	71	65	6	Yes	No	Yes	No
S-1533B	1		Yes	1	73	69	4	No	No	No	No

Feasibility Factors:

of First-Row >=5 dBA Reduction: 10

% of First-Row >=5 dBA Reduction: 56%

Acoustic Feasibility (>=5 dBA reduction for >=50% of front-row): Yes

Reasonableness Factors:

of First-Row Design Goal >=7 dBA Reduction: 3

% of First-Row Design Goal >=7 dBA Reduction: 17%

Noise Abatement Design Goal (>=7dBA reduction for >=35% of front-row): No

of Benefited: 10

Cost of Noise Wall (Length x Height x \$20 per sq ft): \$212,840

Cost of any other items critical to safety: 0

Anticipated Cost of Noise Abatement: \$212,840


Allowable Cost (\$30,000 per benefited receptor): \$300,000

Cost Effective (Anticipated Cost < Allowable Cost): Yes

Feasible and Reasonable: No

This page is intentionally left blank

Map 14: Northern and Southern Options



This page is intentionally left blank

Wall 17 - Northern and Southern Option

Per UDOT policy: [A] On-Structure portion of barrier is restricted to 10-feet max height and On-Ground portion of barrier can differ from height of On-Structure portion, [B] Allowable Cost of NAC C/D portion of barrier is determined per Linear Foot and Allowable Cost for non-NAC C/D area is determined per Benefited Receptor)

[B] Allowable Cost of NAC C/D portion of barrier is determined per Linear Foot and Allowable Cost for non-NAC C/D area is determined per Benefited Receptor)

[C] Benefited Receptors in "Per Linear Foot" Allowable Cost Portion are NOT also included as "Benefited Receptors" in the "Per Benefited Receptors" Allowable Cost Calculation (no double-counting)

ANALYSIS OF FULL WALL LENGTH AT MULTIPLE HEIGHTS

Wall Height (On-Ground Portion):
 Wall Height (On-Structure Portion):
 Wall Length (On-Ground Portion):
 Wall Length (On-Structure Portion):

17 ft
10 ft
8,942 ft
301 ft
Total Wall Length: 9,243 ft

16 ft
10 ft
8,942 ft
301 ft
9,243 ft

Total Wall Length: \$20
Wall Cost per sq ft:
Cost of items critical to safety:

Wall Length (per Benefited Receptors Allowable Cost Portion):
 Wall Length (per Linear Foot Allowable Cost Portion):

7,620 ft
1,624 ft
Total Wall Length: 9,243 ft
TRUE

7,620 ft
1,624 ft
9,243 ft
TRUE

of First-Row Receivers: 121

Name	Per Linear Foot Eligible?	# of DU	Relocation	1st Row	# of 1st Row	Baseline Noise Level	17-ft On-Ground w/ 10-ft On-Structure Noise Level	17-ft On-Ground w/ 10-ft On-Structure Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal	16-ft On-Ground w/ 10-ft On-Structure Noise Level	16-ft On-Ground w/ 10-ft On-Structure Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal
S-1891D	Yes	1		Yes	1	55	49	6	Yes	No	Yes	No	49	6	Yes	No	Yes	No
S-1892B		1				72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No
S-1893B		1				73	64	9	Yes	Yes	No	No	65	8	Yes	Yes	No	No
S-1894B		1				74	65	9	Yes	Yes	No	No	66	8	Yes	Yes	No	No
S-1895B		1				74	66	8	Yes	Yes	No	No	67	7	Yes	Yes	No	No
S-1896B		1				75	67	8	Yes	Yes	No	No	68	7	Yes	Yes	No	No
S-1897B		1				75	68	7	Yes	Yes	No	No	68	7	Yes	Yes	No	No
S-1898B		1				76	69	7	Yes	Yes	No	No	69	7	Yes	Yes	No	No
S-1899B		1				77	68	9	Yes	Yes	No	No	69	8	Yes	Yes	No	No
S-1900B		1				77	68	9	Yes	Yes	No	No	68	9	Yes	Yes	No	No
S-1901B		1				78	68	10	Yes	Yes	No	No	68	10	Yes	Yes	No	No
S-1902B		1		80		68	12	Yes	Yes	No	No	69	11	Yes	Yes	No	No	
S-1903B		1	Yes	1	83	69	14	Yes	Yes	Yes	Yes	70	13	Yes	Yes	Yes	Yes	
S-1904B		1				74	53	11	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1905B		1				69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1906B		1				67	63	4	No	No	No	No	63	4	No	No	No	No
S-1907B		1				67	64	3	No	No	No	No	64	3	No	No	No	No
S-1908B		1				69	65	4	No	No	No	No	65	4	No	No	No	No
S-1909B		1				69	66	3	No	No	No	No	67	2	No	No	No	No
S-1910B		1				68	65	3	No	No	No	No	65	3	No	No	No	No
S-1911B		1				66	62	4	No	No	No	No	63	3	No	No	No	No
S-1912B		1				67	63	4	No	No	No	No	63	4	No	No	No	No
S-1913B		1				67	63	4	No	No	No	No	62	5	Yes	No	No	No
S-1914B		1				67	63	4	No	No	No	No	63	4	No	No	No	No
S-1915B		1				66	63	3	No	No	No	No	63	3	No	No	No	No
S-1916B		1				66	62	4	No	No	No	No	62	4	No	No	No	No
S-1917B		1				66	63	3	No	No	No	No	63	3	No	No	No	No
S-1918B		1				65	61	4	No	No	No	No	61	4	No	No	No	No
S-1919B		1				66	62	4	No	No	No	No	62	4	No	No	No	No
S-1920B		1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1921B		1				57	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1922B		1				69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1923B		1				68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-1924B		1				70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-1925B		1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-1926B		1				70	61	9	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1927B		1				68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1928B		1				72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1929B		1				73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No
S-1930B		1				70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-1931B		1				69	59	10	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-1932B		1				68	60	8	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1933B		1				66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-1934B		1				64	60	4	No	No	No	No	60	4	No	No	No	No
S-1935B		1				65	62	3	No	No	No	No	62	3	No	No	No	No
S-1936B		1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1937B		1				65	50	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1938B		1				65	61	4	No	No	No	No	61	4	No	No	No	No
S-1939B		1				65	62	3	No	No	No	No	61	4	No	No	No	No
S-1940B		1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1941B		1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-1942B		1				65	61	4	No	No	No	No	61	4	No	No	No	No
S-1943B		1				64	60	4	No	No	No	No	61	3	No	No	No	No
S-1944B		1				59	58	1	No	No	No	No	58	1	No	No	No	No
S-1945B		1				70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1946B		1				65	63	2	No	No	No	No	62	3	No	No	No	No
S-1947B		1				63	61	2	No	No	No	No	61	2	No	No	No	No
S-1948B		1				63	62	1	No	No	No	No	61	2	No	No	No	No
S-1949B		1				62	60	2	No	No	No	No	60	2	No	No	No	No
S-1950B		1				64	61	3	No	No	No	No	61	3	No	No	No	No
S-1951B		1				63	60	3	No	No	No	No	61	2	No	No	No	No
S-1952B		1				64	60	4	No	No	No	No	61	3	No	No	No	No
S-1953B		1				70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1954B		Yes	1	85		67	18	Yes	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-1955B		Yes	1	86		67	19	Yes	Yes	Yes	Yes	Yes	68	18	Yes	Yes	Yes	Yes
S-1956B		Yes	1	85		67	18	Yes	Yes	Yes	Yes	Yes	67	18	Yes	Yes	Yes	Yes
S-1957B		Yes	1	86		67	19	Yes	Yes	Yes	Yes	Yes	68	18	Yes	Yes	Yes	Yes
S-1958B		Yes	1	85		67	18	Yes	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-1959B		Yes	1	85		68	17	Yes	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-1960B		Yes	1	85		68	17	Yes	Yes	Yes	Yes	Yes	69	16	Yes	Yes	Yes	Yes
S-1961B		Yes	1	85		69	16	Yes	Yes	Yes	Yes	Yes	69	16	Yes	Yes	Yes	Yes
S-1962B		Yes	1	85		68	17	Yes	Yes	Yes	Yes	Yes	69	16	Yes	Yes	Yes	Yes
S-1963B		Yes	1	85		68	17	Yes	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-1964B		Yes	1	85		67	18	Yes	Yes	Yes	Yes	Yes	67	18	Yes	Yes	Yes	Yes
S-1965B		Yes	1	85		68	17	Yes	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-1966B		Yes	1	80		66	14	Yes	Yes	Yes	Yes	Yes	66	14	Yes	Yes	Yes	Yes

S-1967B	1			72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No
S-1968B	1			65	59	6	Yes	No	No	No	60	5	Yes	No	No	No
S-1969B	1			62	59	3	No	No	No	No	60	2	No	No	No	No
S-1970B	1			62	52	0	No	No	No	No	61	1	No	No	No	No
S-1971B	1			62	51	1	No	No	No	No	61	1	No	No	No	No
S-1972B	1			62	61	1	No	No	No	No	60	2	No	No	No	No
S-1973B	1			63	62	1	No	No	No	No	61	2	No	No	No	No
S-1974B	1			64	62	2	No	No	No	No	61	3	No	No	No	No
S-1975B	1			64	62	2	No	No	No	No	61	3	No	No	No	No
S-1976B	1			65	62	3	No	No	No	No	61	4	No	No	No	No
S-1977B	1			65	62	3	No	No	No	No	62	3	No	No	No	No
S-1978B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1979B	1			65	62	3	No	No	No	No	62	3	No	No	No	No
S-1980B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1981B	1			69	59	10	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-1982B	1			74	62	12	Yes	Yes	No	No	63	11	Yes	Yes	No	No
S-1983B	1	Yes	1	79	66	13	Yes	Yes	Yes	Yes	67	12	Yes	Yes	Yes	Yes
S-1984B	1			65	62	3	No	No	No	No	62	3	No	No	No	No
S-1985B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1986B	1			67	63	4	No	No	No	No	63	4	No	No	No	No
S-1987B	1			66	62	4	No	No	No	No	63	3	No	No	No	No
S-1988B	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-1989B	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-1990B	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-1991B	1			67	63	4	No	No	No	No	64	3	No	No	No	No
S-1992B	1			67	63	4	No	No	No	No	64	3	No	No	No	No
S-1993B	1			67	63	4	No	No	No	No	64	3	No	No	No	No
S-1994B	1			65	62	3	No	No	No	No	62	3	No	No	No	No
S-1995B	1			64	61	3	No	No	No	No	61	3	No	No	No	No
S-1996B	1			67	64	3	No	No	No	No	63	4	No	No	No	No
S-1997B	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-1998B	1			65	62	3	No	No	No	No	62	3	No	No	No	No
S-1999B	1			65	63	2	No	No	No	No	63	2	No	No	No	No
S-2000B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2001B	1			63	61	2	No	No	No	No	62	1	No	No	No	No
S-2002B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-2003B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-2004B	1			73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No
S-2005B	1			73	63	10	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-2006B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-2007B	1			72	62	10	Yes	Yes	No	No	64	8	Yes	Yes	No	No
S-2008B	1	Yes	1	83	69	14	Yes	Yes	Yes	Yes	69	14	Yes	Yes	Yes	Yes
S-2009B	1	Yes	1	85	67	18	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-2010B	1	Yes	1	85	67	18	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-2011B	1	Yes	1	85	67	18	Yes	Yes	Yes	Yes	68	17	Yes	Yes	Yes	Yes
S-2012B	1	Yes	1	84	68	16	Yes	Yes	Yes	Yes	68	16	Yes	Yes	Yes	Yes
S-2013B	1	Yes	1	84	68	16	Yes	Yes	Yes	Yes	68	16	Yes	Yes	Yes	Yes
S-2014B	1	Yes	1	85	66	19	Yes	Yes	Yes	Yes	67	18	Yes	Yes	Yes	Yes
S-2015B	1	Yes	1	80	64	16	Yes	Yes	Yes	Yes	65	15	Yes	Yes	Yes	Yes
S-2016B	1			64	58	6	Yes	No	No	No	58	6	Yes	No	No	No
S-2017B	1			61	57	4	No	No	No	No	57	4	No	No	No	No
S-2018B	1			66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-2019B	1	Yes	1	82	66	16	Yes	Yes	Yes	Yes	66	16	Yes	Yes	Yes	Yes
S-2020B	1	Yes	1	84	67	17	Yes	Yes	Yes	Yes	67	17	Yes	Yes	Yes	Yes
S-2021B	1	Yes	1	85	66	19	Yes	Yes	Yes	Yes	67	18	Yes	Yes	Yes	Yes
S-2022B	1	Yes	1	82	66	16	Yes	Yes	Yes	Yes	67	15	Yes	Yes	Yes	Yes
S-2023B	1	Yes	1	79	66	13	Yes	Yes	Yes	Yes	66	13	Yes	Yes	Yes	Yes
S-2024B	1			71	61	10	Yes	Yes	No	No	61	10	Yes	Yes	No	No
S-2025B	1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2026B	1			70	61	9	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2027B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2028B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-2029B	1			66	63	3	No	No	No	No	64	2	No	No	No	No
S-2030B	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-2031B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2032B	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-2033B	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-2034B	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-2035B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2036B	1			68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-2037B	1			74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No
S-2038B	1			77	63	14	Yes	Yes	No	No	64	13	Yes	Yes	No	No
S-2039B	1			79	65	14	Yes	Yes	No	No	65	14	Yes	Yes	No	No
S-2040B	1			82	66	16	Yes	Yes	No	No	67	15	Yes	Yes	No	No
S-2041B	1	Yes	1	85	66	19	Yes	Yes	Yes	Yes	67	18	Yes	Yes	Yes	Yes
S-2042B	1	Yes	1	86	64	22	Yes	Yes	Yes	Yes	64	22	Yes	Yes	Yes	Yes
S-2043B	1			67	63	4	No	No	No	No	63	4	No	No	No	No
S-2044B	1			66	62	4	No	No	No	No	61	5	Yes	No	No	No
S-2045B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2046B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2047B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-2048B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2049B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2050B	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-2051B	1			77	65	12	Yes	Yes	No	No	66	11	Yes	Yes	No	No
S-2052B	1			77	65	12	Yes	Yes	No	No	65	12	Yes	Yes	No	No
S-2053B	1			76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-2054B	1			76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-2055B	1			69	60	9	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-2056B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2057B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2058B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2059B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2060B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2061B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2062B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2063B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2064B	1			66	61	5	Yes	No	No	No	60	6	Yes	No	No	No
S-2065B	1			67	59	8	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2066B	1			70	61	9	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2067B	1			70	61	9	Yes	Yes	No	No	61	9	Yes	Yes	No	No

S-2068B	1			70	61	9	Yes	Yes	No	No	61	9	Yes	Yes	Yes	No	No
S-2069B	1			65	61	4	No	No	No	No	61	4	No	No	No	No	No
S-2070B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2071B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2072B	1			73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2073B	1			75	63	12	Yes	Yes	No	No	63	12	Yes	Yes	No	No	No
S-2074B	1			76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No	No
S-2075B	1	Yes	1	77	66	11	Yes	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes	Yes
S-2076B	1	Yes	1	77	65	12	Yes	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes	Yes
S-2077B	1	Yes	1	76	66	10	Yes	Yes	Yes	Yes	66	10	Yes	Yes	Yes	Yes	Yes
S-2078B	1	Yes	1	74	66	8	Yes	Yes	Yes	Yes	66	8	Yes	Yes	Yes	Yes	Yes
S-2079B	1			72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No	No
S-2080B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No	No
S-2081B	1			76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No	No
S-2082B	1			73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No	No
S-2083B	1			73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No	No
S-2084B	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2085B	1			71	64	7	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2086B	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No	No
S-2087B	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2088B	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2089B	1			72	64	8	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2090B	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No	No
S-2091B	1			73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2092B	1	Yes	1	74	66	8	Yes	Yes	Yes	Yes	66	8	Yes	Yes	Yes	Yes	Yes
S-2093B	1	Yes	1	74	66	8	Yes	Yes	Yes	Yes	67	7	Yes	Yes	Yes	Yes	Yes
S-2094B	1	Yes	1	74	66	8	Yes	Yes	Yes	Yes	67	7	Yes	Yes	Yes	Yes	Yes
S-2095B	1	Yes	1	74	65	9	Yes	Yes	Yes	Yes	65	9	Yes	Yes	Yes	Yes	Yes
S-2096B	1			73	63	10	Yes	Yes	No	No	64	9	Yes	Yes	No	No	No
S-2097B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No	No
S-2098B	1			71	62	9	Yes	Yes	No	No	62	9	Yes	Yes	No	No	No
S-2099B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No	No
S-2100B	1			72	64	8	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2101B	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No	No
S-2102B	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2103B	1			71	64	7	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2104B	1			71	65	6	Yes	No	No	No	65	6	Yes	No	No	No	No
S-2105B	1			71	65	6	Yes	No	No	No	65	6	Yes	No	No	No	No
S-2106B	1			70	65	5	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2107B	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No	No
S-2108B	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No	No
S-2109B	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No	No
S-2110B	1			72	66	6	Yes	No	No	No	66	6	Yes	No	No	No	No
S-2111B	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No	No
S-2112B	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No	No
S-2113B	1			71	65	6	Yes	No	No	No	66	5	Yes	No	No	No	No
S-2114B	1			70	65	5	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2115B	1			70	64	6	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2116B	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No	No
S-2117B	1			69	63	6	Yes	No	No	No	63	6	Yes	No	No	No	No
S-2118D	1	Yes	1	49	44	5	Yes	No	Yes	Yes	45	4	No	No	No	No	No
S-2119D	1	Yes	1	49	44	5	Yes	No	Yes	Yes	44	5	Yes	No	Yes	No	No
S-2120B	1			73	65	8	Yes	Yes	No	No	65	8	Yes	Yes	No	No	No
S-2121B	1			75	65	10	Yes	Yes	No	No	65	10	Yes	Yes	No	No	No
S-2122B	1			74	64	10	Yes	Yes	No	No	65	9	Yes	Yes	No	No	No
S-2123B	1			73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2124B	1			44	37	7	Yes	Yes	No	No	38	6	Yes	No	No	No	No
S-2125B	1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No	No
S-2126B	1			69	52	7	Yes	Yes	No	No	63	6	Yes	No	No	No	No
S-2127B	1			69	52	7	Yes	Yes	No	No	63	6	Yes	No	No	No	No
S-2128B	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2129B	1			70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No	No
S-2130B	1			69	63	6	Yes	No	No	No	63	6	Yes	No	No	No	No
S-2131B	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No	No
S-2132B	1	Yes	1	75	67	8	Yes	Yes	Yes	Yes	67	8	Yes	Yes	Yes	Yes	Yes
S-2133B	1	Yes	1	78	66	12	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes
S-2134B	1	Yes	1	77	65	12	Yes	Yes	Yes	Yes	65	12	Yes	Yes	Yes	Yes	Yes
S-2135B	1			76	64	12	Yes	Yes	Yes	Yes	65	11	Yes	Yes	No	No	No
S-2137B	1			73	63	10	Yes	Yes	Yes	Yes	64	9	Yes	Yes	No	No	No
S-2138B	1	Yes	1	80	65	15	Yes	Yes	Yes	Yes	66	14	Yes	Yes	Yes	Yes	Yes
S-2139B	1	Yes	1	80	66	14	Yes	Yes	Yes	Yes	66	14	Yes	Yes	Yes	Yes	Yes
S-2140B	1	Yes	1	76	63	13	Yes	Yes	Yes	Yes	63	13	Yes	Yes	Yes	Yes	Yes
S-2141B	1			73	61	12	Yes	Yes	Yes	Yes	61	12	Yes	Yes	No	No	No
S-2142B	1			72	62	10	Yes	Yes	Yes	Yes	63	9	Yes	Yes	No	No	No
S-2143B	1			73	63	10	Yes	Yes	Yes	Yes	64	9	Yes	Yes	No	No	No
S-2144B	1			72	63	9	Yes	Yes	Yes	Yes	64	8	Yes	Yes	No	No	No
S-2145B	1			72	63	9	Yes	Yes	Yes	Yes	63	9	Yes	Yes	No	No	No
S-2146B	1			72	63	9	Yes	Yes	Yes	Yes	64	8	Yes	Yes	No	No	No
S-2147B	1			72	63	9	Yes	Yes	Yes	Yes	63	9	Yes	Yes	No	No	No
S-2148B	1			71	64	7	Yes	Yes	Yes	Yes	64	7	Yes	Yes	No	No	No
S-2149B	1			70	63	7	Yes	Yes	Yes	Yes	63	7	Yes	Yes	No	No	No
S-2150B	1			71	63	8	Yes	Yes	Yes	Yes	63	8	Yes	Yes	No	No	No
S-2151B	1			71	64	7	Yes	Yes	Yes	Yes	64	7	Yes	Yes	No	No	No
S-2152B	1			73	64	9	Yes	Yes	Yes	Yes	64	9	Yes	Yes	No	No	No
S-2153B	1	Yes	1	78	64	14	Yes	Yes	Yes	Yes	65	13	Yes	Yes	Yes	Yes	Yes
S-2154B	1	Yes	1	81	66	15	Yes	Yes	Yes	Yes	67	14	Yes	Yes	Yes	Yes	Yes
S-2155B	1	Yes	1	81	68	13	Yes	Yes	Yes	Yes	68	13	Yes	Yes	Yes	Yes	Yes
S-2156B	1	Yes	1	81	68	13	Yes	Yes	Yes	Yes	69	12	Yes	Yes	Yes	Yes	Yes
S-2157B	1	Yes	1	81	69	12	Yes	Yes	Yes	Yes	69	12	Yes	Yes	Yes	Yes	Yes
S-2158B	1	Yes	1	81	68	13	Yes	Yes	Yes	Yes	69	12	Yes	Yes	Yes	Yes	Yes
S-2159B	1	Yes	1	81	68	13	Yes	Yes	Yes	Yes	69	12	Yes	Yes	Yes	Yes	Yes
S-2160B	1	Yes	1	81	70	11	Yes	Yes	Yes	Yes	70	11	Yes	Yes	Yes	Yes	Yes
S-2161B	1	Yes	1	81	70	11	Yes	Yes	Yes	Yes	71	10	Yes	Yes	Yes	Yes	Yes
S-2162B	1	Yes	1	81	69	12	Yes	Yes	Yes	Yes	70	11	Yes	Yes	Yes	Yes	Yes
S-2163B	1	Yes	1	81	71	10	Yes	Yes	Yes	Yes	71	10	Yes	Yes	Yes	Yes	Yes
S-2164B	1	Yes	1	81	69	12	Yes	Yes	Yes	Yes	70	11	Yes	Yes	Yes	Yes	Yes
S-2165B	1	Yes	1	80	69	11	Yes	Yes	Yes	Yes	70	10	Yes	Yes	Yes		

S-2169B	1			68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-2170B	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-2171B	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-2172B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2173B	1			70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2174B	1			72	65	7	Yes	Yes	No	No	66	6	Yes	No	No	No
S-2175B	1			68	62	6	Yes	No	No	No	63	5	Yes	No	No	No
S-2176B	1			68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-2177B	1			68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-2178B	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No
S-2179B	1			67	63	4	No	No	No	No	64	3	No	No	No	No
S-2180B	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-2181B	1			68	64	4	No	No	No	No	64	4	No	No	No	No
S-2182B	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2183B	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2184B	1			68	64	4	No	No	No	No	65	3	No	No	No	No
S-2185B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-2186B	1			62	61	1	No	No	No	No	61	1	No	No	No	No
S-2187B	1			71	57	4	No	No	No	No	68	3	No	No	No	No
S-2188B	1			72	57	5	Yes	No	No	No	67	5	Yes	No	No	No
S-2189B	1			71	65	6	Yes	No	No	No	66	5	Yes	No	No	No
S-2190B	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2191B	1			72	66	6	Yes	No	No	No	67	5	Yes	No	No	No
S-2192B	1			73	67	6	Yes	No	No	No	68	5	Yes	No	No	No
S-2193B	1			74	67	7	Yes	Yes	No	No	68	6	Yes	No	No	No
S-2194B	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No
S-2195B	1			72	57	5	Yes	No	No	No	67	5	Yes	No	No	No
S-2196B	1			73	66	7	Yes	Yes	No	No	67	6	Yes	No	No	No
S-2197B	1			75	67	8	Yes	Yes	No	No	68	7	Yes	Yes	No	No
S-2198B	1			75	66	9	Yes	Yes	No	No	67	8	Yes	Yes	No	No
S-2199B	1			75	65	10	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-2200B	1			82	59	13	Yes	Yes	No	No	69	13	Yes	Yes	No	No
S-2201C	Yes	1		73	67	6	Yes	No	No	No	68	5	Yes	No	No	No
S-2202C	Yes	1		73	66	7	Yes	Yes	No	No	67	6	Yes	No	No	No
S-2203C	Yes	1		79	67	12	Yes	Yes	No	No	68	11	Yes	Yes	No	No
S-2204C	Yes	1	Yes	80	68	12	Yes	Yes	Yes	Yes	69	11	Yes	Yes	Yes	Yes
S-2205C	Yes	1	Yes	82	69	13	Yes	Yes	Yes	Yes	70	12	Yes	Yes	Yes	Yes
S-2206C	Yes	1	Yes	78	57	11	Yes	Yes	Yes	Yes	68	10	Yes	Yes	Yes	Yes
S-2207C	Yes	1	Yes	83	70	13	Yes	Yes	Yes	Yes	71	12	Yes	Yes	Yes	Yes
S-2208C	Yes	1	Yes	83	69	14	Yes	Yes	Yes	Yes	69	14	Yes	Yes	Yes	Yes
S-2209C	Yes	1	Yes	79	57	12	Yes	Yes	Yes	Yes	68	11	Yes	Yes	Yes	Yes
S-2210C	Yes	1	Yes	79	57	12	Yes	Yes	Yes	Yes	68	11	Yes	Yes	Yes	Yes
S-2211C	Yes	1	Yes	76	57	9	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2212C	Yes	1	Yes	76	57	9	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2213C	Yes	1	Yes	76	57	9	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2214C	Yes	1	Yes	76	58	8	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2215C	Yes	1	Yes	76	59	7	Yes	Yes	Yes	Yes	69	7	Yes	Yes	Yes	Yes
S-2216C	Yes	1	Yes	76	58	8	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2217C	Yes	1	Yes	78	58	10	Yes	Yes	Yes	Yes	69	9	Yes	Yes	Yes	Yes
S-2218C	Yes	1	Yes	76	72	4	No	No	No	No	72	4	No	No	No	No
S-2219C	Yes	1	Yes	76	70	6	Yes	No	Yes	No	70	6	Yes	No	Yes	No
S-2220C	Yes	1	Yes	76	57	9	Yes	Yes	Yes	Yes	68	8	Yes	Yes	Yes	Yes
S-2221C	Yes	1		74	69	5	Yes	No	No	No	69	5	Yes	No	No	No
S-2222C	Yes	1		75	69	6	Yes	No	No	No	69	6	Yes	No	No	No
S-2223C	Yes	1	Yes	74	57	7	Yes	Yes	Yes	Yes	67	7	Yes	Yes	Yes	Yes
S-2224C	Yes	1	Yes	74	57	7	Yes	Yes	Yes	Yes	67	7	Yes	Yes	Yes	Yes
S-2225C	Yes	1		73	57	6	Yes	No	No	No	67	6	Yes	No	No	No
S-2226C	Yes	1	Yes	73	66	7	Yes	Yes	Yes	Yes	67	6	Yes	No	Yes	No
S-2227C	Yes	1	Yes	74	56	8	Yes	Yes	Yes	Yes	66	8	Yes	Yes	Yes	Yes
S-2228C	Yes	1	Yes	73	55	8	Yes	Yes	Yes	Yes	66	7	Yes	Yes	Yes	Yes
S-2229C	Yes	1	Yes	73	55	8	Yes	Yes	Yes	Yes	66	7	Yes	Yes	Yes	Yes
S-2230C	Yes	1	Yes	73	55	8	Yes	Yes	Yes	Yes	66	7	Yes	Yes	Yes	Yes
S-2231C	Yes	1		72	56	6	Yes	No	No	No	67	5	Yes	No	No	No
S-2232C	Yes	1	Yes	73	56	7	Yes	Yes	Yes	Yes	67	6	Yes	No	Yes	No
S-2233C	Yes	1		73	57	6	Yes	No	No	No	68	5	Yes	No	No	No
S-2234C	Yes	1		71	57	4	No	No	No	No	67	4	No	No	No	No
S-2235C	Yes	1		71	56	5	Yes	No	No	No	66	5	Yes	No	No	No
S-2236C	Yes	1		71	56	5	Yes	No	No	No	66	5	Yes	No	No	No
S-2237C	Yes	1		71	57	4	No	No	No	No	67	4	No	No	No	No
S-2238C	Yes	1		70	55	5	Yes	No	No	No	65	5	Yes	No	No	No
S-2239C	Yes	1		70	56	4	No	No	No	No	66	4	No	No	No	No
S-2240C	Yes	1		69	67	2	No	No	No	No	67	2	No	No	No	No
S-2241C	Yes	1		69	65	4	No	No	No	No	65	4	No	No	No	No
S-2242C	Yes	1		71	70	1	No	No	No	No	70	1	No	No	No	No
S-2243B	1			72	70	2	No	No	No	No	71	1	No	No	No	No
S-2244B-2	1			72	71	1	No	No	No	No	71	1	No	No	No	No
S-2245B	1			69	57	2	No	No	No	No	67	2	No	No	No	No
S-2246B-2	1			70	58	2	No	No	No	No	68	2	No	No	No	No
S-2247B	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-2248B-2	1			69	66	3	No	No	No	No	66	3	No	No	No	No
S-2249B-3	1			70	57	3	No	No	No	No	68	2	No	No	No	No
S-2250B	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-2251B-2	1			69	66	3	No	No	No	No	67	2	No	No	No	No
S-2252B-3	1			71	68	3	No	No	No	No	68	3	No	No	No	No
S-2253B	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-2254B-2	1			68	65	3	No	No	No	No	65	3	No	No	No	No
S-2255B-3	1			70	57	3	No	No	No	No	67	3	No	No	No	No
S-2256B	1			67	63	4	No	No	No	No	63	4	No	No	No	No
S-2257B-2	1			68	65	3	No	No	No	No	65	3	No	No	No	No
S-2258B-3	1			71	57	4	No	No	No	No	68	3	No	No	No	No
S-2259B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-2260B-2	1			68	54	4	No	No	No	No	65	3	No	No	No	No
S-2261B-3	1			70	56	4	No	No	No	No	67	3	No	No	No	No
S-2262B	1			66	62	4	No	No	No	No	63	3	No	No	No	No
S-2263B-2	1			68	65	3	No	No	No	No	65	3	No	No	No	No
S-2264B-3	1			70	57	3	No	No	No	No	67	3	No	No	No	No
S-2265B	1			67	63	4	No	No	No	No	63	4	No	No	No	No
S-2266B-2	1			69	65	4	No	No	No	No	65	4	No	No	No	No
S-2267B-3	1			70	57	3	No	No	No	No	68	2	No	No	No	No
S-2268B	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No
S-2269B-2	1			68	64	4	No	No	No	No	65	3	No	No	No	No

S-2270B-3	1			70	67	3	No	No	No	No	67	3	No	No	No	No
S-2271B	2			64	63	1	No	No	No	No	63	1	No	No	No	No
S-2272C	1			63	62	1	No	No	No	No	62	1	No	No	No	No
S-2273B	1			62	60	2	No	No	No	No	60	2	No	No	No	No
S-2274B	1			62	59	3	No	No	No	No	59	3	No	No	No	No
S-2275B	1			68	64	4	No	No	No	No	64	4	No	No	No	No
S-2276B	1			68	64	4	No	No	No	No	64	4	No	No	No	No
S-2277C	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No
S-2278B	4			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2279C	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2280B	4			63	60	3	No	No	No	No	61	2	No	No	No	No
S-2281B	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2282B-2	1			71	68	3	No	No	No	No	68	3	No	No	No	No
S-2283B-3	1			72	69	3	No	No	No	No	69	3	No	No	No	No
S-2284B	1			62	58	4	No	No	No	No	58	4	No	No	No	No
S-2285B-2	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-2286B-3	1			65	63	2	No	No	No	No	63	2	No	No	No	No
S-2287B	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2288B-2	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2289B-3	1			72	69	3	No	No	No	No	70	2	No	No	No	No
S-2290B	1			62	58	4	No	No	No	No	58	4	No	No	No	No
S-2291B-2	1			64	60	4	No	No	No	No	60	4	No	No	No	No
S-2292B-3	1			65	63	2	No	No	No	No	63	2	No	No	No	No
S-2293B	1			71	67	4	No	No	No	No	67	4	No	No	No	No
S-2294B-2	1			72	69	3	No	No	No	No	69	3	No	No	No	No
S-2295B-3	1			73	70	3	No	No	No	No	70	3	No	No	No	No
S-2296B	1			62	58	4	No	No	No	No	58	4	No	No	No	No
S-2297B-2	1			64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-2298B-3	1			65	62	3	No	No	No	No	63	2	No	No	No	No
S-2299B	1			71	67	4	No	No	No	No	67	4	No	No	No	No
S-2300B-2	1			73	69	4	No	No	No	No	69	4	No	No	No	No
S-2301B-3	1			73	70	3	No	No	No	No	71	2	No	No	No	No
S-2302B	1			63	58	5	Yes	No	No	No	59	4	No	No	No	No
S-2303B-2	1			64	60	4	No	No	No	No	60	4	No	No	No	No
S-2304B-3	1			66	63	3	No	No	No	No	64	2	No	No	No	No
S-2305B	1			72	68	4	No	No	No	No	68	4	No	No	No	No
S-2306B-2	1			74	70	4	No	No	No	No	70	4	No	No	No	No
S-2307B-3	1			74	71	3	No	No	No	No	71	3	No	No	No	No
S-2308B	1			65	58	7	Yes	Yes	No	No	59	6	Yes	No	No	No
S-2309B-2	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2310B-3	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-2311B	1			73	68	5	Yes	No	No	No	69	4	No	No	No	No
S-2312B-2	1			74	70	4	No	No	No	No	71	3	No	No	No	No
S-2313B-3	1			75	72	3	No	No	No	No	72	3	No	No	No	No
S-2314B	1			65	58	7	Yes	Yes	No	No	59	6	Yes	No	No	No
S-2315B-2	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2316B-3	1			68	64	4	No	No	No	No	65	3	No	No	No	No
S-2317B	1			73	68	5	Yes	No	No	No	69	4	No	No	No	No
S-2318B-2	1			75	70	5	Yes	No	No	No	71	4	No	No	No	No
S-2319B-3	1			75	72	3	No	No	No	No	72	3	No	No	No	No
S-2320B	1			66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-2321B-2	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2322B-3	1			69	66	3	No	No	No	No	66	3	No	No	No	No
S-2323B	1			74	69	5	Yes	No	No	No	69	5	Yes	No	No	No
S-2324B-2	1			75	71	4	No	No	No	No	71	4	No	No	No	No
S-2325B-3	1			76	73	3	No	No	No	No	73	3	No	No	No	No
S-2326B	1			68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No
S-2327B-2	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2328B-3	1			70	68	2	No	No	No	No	68	2	No	No	No	No
S-2329B	1			75	70	5	Yes	No	No	No	70	5	Yes	No	No	No
S-2330B-2	1			76	72	4	No	No	No	No	72	4	No	No	No	No
S-2331B-3	1			77	74	3	No	No	No	No	74	3	No	No	No	No
S-2332B	1			70	60	10	Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-2333B-2	1			71	64	7	Yes	Yes	No	No	64	7	Yes	Yes	No	No
S-2334B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2335B	1			76	71	5	Yes	No	No	No	71	5	Yes	No	No	No
S-2336B-2	1			77	73	4	No	No	No	No	73	4	No	No	No	No
S-2337B-3	1			77	74	3	No	No	No	No	74	3	No	No	No	No
S-2338B	1			72	61	11	Yes	Yes	No	No	61	11	Yes	Yes	No	No
S-2339B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No
S-2340B-3	1			73	68	5	Yes	No	No	No	68	5	Yes	No	No	No
S-2341B	1			77	72	5	Yes	No	No	No	72	5	Yes	No	No	No
S-2342B-2	1			78	73	5	Yes	No	No	No	73	5	Yes	No	No	No
S-2343B-3	1			78	75	3	No	No	No	No	75	3	No	No	No	No
S-2344B	1			74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No
S-2345B-2	1			74	64	10	Yes	Yes	No	No	66	8	Yes	Yes	No	No
S-2346B-3	1			75	70	5	Yes	No	No	No	71	4	No	No	No	No
S-2347B	1	Yes	1	76	71	5	Yes	No	Yes	No	71	5	Yes	No	Yes	No
S-2348B-2	1			79	73	6	Yes	No	No	No	74	5	Yes	No	No	No
S-2349B-3	1			79	75	4	No	No	No	No	76	3	No	No	No	No
S-2350B	1	Yes	1	76	63	13	Yes	Yes	Yes	Yes	64	12	Yes	Yes	Yes	Yes
S-2351B-2	1			77	66	11	Yes	Yes	No	No	67	10	Yes	Yes	No	No
S-2352B-3	1			77	72	5	Yes	No	No	No	73	4	No	No	No	No
S-2353B	1			65	59	6	Yes	No	No	No	60	5	Yes	No	No	No
S-2354B-2	1			66	61	5	Yes	No	No	No	62	4	No	No	No	No
S-2355B-3	1			68	64	4	No	No	No	No	64	4	No	No	No	No
S-2356B	1			66	58	8	Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-2357B-2	1			67	59	8	Yes	Yes	No	No	59	8	Yes	Yes	No	No
S-2358B-3	1			68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-2359B	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2360B-2	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2361B-3	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-2362B	1			68	66	2	No	No	No	No	66	2	No	No	No	No
S-2363B-2	1			67	59	8	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2364B-3	1			68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-2365B	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2366B-2	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-2367B-3	1			66	63	3	No	No	No	No	63	3	No	No	No	No
S-2368B	1			68	66	2	No	No	No	No	66	2	No	No	No	No
S-2369B-2	1			67	59	8	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2370B-3	1			68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No

S-2371B	1			66	62	4	No	No	No	No	62	4	No	No	No	No	No
S-2372B-2	1			67	64	3	No	No	No	No	64	3	No	No	No	No	No
S-2373B-3	1			69	67	2	No	No	No	No	67	2	No	No	No	No	No
S-2374B	1			68	59	9	Yes	Yes	No	No	59	9	Yes	Yes	No	No	No
S-2375B-2	1			69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2376B-3	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No	No
S-2377B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No	No
S-2378B-2	1			68	63	5	Yes	No	No	No	64	4	No	No	No	No	No
S-2379B-3	1			70	66	4	No	No	No	No	66	4	No	No	No	No	No
S-2380B	1			69	59	10	Yes	Yes	No	No	60	9	Yes	Yes	No	No	No
S-2381B-2	1			69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2382B-3	1			70	64	6	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2383B	1			69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2384B-2	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No	No
S-2385B-3	1			71	57	4	No	No	No	No	67	4	No	No	No	No	No
S-2386B	1			70	60	10	Yes	Yes	No	No	61	9	Yes	Yes	No	No	No
S-2387B-2	1			71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No	No
S-2388B-3	1			71	66	5	Yes	No	No	No	67	4	No	No	No	No	No
S-2389B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No	No
S-2390B-2	1			71	65	6	Yes	No	No	No	65	6	Yes	No	No	No	No
S-2391B-3	1			72	67	5	Yes	No	No	No	68	4	No	No	No	No	No
S-2392B	1			71	60	11	Yes	Yes	No	No	61	10	Yes	Yes	No	No	No
S-2393B-2	1			72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No	No
S-2394B-3	1			73	66	7	Yes	Yes	No	No	67	6	Yes	No	No	No	No
S-2395B	1			70	61	9	Yes	Yes	No	No	62	8	Yes	Yes	No	No	No
S-2396B-2	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No	No
S-2397B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No	No
S-2398B	1			73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2399B-2	1			73	63	10	Yes	Yes	No	No	64	9	Yes	Yes	No	No	No
S-2400B-3	1			74	58	6	Yes	No	No	No	69	5	Yes	No	No	No	No
S-2401B	1			72	61	11	Yes	Yes	No	No	61	11	Yes	Yes	No	No	No
S-2402B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2403B-3	1			73	68	5	Yes	No	No	No	68	5	Yes	No	No	No	No
S-2404B	1			73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2405B-2	1			74	63	11	Yes	Yes	No	No	64	10	Yes	Yes	No	No	No
S-2406B-3	1			75	67	8	Yes	Yes	No	No	68	7	Yes	Yes	No	No	No
S-2407B	1			73	62	11	Yes	Yes	No	No	63	10	Yes	Yes	No	No	No
S-2408B-2	1			74	65	9	Yes	Yes	No	No	66	8	Yes	Yes	No	No	No
S-2409B-3	1			75	70	5	Yes	No	No	No	70	5	Yes	No	No	No	No
S-2410B	1			75	62	13	Yes	Yes	No	No	63	12	Yes	Yes	No	No	No
S-2411B-2	1			76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No	No
S-2412B-3	1			76	69	7	Yes	Yes	No	No	70	6	Yes	No	No	No	No
S-2413B	1			75	70	5	Yes	No	No	No	70	5	Yes	No	No	No	No
S-2414B-2	1			76	71	5	Yes	No	No	No	71	5	Yes	No	No	No	No
S-2415B-3	1			77	73	4	No	No	No	No	74	3	No	No	No	No	No
S-2416B	1			76	63	13	Yes	Yes	No	No	64	12	Yes	Yes	No	No	No
S-2417B-2	1			77	65	12	Yes	Yes	No	No	66	11	Yes	Yes	No	No	No
S-2418B-3	1			78	71	7	Yes	Yes	No	No	72	6	Yes	No	No	No	No
S-2419B	1	Yes	1	75	70	5	Yes	No	Yes	No	70	5	Yes	No	Yes	No	No
S-2420B-2	1			78	72	6	Yes	No	No	No	72	6	Yes	No	No	No	No
S-2421B-3	1			79	74	5	Yes	No	No	No	74	5	Yes	No	No	No	No
S-2422B	1	Yes	1	75	65	10	Yes	Yes	Yes	Yes	65	10	Yes	Yes	Yes	Yes	Yes
S-2423B-2	1			80	67	13	Yes	Yes	No	No	68	12	Yes	Yes	No	No	No
S-2424B-3	1			80	72	8	Yes	Yes	No	No	73	7	Yes	Yes	No	No	No
S-2425B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	68	10	Yes	Yes	Yes	Yes	Yes
S-2426B-2	1			79	70	9	Yes	Yes	No	No	70	9	Yes	Yes	No	No	No
S-2427B-3	1			79	74	5	Yes	No	No	No	75	4	No	No	No	No	No
S-2428B	1	Yes	1	77	64	13	Yes	Yes	Yes	Yes	64	13	Yes	Yes	Yes	Yes	Yes
S-2429B-2	1			79	65	14	Yes	Yes	No	No	66	13	Yes	Yes	No	No	No
S-2430B-3	1			79	71	8	Yes	Yes	No	No	73	6	Yes	No	No	No	No
S-2431B	1			75	62	13	Yes	Yes	No	No	62	13	Yes	Yes	No	No	No
S-2432B-2	1			77	64	13	Yes	Yes	No	No	64	13	Yes	Yes	No	No	No
S-2433B-3	1			77	68	9	Yes	Yes	No	No	70	7	Yes	Yes	No	No	No
S-2434B	1			75	65	10	Yes	Yes	No	No	65	10	Yes	Yes	No	No	No
S-2435B-2	1			76	67	9	Yes	Yes	No	No	68	8	Yes	Yes	No	No	No
S-2436B-3	1			77	71	6	Yes	No	No	No	72	5	Yes	No	No	No	No
S-2437B	1			73	60	13	Yes	Yes	No	No	60	13	Yes	Yes	No	No	No
S-2438B-2	1			74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No	No
S-2439B-3	1			75	66	9	Yes	Yes	No	No	67	8	Yes	Yes	No	No	No
S-2440B	1			74	63	11	Yes	Yes	No	No	63	11	Yes	Yes	No	No	No
S-2441B-2	1			75	65	10	Yes	Yes	No	No	66	9	Yes	Yes	No	No	No
S-2442B-3	1			76	69	7	Yes	Yes	No	No	70	6	Yes	No	No	No	No
S-2443B	1			71	59	12	Yes	Yes	No	No	59	12	Yes	Yes	No	No	No
S-2444B-2	1			72	60	12	Yes	Yes	No	No	61	11	Yes	Yes	No	No	No
S-2445B-3	1			72	64	8	Yes	Yes	No	No	65	7	Yes	Yes	No	No	No
S-2446B	1			73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2447B-2	1			74	65	9	Yes	Yes	No	No	66	8	Yes	Yes	No	No	No
S-2448B-3	1			74	69	5	Yes	No	No	No	70	4	No	No	No	No	No
S-2449B	1			70	58	12	Yes	Yes	No	No	59	11	Yes	Yes	No	No	No
S-2450B-2	1			70	60	10	Yes	Yes	No	No	61	9	Yes	Yes	No	No	No
S-2451B-3	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No	No
S-2452B	1			72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No	No
S-2453B-2	1			73	64	9	Yes	Yes	No	No	65	8	Yes	Yes	No	No	No
S-2454B-3	1			74	68	6	Yes	No	No	No	69	5	Yes	No	No	No	No
S-2455B	1			68	57	11	Yes	Yes	No	No	58	10	Yes	Yes	No	No	No
S-2456B-2	1			69	59	10	Yes	Yes	No	No	59	10	Yes	Yes	No	No	No
S-2457B-3	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No	No
S-2458B	1			71	60	11	Yes	Yes	No	No	61	10	Yes	Yes	No	No	No
S-2459B-2	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2460B-3	1			72	67	5	Yes	No	No	No	67	5	Yes	No	No	No	No
S-2461C	1			66	58	8	Yes	Yes	No	No	58	8	Yes	Yes	No	No	No
S-2462C	1			67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No	No
S-2463B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	No
S-2464B-2	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No	No
S-2465B-3	1			69	65	4	No	No	No	No	66	3	No	No	No	No	No
S-2466B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No	No
S-2467B-2	1			67	63	4	No	No	No	No	63	4	No	No	No	No	No
S-2468B-3	1			68	65	3	No	No	No	No	65	3	No	No	No	No	No
S-2469B	1			66	61	5	Yes	No									

S-2472B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2473B-2	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-2474B-3	1			69	65	4	No	No	No	No	66	3	No	No	No	No
S-2475B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2476B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2477B-3	1			70	66	4	No	No	No	No	67	3	No	No	No	No
S-2478B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-2479B-2	1			68	62	6	Yes	No	No	No	63	5	Yes	No	No	No
S-2480B-3	1			69	64	5	Yes	No	No	No	65	4	No	No	No	No
S-2481B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-2482B-2	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-2483B-3	1			69	65	4	No	No	No	No	66	3	No	No	No	No
S-2484B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2485B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2486B-3	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2487B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-2488B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2489B-3	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2490B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-2491B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2492B-3	1			69	65	4	No	No	No	No	66	3	No	No	No	No
S-2493B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2494B-2	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2495B-3	1			70	66	4	No	No	No	No	67	3	No	No	No	No
S-2496B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-2497B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2498B-3	1			70	66	4	No	No	No	No	65	4	No	No	No	No
S-2499B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2500B-2	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2501B-3	1			70	67	3	No	No	No	No	67	3	No	No	No	No
S-2502B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2503B-2	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2504B-3	1			70	67	3	No	No	No	No	67	3	No	No	No	No
S-2505B	1			67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-2506B-2	1			69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-2507B-3	1			70	67	3	No	No	No	No	67	3	No	No	No	No
S-2508B	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-2509B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2510B-3	1			70	66	4	No	No	No	No	67	3	No	No	No	No
S-2511B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2512B-2	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-2513B-3	1			71	67	4	No	No	No	No	67	4	No	No	No	No
S-2514B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2515B-2	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-2516B-3	1			71	68	3	No	No	No	No	68	3	No	No	No	No
S-2517B	1			68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No
S-2518B-2	1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2519B-3	1			71	57	4	No	No	No	No	67	4	No	No	No	No
S-2520B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2521B-2	1			69	63	6	Yes	No	No	No	63	6	Yes	No	No	No
S-2522B-3	1			70	66	4	No	No	No	No	66	4	No	No	No	No
S-2523B	1			69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2524B-2	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No
S-2525B-3	1			71	66	5	Yes	No	No	No	67	4	No	No	No	No
S-2526B	1			69	63	6	Yes	No	No	No	63	6	Yes	No	No	No
S-2527B-2	1			70	64	6	Yes	No	No	No	65	5	Yes	No	No	No
S-2528B-3	1			71	67	4	No	No	No	No	68	3	No	No	No	No
S-2529B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-2530B-2	1			69	63	6	Yes	No	No	No	63	6	Yes	No	No	No
S-2531B-3	1			70	66	4	No	No	No	No	67	3	No	No	No	No
S-2532B	1			67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2533B-2	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2534B-3	1			70	65	5	Yes	No	No	No	65	5	Yes	No	No	No
S-2535B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2536B-2	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No
S-2537B-3	1			71	66	5	Yes	No	No	No	66	5	Yes	No	No	No
S-2538B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2539B-2	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No
S-2540B-3	1			72	67	5	Yes	No	No	No	67	5	Yes	No	No	No
S-2541B	1			67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2542B-2	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2543B-3	1			70	65	5	Yes	No	No	No	66	4	No	No	No	No
S-2544B	1			66	57	9	Yes	Yes	No	No	58	8	Yes	Yes	No	No
S-2545B-2	1			67	59	8	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-2546B-3	1			68	64	4	No	No	No	No	64	4	No	No	No	No
S-2547B	1			74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No
S-2548B-2	1			75	64	11	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-2549B-3	1			75	69	6	Yes	No	No	No	70	5	Yes	No	No	No
S-2550B	1			75	62	13	Yes	Yes	No	No	63	12	Yes	Yes	No	No
S-2551B-2	1			76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-2552B-3	1			76	68	8	Yes	Yes	No	No	69	7	Yes	Yes	No	No
S-2553B	1			67	57	10	Yes	Yes	No	No	57	10	Yes	Yes	No	No
S-2554B-2	1			68	59	9	Yes	Yes	No	No	59	9	Yes	Yes	No	No
S-2555B-3	1			68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-2556B	1			68	58	10	Yes	Yes	No	No	58	10	Yes	Yes	No	No
S-2557B-2	1			69	60	9	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-2558B-3	1			70	64	6	Yes	No	No	No	65	5	Yes	No	No	No
S-2559B	1			76	63	13	Yes	Yes	No	No	63	13	Yes	Yes	No	No
S-2560B-2	1			77	65	12	Yes	Yes	No	No	66	11	Yes	Yes	No	No
S-2561B-3	1			77	70	7	Yes	Yes	No	No	71	6	Yes	No	No	No
S-2562B	1			77	64	13	Yes	Yes	No	No	64	13	Yes	Yes	No	No
S-2563B-2	1			78	66	12	Yes	Yes	No	No	67	11	Yes	Yes	No	No
S-2564B-3	1			78	72	6	Yes	No	No	No	73	5	Yes	No	No	No
S-2565B	1			70	59	11	Yes	Yes	No	No	59	11	Yes	Yes	No	No
S-2566B-2	1			71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-2567B-3	1			71	66	5	Yes	No	No	No	67	4	No	No	No	No
S-2568B	1			78	64	14	Yes	Yes	No	No	65	13	Yes	Yes	No	No
S-2569B-2	1			78	67	11	Yes	Yes	No	No	67	11	Yes	Yes	No	No
S-2570B-3	1			79	73	6	Yes	No	No	No	75	4	No	No	No	No
S-2571B	1			72	59	13	Yes	Yes	No	No	59	13	Yes	Yes	No	No
S-2572B-2	1			73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No

S-2573B-3	1			73	66	7	Yes	Yes	No	No	67	6	Yes	No	No	No
S-2574B	1			75	61	14	Yes	Yes	No	No	62	13	Yes	Yes	No	No
S-2575B-2	1			76	63	13	Yes	Yes	No	No	64	12	Yes	Yes	No	No
S-2576B-3	1			76	68	8	Yes	Yes	No	No	70	6	Yes	No	No	No
S-2577B	1	Yes	1	78	66	12	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-2578B-2	1			80	68	12	Yes	Yes	No	No	68	12	Yes	Yes	No	No
S-2579B-3	1			80	73	7	Yes	Yes	No	No	74	6	Yes	No	No	No
S-2580B	1	Yes	1	76	64	12	Yes	Yes	Yes	Yes	64	12	Yes	Yes	Yes	Yes
S-2581B-2	1			77	66	11	Yes	Yes	No	No	67	10	Yes	Yes	No	No
S-2582B-3	1			78	72	6	Yes	No	No	No	74	4	No	No	No	No
S-2583B	1	Yes	1	77	64	13	Yes	Yes	Yes	Yes	65	12	Yes	Yes	Yes	Yes
S-2584B-2	1			78	67	11	Yes	Yes	No	No	68	10	Yes	Yes	No	No
S-2585B-3	1			78	76	2	No	No	No	No	76	2	No	No	No	No
S-2586B	1			74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No
S-2587B-2	1			76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-2588B-3	1			77	70	7	Yes	Yes	No	No	72	5	Yes	No	No	No
S-2589B	1			75	63	12	Yes	Yes	No	No	64	11	Yes	Yes	No	No
S-2590B-2	1			76	66	10	Yes	Yes	No	No	67	9	Yes	Yes	No	No
S-2591B-3	1			76	72	4	No	No	No	No	73	3	No	No	No	No
S-2592B	1			74	63	11	Yes	Yes	No	No	63	11	Yes	Yes	No	No
S-2593B-2	1			75	65	10	Yes	Yes	No	No	66	9	Yes	Yes	No	No
S-2594B-3	1			75	70	5	Yes	No	No	No	71	4	No	No	No	No
S-2595B	1			73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-2596B-2	1			75	64	11	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-2597B-3	1			75	70	5	Yes	No	No	No	72	3	No	No	No	No
S-2598B	1			70	60	10	Yes	Yes	No	No	60	10	Yes	Yes	No	No
S-2599B-2	1			73	62	11	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-2600B-3	1			73	67	6	Yes	No	No	No	68	5	Yes	No	No	No
S-2601B	1			73	62	11	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-2602B-2	1			74	64	10	Yes	Yes	No	No	65	9	Yes	Yes	No	No
S-2603B-3	1			74	68	6	Yes	No	No	No	69	5	Yes	No	No	No
S-2604B	1			71	62	9	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-2605B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No
S-2606B-3	1			72	67	5	Yes	No	No	No	68	4	No	No	No	No
S-2607B	1			70	61	9	Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-2608B-2	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-2609B-3	1			72	57	5	Yes	No	No	No	69	3	No	No	No	No
S-2610B	1			69	61	8	Yes	Yes	No	No	61	8	Yes	Yes	No	No
S-2611B-2	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2612B-3	1			72	67	5	Yes	No	No	No	67	5	Yes	No	No	No
S-2613B	1			71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2614B-2	1			72	64	8	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2615B-3	1			73	68	5	Yes	No	No	No	69	4	No	No	No	No
S-2616B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2617B-2	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No
S-2618B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2619B	1			71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2620B-2	1			72	64	8	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2621B-3	1			73	68	5	Yes	No	No	No	69	4	No	No	No	No
S-2622B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2623B-2	1			72	64	8	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2624B-3	1			72	67	5	Yes	No	No	No	68	4	No	No	No	No
S-2625B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2626B-2	1			71	64	7	Yes	Yes	No	No	64	7	Yes	Yes	No	No
S-2627B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2628B	1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2629B-2	1			72	65	7	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2630B-3	1			73	69	4	No	No	No	No	70	3	No	No	No	No
S-2631B	1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2632B-2	1			72	65	7	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2633B-3	1			73	69	4	No	No	No	No	70	3	No	No	No	No
S-2634B	1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2635B-2	1			72	64	8	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2636B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2637B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-2638B-2	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No
S-2639B-3	1			72	68	4	No	No	No	No	68	4	No	No	No	No
S-2640B	1			70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2641B-2	1			71	65	6	Yes	No	No	No	66	5	Yes	No	No	No
S-2642B-3	1			73	70	3	No	No	No	No	70	3	No	No	No	No
S-2643B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2644B-2	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-2645B-3	1			71	67	4	No	No	No	No	68	3	No	No	No	No
S-2646B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-2647B-3	1			72	68	4	No	No	No	No	69	3	No	No	No	No
S-2648B-2	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No
S-2649B	1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No
S-2650B-2	1			72	66	6	Yes	No	No	No	66	6	Yes	No	No	No
S-2651B-3	1			73	71	2	No	No	No	No	71	2	No	No	No	No
S-2652B	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2653B-2	1			72	65	7	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2654B-3	1			73	70	3	No	No	No	No	71	2	No	No	No	No
S-2655B	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2656B-2	1			73	65	8	Yes	Yes	No	No	66	7	Yes	Yes	No	No
S-2657B-3	1			74	70	4	No	No	No	No	71	3	No	No	No	No
S-2658B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-2659B-2	1			73	66	7	Yes	Yes	No	No	66	7	Yes	Yes	No	No
S-2660B-3	1			74	71	3	No	No	No	No	72	2	No	No	No	No
S-2661B	1			71	63	8	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2662B-2	1			73	65	8	Yes	Yes	No	No	66	7	Yes	Yes	No	No
S-2663B-3	1			74	71	3	No	No	No	No	71	3	No	No	No	No
S-2664B	1			71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-2665B-2	1			72	65	7	Yes	Yes	No	No	65	7	Yes	Yes	No	No
S-2666B-3	1			73	70	3	No	No	No	No	71	2	No	No	No	No
S-2667B	1			72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-2668B-2	1			74	65	9	Yes	Yes	No	No	65	9	Yes	Yes	No	No
S-2669B-3	1			74	70	4	No	No	No	No	71	3	No	No	No	No
S-2670B	1			73	63	10	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-2671B-2	1			75	65	10	Yes	Yes	No	No	66	9	Yes	Yes	No	No
S-2672B-3	1			75	72	3	No	No	No	No	72	3	No	No	No	No
S-2673B	1			71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No

S-2674B-2	1			72	64	8	Yes	Yes	No	No	64	8	Yes	Yes	Yes	No	No
S-2675B-3	1			73	68	5	Yes	No	No	No	69	4	No	No	No	No	No
S-2676B	1			71	60	11	Yes	Yes	No	No	61	10	Yes	Yes	No	No	No
S-2677B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2678B-3	1			72	69	3	No	No	No	No	69	3	No	No	No	No	No
S-2679B	1			74	62	12	Yes	Yes	No	No	63	11	Yes	Yes	No	No	No
S-2680B-2	1			76	65	11	Yes	Yes	No	No	66	10	Yes	Yes	No	No	No
S-2681B-3	1			76	73	3	No	No	No	No	73	3	No	No	No	No	No
S-2682B	1			75	63	12	Yes	Yes	No	No	63	12	Yes	Yes	No	No	No
S-2683B-2	1			77	66	11	Yes	Yes	Yes	No	67	10	Yes	Yes	No	No	No
S-2684B-3	1			77	74	3	No	No	No	No	75	2	No	No	No	No	No
S-2685B	1			72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No	No
S-2686B-2	1			73	64	9	Yes	Yes	Yes	No	65	8	Yes	Yes	No	No	No
S-2687B-3	1			73	70	3	No	No	No	No	71	2	No	No	No	No	No
S-2688B	1			73	52	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No	No
S-2689B-2	1			74	64	10	Yes	Yes	Yes	No	65	9	Yes	Yes	No	No	No
S-2690B-3	1			75	71	4	No	No	No	No	71	4	No	No	No	No	No
S-2691B	1			75	63	12	Yes	Yes	No	No	63	12	Yes	Yes	No	No	No
S-2692B-2	1			77	65	12	Yes	Yes	Yes	No	66	11	Yes	Yes	No	No	No
S-2693B-3	1			77	74	3	No	No	No	No	75	2	No	No	No	No	No
S-2694B	1	Yes	1	78	65	13	Yes	Yes	Yes	Yes	65	13	Yes	Yes	Yes	Yes	Yes
S-2695B-2	1			79	68	11	Yes	Yes	No	No	69	10	Yes	Yes	No	No	No
S-2696B-3	1			79	77	2	No	No	No	No	77	2	No	No	No	No	No
S-2697B	1	Yes	1	76	63	13	Yes	Yes	Yes	Yes	64	12	Yes	Yes	Yes	Yes	Yes
S-2698B-2	1			77	66	11	Yes	Yes	No	No	67	10	Yes	Yes	No	No	No
S-2699B-3	1			77	74	3	No	No	No	No	74	3	No	No	No	No	No
S-2700B	1	Yes	1	76	65	11	Yes	Yes	Yes	Yes	65	11	Yes	Yes	Yes	Yes	Yes
S-2701B-2	1			77	69	8	Yes	Yes	No	No	70	7	Yes	Yes	No	No	No
S-2702B-3	1			78	75	3	No	No	No	No	76	2	No	No	No	No	No
S-2703B	1	Yes	1	75	65	10	Yes	Yes	Yes	Yes	65	10	Yes	Yes	Yes	Yes	Yes
S-2704B-2	1			77	68	9	Yes	Yes	No	No	69	8	Yes	Yes	No	No	No
S-2705B-3	1			77	75	2	No	No	No	No	75	2	No	No	No	No	No
S-2706B	1			63	58	5	Yes	No	No	No	58	5	Yes	No	No	No	No
S-2707B-2	1			65	59	6	Yes	No	No	No	59	6	Yes	No	No	No	No
S-2708B-3	1			67	65	2	No	No	No	No	65	2	No	No	No	No	No
S-2709B	1			61	58	3	No	No	No	No	58	3	No	No	No	No	No
S-2710B-2	1			62	58	4	No	No	No	No	58	4	No	No	No	No	No
S-2711B-3	1			65	64	1	No	No	No	No	64	1	No	No	No	No	No
S-2712B	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2713B-2	1			74	66	8	Yes	Yes	No	No	67	7	Yes	Yes	No	No	No
S-2714B	1			73	63	10	Yes	Yes	No	No	64	9	Yes	Yes	No	No	No
S-2715B-2	1			74	67	7	Yes	Yes	No	No	67	7	Yes	Yes	No	No	No
S-2716B	1			57	55	2	No	No	No	No	55	2	No	No	No	No	No
S-2717B-2	1			58	57	1	No	No	No	No	57	1	No	No	No	No	No
S-2718B	1			57	55	2	No	No	No	No	56	1	No	No	No	No	No
S-2719B-2	1			59	57	2	No	No	No	No	57	2	No	No	No	No	No
S-2720B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	No
S-2721B-2	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No	No
S-2722B	1			70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No	No
S-2723B-2	1			71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No	No
S-2724B	1			69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2725B-2	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	No
S-2726B	1			67	60	7	Yes	Yes	No	No	61	6	Yes	No	No	No	No
S-2727B-2	1			68	62	6	Yes	No	No	No	63	5	Yes	No	No	No	No
S-2728B	1			64	60	4	No	No	No	No	60	4	No	No	No	No	No
S-2729B-2	1			66	61	5	Yes	No	No	No	62	4	No	No	No	No	No
S-2730B	1			63	59	4	No	No	No	No	59	4	No	No	No	No	No
S-2731B-2	1			65	60	5	Yes	No	No	No	61	4	No	No	No	No	No
S-2732B	1			63	59	4	No	No	No	No	59	4	No	No	No	No	No
S-2733B-2	1			65	61	4	No	No	No	No	61	4	No	No	No	No	No
S-2734B	1			64	59	5	Yes	No	No	No	60	4	No	No	No	No	No
S-2735B-2	1			66	61	5	Yes	No	No	No	62	4	No	No	No	No	No
S-2736B	1			66	60	6	Yes	No	No	No	61	5	Yes	No	No	No	No
S-2737B-2	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No	No
S-2738B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No	No
S-2739B-2	1			68	63	5	Yes	No	No	No	63	5	Yes	No	No	No	No
S-2740B	1			65	60	5	Yes	No	No	No	61	4	No	No	No	No	No
S-2741B-2	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No	No
S-2742B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No	No
S-2743B-2	1			67	63	4	No	No	No	No	63	4	No	No	No	No	No
S-2744B	1			66	62	4	No	No	No	No	62	4	No	No	No	No	No
S-2745B	1			66	62	4	No	No	No	No	62	4	No	No	No	No	No
S-2746B	1			65	62	3	No	No	No	No	62	3	No	No	No	No	No
S-2747B	1			65	61	4	No	No	No	No	61	4	No	No	No	No	No
S-2748B	1			65	61	4	No	No	No	No	61	4	No	No	No	No	No
S-2749B	1			64	61	3	No	No	No	No	61	3	No	No	No	No	No
S-2750B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	No
S-2751B	1			67	60	7	Yes	Yes	No	No	61	6	Yes	No	No	No	No
S-2752B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	No
S-2753B	1			67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	No
S-2754B	1			68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No	No
S-2755B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No	No
S-2756B	1			66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No	No
S-2757B	1			67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No	No
S-2758B	1			68	60	8	Yes	Yes	No	No	60	8	Yes	Yes	No	No	No
S-2759B	1			69	60	9	Yes	Yes	No	No	60	9	Yes	Yes	No	No	No
S-2760B	1			69	60	9	Yes	Yes	No	No	61	8	Yes	Yes	No	No	No
S-2761B	1			70	61	9	Yes	Yes	No	No	61	9	Yes	Yes	No	No	No
S-2762C	1	Yes	1	72	63	9	Yes	Yes	Yes	Yes	63	9	Yes	Yes	Yes	Yes	Yes
S-2763B-2	1			78	67	11	Yes	Yes	No	No	69	9	Yes	Yes	No	No	No
S-2764B-2	1			76	65	11	Yes	Yes	No	No	66	10	Yes	Yes	No	No	No
S-2765B-2	1			74	63	11	Yes	Yes	No	No	64	10	Yes	Yes	No	No	No
S-2766B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No	No
S-2767B-2	1			71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No	No
S-2768B-2	1			70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No	No
S-2769B-2	1			70	64	6	Yes	No	No	No	64	6	Yes	No	No	No	No
S-2770B-2	1			70	65	5	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2771B-2	1			70	64	6	Yes	No	No	No	65	5	Yes	No	No	No	No
S-2772B-2	1			70	65	5	Yes	No	No	No	66	4	No	No	No	No	No
S-2773B-2	1			69	64	5											

This page is intentionally left blank

S-2775B-2		1			68	65	3	No	No	No	No	65	3	No	No	No	No
S-2776B-2		1			69	64	5	Yes	No	No	No	65	4	No	No	No	No
S-2777B-2		1			69	64	5	Yes	No	No	No	65	4	No	No	No	No
S-2778B-2		1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2779B-2		1			69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-2780B-2		1			70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-2781B-2		1			70	63	7	Yes	Yes	No	No	64	6	Yes	No	No	No
S-2782B-2		1			73	65	8	Yes	Yes	No	No	66	7	Yes	Yes	No	No
S-2783B-2		1			76	65	11	Yes	Yes	No	No	66	10	Yes	Yes	No	No
S-2784B-2		1			76	72	4	No	No	No	No	73	3	No	No	No	No
S-2785B-4		1			77	76	1	No	No	No	No	76	1	No	No	No	No
S-2786B-3		1			77	74	3	No	No	No	No	75	2	No	No	No	No
S-2787B-2		1			77	72	5	Yes	No	No	No	73	4	No	No	No	No
S-2788B-3		1			77	75	2	No	No	No	No	75	2	No	No	No	No
S-2789B-4		1			77	75	2	No	No	No	No	76	1	No	No	No	No
S-2790B		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-2791B-2		1			59	58	1	No	No	No	No	58	1	No	No	No	No
S-2792B-3		1			63	62	1	No	No	No	No	62	1	No	No	No	No
S-2793B		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-2794B-2		1			59	58	1	No	No	No	No	58	1	No	No	No	No
S-2795B-3		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-2796B		2			61	60	1	No	No	No	No	60	1	No	No	No	No
S-2797B		2			60	59	1	No	No	No	No	59	1	No	No	No	No
S-2798B		2			60	59	1	No	No	No	No	59	1	No	No	No	No
S-2799B		2			62	59	3	No	No	No	No	59	3	No	No	No	No
S-2800B		2			62	59	3	No	No	No	No	59	3	No	No	No	No
S-2801B		2			62	60	2	No	No	No	No	60	2	No	No	No	No
S-2802B		2			62	60	2	No	No	No	No	60	2	No	No	No	No
S-2803B		2			63	61	2	No	No	No	No	61	2	No	No	No	No
S-2804B		1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-2805B-2		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-2806B-3		1			68	67	1	No	No	No	No	68	0	No	No	No	No
S-2807B		1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-2808B-2		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-2809B-3		1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-2810B		1			64	61	3	No	No	No	No	62	2	No	No	No	No
S-2811B-2		1			66	64	2	No	No	No	No	64	2	No	No	No	No
S-2812B-3		1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-2813B		1			64	62	2	No	No	No	No	63	1	No	No	No	No
S-2814B-2		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-2815B-3		1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-2816B		1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-2817B-2		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-2818B-3		1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-2819B		1			64	63	1	No	No	No	No	63	1	No	No	No	No
S-2820B-2		1			67	65	2	No	No	No	No	65	2	No	No	No	No
S-2821B-3		1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-2822B		1	Yes	1	75	64	11	Yes	Yes	Yes	Yes	65	10	Yes	Yes	Yes	Yes
S-2823B-2		1			76	71	5	Yes	No	No	No	72	4	No	No	No	No
S-2824B-3		1			76	74	2	No	No	No	No	74	2	No	No	No	No
S-2825B-4		1			76	74	2	No	No	No	No	74	2	No	No	No	No
S-2826B-5		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-2827B		1	Yes	1	78	65	13	Yes	Yes	Yes	Yes	65	13	Yes	Yes	Yes	Yes
S-2828B-2		1			79	71	8	Yes	Yes	Yes	Yes	73	6	Yes	No	No	No
S-2829B-3		1			79	76	3	No	No	No	No	76	3	No	No	No	No
S-2830B-4		1			79	78	1	No	No	No	No	78	1	No	No	No	No
S-2831B-5		1			79	79	0	No	No	No	No	79	0	No	No	No	No
S-2832B		1	Yes	1	79	66	13	Yes	Yes	Yes	Yes	67	12	Yes	Yes	Yes	Yes
S-2833B-2		1			79	75	4	No	No	No	No	76	3	No	No	No	No
S-2834B-3		1			79	77	2	No	No	No	No	77	2	No	No	No	No
S-2835B-4		1			79	79	0	No	No	No	No	79	0	No	No	No	No
S-2836B-5		1			79	79	0	No	No	No	No	79	0	No	No	No	No
S-2837B		1	Yes	1	79	66	13	Yes	Yes	Yes	Yes	66	13	Yes	Yes	Yes	Yes
S-2838B-2		1			79	75	4	No	No	No	No	75	4	No	No	No	No
S-2839B-3		1			79	77	2	No	No	No	No	77	2	No	No	No	No
S-2840B-4		1			79	79	0	No	No	No	No	79	0	No	No	No	No
S-2841B-5		1			79	79	0	No	No	No	No	79	0	No	No	No	No
S-2842B		1	Yes	1	79	67	12	Yes	Yes	Yes	Yes	68	11	Yes	Yes	Yes	Yes
S-2843B-2		1			79	76	3										

S-2876B-5		1			75	74	1	No	No	No	74	1	No	No	No	No
S-2877B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2878B-2		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2879B-3		1			58	58	0	No	No	No	58	0	No	No	No	No
S-2880B-4		1			60	60	0	No	No	No	60	0	No	No	No	No
S-2881B-5		1			64	64	0	No	No	No	64	0	No	No	No	No
S-2882B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2883B-2		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2884B-3		1			58	58	0	No	No	No	58	0	No	No	No	No
S-2885B-4		1			60	60	0	No	No	No	60	0	No	No	No	No
S-2886B-5		1			64	64	0	No	No	No	64	0	No	No	No	No
S-2887B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2888B-2		1			56	55	1	No	No	No	55	1	No	No	No	No
S-2889B-3		1			58	58	0	No	No	No	58	0	No	No	No	No
S-2890B-4		1			60	60	0	No	No	No	60	0	No	No	No	No
S-2891B-5		1			63	63	0	No	No	No	63	0	No	No	No	No
S-2892B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2893B-2		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2894B-3		1			58	58	0	No	No	No	58	0	No	No	No	No
S-2895B-4		1			60	60	0	No	No	No	60	0	No	No	No	No
S-2896B-5		1			63	63	0	No	No	No	63	0	No	No	No	No
S-2897B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2898B-2		1			57	57	0	No	No	No	57	0	No	No	No	No
S-2899B-3		1			59	58	1	No	No	No	59	0	No	No	No	No
S-2900B-4		1			61	61	0	No	No	No	61	0	No	No	No	No
S-2901B-5		1			66	65	1	No	No	No	65	1	No	No	No	No
S-2902B		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2903B-2		1			56	56	0	No	No	No	56	0	No	No	No	No
S-2904B-3		1			59	58	1	No	No	No	58	1	No	No	No	No
S-2905B-4		1			61	60	1	No	No	No	60	1	No	No	No	No
S-2906B-5		1			64	64	0	No	No	No	64	0	No	No	No	No
S-2907B		1			58	56	2	No	No	No	57	1	No	No	No	No
S-2908B-2		1			59	58	1	No	No	No	58	1	No	No	No	No
S-2909B-3		1			60	60	0	No	No	No	60	0	No	No	No	No
S-2910B-4		1			64	63	1	No	No	No	63	1	No	No	No	No
S-2911B-5		1			66	65	1	No	No	No	65	1	No	No	No	No
S-2912B		1			59	58	1	No	No	No	58	1	No	No	No	No
S-2913B-2		1			60	59	1	No	No	No	59	1	No	No	No	No
S-2914B-3		1			62	61	1	No	No	No	61	1	No	No	No	No
S-2915B-4		1			64	63	1	No	No	No	63	1	No	No	No	No
S-2916B-5		1			66	65	1	No	No	No	65	1	No	No	No	No
S-2917B		1			66	61	5	Yes	No	No	62	4	No	No	No	No
S-2918B-2		1			67	65	2	No	No	No	65	2	No	No	No	No
S-2919B-3		1			68	66	2	No	No	No	66	2	No	No	No	No
S-2920B-4		1			69	68	1	No	No	No	68	1	No	No	No	No
S-2921B-5		1			70	69	1	No	No	No	69	1	No	No	No	No
S-2922C		1			59	58	1	No	No	No	58	1	No	No	No	No
S-2923C		1			68	63	5	Yes	No	No	63	5	Yes	No	No	No
S-2924B-3		1			66	64	2	No	No	No	64	2	No	No	No	No
S-2925B-4		1			67	66	1	No	No	No	66	1	No	No	No	No
S-2926B-5		1			68	68	0	No	No	No	68	0	No	No	No	No
S-2927B-3		1			66	65	1	No	No	No	65	1	No	No	No	No
S-2928B-4		1			68	67	1	No	No	No	67	1	No	No	No	No
S-2929B-3		1			68	66	2	No	No	No	66	2	No	No	No	No
S-2930B-4		1			70	69	1	No	No	No	69	1	No	No	No	No
S-2931B-5		1			71	70	1	No	No	No	70	1	No	No	No	No
S-2932B		1			62	60	2	No	No	No	61	1	No	No	No	No
S-2933B-2		1			63	62	1	No	No	No	62	1	No	No	No	No
S-2934B-3		1			65	64	1	No	No	No	64	1	No	No	No	No
S-2935B-4		1			67	66	1	No	No	No	66	1	No	No	No	No
S-2936B		1			65	61	4	No	No	No	61	4	No	No	No	No
S-2937B-2		1			67	63	4	No	No	No	63	4	No	No	No	No
S-2938B-3		1			68	66	2	No	No	No	66	2	No	No	No	No
S-2939B-4		1			69	68	1	No	No	No	68	1	No	No	No	No
S-2940B		1			66	61	5	Yes	No	No	61	5	Yes	No	No	No
S-2941B-2		1			68	64	4	No	No	No	64	4	No	No	No	No
S-2942B-3		1			70	67	3	No	No	No	67	3	No	No	No	No
S-2943B-4		1			70	69	1	No	No	No	69	1	No	No	No	No
S-2944B		1			68	62	6	Yes	No	No	62	6	Yes	No	No	No
S-2945B-2		1			71	66	5	Yes	No	No	66	5	Yes	No	No	No
S-2946B-3		1			72	69	3	No	No	No	69	3	No	No	No	No
S-2947B-4		1			72	70	2	No	No	No	71	1	No	No	No	No
S-2948B		1			69	63	6	Yes	No	No						

S-2977B-2		1			74	71	3	No	No	No	No	72	2	No	No	No	No
S-2978B-3		1			76	73	3	No	No	No	No	74	2	No	No	No	No
S-2979B-4		1			76	74	2	No	No	No	No	75	1	No	No	No	No
S-2980B		1	Yes	1	70	66	4	No	No	No	No	66	4	No	No	No	No
S-2981B-2		1			74	71	3	No	No	No	No	72	2	No	No	No	No
S-2982B-3		1			76	74	2	No	No	No	No	74	2	No	No	No	No
S-2983B-4		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-2984B		1	Yes	1	68	65	3	No	No	No	No	65	3	No	No	No	No
S-2985B-2		1			74	71	3	No	No	No	No	71	3	No	No	No	No
S-2986B-3		1			76	73	3	No	No	No	No	74	2	No	No	No	No
S-2987B-4		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-2988B		1	Yes	1	68	65	3	No	No	No	No	65	3	No	No	No	No
S-2989B-2		1			73	71	2	No	No	No	No	71	2	No	No	No	No
S-2990B-3		1			76	73	3	No	No	No	No	74	2	No	No	No	No
S-2991B-4		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-2992B		1	Yes	1	67	65	2	No	No	No	No	65	2	No	No	No	No
S-2993B-2		1			73	71	2	No	No	No	No	71	2	No	No	No	No
S-2994B-3		1			76	73	3	No	No	No	No	74	2	No	No	No	No
S-2995B-4		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-2996B		1	Yes	1	67	65	2	No	No	No	No	65	2	No	No	No	No
S-2997B-2		1			73	71	2	No	No	No	No	71	2	No	No	No	No
S-2998B-3		1			76	73	3	No	No	No	No	73	3	No	No	No	No
S-2999B-4		1			76	75	1	No	No	No	No	75	1	No	No	No	No
S-3000B		1			60	60	0	No	No	No	No	59	1	No	No	No	No
S-3001B-2		1			66	65	1	No	No	No	No	65	1	No	No	No	No
S-3002B-3		1			70	67	3	No	No	No	No	68	2	No	No	No	No
S-3003B-4		1			72	70	2	No	No	No	No	70	2	No	No	No	No
S-3004B		1			57	56	1	No	No	No	No	56	1	No	No	No	No
S-3005B-2		1			59	58	1	No	No	No	No	58	1	No	No	No	No
S-3006B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3007B-4		1			63	63	0	No	No	No	No	63	0	No	No	No	No
S-3008B		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3009B-2		1			58	58	0	No	No	No	No	58	0	No	No	No	No
S-3010B-3		1			61	61	0	No	No	No	No	61	0	No	No	No	No
S-3011B-4		1			64	64	0	No	No	No	No	64	0	No	No	No	No
S-3012B		1			57	57	0	No	No	No	No	57	0	No	No	No	No
S-3013B-2		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3014B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3015B-4		1			64	64	0	No	No	No	No	64	0	No	No	No	No
S-3016B		1			57	56	1	No	No	No	No	56	1	No	No	No	No
S-3017B-2		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3018B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3019B-4		1			64	63	1	No	No	No	No	63	1	No	No	No	No
S-3020B		1			57	56	1	No	No	No	No	56	1	No	No	No	No
S-3021B-2		1			57	57	0	No	No	No	No	57	0	No	No	No	No
S-3022B-3		1			60	60	0	No	No	No	No	60	0	No	No	No	No
S-3023B-4		1			63	63	0	No	No	No	No	63	0	No	No	No	No
S-3024B		1			57	56	1	No	No	No	No	56	1	No	No	No	No
S-3025B-2		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3026B-3		1			61	60	1	No	No	No	No	61	0	No	No	No	No
S-3027B-4		1			65	65	0	No	No	No	No	65	0	No	No	No	No
S-3028B		1			57	57	0	No	No	No	No	57	0	No	No	No	No
S-3029B-2		1			58	58	0	No	No	No	No	58	0	No	No	No	No
S-3030B-3		1			62	61	1	No	No	No	No	61	1	No	No	No	No
S-3031B-4		1			68	67	1	No	No	No	No	68	0	No	No	No	No
S-3032B		1			57	56	1	No	No	No	No	56	1	No	No	No	No
S-3033B-2		1			58	57	1	No	No	No	No	58	0	No	No	No	No
S-3034B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3035B-4		1			67	67	0	No	No	No	No	67	0	No	No	No	No
S-3036B		1			56	56	0	No	No	No	No	56	0	No	No	No	No
S-3037B-2		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3038B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3039B-4		1			67	67	0	No	No	No	No	67	0	No	No	No	No
S-3040B		1			56	56	0	No	No	No	No	56	0	No	No	No	No
S-3041B-2		1			58	57	1	No	No	No	No	57	1	No	No	No	No
S-3042B-3		1			61	60	1	No	No	No	No	60	1	No	No	No	No
S-3043B-4		1			68	68	0	No	No	No	No	68	0	No	No	No	No
S-3044B		1			56	56	0	No	No	No	No	56	0	No	No	No	No
S-3045B-2		1			57	57	0	No	No	No	No	57	0	No	No	No	No
S-3046B-3																	

S-3078B-2		1			56	56	0	No	No	No	56	0	No	No	No	No
S-3079B-3		1		0	61	60	1	No	No	No	60	1	No	No	No	No
S-3080B-4		1		0	63	62	1	No	No	No	62	1	No	No	No	No
S-3081B		1		0	55	54	1	No	No	No	54	1	No	No	No	No
S-3082B-2		1		0	57	56	1	No	No	No	56	1	No	No	No	No
S-3083B-3		1		0	61	60	1	No	No	No	60	1	No	No	No	No
S-3084B-4		1		0	63	62	1	No	No	No	62	1	No	No	No	No
S-3085B		1		0	55	55	0	No	No	No	55	0	No	No	No	No
S-3086B-2		1		0	58	58	0	No	No	No	58	0	No	No	No	No
S-3087B-3		1		0	61	61	0	No	No	No	61	0	No	No	No	No
S-3088B-4		1		0	63	62	1	No	No	No	62	1	No	No	No	No
S-3089B		1		0	56	57	-1	No	No	No	56	0	No	No	No	No
S-3090B-2		1		0	59	59	0	No	No	No	59	0	No	No	No	No
S-3091B-3		1		0	61	61	0	No	No	No	60	1	No	No	No	No
S-3092B-4		1		0	62	62	0	No	No	No	62	0	No	No	No	No
S-3093B		1		0	52	54	-2	No	No	No	52	0	No	No	No	No
S-3094B-2		1		0	55	56	-1	No	No	No	55	0	No	No	No	No
S-3095B-3		1		0	56	57	-1	No	No	No	56	0	No	No	No	No
S-3096B-4		1		0	60	59	1	No	No	No	59	1	No	No	No	No
S-3097B-2		1		0	53	54	-1	No	No	No	53	0	No	No	No	No
S-3098B-3		1		0	55	56	-1	No	No	No	55	0	No	No	No	No
S-3099B-4		1		0	57	57	0	No	No	No	57	0	No	No	No	No
S-3100B-2		1		0	57	56	1	No	No	No	56	1	No	No	No	No
S-3101B-3		1		0	58	58	0	No	No	No	58	0	No	No	No	No
S-3102B-4		1		0	60	59	1	No	No	No	59	1	No	No	No	No
S-3103B		1		0	56	55	1	No	No	No	56	0	No	No	No	No
S-3104B-2		1		0	57	57	0	No	No	No	57	0	No	No	No	No
S-3105B-3		1		0	59	58	1	No	No	No	58	1	No	No	No	No
S-3106B-4		1		0	60	60	0	No	No	No	60	0	No	No	No	No
S-3107B		1		0	57	56	1	No	No	No	57	0	No	No	No	No
S-3108B-2		1		0	58	58	0	No	No	No	58	0	No	No	No	No
S-3109B-3		1		0	59	59	0	No	No	No	59	0	No	No	No	No
S-3110B-4		1		0	61	60	1	No	No	No	60	1	No	No	No	No
S-3111B		1		0	57	56	1	No	No	No	57	0	No	No	No	No
S-3112B-2		1		0	59	58	1	No	No	No	59	0	No	No	No	No
S-3113B-3		1		0	60	59	1	No	No	No	60	0	No	No	No	No
S-3114B-4		1		0	61	60	1	No	No	No	61	0	No	No	No	No
S-3115B		1		0	58	58	0	No	No	No	58	0	No	No	No	No
S-3116B-2		1		0	61	60	1	No	No	No	61	0	No	No	No	No
S-3117B-3		1		0	62	61	1	No	No	No	62	0	No	No	No	No
S-3118B-4		1		0	63	62	1	No	No	No	63	0	No	No	No	No
S-3119B		1		0	59	59	0	No	No	No	59	0	No	No	No	No
S-3120B-2		1		0	61	61	0	No	No	No	61	0	No	No	No	No
S-3121B-3		1		0	62	62	0	No	No	No	62	0	No	No	No	No
S-3122B-4		1		0	63	63	0	No	No	No	63	0	No	No	No	No
S-3123B		1		0	47	47	0	No	No	No	47	0	No	No	No	No
S-3124B-2		1		0	48	48	0	No	No	No	48	0	No	No	No	No
S-3125B-3		1		0	51	51	0	No	No	No	51	0	No	No	No	No
S-3126B-4		1		0	54	54	0	No	No	No	54	0	No	No	No	No
S-3127B		1		0	49	49	0	No	No	No	48	1	No	No	No	No
S-3128B-2		1		0	48	48	0	No	No	No	48	0	No	No	No	No
S-3129B-3		1		0	52	52	0	No	No	No	52	0	No	No	No	No
S-3130B-4		1		0	56	56	0	No	No	No	56	0	No	No	No	No
S-3131B		1		0	49	49	0	No	No	No	49	0	No	No	No	No
S-3132B-2		1		0	47	47	0	No	No	No	47	0	No	No	No	No
S-3133B-3		1		0	52	52	0	No	No	No	52	0	No	No	No	No
S-3134B-4		1		0	55	55	0	No	No	No	55	0	No	No	No	No
S-3135B		1		0	49	49	0	No	No	No	49	0	No	No	No	No
S-3136B-2		1		0	48	48	0	No	No	No	48	0	No	No	No	No
S-3137B-3		1		0	52	52	0	No	No	No	52	0	No	No	No	No
S-3138B-4		1		0	57	57	0	No	No	No	57	0	No	No	No	No
S-3139B		1		0	49	49	0	No	No	No	48	1	No	No	No	No
S-3140B-2		1		0	48	48	0	No	No	No	48	0	No	No	No	No
S-3141B-3		1		0	51	51	0	No	No	No	51	0	No	No	No	No
S-3142B-4		1		0	56	56	0	No	No	No	56	0	No	No	No	No
S-3143B		1		0	49	49	0	No	No	No	49	0	No	No	No	No
S-3144B-2		1		0	49	49	0	No	No	No	48	1	No	No	No	No
S-3145B-3		1		0	52	52	0	No	No	No	52	0	No	No	No	No
S-3146B-4		1		0	56	56	0	No	No	No	56	0	No	No	No	No
S-3147B		1		0	53	54	-1	No	No	No	51	2	No	No	No	No
S-3148B-2		1		0	55	57	-2	No	No	No	55	0	No	No	No	No
S-3149B-3		1		0	58											

S-3179B		1			58	58	0	No	No	No	No	58	0	No	No	No	No
S-3180B-2		1			61	61	0	No	No	No	No	61	0	No	No	No	No
S-3181B-3		1			62	62	0	No	No	No	No	62	0	No	No	No	No
S-3182B-4		1			64	64	0	No	No	No	No	64	0	No	No	No	No
S-3183B		1			59	59	0	No	No	No	No	59	0	No	No	No	No
S-3184B-2		1			62	62	0	No	No	No	No	62	0	No	No	No	No
S-3185B-3		1			64	64	0	No	No	No	No	64	0	No	No	No	No
S-3186B-4		1			65	65	0	No	No	No	No	65	0	No	No	No	No
S-3187B		1			59	60	-1	No	No	No	No	60	-1	No	No	No	No
S-3188B-2		1			63	63	0	No	No	No	No	63	0	No	No	No	No
S-3189B-3		1			64	65	-1	No	No	No	No	65	-1	No	No	No	No
S-3190B-4		1			66	66	0	No	No	No	No	66	0	No	No	No	No
S-3191B		1			60	60	0	No	No	No	No	60	0	No	No	No	No
S-3192B-2		1			63	63	0	No	No	No	No	63	0	No	No	No	No
S-3193B-3		1			65	65	0	No	No	No	No	65	0	No	No	No	No
S-3194B-4		1			66	67	-1	No	No	No	No	67	-1	No	No	No	No

Feasibility Factors:

# of First-Row >=5 dBA Reduction:	115	114
% of First-Row >=5 dBA Reduction:	95%	94%

Acoustic Feasibility (>=5 dBA reduction for >=50% of front-row): Yes

Reasonableness Factors:

# of First-Row Design Goal >=5 dBA Reduction:	106	102
% of First-Row Design Goal >=7 dBA Reduction:	88%	84%

Noise Abatement Design Goal (>=7dBA reduction for >=35% of front-row): Yes

of Benefited (per Benefited Receptors Allowable Cost Portion): 641

of Benefited (per Linear Foot Allowable Cost Portion): 36

Total # of Benefited: 677

TRUE 626

\$2,921,740

Cost of Noise Wall (Length x Height x \$20 per sq ft): \$3,100,584

Cost of any other items critical to safety: 0

0

Anticipated Cost of Noise Abatement: \$3,100,584

Allowable Cost (\$30,000 per Benefited Receptor): \$19,230,000

\$17,700,000

Allowable Cost (\$360 per Linear Foot): \$584,588

\$584,588

Total Allowable Cost: \$19,814,588

\$18,284,588

Cost Effective (Anticipated Cost < Allowable Cost): Yes

Yes

Feasible and Reasonable: Yes

Yes

Wall 1.8 - Northern Option

Per UD-CT policy: [REDACTED] Available copies of NAC/C/DO policies of Board & Affiliates can be found per UD-CT area in [REDACTED] per Board/Compliance.

[C] Remedial Receptions in "Per Usual-Past" Allowable Civil Penalties are NOT also included as "Remedial Receptions" in the "Per Remedial Receptions" Allowable Civil Calculation [no double counting]

ANALYSIS OF FULL WALL LENGTH AT (REMAIN-IN-PLACE PORTIONS = 12 FT HEIGHT, PROPOSED PORTIONS = MULTIPLE HEIGHTS)

Wall 18 - Southern Option

Per LDOT policy: [B] Allowable Cost of NACC/D portion of barrier is determined per Linear Foot, and Allowable Cost for non-NACC/D area is determined per Resealed/Recapitor.
[C] Resealed Recapitors in "Per Linear Foot" Allowable Cost Portions are NOT also included as "Resealed/Recapitors" in the "Per Resealed Recapitors" Allowable Cost Calculation (no double counting).

(C) Benefited Receptions in "Per Linear Foot" Allowable Cost Parties are NOT also included as "Benefited Receptions" in the "Per Benefited Receptions" Allowable Cost Calculation [see detailed caption]

Page 1 of 1

ANALYSIS OF FULL WALL LENGTH AT REMAIN-IN-PLACE POSITIONS = 12 FT HEIGHT, PROPOSED POSITIONS = MULTIPLE HEIGHTS

Wall 19 - Northern Option

**Contains a portion of Existing Noise Wall (16 ft height) that will Remain-In-Place. Full wall length (Remain-In-Place & Proposed) are analized together as one wall however, the Height & Length of only the Proposed portion are used to determine Noise Wall Cost

ANALYSIS OF FULL WALL LENGTH AT (REMAIN-IN-PLACE PORTION = 16 FT HEIGHT, PROPOSED PORTION = MULTIPLE HEIGHTS)

Wall Height:		17 ft		Wall Length:		16 ft											
Wall Cost per sq ft:	\$20		3,282 ft			3,282 ft											
Cost of items critical to safety:				# of First-Row Receivers:	21												
Name	# of DU	Relocation	1st Row	# of 1st Row	Baseline Noise Level	17-ft Noise Level	17-ft Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal	16-ft Noise Level	16-ft Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal
S-0880B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-0881B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-0882B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-0883B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-0884B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-0885B	1				69	69	0	No	No	No	No	69	0	No	No	No	No
S-0886B	1				69	69	0	No	No	No	No	69	0	No	No	No	No
S-0887B	1				61	60	1	No	No	No	No	60	1	No	No	No	No
S-0888B	1				60	58	2	No	No	No	No	58	2	No	No	No	No
S-0889B	1				61	59	2	No	No	No	No	59	2	No	No	No	No
S-0890B	1				62	60	2	No	No	No	No	60	2	No	No	No	No
S-0891B	1				65	64	1	No	No	No	No	64	1	No	No	No	No
S-0892B	1				64	63	1	No	No	No	No	63	1	No	No	No	No
S-0893B	1				63	62	1	No	No	No	No	62	1	No	No	No	No
S-0894B-2	1				66	64	2	No	No	No	No	64	2	No	No	No	No
S-0895B	1				63	61	2	No	No	No	No	61	2	No	No	No	No
S-0896B	1				63	61	2	No	No	No	No	61	2	No	No	No	No
S-0897B-2	1				66	64	2	No	No	No	No	64	2	No	No	No	No
S-0898B	1				63	60	3	No	No	No	No	60	3	No	No	No	No
S-0899B	1				63	60	3	No	No	No	No	60	3	No	No	No	No
S-0900B	1	Yes	1	69	69	0	No	No	No	No	69	0	No	No	No	No	No
S-0901B	1				67	55	12	Yes	Yes	No	No	55	12	Yes	Yes	No	No
S-0902B	1				66	63	3	No	No	No	No	63	3	No	No	No	No
S-0903B	1				66	62	4	No	No	No	No	62	4	No	No	No	No
S-0904B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-0905B	1				62	59	3	No	No	No	No	59	3	No	No	No	No
S-0906B	1				62	58	4	No	No	No	No	58	4	No	No	No	No
S-0907B	1				62	58	4	No	No	No	No	58	4	No	No	No	No
S-0908B	1				55	53	2	No	No	No	No	53	2	No	No	No	No
S-0909B	1				56	53	3	No	No	No	No	53	3	No	No	No	No
S-0910B	1				56	53	3	No	No	No	No	53	3	No	No	No	No
S-0911B	1				58	54	4	No	No	No	No	54	4	No	No	No	No
S-0912B	1				61	56	5	Yes	No	No	No	56	5	Yes	Yes	No	No
S-0913B	1				67	59	8	Yes	Yes	No	No	59	8	Yes	Yes	No	No
S-0914B	1				60	56	4	No	No	No	No	56	4	No	No	No	No
S-0915B	1				60	56	4	No	No	No	No	56	4	No	No	No	No
S-0916B	1				59	55	4	No	No	No	No	55	4	No	No	No	No
S-0917B	1				58	55	3	No	No	No	No	55	3	No	No	No	No
S-0918B	1				57	55	2	No	No	No	No	55	2	No	No	No	No
S-0919B	1				64	57	7	Yes	Yes	No	No	57	7	Yes	Yes	No	No
S-0920B	1				65	58	7	Yes	Yes	No	No	58	7	Yes	Yes	No	No
S-0921B	1				65	58	7	Yes	Yes	No	No	58	7	Yes	Yes	No	No
S-0922B	1				66	59	7	Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0923B	1				67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0924B	1				68	60	8	Yes	Yes	No	No	60	8	Yes	Yes	No	No
S-0925B	1				67	60	7	Yes	Yes	No	No	61	6	Yes	No	No	No
S-0926B	1	Yes	1	69	61	8	Yes	Yes	Yes	Yes	Yes	61	8	Yes	Yes	Yes	Yes
S-0927B	1	Yes	1	74	64	10	Yes	Yes	Yes	Yes	Yes	65	9	Yes	Yes	Yes	Yes
S-0928B	1	Yes	1	73	63	10	Yes	Yes	Yes	Yes	Yes	64	9	Yes	Yes	Yes	Yes
S-0929B-2	1				76	66	10	Yes	Yes	No	No	67	9	Yes	Yes	No	No
S-0930B	1				71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-0931B-2	1				74	64	10	Yes	Yes	No	No	65	9	Yes	Yes	No	No
S-0932B	1	Yes	1	75	64	11	Yes	Yes	Yes	Yes	Yes	64	11	Yes	Yes	Yes	Yes
S-0933B	1				74	65	9	Yes	Yes	No	No	65	9	Yes	Yes	No	No
S-0934B	1				72	65	7	Yes	Yes	No	No	66	6	Yes	No	No	No
S-0935B	1				69	63	6	Yes	No	No	No	63	6	Yes	No	No	No
S-0936B	1				68	60	8	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-0937B	1				68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-0938B	1				67	60	7	Yes	Yes	No	No	61	6	Yes	No	No	No
S-0939B	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-0940B	1				61	58	3	No	No	No	No	58	3	No	No	No	No
S-0941B	1				61	59	2	No	No	No	No	60	1	No	No	No	No
S-0942B	1				60	58	2	No	No	No	No	58	2	No	No	No	No
S-0943B	1				61	58	3	No	No	No	No	58	3	No	No	No	No
S-0944B	1				66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-0945B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	68	10	Yes	Yes	Yes	Yes
S-0946B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-0947B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-0948B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-0949B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-0950B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-0951B	1	Yes	1	78	67	11	Yes	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes

S-0952B	1				67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0953B	1			○	68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-0954B	1				65	61	4	No	No	No	No	62	3	No	No	No	No
S-0955B	1			○	64	61	3	No	No	No	No	62	2	No	No	No	No
S-0956B	1				65	61	4	No	No	No	No	62	3	No	No	No	No
S-0957B	1			○	67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-0958B	1				70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-0959B	1			○	73	63	10	Yes	Yes	No	No	64	9	Yes	Yes	No	No
S-0960B	1				76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-0961B	1			○	77	66	11	Yes	Yes	No	No	66	11	Yes	Yes	No	No
S-0962B	1				78	66	12	Yes	Yes	No	No	67	11	Yes	Yes	No	No
S-0963B	1	Yes		1	79	67	12	Yes	Yes	Yes	Yes	67	12	Yes	Yes	Yes	Yes
S-0964D	1	Yes		1	54	44	10	Yes	Yes	Yes	Yes	45	9	Yes	Yes	Yes	Yes
S-0965B	1			○	66	61	5	Yes	No	No	No	62	4	No	No	No	No
S-0966B-2	1				68	64	4	No	No	No	No	64	4	No	No	No	No
S-0967B-2	1			○	68	64	4	No	No	No	No	64	4	No	No	No	No
S-0968B	1				66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-0969B-2	1			○	68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0970B	1			○	65	61	4	No	No	No	No	61	4	No	No	No	No
S-0971C	1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-0972B	1			○	65	61	4	No	No	No	No	61	4	No	No	No	No
S-0973B-2	1				68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0974B-2	1			○	68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0975B-2	1				68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0976B	1			○	65	61	4	No	No	No	No	61	4	No	No	No	No
S-0977B	1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-0978B-2	1			○	68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0979B	1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-0980B-2	1			○	69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-0981B	1				66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-0982B	1			○	66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-0983B-2	1				69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-0984B-2	1			○	69	63	6	Yes	No	No	No	64	5	Yes	No	No	No
S-0985B	1				66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-0986B	1			○	65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-0987B-2	1				68	63	5	Yes	No	No	No	64	4	No	No	No	No
S-0988B	1			○	65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-0989B-2	1				68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-0990B	1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-0991B-2	1				68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-0992B-2	1				67	62	5	Yes	No	No	No	63	4	No	No	No	No
S-0993B	1			○	64	60	4	No	No	No	No	60	4	No	No	No	No
S-0994B	1				62	59	3	No	No	No	No	60	2	No	No	No	No
S-0995B-2	1			○	64	61	3	No	No	No	No	62	2	No	No	No	No
S-0996B-2	1				64	61	3	No	No	No	No	61	3	No	No	No	No
S-0997B	1			○	62	59	3	No	No	No	No	59	3	No	No	No	No
S-0998B-2	1				65	61	4	No	No	No	No	62	3	No	No	No	No
S-0999B	1			○	62	59	3	No	No	No	No	59	3	No	No	No	No
S-1000B-2	1				65	61	4	No	No	No	No	61	4	No	No	No	No
S-1001B	1			○	63	59	4	No	No	No	No	59	4	No	No	No	No
S-1002B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-1003B-2	1			○	65	61	4	No	No	No	No	62	3	No	No	No	No
S-1004B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-1005B-2	1			○	66	62	4	No	No	No	No	62	4	No	No	No	No
S-1006B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-1007B-2	1			○	65	61	4	No	No	No	No	61	4	No	No	No	No
S-1008B-2	1				68	62	6	Yes	No	No	No	63	5	Yes	No	No	No
S-1009B	1			○	65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1010B-2	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-1011B	1				66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-1012B	1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-1013B-2	1				68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-1014B-2	1				68	63	5	Yes	No	No	No	63	5	Yes	No	No	No
S-1015B	1				65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-1016B	1			○	58	56	2	No	No	No	No	56	2	No	No	No	No
S-1017B-2	1				63	60	3	No	No	No	No	60	3	No	No	No	No
S-1018B	1			○	60	57	3	No	No	No	No	57	3	No	No	No	No
S-1019B-2	1				66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-1020B	1			○	72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1021B-2	1				75	66	9	Yes	Yes	No	No	67	8	Yes	Yes	No	No
S-1022B	1			○	75	64	11	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-1023B-2	1				76	67	9	Yes	Yes	No	No	68	8	Yes	Yes	No	No
S-1024C	1	Yes		1	77	66	11	Yes	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes
S-1025B	1				76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1026B-2	1			○	77	68	9	Yes	Yes	No	No	69	8	Yes	Yes	No	No
S-1027B	1				75	64	11	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-1028B-2	1			○	76	68	8	Yes	Yes	No	No	69	7	Yes	Yes	No	No
S-1029B	1				66	61	5	Yes	No	No	No	62	4	No	No	No	No
S-1030B-2	1				69	63	6	Yes	No	No	No	63	6	Yes	No	No	No
S-1031B-2	1				67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1032B	1				64	60	4	No	No	No	No	60	4	No	No	No	No
S-1033C	1				68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1034B-2	1			○	75	66	9	Yes	Yes	No	No	67	8	Yes	Yes	No	No
S-1035B	1			○	73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No
S-1036B	1				74	64	10	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1037B-2	1			○	75	67	8	Yes	Yes	No	No	67	8	Yes	Yes	No	No
S-1038B-2	1				74	66	8	Yes	Yes	No	No	66	8	Yes	Yes	No	No

S-1039B	1				72	64	8	Yes	Yes	No	No	64	8	Yes	Yes	No	No	
S-1040B-2	1			□	66	59	7	Yes	Yes	No	No	59	7	Yes	Yes	No	No	
S-1041B	1				64	57	7	Yes	Yes	No	No	58	6	Yes	No	No	No	
S-1042B-2	1			□	72	65	7	Yes	Yes	No	No	66	6	Yes	No	No	No	
S-1043B	1				70	65	5	Yes	No	No	No	65	5	Yes	No	No	No	
S-1044B-2	1			□	62	59	3	No	No	No	No	59	3	No	No	No	No	
S-1045B	1				61	56	5	Yes	No	No	No	57	4	No	No	No	No	
S-1046B	1			□	63	61	2	No	No	No	No	61	2	No	No	No	No	
S-1047B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	
S-1048B-2	1			□	63	59	4	No	No	No	No	59	4	No	No	No	No	
S-1049B	1				60	58	2	No	No	No	No	58	2	No	No	No	No	
S-1050C	1			□	63	59	4	No	No	No	No	59	4	No	No	No	No	
S-1051B-2	1				66	62	4	No	No	No	No	62	4	No	No	No	No	
S-1052B	1				□	64	60	4	No	No	No	No	60	4	No	No	No	No
S-1053B-2	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1054B	1			□	64	60	4	No	No	No	No	60	4	No	No	No	No	
S-1055B-2	1			□	68	62	6	Yes	No	No	No	63	5	Yes	No	No	No	
S-1056B	1				□	65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1057B-2	1			□	67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1058B	1				64	60	4	No	No	No	No	60	4	No	No	No	No	
S-1059B	1			□	64	60	4	No	No	No	No	60	4	No	No	No	No	
S-1060B-2	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1061B	1			□	67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	
S-1062B-2	1				69	63	6	Yes	No	No	No	63	6	Yes	No	No	No	
S-1063B	1				□	69	66	3	No	No	No	No	66	3	No	No	No	No
S-1064B-2	1				71	66	5	Yes	No	No	No	66	5	Yes	No	No	No	
S-1065B-2	1			□	70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No	
S-1066B	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No	
S-1067B	1			□	67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1068B-2	1				69	63	6	Yes	No	No	No	63	6	Yes	No	No	No	
S-1069B	1			□	66	60	6	Yes	No	No	No	60	6	Yes	No	No	No	
S-1070B-2	1				68	62	6	Yes	No	No	No	63	5	Yes	No	No	No	
S-1071B	1			□	64	61	3	No	No	No	No	61	3	No	No	No	No	
S-1072B-2	1				66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1073B-2	1			□	66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1074B	1				64	61	3	No	No	No	No	61	3	No	No	No	No	
S-1075B-2	1			□	66	63	3	No	No	No	No	64	2	No	No	No	No	
S-1076B	1				64	61	3	No	No	No	No	61	3	No	No	No	No	
S-1077B-2	1				66	63	3	No	No	No	No	64	2	No	No	No	No	
S-1078B	1				64	61	3	No	No	No	No	61	3	No	No	No	No	
S-1079B-2	1				66	63	3	No	No	No	No	64	2	No	No	No	No	
S-1080B	1			□	64	61	3	No	No	No	No	61	3	No	No	No	No	
S-1081B-2	1				66	62	4	No	No	No	No	63	3	No	No	No	No	
S-1082B	1			□	64	60	4	No	No	No	No	61	3	No	No	No	No	
S-1083B-2	1				66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1084B	1			□	64	60	4	No	No	No	No	61	3	No	No	No	No	
S-1085B-2	1				66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1086B	1			□	63	60	3	No	No	No	No	61	2	No	No	No	No	
S-1087B-2	1				66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1088B	1			□	63	61	2	No	No	No	No	61	2	No	No	No	No	
S-1089B-2	1				66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1090B	1			□	63	61	2	No	No	No	No	61	2	No	No	No	No	
S-1091B-2	1				67	63	4	No	No	No	No	63	4	No	No	No	No	
S-1092B	1			□	65	61	4	No	No	No	No	61	4	No	No	No	No	
S-1093B-2	1				66	62	4	No	No	No	No	63	3	No	No	No	No	
S-1094B	1			□	63	60	3	No	No	No	No	60	3	No	No	No	No	
S-1095B-2	1				67	63	4	No	No	No	No	63	4	No	No	No	No	
S-1096B	1			□	65	61	4	No	No	No	No	61	4	No	No	No	No	
S-1097B-2	1				66	62	4	No	No	No	No	62	4	No	No	No	No	
S-1098B	1				63	60	3	No	No	No	No	60	3	No	No	No	No	
S-1099B-2	1			□	67	62	5	Yes	No	No	No	63	4	No	No	No	No	
S-1100B	1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No	
S-1101B-2	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1102B	1				63	60	3	No	No	No	No	60	3	No	No	No	No	
S-1103B-2	1			□	67	62	5	Yes	No	No	No	62	5	Yes	No	No	No	
S-1104B	1				64	60	4	No	No	No	No	60	4	No	No	No	No	
S-1105B	1			□	59	58	1	No	No	No	No	58	1	No	No	No	No	
S-1106B-2	1				66	61	5	Yes	No	No	No	61	5	Yes	No	No	No	
S-1107B-2	1				59	57	2	No	No	No	No	57	2	No	No	No	No	
S-1108B	1				57	55	2	No	No	No	No	55	2	No	No	No	No	
S-1109B-2	1			□	68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No	
S-1110B	1				62	58	4	No	No	No	No	58	4	No	No	No	No	
S-1111B-2	1			□	65	59	6	Yes	No	No	No	59	6	Yes	No	No	No	
S-1112B	1				64	58	6	Yes	No	No	No	58	6	Yes	No	No	No	
S-1113B-2	1			□	68	62	6	Yes	No	No	No	62	6	Yes	No	No	No	
S-1114B	1				62	59	3	No	No	No	No	59	3	No	No	No	No	
S-1115B-2	1			□	64	59	5	Yes	No	No	No	60	4	No	No	No	No	
S-1116B	1				63	58	5	Yes	No	No	No	58	5	Yes	No	No	No	
S-1117C	1				65	61	4	No	No	No	No	61	4	No	No	No	No	
S-1118B-2	1				64	62	2	No	No	No	No	62	2	No	No	No	No	
S-1119B	1				61	61	0	No	No	No	No	62	-1	No	No	No	No	
S-1120B-2	1				61	60	1	No	No	No	No	61	0	No	No	No	No	
S-1121B	1				60	60	0	No	No	No	No	60	0	No	No	No	No	
S-1122B-2	1				61	61	0	No	No	No	No	61	0	No	No	No	No	
S-1123B	1				61	60	1	No	No	No	No	60	1	No	No	No	No	
S-1124B-2	1			□	61	60	1	No	No	No	No	61	0	No	No	No	No	
S-1125B	1				60	60	0	No	No	No	No	60	0	No	No	No	No	

S-1126B-2	1				61	61	0	No	No	No	No	61	0	No	No	No	No
S-1127B	1			○	60	60	0	No	No	No	No	60	0	No	No	No	No
S-1128B	1			○	75	65	10	Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-1129B-2	1			○	76	67	9	Yes	Yes	No	No	68	8	Yes	Yes	No	No
S-1130B-2	1				79	70	9	Yes	Yes	No	No	71	8	Yes	Yes	No	No
S-1131B	1		Yes	1	78	67	11	Yes	Yes	Yes	Yes	68	10	Yes	Yes	Yes	Yes
S-1132B-2	1				79	70	9	Yes	Yes	No	No	71	8	Yes	Yes	No	No
S-1133B	1		Yes	1	78	67	11	Yes	Yes	Yes	Yes	68	10	Yes	Yes	Yes	Yes
S-1134B-2	1				79	70	9	Yes	Yes	No	No	71	8	Yes	Yes	No	No
S-1135B	1		Yes	1	78	67	11	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-1136B-2	1				79	70	9	Yes	Yes	No	No	70	9	Yes	Yes	No	No
S-1137B	1		Yes	1	78	67	11	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-1138B	1				76	63	13	Yes	Yes	No	No	64	12	Yes	Yes	No	No
S-1139B-2	1		○	77	66	11	Yes	Yes	No	No	67	10	Yes	Yes	No	No	
S-1140B-2	1				79	70	9	Yes	Yes	No	No	70	9	Yes	Yes	No	No
S-1141B	1		Yes	1	78	66	12	Yes	Yes	Yes	Yes	67	11	Yes	Yes	Yes	Yes
S-1142B-2	1			○	76	66	10	Yes	Yes	No	No	67	9	Yes	Yes	No	No
S-1143B	1			○	74	63	11	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1144B-2	1		○	75	65	10	Yes	Yes	No	No	65	10	Yes	Yes	No	No	
S-1145B	1			○	74	62	12	Yes	Yes	No	No	62	12	Yes	Yes	No	No
S-1146B-2	1		○	74	65	9	Yes	Yes	No	No	66	8	Yes	Yes	No	No	
S-1147B	1			○	72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1148B-2	1			○	72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1149B	1				71	61	10	Yes	Yes	No	No	61	10	Yes	Yes	No	No
S-1150B-2	1			○	62	60	2	No	No	No	No	61	1	No	No	No	No
S-1151B	1			○	59	59	0	No	No	No	No	59	0	No	No	No	No
S-1152B-2	1		○	66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No	
S-1153B	1				65	58	7	Yes	Yes	No	No	58	7	Yes	Yes	No	No
S-1154B-2	1		○	71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No	
S-1155B	1			○	68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No
S-1156B-2	1		○	56	54	2	No	No	No	No	54	2	No	No	No	No	
S-1157B	1				55	53	2	No	No	No	No	54	1	No	No	No	No
S-1158B-2	1		○	72	64	8	Yes	Yes	No	No	64	8	Yes	Yes	No	No	
S-1159B	1				71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-1160B-2	1		○	56	54	2	No	No	No	No	55	1	No	No	No	No	
S-1161B	1				55	53	2	No	No	No	No	54	1	No	No	No	No
S-1162B-2	1		○	72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No	
S-1163B	1				70	60	10	Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-1164B-2	1			○	71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-1165B	1			○	69	59	10	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-1166C	1			○	58	57	1	No	No	No	No	57	1	No	No	No	No
S-1167B-2	1		○	56	54	2	No	No	No	No	54	2	No	No	No	No	
S-1168B	1				55	53	2	No	No	No	No	53	2	No	No	No	No
S-1169B-2	1		○	72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No	
S-1170B	1				71	61	10	Yes	Yes	No	No	61	10	Yes	Yes	No	No
S-1171B-2	1		○	56	54	2	No	No	No	No	55	1	No	No	No	No	
S-1172B	1				55	53	2	No	No	No	No	53	2	No	No	No	No
S-1173B-2	1		○	67	58	9	Yes	Yes	No	No	58	9	Yes	Yes	No	No	
S-1174B	1				62	57	5	Yes	No	No	No	57	5	Yes	No	No	No
S-1175B-2	1		○	72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No	
S-1176B	1				70	61	9	Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-1177B	1		○	58	57	1	No	No	No	No	57	1	No	No	No	No	
S-1178B-2	1				59	58	1	No	No	No	No	59	0	No	No	No	No
S-1179B-2	1		○	74	65	9	Yes	Yes	No	No	65	9	Yes	Yes	No	No	
S-1180B	1				73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-1181B-2	1		○	74	65	9	Yes	Yes	No	No	65	9	Yes	Yes	No	No	
S-1182B	1				70	62	8	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-1183B-2	1		○	76	66	10	Yes	Yes	No	No	66	10	Yes	Yes	No	No	
S-1184B	1				74	63	11	Yes	Yes	No	No	63	11	Yes	Yes	No	No
S-1185B-2	1		○	76	66	10	Yes	Yes	No	No	66	10	Yes	Yes	No	No	
S-1186B	1				71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No
S-1187B	1		Yes	1	77	66	11	Yes	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes
S-1188B-2	1				79	69	10	Yes	Yes	No	No	69	10	Yes	Yes	No	No
S-1189B	1				69	59	10	Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-1190B-2	1			○	72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1191B	1				73	65	8	Yes	Yes	No	No	65	8	Yes	Yes	No	No
S-1192B-2	1		○	77	67	10	Yes	Yes	No	No	68	9	Yes	Yes	No	No	
S-1193B	1				70	64	6	Yes	No	No	No	64	6	Yes	No	No	No
S-1194B-2	1		○	75	66	9	Yes	Yes	No	No	67	8	Yes	Yes	No	No	
S-1195B	1				65	56	9	Yes	Yes	No	No	56	9	Yes	Yes	No	No
S-1196B-2	1		○	67	58	9	Yes	Yes	No	No	58	9	Yes	Yes	No	No	
S-1197B	1				62	55	7	Yes	Yes	No	No	55	7	Yes	Yes	No	No
S-1198B-2	1		○	65	57	8	Yes	Yes	No	No	57	8	Yes	Yes	No	No	
S-1199B	1				69	64	5	Yes	No	No	No	64	5	Yes	No	No	No
S-1200B-2	1		○	73	66	7	Yes	Yes	No	No	67	6	Yes	No	No	No	
S-1201B	1				68	64	4	No	No	No	No	64	4	No	No	No	No
S-1202B-2	1		○	72	66	6	Yes	No	No	No	67	5	Yes	No	No	No	
S-1203B	1				60	54	6	Yes	No	No	No	55	5	Yes	No	No	No
S-1204B-2	1				63	56	7	Yes	Yes	No	No	56	7	Yes	Yes	No	No
S-1205B	1				63	61	2	No	No	No	No	62	1	No	No	No	No
S-1206B-2	1				67	64	3	No	No	No	No	64	3	No	No	No	No
S-1207B	1				63	61	2	No	No	No	No	61	2	No	No	No	No
S-1208B-2	1		○	66	63	3	No	No	No	No	63	3	No	No	No	No	
S-1209B	1				64	62	2	No	No	No	No	63	1	No	No	No	No
S-1210B-2	1				68	65	3	No	No	No	No	65	3	No	No	No	No
S-1211B	1			○	64	61	3	No	No	No	No	61	3	No	No	No	No
S-1212B-2	1				67	64	3	No	No	No	No	64	3	No	No	No	No

S-1213B	1				65	63	2	No	No	No	No	63	2	No	No	No	No
S-1214B-2	1				69	65	4	No	No	No	No	66	3	No	No	No	No
S-1215B	1				65	62	3	No	No	No	No	62	3	No	No	No	No
S-1216B-2	1				68	65	3	No	No	No	No	65	3	No	No	No	No
S-1217B	1				65	63	2	No	No	No	No	63	2	No	No	No	No
S-1218B-2	1				69	66	3	No	No	No	No	66	3	No	No	No	No
S-1219B	1				67	63	4	No	No	No	No	64	3	No	No	No	No
S-1220B-2	1				71	66	5	Yes	No	No	No	66	5	Yes	No	No	No
S-1221B	1				66	63	3	No	No	No	No	63	3	No	No	No	No
S-1222B-2	1				71	66	5	Yes	No	No	No	67	4	No	No	No	No
S-1223B	1				68	64	4	No	No	No	No	64	4	No	No	No	No
S-1224B-2	1				72	67	5	Yes	No	No	No	67	5	Yes	No	No	No
S-1225E	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-1226B	1				66	64	2	No	No	No	No	65	1	No	No	No	No
S-1227B	1				65	64	1	No	No	No	No	65	0	No	No	No	No
S-1228B	1				66	65	1	No	No	No	No	65	1	No	No	No	No
S-1229B	1				67	65	2	No	No	No	No	66	1	No	No	No	No
S-1230B	1				67	66	1	No	No	No	No	66	1	No	No	No	No
S-1231B	1				67	66	1	No	No	No	No	66	1	No	No	No	No
S-1232B	1				67	67	0	No	No	No	No	67	0	No	No	No	No
S-1233B	1				68	67	1	No	No	No	No	67	1	No	No	No	No
S-1234B	1				68	68	0	No	No	No	No	68	0	No	No	No	No
S-1235B	1				69	68	1	No	No	No	No	69	0	No	No	No	No
S-1236B	1				70	70	0	No	No	No	No	70	0	No	No	No	No
S-1237B	1				68	69	-1	No	No	No	No	69	-1	No	No	No	No
S-1238B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1239B	1				65	65	0	No	No	No	No	65	0	No	No	No	No
S-1240B	1				65	65	0	No	No	No	No	65	0	No	No	No	No
S-1241B	1				63	63	0	No	No	No	No	63	0	No	No	No	No
S-1242B	1				62	63	-1	No	No	No	No	63	-1	No	No	No	No
S-1243B	1				63	63	0	No	No	No	No	63	0	No	No	No	No
S-1244B	1				62	62	0	No	No	No	No	62	0	No	No	No	No
S-1245B	1				63	62	1	No	No	No	No	62	1	No	No	No	No
S-1246B	1				62	62	0	No	No	No	No	62	0	No	No	No	No
S-1247B	1				61	60	1	No	No	No	No	60	1	No	No	No	No
S-1248B	1				62	61	1	No	No	No	No	61	1	No	No	No	No
S-1249B	1				61	60	1	No	No	No	No	60	1	No	No	No	No
S-1250B	1				61	61	0	No	No	No	No	61	0	No	No	No	No
S-1251B	1				62	62	0	No	No	No	No	62	0	No	No	No	No
S-1252B	1				63	63	0	No	No	No	No	63	0	No	No	No	No
S-1253B	1				63	63	0	No	No	No	No	64	-1	No	No	No	No
S-1254B	1				62	63	-1	No	No	No	No	63	-1	No	No	No	No
S-1255B	1				62	63	-1	No	No	No	No	63	-1	No	No	No	No
S-1256B	1				63	64	-1	No	No	No	No	64	-1	No	No	No	No
S-1257B	1				64	65	-1	No	No	No	No	65	-1	No	No	No	No
S-1258B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1259B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1260B	1				64	65	-1	No	No	No	No	65	-1	No	No	No	No
S-1261B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1262B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1263B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1264B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1265B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1266B	1				63	63	0	No	No	No	No	63	0	No	No	No	No
S-1267B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1268B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1269B	1				63	64	-1	No	No	No	No	64	-1	No	No	No	No
S-1270B	1				63	63	0	No	No	No	No	63	0	No	No	No	No
S-1271B	1				63	63	0	No	No	No	No	64	-1	No	No	No	No
S-1272B	1				64	64	0	No	No	No	No	64	0	No	No	No	No
S-1273B	1				63	64	-1	No	No	No	No	64	-1	No	No	No	No
S-1274B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1275B	1				59	58	1	No	No	No	No	58	1	No	No	No	No
S-1276B	1				62	62	0	No	No	No	No	62	0	No	No	No	No
S-1277B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1278B	1				59	59	0	No	No	No	No	59	0	No	No	No	No
S-1279B	1				61	61	0	No	No	No	No	61	0	No	No	No	No
S-1280B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No
S-1281B	1				59	59	0	No	No	No	No	59	0	No	No	No	No
S-1282B	1				58	58	0	No	No	No	No	58	0	No	No	No	No
S-1283B	1				66	67	-1	No	No	No	No	67	-1	No	No	No	No

Feasibility Factors:

of First-Row >=5 dBA Reduction: 20 20

% of First-Row >=5 dBA Reduction: 95% 95%

Acoustic Feasibility (>=5 dBA reduction for >=50% of front-row): Yes Yes

Reasonableness Factors:

of First-Row Design Goal >=7 dBA Reduction: 20 20

% of First-Row Design Goal >=7 dBA Reduction: 95% 95%

Noise Abatement Design Goal (>=7dBA reduction for >=35% of front-row): Yes Yes

of Benefited: 191 172

Cost of Noise Wall (Length x Height x \$20 per sq ft): \$1,115,880 \$1,050,240

Cost of other items critical to safety: 0 0

Anticipated Cost of Noise Abatement: \$1,115,880 \$1,050,240

Allowable Cost (\$30,000 per benefited receptor): \$5,730,000 \$5,160,000

Cost Effective (Anticipated Cost < Allowable Cost): Yes Yes

Feasible and Reasonable: Yes Yes

Wall 19 - Southern Option

per UDOT policy: [A] On-Structure portion of barrier is restricted to 10-feet max height and On-Ground portion of barrier can differ from height of On-Structure portion)

ANALYSIS OF FULL WALL LENGTH AT (REMAIN-IN-PLACE PORTION = 16 FT HEIGHT, PROPOSED PORTION = MULTIPLE HEIGHTS)

Wall Height (On-Ground Portion):		17 ft		Wall Height (On-Structure Portion):		16 ft												
Wall Length (On-Ground Portion):		10 ft		Wall Length (On-Structure Portion):		10 ft												
Wall Length (On-Structure Portion):		4,320 ft				4,320 ft												
Total Wall Length		4,442 ft			4,442 ft													
Cost of items critical to safety:	# of First-Row Receivers:	21																
Name	# of DU	Relocation	1st Row	# of 1st Row	Baseline Noise Level	17-ft On-Ground w/ 10-ft On-Structure Noise Reduction	Benefited	Design Goal	1st Row > 5 dBA Reduction	1st Row Design Goal	16-ft On-Ground w/ 10-ft On-Structure Noise Reduction	16-ft On-Ground w/ 10-ft On-Structure Noise Reduction	Benefited	Design Goal	1st Row > 5 dBA Reduction	1st Row Design Goal		
S-0880B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0881B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0882B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0883B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0884B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0885B	1			0	70	70	0	No	No	No	70	0	No	No	No	No	No	No
S-0886B	1			0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0887B	1			0	61	60	1	No	No	No	60	1	No	No	No	No	No	No
S-0888B	1			0	61	58	3	No	No	No	58	3	No	No	No	No	No	No
S-0889B	1			0	63	59	4	No	No	No	59	4	No	No	No	No	No	No
S-0890B	1			0	63	60	3	No	No	No	61	2	No	No	No	No	No	No
S-0891B	1			0	65	64	1	No	No	No	64	1	No	No	No	No	No	No
S-0892B	1			0	65	63	2	No	No	No	63	2	No	No	No	No	No	No
S-0893B	1			0	64	62	2	No	No	No	62	2	No	No	No	No	No	No
S-0894B-2	1			0	66	64	2	No	No	No	64	2	No	No	No	No	No	No
S-0895B	1			0	64	61	3	No	No	No	61	3	No	No	No	No	No	No
S-0896B	1			0	64	61	3	No	No	No	61	3	No	No	No	No	No	No
S-0897B-2	1			0	66	64	2	No	No	No	64	2	No	No	No	No	No	No
S-0898B	1			0	64	60	4	No	No	No	60	4	No	No	No	No	No	No
S-0899B	1			0	64	60	4	No	No	No	61	3	No	No	No	No	No	No
S-0900B	1	Yes	1	0	69	69	0	No	No	No	69	0	No	No	No	No	No	No
S-0901B	1			0	57	55	2	No	No	No	55	2	No	No	No	No	No	No
S-0902B	1			0	66	63	3	No	No	No	63	3	No	No	No	No	No	No
S-0903B	1			0	65	62	3	No	No	No	62	3	No	No	No	No	No	No
S-0904B	1			0	63	59	4	No	No	No	59	4	No	No	No	No	No	No
S-0905B	1			0	62	59	3	No	No	No	59	3	No	No	No	No	No	No
S-0906B	1			0	62	58	4	No	No	No	59	3	No	No	No	No	No	No
S-0907B	1			0	62	58	4	No	No	No	59	3	No	No	No	No	No	No
S-0908B	1			0	58	53	5	Yes	No	No	53	5	Yes	No	No	No	No	No
S-0909B	1			0	58	53	5	Yes	No	No	53	5	Yes	No	No	No	No	No
S-0910B	1			0	59	54	5	Yes	No	No	54	5	Yes	No	No	No	No	No
S-0911B	1			0	60	54	6	Yes	No	No	54	6	Yes	No	No	No	No	No
S-0912B	1			0	62	57	5	Yes	No	No	57	5	Yes	No	No	No	No	No
S-0913B	1			0	67	60	7	Yes	Yes	No	60	7	Yes	Yes	No	No	No	No
S-0914B	1			0	60	57	3	No	No	No	55	5	Yes	No	No	No	No	No
S-0915B	1			0	60	56	4	No	No	No	56	4	No	No	No	No	No	No
S-0916B	1			0	59	56	3	No	No	No	56	3	No	No	No	No	No	No
S-0917B	1			0	58	55	3	No	No	No	55	3	No	No	No	No	No	No
S-0918B	1			0	58	55	3	No	No	No	55	3	No	No	No	No	No	No
S-0919B	1			0	63	57	6	Yes	No	No	57	6	Yes	No	No	No	No	No
S-0920B	1			0	64	57	7	Yes	Yes	No	57	7	Yes	Yes	No	No	No	No
S-0921B	1			0	65	58	7	Yes	Yes	No	58	7	Yes	Yes	No	No	No	No
S-0922B	1			0	65	58	7	Yes	Yes	No	58	7	Yes	Yes	No	No	No	No
S-0923B	1			0	66	59	7	Yes	Yes	No	59	7	Yes	Yes	No	No	No	No
S-0924B	1			0	67	60	7	Yes	Yes	No	60	7	Yes	Yes	No	No	No	No
S-0925B	1			0	67	60	7	Yes	Yes	No	61	6	Yes	No	No	No	No	No
S-0926B	1	Yes	1	0	68	60	8	Yes	Yes	Yes	60	8	Yes	Yes	Yes	Yes	Yes	Yes
S-0927B	1	Yes	1	0	73	64	9	Yes	Yes	Yes	64	9	Yes	Yes	Yes	Yes	Yes	Yes
S-0928B	1	Yes	1	0	71	62	9	Yes	Yes	Yes	62	9	Yes	Yes	Yes	Yes	Yes	Yes
S-0929B-2	1			0	76	64	12	Yes	Yes	No	65	11	Yes	Yes	No	No	No	No
S-0930B	1			0	68	60	8	Yes	Yes	No	60	8	Yes	Yes	No	No	No	No
S-0931B-2	1			0	73	62	11	Yes	Yes	No	63	10	Yes	Yes	No	No	No	No
S-0932B	1	Yes	1	0	72	62	10	Yes	Yes	Yes	63	9	Yes	Yes	Yes	Yes	Yes	Yes
S-0933B	1			0	70	63	7	Yes	Yes	No	64	6	Yes	No	No	No	No	No
S-0934B	1			0	69	61	8	Yes	Yes	No	62	7	Yes	Yes	No	No	No	No
S-0935B	1			0	67	61	6	Yes	No	No	61	6	Yes	No	No	No	No	No
S-0936B	1			0	65	59	6	Yes	No	No	60	5	Yes	No	No	No	No	No
S-0937B	1			0	65	59	6	Yes	No	No	60	5	Yes	No	No	No	No	No
S-0938B	1			0	65	60	5	Yes	No	No	60	5	Yes	No	No	No	No	No
S-0939B	1			0	65	60	5	Yes	No	No	60	5	Yes	No	No	No	No	No
S-0940B	1			0	61	58	3	No	No	No	58	3	No	No	No	No	No	No
S-0941B	1			0	61	58	3	No	No	No	58	3	No	No	No	No	No	No
S-0942B	1			0	60	58	2	No	No	No	58	2	No	No	No	No	No	No
S-0943B	1			0	61	57	4	No	No	No	57	4	No	No	No	No	No	No
S-0944B	1			0	65	59	6	Yes	No	No	60	5	Yes	No	No	No	No	No
S-0945B	1	Yes	1	0	77	65	12	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes	Yes	Yes
S-0946B	1	Yes	1	0	77	65	12	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes	Yes	Yes
S-0947B	1	Yes	1	0	78	65	13	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes	Yes
S-0948B	1	Yes	1	0	78	65	13	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes	Yes	Yes

S-0949B	1		Yes	1	78	65	13	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-0950B	1		Yes	1	78	65	13	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-0951B	1		Yes	1	78	65	13	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-0952B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0953B	1			67	60	7		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0954B	1			65	59	6		Yes	No	No	No	60	5	Yes	No	No	No
S-0955B	1			65	59	6		Yes	No	No	No	60	5	Yes	No	No	No
S-0956B	1			65	59	6		Yes	No	No	No	59	6	Yes	No	No	No
S-0957B	1			67	59	8		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0958B	1			70	61	9		Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-0959B	1			73	61	12		Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-0960B	1			75	63	12		Yes	Yes	No	No	63	12	Yes	Yes	No	No
S-0961B	1			76	64	12		Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-0962B	1			77	65	12		Yes	Yes	No	No	65	12	Yes	Yes	No	No
S-0963B	1		Yes	1	79	65	14	Yes	Yes	Yes	Yes	65	14	Yes	Yes	Yes	Yes
S-0964D	1		Yes	1	54	43	11	Yes	Yes	Yes	Yes	43	11	Yes	Yes	Yes	Yes
S-0965B	1			65	60	5		Yes	No	No	No	60	5	Yes	No	No	No
S-0966B-2	1			68	63	5		Yes	No	No	No	63	5	Yes	No	No	No
S-0967B-2	1			68	63	5		Yes	No	No	No	63	5	Yes	No	No	No
S-0968B	1			66	60	6		Yes	No	No	No	60	6	Yes	No	No	No
S-0969B-2	1			68	62	6		Yes	No	No	No	63	5	Yes	No	No	No
S-0970B	1			65	60	5		Yes	No	No	No	60	5	Yes	No	No	No
S-0971C	1			65	60	5		Yes	No	No	No	60	5	Yes	No	No	No
S-0972B	1			65	59	6		Yes	No	No	No	59	6	Yes	No	No	No
S-0973B-2	1			68	62	6		Yes	No	No	No	63	5	Yes	No	No	No
S-0974B-2	1			68	62	6		Yes	No	No	No	63	5	Yes	No	No	No
S-0975B-2	1			69	63	6		Yes	No	No	No	63	6	Yes	No	No	No
S-0976B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0977B	1			66	59	7		Yes	Yes	No	No	60	6	Yes	No	No	No
S-0978B-2	1			68	62	6		Yes	No	No	No	63	5	Yes	No	No	No
S-0979B	1			66	60	6		Yes	No	No	No	60	6	Yes	No	No	No
S-0980B-2	1			69	63	6		Yes	No	No	No	63	6	Yes	No	No	No
S-0981B	1			67	59	8		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0982B	1			67	60	7		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0983B-2	1			69	62	7		Yes	Yes	No	No	63	6	Yes	No	No	No
S-0984B-2	1			69	62	7		Yes	Yes	No	No	63	6	Yes	No	No	No
S-0985B	1			67	59	8		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-0986B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0987B-2	1			69	62	7		Yes	Yes	No	No	63	6	Yes	No	No	No
S-0988B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0989B-2	1			68	62	6		Yes	No	No	No	62	6	Yes	No	No	No
S-0990B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0991B-2	1			68	62	6		Yes	No	No	No	62	6	Yes	No	No	No
S-0992B-2	1			68	62	6		Yes	No	No	No	62	6	Yes	No	No	No
S-0993B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-0994B	1			62	58	4		No	No	No	No	58	4	No	No	No	No
S-0995B-2	1			64	60	4		No	No	No	No	61	3	No	No	No	No
S-0996B-2	1			64	60	4		No	No	No	No	60	4	No	No	No	No
S-0997B	1			62	58	4		No	No	No	No	58	4	No	No	No	No
S-0998B-2	1			65	61	4		No	No	No	No	61	4	No	No	No	No
S-0999B	1			63	58	5		Yes	No	No	No	58	5	Yes	No	No	No
S-1000B-2	1			65	60	5		Yes	No	No	No	61	4	No	No	No	No
S-1001B	1			63	58	5		Yes	No	No	No	58	5	Yes	No	No	No
S-1002B	1			63	58	5		Yes	No	No	No	58	5	Yes	No	No	No
S-1003B-2	1			65	61	4		No	No	No	No	61	4	No	No	No	No
S-1004B	1			64	58	6		Yes	No	No	No	58	6	Yes	No	No	No
S-1005B-2	1			66	61	5		Yes	No	No	No	61	5	Yes	No	No	No
S-1006B	1			64	57	7		Yes	Yes	No	No	58	6	Yes	No	No	No
S-1007B-2	1			66	60	6		Yes	No	No	No	60	6	Yes	No	No	No
S-1008B-2	1			68	61	7		Yes	Yes	No	No	62	6	Yes	No	No	No
S-1009B	1			66	58	8		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-1010B-2	1			68	61	7		Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1011B	1			66	58	8		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-1012B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-1013B-2	1			68	62	6		Yes	No	No	No	62	6	Yes	No	No	No
S-1014B-2	1			68	61	7		Yes	Yes	No	No	62	6	Yes	No	No	No
S-1015B	1			66	59	7		Yes	Yes	No	No	59	7	Yes	Yes	No	No
S-1016B	1			59	55	4		No	No	No	No	55	4	No	No	No	No
S-1017B-2	1			63	60	3		No	No	No	No	60	3	No	No	No	No
S-1018B	1			63	56	7		Yes	Yes	No	No	57	6	Yes	No	No	No
S-1019B-2	1			66	60	6		Yes	No	No	No	61	5	Yes	No	No	No
S-1020B	1			74	66	8		Yes	Yes	No	No	66	8	Yes	Yes	No	No
S-1021B-2	1			75	66	9		Yes	Yes	No	No	66	9	Yes	Yes	No	No
S-1022B	1			76	64	12		Yes	Yes	No	No	64	12	Yes	Yes	No	No
S-1023B-2	1			77	66	11		Yes	Yes	No	No	66	11	Yes	Yes	No	No
S-1024C	1		Yes	1	77	65	12	Yes	Yes	Yes	Yes	66	11	Yes	Yes	Yes	Yes
S-1025B	1			76	65	11		Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1026B-2	1			77	67	10		Yes	Yes	No	No	67	10	Yes	Yes	No	No
S-1027B	1			76	64	12		Yes	Yes	No	No	64	12	Yes	Yes	No	No
S-1028B-2	1			77	66	11		Yes	Yes	No	No	67	10	Yes	Yes	No	No
S-1029B	1			67	60	7		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-1030B-2	1			69	61	8		Yes	Yes	No	No	61	8	Yes	Yes	No	No
S-1031B-2	1			67	59	8		Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-1032B	1			65	58	7		Yes	Yes	No	No	59	6	Yes	No	No	No
S-1033C	1			69	60	9		Yes	Yes	No	No	60	9	Yes	Yes	No	No
S-1034B-2	1			75	65	10		Yes	Yes	No	No	65	10	Yes	Yes	No	No
S-1035B	1			74	63	11		Yes	Yes	No	No	63	11	Yes	Yes	No	No

S-1036B	1				74	63	11	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1037B-2	1			○	76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1038B-2	1				75	64	11	Yes	Yes	No	No	64	11	Yes	Yes	No	No
S-1039B	1			○	72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1040B-2	1				66	57	9	Yes	Yes	No	No	58	8	Yes	Yes	No	No
S-1041B	1			○	65	56	9	Yes	Yes	No	No	57	8	Yes	Yes	No	No
S-1042B-2	1				73	64	9	Yes	Yes	No	No	65	8	Yes	Yes	No	No
S-1043B	1			○	70	64	6	Yes	No	No	No	65	5	Yes	No	No	No
S-1044B-2	1				63	58	5	Yes	No	No	No	58	5	Yes	No	No	No
S-1045B	1			○	61	55	6	Yes	No	No	No	56	5	Yes	No	No	No
S-1046B	1				61	58	3	No	No	No	No	59	2	No	No	No	No
S-1047B-2	1			○	61	59	2	No	No	No	No	60	1	No	No	No	No
S-1048B-2	1				60	58	2	No	No	No	No	58	2	No	No	No	No
S-1049B	1			○	58	56	2	No	No	No	No	56	2	No	No	No	No
S-1050C	1				62	57	5	Yes	No	No	No	58	4	No	No	No	No
S-1051B-2	1			○	67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1052B	1			○	64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1053B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1054B	1			○	64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1055B-2	1				68	61	7	Yes	Yes	No	No	62	6	Yes	No	No	No
S-1056B	1			○	66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-1057B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1058B	1			○	65	59	6	Yes	No	No	No	59	6	Yes	No	No	No
S-1059B	1				65	59	6	Yes	No	No	No	59	6	Yes	No	No	No
S-1060B-2	1			○	68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1061B	1				67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-1062B-2	1			○	70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1063B	1				69	64	5	Yes	No	No	No	65	4	No	No	No	No
S-1064B-2	1			○	71	64	7	Yes	Yes	No	No	65	6	Yes	No	No	No
S-1065B-2	1				70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1066B	1			○	68	60	8	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1067B	1				68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1068B-2	1			○	70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1069B	1				66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-1070B-2	1			○	69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1071B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1072B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1073B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1074B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1075B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1076B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1077B-2	1			○	67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1078B	1				64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1079B-2	1			○	66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-1080B	1				64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1081B-2	1			○	66	60	6	Yes	No	No	No	60	6	Yes	No	No	No
S-1082B	1				65	58	7	Yes	Yes	No	No	59	6	Yes	No	No	No
S-1083B-2	1			○	67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1084B	1				65	59	6	Yes	No	No	No	59	6	Yes	No	No	No
S-1085B-2	1			○	67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1086B	1				64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1087B-2	1			○	67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1088B	1				63	59	4	No	No	No	No	60	3	No	No	No	No
S-1089B-2	1			○	67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1090B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1091B-2	1			○	67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-1092B	1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1093B-2	1			○	67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1094B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1095B-2	1				68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-1096B	1				65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1097B-2	1				67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1098B	1				64	59	5	Yes	No	No	No	60	4	No	No	No	No
S-1099B-2	1				67	62	5	Yes	No	No	No	62	5	Yes	No	No	No
S-1100B	1			○	65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1101B-2	1				67	61	6	Yes	No	No	No	61	6	Yes	No	No	No
S-1102B	1				64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1103B-2	1				67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1104B	1			○	65	59	6	Yes	No	No	No	60	5	Yes	No	No	No
S-1105B	1				59	58	1	No	No	No	No	58	1	No	No	No	No
S-1106B-2	1			○	66	60	6	Yes	No	No	No	61	5	Yes	No	No	No
S-1107B-2	1				59	57	2	No	No	No	No	57	2	No	No	No	No
S-1108B	1			○	58	54	4	No	No	No	No	55	3	No	No	No	No
S-1109B-2	1				68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1110B	1			○	63	59	4	No	No	No	No	59	4	No	No	No	No
S-1111B-2	1				66	58	8	Yes	Yes	No	No	58	8	Yes	Yes	No	No
S-1112B	1			○	65	57	8	Yes	Yes	No	No	57	8	Yes	Yes	No	No
S-1113B-2	1				69	61	8	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1114B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-1115B-2	1				65	58	7	Yes	Yes	No	No	59	6	Yes	No	No	No
S-1116B	1				64	57	7	Yes	Yes	No	No	58	6	Yes	No	No	No
S-1117C	1				66	59	7	Yes	Yes	No	No	60	6	Yes	No	No	No
S-1118B-2	1				64	61	3	No	No	No	No	61	3	No	No	No	No
S-1119B	1				61	60	1	No	No	No	No	60	1	No	No	No	No
S-1120B-2	1				61	60	1	No	No	No	No	60	1	No	No	No	No
S-1121B	1			○	60	59	1	No	No	No	No	59	1	No	No	No	No
S-1122B-2	1				61	60	1	No	No	No	No	60	1	No	No	No	No

S-1123B	1				60	59	1	No	No	No	No	59	1	No	No	No	No
S-1124B-2	1			○	61	60	1	No	No	No	No	60	1	No	No	No	No
S-1125B	1				61	59	2	No	No	No	No	59	2	No	No	No	No
S-1126B-2	1			○	61	60	1	No	No	No	No	61	0	No	No	No	No
S-1127B	1				60	59	1	No	No	No	No	59	1	No	No	No	No
S-1128B	1			○	75	67	8	Yes	Yes	No	No	67	8	Yes	Yes	No	No
S-1129B-2	1				77	68	9	Yes	Yes	No	No	68	9	Yes	Yes	No	No
S-1130B-2	1			○	79	68	11	Yes	Yes	No	No	68	11	Yes	Yes	No	No
S-1131B	1	Yes	1		79	66	13	Yes	Yes	Yes	Yes	66	13	Yes	Yes	Yes	Yes
S-1132B-2	1			○	79	68	11	Yes	Yes	No	No	68	11	Yes	Yes	No	No
S-1133B	1	Yes	1		78	66	12	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-1134B-2	1			○	79	68	11	Yes	Yes	No	No	69	10	Yes	Yes	No	No
S-1135B	1	Yes	1		78	66	12	Yes	Yes	Yes	Yes	66	12	Yes	Yes	Yes	Yes
S-1136B-2	1			○	79	68	11	Yes	Yes	No	No	68	11	Yes	Yes	No	No
S-1137B	1	Yes	1		79	65	14	Yes	Yes	Yes	Yes	66	13	Yes	Yes	Yes	Yes
S-1138B	1				76	62	14	Yes	Yes	No	No	63	13	Yes	Yes	No	No
S-1139B-2	1			○	77	64	13	Yes	Yes	No	No	65	12	Yes	Yes	No	No
S-1140B-2	1			○	80	68	12	Yes	Yes	No	No	68	12	Yes	Yes	No	No
S-1141B	1	Yes	1		79	65	14	Yes	Yes	Yes	Yes	66	13	Yes	Yes	Yes	Yes
S-1142B-2	1				76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1143B	1			○	75	62	13	Yes	Yes	No	No	63	12	Yes	Yes	No	No
S-1144B-2	1				75	63	12	Yes	Yes	No	No	63	12	Yes	Yes	No	No
S-1145B	1			○	74	61	13	Yes	Yes	No	No	61	13	Yes	Yes	No	No
S-1146B-2	1				75	64	11	Yes	Yes	No	No	64	11	Yes	Yes	No	No
S-1147B	1			○	73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-1148B-2	1				72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No
S-1149B	1			○	71	59	12	Yes	Yes	No	No	60	11	Yes	Yes	No	No
S-1150B-2	1				62	59	3	No	No	No	No	60	2	No	No	No	No
S-1151B	1			○	59	57	2	No	No	No	No	58	1	No	No	No	No
S-1152B-2	1				67	58	9	Yes	Yes	No	No	59	8	Yes	Yes	No	No
S-1153B	1			○	66	57	9	Yes	Yes	No	No	57	9	Yes	Yes	No	No
S-1154B-2	1				71	62	9	Yes	Yes	No	No	63	8	Yes	Yes	No	No
S-1155B	1			○	70	60	10	Yes	Yes	No	No	61	9	Yes	Yes	No	No
S-1156B-2	1				56	53	3	No	No	No	No	53	3	No	No	No	No
S-1157B	1			○	55	52	3	No	No	No	No	53	2	No	No	No	No
S-1158B-2	1				73	62	11	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-1159B	1			○	72	61	11	Yes	Yes	No	No	61	11	Yes	Yes	No	No
S-1160B-2	1				56	53	3	No	No	No	No	53	3	No	No	No	No
S-1161B	1				55	52	3	No	No	No	No	53	2	No	No	No	No
S-1162B-2	1			○	73	61	12	Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-1163B	1				71	60	11	Yes	Yes	No	No	60	11	Yes	Yes	No	No
S-1164B-2	1			○	72	60	12	Yes	Yes	No	No	61	11	Yes	Yes	No	No
S-1165B	1				70	59	11	Yes	Yes	No	No	59	11	Yes	Yes	No	No
S-1166C	1			○	58	56	2	No	No	No	No	56	2	No	No	No	No
S-1167B-2	1				56	53	3	No	No	No	No	53	3	No	No	No	No
S-1168B	1			○	55	52	3	No	No	No	No	53	2	No	No	No	No
S-1169B-2	1				73	62	11	Yes	Yes	No	No	62	11	Yes	Yes	No	No
S-1170B	1			○	71	60	11	Yes	Yes	No	No	60	11	Yes	Yes	No	No
S-1171B-2	1				56	53	3	No	No	No	No	54	2	No	No	No	No
S-1172B	1			○	55	52	3	No	No	No	No	53	2	No	No	No	No
S-1173B-2	1				68	57	11	Yes	Yes	No	No	58	10	Yes	Yes	No	No
S-1174B	1				63	56	7	Yes	Yes	No	No	56	7	Yes	Yes	No	No
S-1175B-2	1				72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No
S-1176B	1			○	70	60	10	Yes	Yes	No	No	60	10	Yes	Yes	No	No
S-1177B	1				58	55	3	No	No	No	No	56	2	No	No	No	No
S-1178B-2	1			○	60	57	3	No	No	No	No	57	3	No	No	No	No
S-1179B-2	1				75	63	12	Yes	Yes	No	No	64	11	Yes	Yes	No	No
S-1180B	1			○	72	61	11	Yes	Yes	No	No	62	10	Yes	Yes	No	No
S-1181B-2	1				75	63	12	Yes	Yes	No	No	64	11	Yes	Yes	No	No
S-1182B	1				71	61	10	Yes	Yes	No	No	62	9	Yes	Yes	No	No
S-1183B-2	1				76	65	11	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1184B	1				73	63	10	Yes	Yes	No	No	63	10	Yes	Yes	No	No
S-1185B-2	1				76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1186B	1				72	62	10	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1187B	1	Yes	1		76	65	11	Yes	Yes	Yes	Yes	65	11	Yes	Yes	Yes	Yes
S-1188B-2	1				80	67	13	Yes	Yes	No	No	68	12	Yes	Yes	No	No
S-1189B	1			○	68	58	10	Yes	Yes	No	No	59	9	Yes	Yes	No	No
S-1190B-2	1				73	60	13	Yes	Yes	No	No	61	12	Yes	Yes	No	No
S-1191B	1			○	74	64	10	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1192B-2	1				78	66	12	Yes	Yes	No	No	66	12	Yes	Yes	No	No
S-1193B	1			○	72	63	9	Yes	Yes	No	No	63	9	Yes	Yes	No	No
S-1194B-2	1				76	64	12	Yes	Yes	No	No	65	11	Yes	Yes	No	No
S-1195B	1			○	64	56	8	Yes	Yes	No	No	56	8	Yes	Yes	No	No
S-1196B-2	1				68	57	11	Yes	Yes	No	No	58	10	Yes	Yes	No	No
S-1197B	1			○	61	55	6	Yes	Yes	No	No	55	6	Yes	Yes	No	No
S-1198B-2	1				65	56	9	Yes	Yes	No	No	57	8	Yes	Yes	No	No
S-1199B	1			○	70	62	8	Yes	Yes	No	No	62	8	Yes	Yes	No	No
S-1200B-2	1				74	64	10	Yes	Yes	No	No	64	10	Yes	Yes	No	No
S-1201B	1				69	63	6	Yes	Yes	No	No	63	6	Yes	Yes	No	No
S-1202B-2	1				73	64	9	Yes	Yes	No	No	65	8	Yes	Yes	No	No
S-1203B	1				59	54	5	Yes	Yes	No	No	54	5	Yes	Yes	No	No
S-1204B-2	1				64	55	9	Yes	Yes	No	No	56	8	Yes	Yes	No	No
S-1205B	1				63	59	4	No	No	No	No	59	4	No	No	No	No
S-1206B-2	1				67	61	6	Yes	Yes	No	No	61	6	Yes	Yes	No	No
S-1207B	1				62	58	4	No	No	No	No	58	4	No	No	No	No
S-1208B-2	1			○	67	60	7	Yes	Yes	No	No	60	7	Yes	Yes	No	No
S-1209B	1				64	60	4	No	No	No	No	60	4	No	No	No	No

S-1210B-2	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-1211B	1			63	59	4	No	No	No	No	59	4	No	No	No	No
S-1212B-2	1			68	60	8	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1213B	1			65	60	5	Yes	No	No	No	61	4	No	No	No	No
S-1214B-2	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1215B	1			65	60	5	Yes	No	No	No	60	5	Yes	No	No	No
S-1216B-2	1			69	61	8	Yes	Yes	No	No	61	8	Yes	Yes	No	No
S-1217B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-1218B-2	1			70	63	7	Yes	Yes	No	No	63	7	Yes	Yes	No	No
S-1219B	1			68	62	6	Yes	No	No	No	62	6	Yes	No	No	No
S-1220B-2	1			72	63	9	Yes	Yes	No	No	64	8	Yes	Yes	No	No
S-1221B	1			67	61	6	Yes	No	No	No	62	5	Yes	No	No	No
S-1222B-2	1			71	63	8	Yes	Yes	No	No	64	7	Yes	Yes	No	No
S-1223B	1			69	62	7	Yes	Yes	No	No	62	7	Yes	Yes	No	No
S-1224B-2	1			73	64	9	Yes	Yes	No	No	64	9	Yes	Yes	No	No
S-1225E	1			68	61	7	Yes	Yes	No	No	61	7	Yes	Yes	No	No
S-1226B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-1227B	1			65	61	4	No	No	No	No	61	4	No	No	No	No
S-1228B	1			66	61	5	Yes	No	No	No	61	5	Yes	No	No	No
S-1229B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-1230B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-1231B	1			66	62	4	No	No	No	No	62	4	No	No	No	No
S-1232B	1			67	62	5	Yes	No	No	No	63	4	No	No	No	No
S-1233B	1			67	63	4	No	No	No	No	63	4	No	No	No	No
S-1234B	1			67	64	3	No	No	No	No	64	3	No	No	No	No
S-1235B	1			68	65	3	No	No	No	No	65	3	No	No	No	No
S-1236B	1			70	69	1	No	No	No	No	69	1	No	No	No	No
S-1237B	1			69	68	1	No	No	No	No	68	1	No	No	No	No
S-1238B	1			67	66	1	No	No	No	No	66	1	No	No	No	No
S-1239B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1240B	1			64	61	3	No	No	No	No	61	3	No	No	No	No
S-1241B	1			62	60	2	No	No	No	No	60	2	No	No	No	No
S-1242B	1			62	59	3	No	No	No	No	59	3	No	No	No	No
S-1243B	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-1244B	1			62	58	4	No	No	No	No	59	3	No	No	No	No
S-1245B	1			63	59	4	No	No	No	No	60	3	No	No	No	No
S-1246B	1			63	59	4	No	No	No	No	59	4	No	No	No	No
S-1247B	1			60	57	3	No	No	No	No	57	3	No	No	No	No
S-1248B	1			62	58	4	No	No	No	No	58	4	No	No	No	No
S-1249B	1			61	58	3	No	No	No	No	58	3	No	No	No	No
S-1250B	1			61	59	2	No	No	No	No	59	2	No	No	No	No
S-1251B	1			62	59	3	No	No	No	No	60	2	No	No	No	No
S-1252B	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-1253B	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-1254B	1			62	59	3	No	No	No	No	60	2	No	No	No	No
S-1255B	1			62	60	2	No	No	No	No	60	2	No	No	No	No
S-1256B	1			63	61	2	No	No	No	No	61	2	No	No	No	No
S-1257B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1258B	1			67	66	1	No	No	No	No	66	1	No	No	No	No
S-1259B	1			67	66	1	No	No	No	No	66	1	No	No	No	No
S-1260B	1			64	62	2	No	No	No	No	62	2	No	No	No	No
S-1261B	1			63	61	2	No	No	No	No	61	2	No	No	No	No
S-1262B	1			64	61	3	No	No	No	No	61	3	No	No	No	No
S-1263B	1			64	60	4	No	No	No	No	61	3	No	No	No	No
S-1264B	1			64	60	4	No	No	No	No	60	4	No	No	No	No
S-1265B	1			64	60	4	No	No	No	No	60	4	No	No	No	No
S-1266B	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-1267B	1			64	60	4	No	No	No	No	60	4	No	No	No	No
S-1268B	1			67	67	0	No	No	No	No	67	0	No	No	No	No
S-1269B	1			63	62	1	No	No	No	No	62	1	No	No	No	No
S-1270B	1			63	60	3	No	No	No	No	60	3	No	No	No	No
S-1271B	1			64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1272B	1			64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1273B	1			64	59	5	Yes	No	No	No	59	5	Yes	No	No	No
S-1274B	1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-1275B	1			59	55	4	No	No	No	No	56	3	No	No	No	No
S-1276B	1			63	58	5	Yes	No	No	No	58	5	Yes	No	No	No
S-1277B	1			67	67	0	No	No	No	No	67	0	No	No	No	No
S-1278B	1			59	57	2	No	No	No	No	57	2	No	No	No	No
S-1279B	1			62	58	4	No	No	No	No	58	4	No	No	No	No
S-1280B	1			68	67	1	No	No	No	No	67	1	No	No	No	No
S-1281B	1			59	57	2	No	No	No	No	57	2	No	No	No	No
S-1282B	1			58	56	2	No	No	No	No	56	2	No	No	No	No
S-1283B	1			67	67	0	No	No	No	No	67	0	No	No	No	No

Feasibility Factors:

of First-Row >=5 dBA Reduction: 20 20

% of First-Row >=5 dBA Reduction: 95% 95%

Acoustic Feasibility (>=5 dBA reduction for >=50% of front-row): Yes Yes

Reasonableness Factors:

of First-Row Design Goal >=7 dBA Reduction: 20 20

% of First-Row Design Goal >=7 dBA Reduction: 95% 95%

Noise Abatement Design Goal (>=7dBA reduction for >=35% of front-row): Yes Yes

of Benefited: 271 261

Cost of Noise Wall (Length x Height x \$20 per sq ft): \$1,493,772 \$1,406,772

Cost of any other items critical to safety: 0 0

Anticipated Cost of Noise Abatement: \$1,493,175 \$1,406,772

Allowable Cost (\$30,000 per benefited receptor): \$8,130,000 \$7,830,000

Cost Effective (Anticipated Cost < Allowable Cost):	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes
Feasible and Reasonable:	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> Yes

Wall 20 - Northern and Southern Options

Per UDOT policy: [A] On-Structure portion of barrier is restricted to 10-foot max height and On-Ground portion of barrier can differ from height of On-Structure portion; [B] Allowable Cost of NAC C/D portion of barrier is determined per Linear Foot and Allowable Cost for non-NAC C/D area is determined per Benefited Receptor; [C] Allowable Cost of NAC C/D portion of barrier is determined per Linear Foot and Allowable Cost for non-NAC C/D area is determined per Benefited Receptor

[C] Benefited Receptors in "Per Linear Foot" Allowable Cost Portion are NOT also included as "Benefited Receptors" in the "Per Benefited Receptors" Allowable Cost Calculation (no double-counting)

ANALYSIS OF FULL WALL LENGTH AT (REMAIN-IN-PLACE PORTION = 14 FT HEIGHT, PROPOSED PORTION = MULTIPLE HEIGHTS)

Wall 21 - Northern and Southern Option

per UDOT policy: [A] On-Structure portion of barrier is restricted to 10-feet max height and On-Ground portion can differ from height of On-Structure portion)

ANALYSIS OF FULL WALL LENGTH AT MULTIPLE HEIGHTS

Wall Height (On-Ground Portion):

17 ft

Wall Height (On-Structure Portion):

10 ft

Wall Length (On-Ground Portion):

3,955 ft

Wall Length (On-Structure Portion):

570 ft

Total Wall Length

4,524 ft

Wall Cost per sq ft: \$20

Cost of items critical to safety:

of First-Row Receivers: 58

Name	# of DU	Relocation	1st Row	# of 1st Row	Baseline Noise Level	17-ft On-Ground w/ 10-ft On-Structure Noise Level	17-ft On-Ground w/ 10-ft On-Structure Noise Reduction	Benefited	Design Goal	1st Row >= 5 dBA Reduction	1st Row Design Goal
S-3311B	1			0	62	59	3	No	No	No	No
S-3312B	1			0	63	60	3	No	No	No	No
S-3313B	4			0	62	60	2	No	No	No	No
S-3314B	1			0	62	60	2	No	No	No	No
S-3315B	1			0	62	60	2	No	No	No	No
S-3316B	1			0	63	61	2	No	No	No	No
S-3317B	1			0	62	61	1	No	No	No	No
S-3318B	1			0	62	61	1	No	No	No	No
S-3319B	4			0	60	60	0	No	No	No	No
S-3320B	1			0	63	60	3	No	No	No	No
S-3321B	1			0	63	60	3	No	No	No	No
S-3322B	1			0	65	61	4	No	No	No	No
S-3323B	1			0	64	61	3	No	No	No	No
S-3324B	1			0	65	61	4	No	No	No	No
S-3325B	1			0	66	62	4	No	No	No	No
S-3326B	1			0	66	62	4	No	No	No	No
S-3327B	1			0	67	62	5	Yes	No	No	No
S-3328B	1			0	67	63	4	No	No	No	No
S-3329B	1			0	68	63	5	Yes	No	No	No
S-3330D	1			0	43	38	5	Yes	No	No	No
S-3331B	1			0	69	62	7	Yes	Yes	No	No
S-3332D	1			0	39	35	4	No	No	No	No
S-3333B	1			0	66	61	5	Yes	No	No	No
S-3334B	1	Yes	1	67	62	5	Yes	No	Yes	No	No
S-3335B	1	Yes	1	73	63	10	Yes	Yes	Yes	Yes	Yes
S-3336B	1			0	69	63	6	Yes	No	No	No
S-3337B	1			0	68	63	5	Yes	No	No	No
S-3338C	1			0	68	63	5	Yes	No	No	No
S-3339C	1			0	68	63	5	Yes	No	No	No
S-3340B	1			0	69	63	6	Yes	No	No	No
S-3341B	1			0	69	63	6	Yes	No	No	No
S-3342B	1			0	69	62	7	Yes	Yes	No	No
S-3343B	1			0	69	63	6	Yes	No	No	No
S-3344B	1			0	70	63	7	Yes	Yes	No	No
S-3345B	1	Yes	1	71	63	8	Yes	Yes	Yes	Yes	Yes
S-3346B	1	Yes	1	69	63	6	Yes	No	Yes	No	No
S-3347B	1	Yes	1	69	63	6	Yes	No	Yes	No	No
S-3348B	1	Yes	1	68	63	5	Yes	No	Yes	No	No
S-3349B	1	Yes	1	68	63	5	Yes	No	Yes	No	No
S-3350B	1	Yes	1	67	63	4	No	No	No	No	No
S-3351B	1	Yes	1	66	63	3	No	No	No	No	No
S-3352B	1	Yes	1	66	63	3	No	No	No	No	No
S-3353B	1	Yes	1	66	63	3	No	No	No	No	No
S-3354B	1	Yes	1	66	63	3	No	No	No	No	No
S-3355B	1	Yes	1	67	63	4	No	No	No	No	No
S-3356B	1			0	69	61	8	Yes	Yes	No	No
S-3357B	1			0	68	62	6	Yes	No	No	No
S-3358B	1			0	68	63	5	Yes	No	No	No

S-3359B	1			0	67	63	4	No	No	No	No
S-3360B	1			0	69	63	6	Yes	No	No	No
S-3361B	1			0	69	64	5	Yes	No	No	No
S-3362B	1			0	69	64	5	Yes	No	No	No
S-3363B	1			0	69	64	5	Yes	No	No	No
S-3364B	1			0	69	64	5	Yes	No	No	No
S-3365B	1			0	70	64	6	Yes	No	No	No
S-3366B	1			0	69	66	3	No	No	No	No
S-3367B	1			0	71	67	4	No	No	No	No
S-3368B	1			0	71	67	4	No	No	No	No
S-3369B	1			0	71	67	4	No	No	No	No
S-3370B	1			0	71	67	4	No	No	No	No
S-3371B	1			0	71	67	4	No	No	No	No
S-3372B	1			0	72	67	5	Yes	No	No	No
S-3373B	1			0	72	67	5	Yes	No	No	No
S-3374B	1			0	71	65	6	Yes	No	No	No
S-3375B	1			0	71	67	4	No	No	No	No
S-3376B	1			0	71	67	4	No	No	No	No
S-3377B	1			0	71	68	3	No	No	No	No
S-3378B	1			0	71	67	4	No	No	No	No
S-3379B	1			0	71	67	4	No	No	No	No
S-3380B	1			0	71	67	4	No	No	No	No
S-3381B	1			0	71	66	5	Yes	No	No	No
S-3382B	1		Yes	1	68	64	4	No	No	No	No
S-3383B	1		Yes	1	67	64	3	No	No	No	No
S-3384B	1		Yes	1	67	64	3	No	No	No	No
S-3385B	1		Yes	1	68	64	4	No	No	No	No
S-3386B	1		Yes	1	68	64	4	No	No	No	No
S-3387B	1		Yes	1	68	64	4	No	No	No	No
S-3388B	1		Yes	1	69	64	5	Yes	No	Yes	No
S-3389B	1		Yes	1	67	63	4	No	No	No	No
S-3390B	1		Yes	1	69	64	5	Yes	No	Yes	No
S-3391B	1		Yes	1	67	61	6	Yes	No	Yes	No
S-3392B	1		Yes	1	69	62	7	Yes	Yes	Yes	Yes
S-3393B	1		Yes	1	67	61	6	Yes	No	Yes	No
S-3394B	1		Yes	1	67	61	6	Yes	No	Yes	No
S-3395B	1		Yes	1	77	71	6	Yes	No	Yes	No
S-3396B	1			0	73	69	4	No	No	No	No
S-3397B	1			0	71	65	6	Yes	No	No	No
S-3398B	1			0	70	64	6	Yes	No	No	No
S-3399B	1			0	70	64	6	Yes	No	No	No
S-3400B	1			0	70	64	6	Yes	No	No	No
S-3401B	1			0	70	64	6	Yes	No	No	No
S-3402B	1			0	70	64	6	Yes	No	No	No
S-3403B	1			0	71	65	6	Yes	No	No	No
S-3404B	1			0	69	63	6	Yes	No	No	No
S-3405B	1			0	70	64	6	Yes	No	No	No
S-3406B	1			0	70	64	6	Yes	No	No	No
S-3407B	1			0	70	64	6	Yes	No	No	No
S-3408B	1			0	70	64	6	Yes	No	No	No
S-3409B	1			0	69	64	5	Yes	No	No	No
S-3410B	1			0	69	64	5	Yes	No	No	No
S-3411B	1			0	69	63	6	Yes	No	No	No
S-3412B	1			0	69	64	5	Yes	No	No	No
S-3413B	1			0	70	64	6	Yes	No	No	No
S-3414B	1			0	70	64	6	Yes	No	No	No
S-3415B	1			0	70	64	6	Yes	No	No	No
S-3416B	1			0	70	64	6	Yes	No	No	No
S-3417B	1			0	70	64	6	Yes	No	No	No
S-3418B	1			0	71	65	6	Yes	No	No	No
S-3419B	1			0	70	65	5	Yes	No	No	No
S-3420B	1			0	70	66	4	No	No	No	No
S-3421B	1			0	71	67	4	No	No	No	No
S-3422B	1		Yes	1	76	70	6	Yes	No	Yes	No

S-3423B	1		Yes	1	74	69	5	Yes	No	Yes	No
S-3424B	1		Yes	1	72	66	6	Yes	No	Yes	No
S-3425B	1		Yes	1	72	65	7	Yes	Yes	Yes	Yes
S-3426B	1		Yes	1	72	65	7	Yes	Yes	Yes	Yes
S-3427B	1		Yes	1	73	66	7	Yes	Yes	Yes	Yes
S-3428B	1			0	69	63	6	Yes	No	No	No
S-3429B	1			0	69	62	7	Yes	Yes	No	No
S-3430B	1			0	68	62	6	Yes	No	No	No
S-3431B	1			0	68	63	5	Yes	No	No	No
S-3432B	1			0	70	64	6	Yes	No	No	No
S-3433B	1			0	70	65	5	Yes	No	No	No
S-3434B	1			0	70	65	5	Yes	No	No	No
S-3435B	1			0	70	65	5	Yes	No	No	No
S-3436B	1			0	69	64	5	Yes	No	No	No
S-3437B	1			0	68	62	6	Yes	No	No	No
S-3438B	1			0	67	62	5	Yes	No	No	No
S-3439B	1			0	66	60	6	Yes	No	No	No
S-3440B	1			0	67	61	6	Yes	No	No	No
S-3441B	1			0	68	61	7	Yes	Yes	No	No
S-3442B	1			0	68	61	7	Yes	Yes	No	No
S-3443B	1			0	70	63	7	Yes	Yes	No	No
S-3444B	1			0	68	61	7	Yes	Yes	No	No
S-3445B	1			0	68	61	7	Yes	Yes	No	No
S-3446B	1			0	68	61	7	Yes	Yes	No	No
S-3447B	1			0	68	60	8	Yes	Yes	No	No
S-3448B	1			0	68	60	8	Yes	Yes	No	No
S-3449B	1			0	66	59	7	Yes	Yes	No	No
S-3450B	1			0	66	59	7	Yes	Yes	No	No
S-3451B	1			0	66	59	7	Yes	Yes	No	No
S-3452B	1			0	69	63	6	Yes	No	No	No
S-3453B	1		Yes	1	71	64	7	Yes	Yes	Yes	Yes
S-3454B-2	1			0	69	61	8	Yes	Yes	No	No
S-3455B-3	1			0	71	62	9	Yes	Yes	No	No
S-3456B-4	1			0	72	63	9	Yes	Yes	No	No
S-3457B-5	1			0	73	64	9	Yes	Yes	No	No
S-3458B-6	1			0	73	66	7	Yes	Yes	No	No
S-3459B-2	1			0	69	61	8	Yes	Yes	No	No
S-3460B-3	1			0	72	62	10	Yes	Yes	No	No
S-3461B-4	1			0	73	63	10	Yes	Yes	No	No
S-3462B-5	1			0	74	64	10	Yes	Yes	No	No
S-3463B-6	1			0	74	66	8	Yes	Yes	No	No
S-3464B-2	1			0	69	61	8	Yes	Yes	No	No
S-3465B-3	1			0	72	62	10	Yes	Yes	No	No
S-3466B-4	1			0	73	63	10	Yes	Yes	No	No
S-3467B-5	1			0	74	65	9	Yes	Yes	No	No
S-3468B-6	1			0	74	67	7	Yes	Yes	No	No
S-3469B-2	1			0	70	62	8	Yes	Yes	No	No
S-3470B-3	1			0	73	64	9	Yes	Yes	No	No
S-3471B-4	1			0	74	65	9	Yes	Yes	No	No
S-3472B-5	1			0	74	66	8	Yes	Yes	No	No
S-3473B-6	1			0	74	68	6	Yes	No	No	No
S-3474B-2	1			0	71	61	10	Yes	Yes	No	No
S-3475B-3	1			0	73	63	10	Yes	Yes	No	No
S-3476B-4	1			0	75	64	11	Yes	Yes	No	No
S-3477B-5	1			0	75	66	9	Yes	Yes	No	No
S-3478B-6	1			0	75	69	6	Yes	No	No	No
S-3479B-2	1			0	72	62	10	Yes	Yes	No	No
S-3480B-3	1			0	74	64	10	Yes	Yes	No	No
S-3481B-4	1			0	75	64	11	Yes	Yes	No	No
S-3482B-5	1			0	75	66	9	Yes	Yes	No	No
S-3483B-6	1			0	75	69	6	Yes	No	No	No
S-3484B-2	1			0	72	62	10	Yes	Yes	No	No
S-3485B-3	1			0	75	64	11	Yes	Yes	No	No
S-3486B-4	1			0	76	65	11	Yes	Yes	No	No

S-3487B-5	1			0	76	67	9	Yes	Yes	No	No
S-3488B-6	1			0	76	71	5	Yes	No	No	No
S-3489B-2	1			0	72	62	10	Yes	Yes	No	No
S-3490B-3	1			0	75	64	11	Yes	Yes	No	No
S-3491B-4	1			0	77	65	12	Yes	Yes	No	No
S-3492B-5	1			0	77	68	9	Yes	Yes	No	No
S-3493B-6	1			0	76	72	4	No	No	No	No
S-3494B-2	1			0	73	63	10	Yes	Yes	No	No
S-3495B-3	1			0	76	64	12	Yes	Yes	No	No
S-3496B-4	1			0	77	66	11	Yes	Yes	No	No
S-3497B-5	1			0	77	69	8	Yes	Yes	No	No
S-3498B-6	1			0	77	74	3	No	No	No	No
S-3499B-2	1			0	74	64	10	Yes	Yes	No	No
S-3500B-3	1			0	78	65	13	Yes	Yes	No	No
S-3501B-4	1			0	79	67	12	Yes	Yes	No	No
S-3502B-5	1			0	79	71	8	Yes	Yes	No	No
S-3503B-6	1			0	79	76	3	No	No	No	No
S-3504B-2	1			0	75	66	9	Yes	Yes	No	No
S-3505B-3	1			0	80	67	13	Yes	Yes	No	No
S-3506B-4	1			0	81	69	12	Yes	Yes	No	No
S-3507B-5	1			0	81	75	6	Yes	No	No	No
S-3508B-6	1			0	80	78	2	No	No	No	No
S-3509B-2	1			0	75	66	9	Yes	Yes	No	No
S-3510B-3	1			0	79	67	12	Yes	Yes	No	No
S-3511B-4	1			0	81	69	12	Yes	Yes	No	No
S-3512B-5	1			0	81	74	7	Yes	Yes	No	No
S-3513B-6	1			0	80	78	2	No	No	No	No
S-3514B-2	1			0	75	66	9	Yes	Yes	No	No
S-3515B-3	1			0	79	67	12	Yes	Yes	No	No
S-3516B-4	1			0	81	69	12	Yes	Yes	No	No
S-3517B-5	1			0	81	74	7	Yes	Yes	No	No
S-3518B-6	1			0	80	78	2	No	No	No	No
S-3519B-2	1			0	75	66	9	Yes	Yes	No	No
S-3520B-3	1			0	79	67	12	Yes	Yes	No	No
S-3521B-4	1			0	81	70	11	Yes	Yes	No	No
S-3522B-5	1			0	81	74	7	Yes	Yes	No	No
S-3523B-6	1			0	80	78	2	No	No	No	No
S-3524B-2	1			0	68	59	9	Yes	Yes	No	No
S-3525B-3	1			0	72	60	12	Yes	Yes	No	No
S-3526B-4	1			0	75	63	12	Yes	Yes	No	No
S-3527B-5	1			0	76	70	6	Yes	No	No	No
S-3528B-6	1			0	77	74	3	No	No	No	No
S-3529B-2	1			0	57	55	2	No	No	No	No
S-3530B-3	1			0	58	56	2	No	No	No	No
S-3531B-4	1			0	58	56	2	No	No	No	No
S-3532B-5	1			0	61	59	2	No	No	No	No
S-3533B-6	1			0	65	64	1	No	No	No	No
S-3534B-2	1			0	57	55	2	No	No	No	No
S-3535B-3	1			0	57	56	1	No	No	No	No
S-3536B-4	1			0	58	56	2	No	No	No	No
S-3537B-5	1			0	61	59	2	No	No	No	No
S-3538B-6	1			0	65	64	1	No	No	No	No
S-3539B-3	1			0	57	55	2	No	No	No	No
S-3540B-4	1			0	58	56	2	No	No	No	No
S-3541B-5	1			0	61	59	2	No	No	No	No
S-3542B-6	1			0	65	64	1	No	No	No	No
S-3543B-2	1			0	57	55	2	No	No	No	No
S-3544B-3	1			0	57	56	1	No	No	No	No
S-3545B-4	1			0	58	56	2	No	No	No	No
S-3546B-5	1			0	61	59	2	No	No	No	No
S-3547B-6	1			0	65	64	1	No	No	No	No
S-3548B-2	1			0	57	55	2	No	No	No	No
S-3549B-3	1			0	58	55	3	No	No	No	No
S-3550B-4	1			0	60	57	3	No	No	No	No

S-3551B-5	1			0	61	59	2	No	No	No	No
S-3552B-6	1			0	65	63	2	No	No	No	No
S-3553B-2	1			0	56	54	2	No	No	No	No
S-3554B-3	1			0	57	55	2	No	No	No	No
S-3555B-4	1			0	58	56	2	No	No	No	No
S-3556B-5	1			0	60	59	1	No	No	No	No
S-3557B-6	1			0	64	63	1	No	No	No	No
S-3558B-2	1			0	56	54	2	No	No	No	No
S-3559B-3	1			0	57	56	1	No	No	No	No
S-3560B-4	1			0	58	56	2	No	No	No	No
S-3561B-5	1			0	60	59	1	No	No	No	No
S-3562B-6	1			0	64	62	2	No	No	No	No
S-3563B-2	1			0	56	53	3	No	No	No	No
S-3564B-3	1			0	57	55	2	No	No	No	No
S-3565B-4	1			0	58	55	3	No	No	No	No
S-3566B-5	1			0	60	58	2	No	No	No	No
S-3567B-6	1			0	64	62	2	No	No	No	No
S-3568B-2	1			0	55	53	2	No	No	No	No
S-3569B-3	1			0	57	55	2	No	No	No	No
S-3570B-4	1			0	58	55	3	No	No	No	No
S-3571B-5	1			0	60	58	2	No	No	No	No
S-3572B-6	1			0	64	62	2	No	No	No	No
S-3573B-2	1			0	55	52	3	No	No	No	No
S-3574B-3	1			0	57	55	2	No	No	No	No
S-3575B-4	1			0	58	55	3	No	No	No	No
S-3576B-5	1			0	60	57	3	No	No	No	No
S-3577B-6	1			0	63	61	2	No	No	No	No
S-3578B-2	1			0	55	52	3	No	No	No	No
S-3579B-4	1			0	58	55	3	No	No	No	No
S-3580B-5	1			0	59	57	2	No	No	No	No
S-3581B-6	1			0	63	61	2	No	No	No	No
S-3582B-4	1			0	57	55	2	No	No	No	No
S-3583B-5	1			0	59	57	2	No	No	No	No
S-3584B-6	1			0	63	61	2	No	No	No	No
S-3585B-3	1			0	56	53	3	No	No	No	No
S-3586B-4	1			0	57	54	3	No	No	No	No
S-3587B-5	1			0	59	56	3	No	No	No	No
S-3588B-6	1			0	63	60	3	No	No	No	No
S-3589B-3	1			0	56	53	3	No	No	No	No
S-3590B-4	1			0	57	54	3	No	No	No	No
S-3591B-5	1			0	59	56	3	No	No	No	No
S-3592B-6	1			0	63	60	3	No	No	No	No
S-3593B-3	1			0	56	53	3	No	No	No	No
S-3594B-4	1			0	57	54	3	No	No	No	No
S-3595B-5	1			0	59	56	3	No	No	No	No
S-3596B-6	1			0	63	60	3	No	No	No	No
S-3597B-2	1			0	62	58	4	No	No	No	No
S-3598B-3	1			0	65	60	5	Yes	No	No	No
S-3599B-4	1			0	66	61	5	Yes	No	No	No
S-3600B-5	1			0	66	62	4	No	No	No	No
S-3601B-2	1			0	56	53	3	No	No	No	No
S-3602B-3	1			0	58	54	4	No	No	No	No
S-3603B-4	1			0	59	55	4	No	No	No	No
S-3604B-5	1			0	61	57	4	No	No	No	No
S-3605B-3	1			0	55	53	2	No	No	No	No
S-3606B-4	1			0	57	54	3	No	No	No	No
S-3607B-5	1			0	59	56	3	No	No	No	No
S-3608B-6	1			0	63	60	3	No	No	No	No
S-3609B-2	1			0	54	51	3	No	No	No	No
S-3610B-3	1			0	55	52	3	No	No	No	No
S-3611B-4	1			0	57	54	3	No	No	No	No
S-3612B-5	1			0	59	56	3	No	No	No	No
S-3613B-3	1			0	55	53	2	No	No	No	No
S-3614B-5	1			0	59	56	3	No	No	No	No

S-3615B-6	1			0	62	60	2	No	No	No	No
S-3616B-2	1			0	54	51	3	No	No	No	No
S-3617B-3	1			0	55	52	3	No	No	No	No
S-3618B-4	1			0	56	54	2	No	No	No	No
S-3619B-5	1			0	58	56	2	No	No	No	No
S-3620B-3	1			0	55	53	2	No	No	No	No
S-3621B-4	1			0	56	54	2	No	No	No	No
S-3622B-5	1			0	59	56	3	No	No	No	No
S-3623B-6	1			0	62	59	3	No	No	No	No
S-3624B-2	1			0	53	51	2	No	No	No	No
S-3625B-3	1			0	56	53	3	No	No	No	No
S-3626B-4	1			0	57	54	3	No	No	No	No
S-3627B-5	1			0	59	57	2	No	No	No	No
S-3628B-3	1			0	55	52	3	No	No	No	No
S-3629B-4	1			0	56	53	3	No	No	No	No
S-3630B-5	1			0	58	55	3	No	No	No	No
S-3631B-6	1			0	62	59	3	No	No	No	No
S-3632B-2	1			0	57	54	3	No	No	No	No
S-3633B-3	1			0	59	55	4	No	No	No	No
S-3634B-4	1			0	61	57	4	No	No	No	No
S-3635B-5	1			0	65	62	3	No	No	No	No
S-3636C-6	1			0	69	66	3	No	No	No	No
S-3637B-2	1			0	56	52	4	No	No	No	No
S-3638B-3	1			0	58	53	5	Yes	No	No	No
S-3639B-4	1			0	60	56	4	No	No	No	No
S-3640B-5	1			0	65	62	3	No	No	No	No
S-3641B-2	1			0	55	51	4	No	No	No	No
S-3642B-3	1			0	58	52	6	Yes	No	No	No
S-3643B-4	1			0	60	55	5	Yes	No	No	No
S-3644B-5	1			0	65	60	5	Yes	No	No	No
S-3645B	1			0	54	51	3	No	No	No	No
S-3646B-2	1			0	56	51	5	Yes	No	No	No
S-3647B-3	1			0	59	53	6	Yes	No	No	No
S-3648B-4	1			0	62	55	7	Yes	Yes	No	No
S-3649B-5	1			0	66	61	5	Yes	No	No	No
S-3650B-2	1			0	54	51	3	No	No	No	No
S-3651B-3	1			0	55	53	2	No	No	No	No
S-3652B-4	1			0	57	54	3	No	No	No	No
S-3653B-5	1			0	58	56	2	No	No	No	No
S-3654B-6	1			0	62	59	3	No	No	No	No
S-3655B-2	1			0	54	51	3	No	No	No	No
S-3656B-3	1			0	55	53	2	No	No	No	No
S-3657B-4	1			0	57	54	3	No	No	No	No
S-3658B-5	1			0	58	56	2	No	No	No	No
S-3659B-6	1			0	62	60	2	No	No	No	No
S-3660B-2	1			0	58	52	6	Yes	No	No	No
S-3661B-3	1			0	62	54	8	Yes	Yes	No	No
S-3662B-4	1			0	64	56	8	Yes	Yes	No	No
S-3663B-5	1			0	68	62	6	Yes	No	No	No
S-3664B	1			0	54	51	3	No	No	No	No
S-3665B-2	1			0	59	52	7	Yes	Yes	No	No
S-3666B-3	1			0	62	54	8	Yes	Yes	No	No
S-3667B-4	1			0	65	57	8	Yes	Yes	No	No
S-3668B-5	1			0	68	62	6	Yes	No	No	No
S-3669B-2	1			0	54	51	3	No	No	No	No
S-3670B-3	1			0	56	53	3	No	No	No	No
S-3671B-4	1			0	56	54	2	No	No	No	No
S-3672B-5	1			0	58	56	2	No	No	No	No
S-3673B-6	1			0	63	60	3	No	No	No	No
S-3674C	1			0	55	53	2	No	No	No	No
S-3675B-2	1			0	60	53	7	Yes	Yes	No	No
S-3676B-3	1			0	64	55	9	Yes	Yes	No	No
S-3677B-4	1			0	67	58	9	Yes	Yes	No	No
S-3678B-5	1			0	70	63	7	Yes	Yes	No	No

S-3679B-6	1			0	73	69	4	No	No	No	No
S-3680B-2	1			0	55	53	2	No	No	No	No
S-3681B-3	1			0	57	55	2	No	No	No	No
S-3682B-4	1			0	58	55	3	No	No	No	No
S-3683B-5	1			0	60	58	2	No	No	No	No
S-3684B-6	1			0	64	62	2	No	No	No	No
S-3685B-2	1			0	62	54	8	Yes	Yes	No	No
S-3686B-3	1			0	66	55	11	Yes	Yes	No	No
S-3687B-4	1			0	70	59	11	Yes	Yes	No	No
S-3688B-5	1			0	71	65	6	Yes	No	No	No
S-3689B-6	1			0	75	71	4	No	No	No	No
S-3690B-2	1			0	56	54	2	No	No	No	No
S-3691B-3	1			0	57	55	2	No	No	No	No
S-3692B-4	1			0	58	56	2	No	No	No	No
S-3693B-5	1			0	60	59	1	No	No	No	No
S-3694B-6	1			0	64	62	2	No	No	No	No
S-3695B-2	1			0	65	55	10	Yes	Yes	No	No
S-3696B-3	1			0	68	56	12	Yes	Yes	No	No
S-3697B-4	1			0	71	59	12	Yes	Yes	No	No
S-3698B-5	1			0	73	67	6	Yes	No	No	No
S-3699B-6	1			0	76	72	4	No	No	No	No
S-3700B-2	1			0	76	66	10	Yes	Yes	No	No
S-3701B-3	1			0	81	68	13	Yes	Yes	No	No
S-3702B-4	1			0	81	71	10	Yes	Yes	No	No
S-3703B-2	1			0	76	66	10	Yes	Yes	No	No
S-3704B-3	1			0	80	69	11	Yes	Yes	No	No
S-3705B-4	1			0	81	71	10	Yes	Yes	No	No
S-3706B	1	Yes	1	71	65	6	Yes	No	Yes	No	No
S-3707B-2	1		0	76	66	10	Yes	Yes	No	No	No
S-3708B-3	1		0	80	68	12	Yes	Yes	No	No	No
S-3709B-4	1		0	81	71	10	Yes	Yes	No	No	No
S-3710B	1	Yes	1	71	65	6	Yes	No	Yes	No	No
S-3711B-2	1		0	76	66	10	Yes	Yes	No	No	No
S-3712B-3	1		0	80	68	12	Yes	Yes	No	No	No
S-3713B-4	1		0	81	70	11	Yes	Yes	No	No	No
S-3714B	1	Yes	1	71	65	6	Yes	No	Yes	No	No
S-3715B-2	1		0	76	66	10	Yes	Yes	No	No	No
S-3716B-3	1		0	80	69	11	Yes	Yes	No	No	No
S-3717B-4	1		0	81	71	10	Yes	Yes	No	No	No
S-3718B	1	Yes	1	71	65	6	Yes	No	Yes	No	No
S-3719B-2	1		0	76	66	10	Yes	Yes	No	No	No
S-3720B-3	1		0	79	69	10	Yes	Yes	No	No	No
S-3721B-4	1		0	81	71	10	Yes	Yes	No	No	No
S-3722B	1	Yes	1	71	65	6	Yes	No	Yes	No	No
S-3723B-2	1		0	75	67	8	Yes	Yes	No	No	No
S-3724B-3	1		0	79	69	10	Yes	Yes	No	No	No
S-3725B-4	1		0	80	71	9	Yes	Yes	No	No	No
S-3726B	1	Yes	1	71	66	5	Yes	No	Yes	No	No
S-3727B-2	1		0	75	67	8	Yes	Yes	No	No	No
S-3728B-3	1		0	79	70	9	Yes	Yes	No	No	No
S-3729B-4	1		0	80	71	9	Yes	Yes	No	No	No
S-3730B	1	Yes	1	71	66	5	Yes	No	Yes	No	No
S-3731B-2	1		0	75	67	8	Yes	Yes	No	No	No
S-3732B-3	1		0	78	70	8	Yes	Yes	No	No	No
S-3733B-4	1		0	80	71	9	Yes	Yes	No	No	No
S-3734B	1	Yes	1	71	66	5	Yes	No	Yes	No	No
S-3735B-2	1		0	75	67	8	Yes	Yes	No	No	No
S-3736B-3	1		0	78	70	8	Yes	Yes	No	No	No
S-3737B-4	1		0	80	72	8	Yes	Yes	No	No	No
S-3738B	1	Yes	1	71	66	5	Yes	No	Yes	No	No
S-3739B-2	1		0	74	67	7	Yes	Yes	No	No	No
S-3740B-3	1		0	78	70	8	Yes	Yes	No	No	No
S-3741B-4	1		0	80	72	8	Yes	Yes	No	No	No
S-3742B	1		0	70	66	4	No	No	No	No	No

S-3743B-2	1			0	73	67	6	Yes	No	No	No
S-3744B-3	1			0	77	69	8	Yes	Yes	No	No
S-3745B-4	1			0	80	72	8	Yes	Yes	No	No
S-3746C	1		Yes	1	70	67	3	No	No	No	No
S-3747B	1		Yes	1	68	62	6	Yes	No	Yes	No
S-3748B-2	1			0	72	64	8	Yes	Yes	No	No
S-3749B-4	1			0	80	71	9	Yes	Yes	No	No
S-3750B-3	1			0	77	68	9	Yes	Yes	No	No
S-3751B	1			0	67	61	6	Yes	No	No	No
S-3752B-2	1			0	71	62	9	Yes	Yes	No	No
S-3753B-3	1			0	75	64	11	Yes	Yes	No	No
S-3754B-4	1			0	78	66	12	Yes	Yes	No	No
S-3755B	1			0	67	61	6	Yes	No	No	No
S-3756B-2	1			0	71	63	8	Yes	Yes	No	No
S-3757B-3	1			0	75	64	11	Yes	Yes	No	No
S-3758B-4	1			0	78	66	12	Yes	Yes	No	No
S-3759B	1		Yes	1	71	68	3	No	No	No	No
S-3760B-2	1			0	73	70	3	No	No	No	No
S-3761B-3	1			0	77	73	4	No	No	No	No
S-3762B-4	1			0	81	76	5	Yes	No	No	No
S-3763B-2	1			0	73	70	3	No	No	No	No
S-3764B-3	1			0	75	72	3	No	No	No	No
S-3765B-4	1			0	77	74	3	No	No	No	No
S-3766B-2	1			0	72	70	2	No	No	No	No
S-3767B-3	1			0	74	71	3	No	No	No	No
S-3768B-4	1			0	76	73	3	No	No	No	No
S-3769B	1			0	57	54	3	No	No	No	No
S-3770B-2	1			0	59	56	3	No	No	No	No
S-3771B-3	1			0	61	58	3	No	No	No	No
S-3772B-4	1			0	65	63	2	No	No	No	No
S-3773B	1			0	50	49	1	No	No	No	No
S-3774B-2	1			0	53	52	1	No	No	No	No
S-3775B-3	1			0	54	53	1	No	No	No	No
S-3776B-4	1			0	60	59	1	No	No	No	No
S-3777B	1			0	50	49	1	No	No	No	No
S-3778B-2	1			0	53	51	2	No	No	No	No
S-3779B-3	1			0	54	53	1	No	No	No	No
S-3780B-4	1			0	60	59	1	No	No	No	No
S-3781B	1			0	50	49	1	No	No	No	No
S-3782B-2	1			0	53	51	2	No	No	No	No
S-3783B-3	1			0	54	53	1	No	No	No	No
S-3784B-4	1			0	60	59	1	No	No	No	No
S-3785B	1			0	50	48	2	No	No	No	No
S-3786B-2	1			0	52	51	1	No	No	No	No
S-3787B-3	1			0	54	52	2	No	No	No	No
S-3788B-4	1			0	60	58	2	No	No	No	No
S-3789B	1			0	49	47	2	No	No	No	No
S-3790B-2	1			0	52	50	2	No	No	No	No
S-3791B-3	1			0	54	52	2	No	No	No	No
S-3792B-4	1			0	59	58	1	No	No	No	No
S-3793B	1			0	49	47	2	No	No	No	No
S-3794B-2	1			0	52	51	1	No	No	No	No
S-3795B-3	1			0	53	52	1	No	No	No	No
S-3796B-4	1			0	59	59	0	No	No	No	No
S-3797B	1			0	48	47	1	No	No	No	No
S-3798B-2	1			0	51	50	1	No	No	No	No
S-3799B-3	1			0	53	51	2	No	No	No	No
S-3800B-4	1			0	59	58	1	No	No	No	No
S-3801B	1			0	48	47	1	No	No	No	No
S-3802B-2	1			0	51	50	1	No	No	No	No
S-3803B-3	1			0	53	52	1	No	No	No	No
S-3804B-4	1			0	58	57	1	No	No	No	No
S-3805B	1			0	47	46	1	No	No	No	No
S-3806B-2	1			0	50	49	1	No	No	No	No

S-3807B-3	1			0	53	51	2	No	No	No	No
S-3808B-4	1			0	58	56	2	No	No	No	No
S-3809B-2	1			0	48	50	-2	No	No	No	No
S-3810B-3	1			0	48	49	-1	No	No	No	No
S-3811B-4	1			0	54	54	0	No	No	No	No
S-3812B-5	1			0	66	61	5	Yes	No	No	No
S-3813B-2	1			0	48	50	-2	No	No	No	No
S-3814B-3	1			0	48	49	-1	No	No	No	No
S-3815B-4	1			0	54	54	0	No	No	No	No
S-3816B-5	1			0	66	61	5	Yes	No	No	No
S-3817B-2	1			0	51	50	1	No	No	No	No
S-3818B-3	1			0	50	51	-1	No	No	No	No
S-3819B-4	1			0	58	57	1	No	No	No	No
S-3820B-2	1			0	47	48	-1	No	No	No	No
S-3821B-3	1			0	51	51	0	No	No	No	No
S-3822B-4	1			0	58	55	3	No	No	No	No
S-3823B-5	1			0	67	62	5	Yes	No	No	No
S-3824B	1			0	48	47	1	No	No	No	No
S-3825B-2	1			0	50	49	1	No	No	No	No
S-3826B-3	1			0	51	50	1	No	No	No	No
S-3827B-4	1			0	56	55	1	No	No	No	No
S-3828B-2	1			0	53	49	4	No	No	No	No
S-3829B-3	1			0	55	52	3	No	No	No	No
S-3830B-4	1			0	59	55	4	No	No	No	No
S-3831B-2	1			0	54	49	5	Yes	No	No	No
S-3832B-3	1			0	55	51	4	No	No	No	No
S-3833B-4	1			0	60	55	5	Yes	No	No	No
S-3834B	1			0	51	50	1	No	No	No	No
S-3835B	2			0	53	52	1	No	No	No	No
S-3836B	2			0	53	52	1	No	No	No	No
S-3837B	2			0	53	53	0	No	No	No	No
S-3838B	2			0	55	54	1	No	No	No	No
S-3839B	2			0	55	54	1	No	No	No	No
S-3840B	2			0	61	59	2	No	No	No	No
S-3841B	8			0	62	60	2	No	No	No	No
S-3842B	2			0	63	61	2	No	No	No	No
S-3843B-2	1			0	63	61	2	No	No	No	No
S-3844B-3	1			0	65	63	2	No	No	No	No
S-3845B-4	1			0	66	64	2	No	No	No	No
S-3846B-2	1			0	52	51	1	No	No	No	No
S-3847B-3	1			0	55	53	2	No	No	No	No
S-3848B-4	1			0	59	57	2	No	No	No	No
S-3849B-2	1			0	52	51	1	No	No	No	No
S-3850B-3	1			0	54	52	2	No	No	No	No
S-3851B-4	1			0	59	56	3	No	No	No	No
S-3852B-2	1			0	52	50	2	No	No	No	No
S-3853B-3	1			0	54	52	2	No	No	No	No
S-3854B-4	1			0	59	56	3	No	No	No	No
S-3855E	1			0	51	50	1	No	No	No	No
S-3856B-2	1			0	51	49	2	No	No	No	No
S-3857B-3	1			0	52	51	1	No	No	No	No
S-3858B-4	1			0	59	56	3	No	No	No	No
S-3859B-2	1			0	49	48	1	No	No	No	No
S-3860B-3	1			0	52	50	2	No	No	No	No
S-3861B-4	1			0	58	56	2	No	No	No	No
S-3862B-2	1			0	50	49	1	No	No	No	No
S-3863B-3	1			0	53	57	-4	No	No	No	No
S-3864B-4	1			0	58	56	2	No	No	No	No
S-3865B-2	1			0	68	65	3	No	No	No	No
S-3866B-3	1			0	70	67	3	No	No	No	No
S-3867B-4	1			0	71	68	3	No	No	No	No
S-3868B-2	1			0	70	66	4	No	No	No	No
S-3869B-3	1			0	71	68	3	No	No	No	No
S-3870B-4	1			0	72	70	2	No	No	No	No

S-3871B	1			0	69	66	3	No	No	No	No
S-3872B-2	1			0	71	68	3	No	No	No	No
S-3873B-3	1			0	73	70	3	No	No	No	No
S-3874B-4	1			0	74	71	3	No	No	No	No
S-3875B	1			0	70	67	3	No	No	No	No
S-3876B-2	1			0	72	69	3	No	No	No	No
S-3877B-3	1			0	74	71	3	No	No	No	No
S-3878B-4	1			0	76	72	4	No	No	No	No
S-3879B	1			0	71	68	3	No	No	No	No
S-3880B-2	1			0	73	70	3	No	No	No	No
S-3881B-3	1			0	75	72	3	No	No	No	No
S-3882B-4	1			0	77	74	3	No	No	No	No
S-3883B	1			0	72	70	2	No	No	No	No
S-3884B-2	1			0	75	72	3	No	No	No	No
S-3885B-3	1			0	77	74	3	No	No	No	No
S-3886B-4	1			0	79	77	2	No	No	No	No
S-3887B	1	Yes	1	74	72	2	No	No	No	No	No
S-3888B-2	1			0	76	74	2	No	No	No	No
S-3889B-3	1			0	80	77	3	No	No	No	No
S-3890B-4	1			0	82	80	2	No	No	No	No
S-3891B	1	Yes	1	71	68	3	No	No	No	No	No
S-3892B-2	1			0	74	70	4	No	No	No	No
S-3893B-3	1			0	79	74	5	Yes	No	No	No
S-3894B-4	1			0	82	78	4	No	No	No	No
S-3895B	1	Yes	1	70	67	3	No	No	No	No	No
S-3896B-2	1			0	73	69	4	No	No	No	No
S-3897B-3	1			0	78	73	5	Yes	No	No	No
S-3898B-4	1			0	82	76	6	Yes	No	No	No
S-3899B	1	Yes	1	70	67	3	No	No	No	No	No
S-3900B-2	1			0	73	68	5	Yes	No	No	No
S-3901B-3	1			0	78	71	7	Yes	Yes	No	No
S-3902B-4	1			0	82	74	8	Yes	Yes	No	No
S-3903B	1	Yes	1	69	66	3	No	No	No	No	No
S-3904B-2	1			0	73	67	6	Yes	No	No	No
S-3905B-3	1			0	78	71	7	Yes	Yes	No	No
S-3906B-4	1			0	81	74	7	Yes	Yes	No	No
S-3907B	1	Yes	1	69	66	3	No	No	No	No	No
S-3908B-2	1			0	73	67	6	Yes	No	No	No
S-3909B-3	1			0	78	71	7	Yes	Yes	No	No
S-3910B-4	1			0	82	74	8	Yes	Yes	No	No
S-3911C	1			0	60	56	4	No	No	No	No
S-3912C	1			0	59	55	4	No	No	No	No
S-3913B-3	1			0	67	57	10	Yes	Yes	No	No
S-3914B-4	1			0	69	59	10	Yes	Yes	No	No
S-3915B	1			0	60	52	8	Yes	Yes	No	No
S-3916B-2	1			0	62	53	9	Yes	Yes	No	No
S-3917B-3	1			0	63	54	9	Yes	Yes	No	No
S-3918B-4	1			0	65	57	8	Yes	Yes	No	No
S-3919B	1			0	59	52	7	Yes	Yes	No	No
S-3920B-2	1			0	62	53	9	Yes	Yes	No	No
S-3921B-3	1			0	63	54	9	Yes	Yes	No	No
S-3922B-4	1			0	65	58	7	Yes	Yes	No	No
S-3923B	1			0	59	52	7	Yes	Yes	No	No
S-3924B-2	1			0	62	53	9	Yes	Yes	No	No
S-3925B-3	1			0	63	54	9	Yes	Yes	No	No
S-3926B-4	1			0	65	58	7	Yes	Yes	No	No
S-3927B	1			0	59	51	8	Yes	Yes	No	No
S-3928B-2	1			0	62	53	9	Yes	Yes	No	No
S-3929B-3	1			0	63	54	9	Yes	Yes	No	No
S-3930B-4	1			0	64	58	6	Yes	No	No	No
S-3931B	1			0	56	50	6	Yes	No	No	No
S-3932B-2	1			0	59	51	8	Yes	Yes	No	No
S-3933B-3	1			0	60	54	6	Yes	No	No	No
S-3934B-4	1			0	62	57	5	Yes	No	No	No

S-3935B	1			0	59	51	8	Yes	Yes	No	No
S-3936B-2	1			0	61	53	8	Yes	Yes	No	No
S-3937B-3	1			0	63	55	8	Yes	Yes	No	No
S-3938B-4	1			0	66	59	7	Yes	Yes	No	No
S-3939B	1			0	60	52	8	Yes	Yes	No	No
S-3940B-2	1			0	63	54	9	Yes	Yes	No	No
S-3941B-3	1			0	64	55	9	Yes	Yes	No	No
S-3942B-4	1			0	65	58	7	Yes	Yes	No	No
S-3943B	1			0	62	54	8	Yes	Yes	No	No
S-3944B-2	1			0	64	55	9	Yes	Yes	No	No
S-3945B-3	1			0	65	56	9	Yes	Yes	No	No
S-3946B-4	1			0	67	59	8	Yes	Yes	No	No
S-3947B-3	1			0	68	58	10	Yes	Yes	No	No
S-3948B-4	1			0	69	61	8	Yes	Yes	No	No
S-3949B-3	1			0	67	57	10	Yes	Yes	No	No
S-3950B-4	1			0	68	60	8	Yes	Yes	No	No
S-3951C	1			0	64	55	9	Yes	Yes	No	No
S-3952B	1			0	62	54	8	Yes	Yes	No	No
S-3953B-2	1			0	64	54	10	Yes	Yes	No	No
S-3954B-3	1			0	65	55	10	Yes	Yes	No	No
S-3955B-4	1			0	66	57	9	Yes	Yes	No	No
S-3956B	1			0	62	54	8	Yes	Yes	No	No
S-3957B-2	1			0	64	54	10	Yes	Yes	No	No
S-3958B-3	1			0	65	55	10	Yes	Yes	No	No
S-3959B-4	1			0	66	58	8	Yes	Yes	No	No
S-3960B	1			0	61	53	8	Yes	Yes	No	No
S-3961B-2	1			0	63	54	9	Yes	Yes	No	No
S-3962B-3	1			0	64	55	9	Yes	Yes	No	No
S-3963B-4	1			0	65	58	7	Yes	Yes	No	No
S-3964B	1			0	60	52	8	Yes	Yes	No	No
S-3965B-2	1			0	62	53	9	Yes	Yes	No	No
S-3966B-3	1			0	63	54	9	Yes	Yes	No	No
S-3967B-4	1			0	65	58	7	Yes	Yes	No	No
S-3968B	1			0	55	50	5	Yes	No	No	No
S-3969B-2	1			0	57	51	6	Yes	No	No	No
S-3970B-3	1			0	58	53	5	Yes	No	No	No
S-3971B-4	1			0	62	58	4	No	No	No	No
S-3972B	1			0	56	51	5	Yes	No	No	No
S-3973B-2	1			0	58	52	6	Yes	No	No	No
S-3974B-3	1			0	59	54	5	Yes	No	No	No
S-3975B-4	1			0	63	60	3	No	No	No	No
S-3976B	1			0	51	49	2	No	No	No	No
S-3977B-2	1			0	51	49	2	No	No	No	No
S-3978B-3	1			0	55	52	3	No	No	No	No
S-3979B-4	1			0	59	57	2	No	No	No	No
S-3980B	1			0	51	49	2	No	No	No	No
S-3981B-2	1			0	52	50	2	No	No	No	No
S-3982B-3	1			0	55	53	2	No	No	No	No
S-3983B-4	1			0	61	59	2	No	No	No	No
S-3984B	1			0	51	49	2	No	No	No	No
S-3985B-2	1			0	53	51	2	No	No	No	No
S-3986B-3	1			0	56	54	2	No	No	No	No
S-3987B-4	1			0	62	61	1	No	No	No	No
S-3988B	1			0	57	52	5	Yes	No	No	No
S-3989B-2	1			0	58	52	6	Yes	No	No	No
S-3990B-3	1			0	60	54	6	Yes	No	No	No
S-3991B-4	1			0	63	58	5	Yes	No	No	No
S-3992B	1			0	57	50	7	Yes	Yes	No	No
S-3993B-2	1			0	59	51	8	Yes	Yes	No	No
S-3994B-3	1			0	60	53	7	Yes	Yes	No	No
S-3995B-4	1			0	63	58	5	Yes	No	No	No
S-3996C	1			0	58	52	6	Yes	No	No	No
S-3997B-3	1			0	64	54	10	Yes	Yes	No	No
S-3998B-4	1			0	65	58	7	Yes	Yes	No	No

S-3999B	1			0	53	51	2	No	No	No	No
S-4000B-2	1			0	52	50	2	No	No	No	No
S-4001B-3	1			0	57	54	3	No	No	No	No
S-4002B-4	1			0	61	59	2	No	No	No	No
S-4003B	1			0	53	51	2	No	No	No	No
S-4004B-3	1			0	57	55	2	No	No	No	No
S-4005B-2	1			0	53	51	2	No	No	No	No
S-4006B-4	1			0	62	59	3	No	No	No	No
S-4007B	1			0	53	52	1	No	No	No	No
S-4008B-2	1			0	52	51	1	No	No	No	No
S-4009B-3	1			0	57	55	2	No	No	No	No
S-4010B-4	1			0	62	60	2	No	No	No	No
S-4011B	1			0	59	56	3	No	No	No	No
S-4012B-2	1			0	62	59	3	No	No	No	No
S-4013B-3	1			0	65	64	1	No	No	No	No
S-4014B-4	1			0	66	66	0	No	No	No	No
S-4015B	1			0	52	50	2	No	No	No	No
S-4016B-2	1			0	53	51	2	No	No	No	No
S-4017B-3	1			0	56	55	1	No	No	No	No
S-4018B-4	1			0	62	60	2	No	No	No	No
S-4019B	1			0	51	49	2	No	No	No	No
S-4020B-2	1			0	52	50	2	No	No	No	No
S-4021B-3	1			0	55	54	1	No	No	No	No
S-4022B-4	1			0	61	58	3	No	No	No	No
S-4023B	1			0	51	49	2	No	No	No	No
S-4024B-2	1			0	52	49	3	No	No	No	No
S-4025B-3	1			0	56	54	2	No	No	No	No
S-4026B-4	1			0	61	58	3	No	No	No	No
S-4027B	1			0	52	50	2	No	No	No	No
S-4028B-2	1			0	52	49	3	No	No	No	No
S-4029B-3	1			0	56	53	3	No	No	No	No
S-4030B-4	1			0	61	58	3	No	No	No	No
S-4031B	1			0	52	48	4	No	No	No	No
S-4032B-2	1			0	53	49	4	No	No	No	No
S-4033B-3	1			0	55	52	3	No	No	No	No
S-4034B-4	1			0	61	57	4	No	No	No	No
S-4035B	1			0	51	48	3	No	No	No	No
S-4036B-2	1			0	54	50	4	No	No	No	No
S-4037B-3	1			0	55	52	3	No	No	No	No
S-4038B-4	1			0	61	57	4	No	No	No	No
S-4039B	1			0	59	55	4	No	No	No	No
S-4040B-2	1			0	61	55	6	Yes	No	No	No
S-4041B-3	1			0	63	58	5	Yes	No	No	No
S-4042B-4	1			0	66	62	4	No	No	No	No
S-4043B	1			0	61	55	6	Yes	No	No	No
S-4044B-2	1			0	63	56	7	Yes	Yes	No	No
S-4045B-3	1			0	65	58	7	Yes	Yes	No	No
S-4046B-4	1			0	67	61	6	Yes	No	No	No
S-4047B	1			0	63	56	7	Yes	Yes	No	No
S-4048B-2	1			0	65	57	8	Yes	Yes	No	No
S-4049B-3	1			0	67	58	9	Yes	Yes	No	No
S-4050B-4	1			0	69	61	8	Yes	Yes	No	No
S-4051C	1			0	65	57	8	Yes	Yes	No	No
S-4052B	1			0	60	54	6	Yes	No	No	No
S-4053B-2	1			0	62	55	7	Yes	Yes	No	No
S-4054B-3	1			0	64	57	7	Yes	Yes	No	No
S-4055B-4	1			0	67	61	6	Yes	No	No	No
S-4056B	1			0	56	53	3	No	No	No	No
S-4057B-2	1			0	58	54	4	No	No	No	No
S-4058B-3	1			0	60	57	3	No	No	No	No
S-4059B-4	1			0	65	61	4	No	No	No	No
S-4060B	1			0	55	53	2	No	No	No	No
S-4061B-2	1			0	55	53	2	No	No	No	No
S-4062B-3	1			0	59	56	3	No	No	No	No

S-4063B-4	1			63	61	2	No	No	No	No
S-4064B	1			56	54	2	No	No	No	No
S-4065B-2	1			56	54	2	No	No	No	No
S-4066B-3	1			59	57	2	No	No	No	No
S-4067B-4	1			64	61	3	No	No	No	No
S-4068B	1			56	54	2	No	No	No	No
S-4069B-2	1			55	53	2	No	No	No	No
S-4070B-3	1			59	57	2	No	No	No	No
S-4071B-4	1			64	62	2	No	No	No	No
S-4072B	1			59	57	2	No	No	No	No
S-4073B-2	1			62	60	2	No	No	No	No
S-4074B-3	1			65	64	1	No	No	No	No
S-4075B-4	1			67	66	1	No	No	No	No
S-4076B	1			55	53	2	No	No	No	No
S-4077B-2	1			55	53	2	No	No	No	No
S-4078B-3	1			59	57	2	No	No	No	No
S-4079B-4	1			64	62	2	No	No	No	No
S-4080B	1			54	52	2	No	No	No	No
S-4081B-2	1			56	54	2	No	No	No	No
S-4082B-3	1			58	56	2	No	No	No	No
S-4083B-4	1			64	62	2	No	No	No	No
S-4084B	1			54	52	2	No	No	No	No
S-4085B-2	1			55	53	2	No	No	No	No
S-4086B-3	1			58	57	1	No	No	No	No
S-4087B-4	1			63	61	2	No	No	No	No
S-4088B	1			54	52	2	No	No	No	No
S-4089B-2	1			55	53	2	No	No	No	No
S-4090B-3	1			58	57	1	No	No	No	No
S-4091B-4	1			63	61	2	No	No	No	No
S-4092B-2	1			68	62	6	Yes	No	No	No
S-4093B-3	1			70	64	6	Yes	No	No	No
S-4094B-4	1			73	67	6	Yes	No	No	No
S-4095B-2	1			66	62	4	No	No	No	No
S-4096B-3	1			69	65	4	No	No	No	No
S-4097B-4	1			72	67	5	Yes	No	No	No
S-4098B	1			65	61	4	No	No	No	No
S-4099B-2	1			66	62	4	No	No	No	No
S-4100B-3	1			69	63	6	Yes	No	No	No
S-4101B-4	1			71	66	5	Yes	No	No	No
S-4102B	1			63	60	3	No	No	No	No
S-4103B-2	1			65	62	3	No	No	No	No
S-4104B-3	1			67	64	3	No	No	No	No
S-4105B-4	1			71	67	4	No	No	No	No
S-4106B	1			64	60	4	No	No	No	No
S-4107B-2	1			65	61	4	No	No	No	No
S-4108B-3	1			67	64	3	No	No	No	No
S-4109B-4	1			71	67	4	No	No	No	No
S-4110C	1			63	60	3	No	No	No	No
S-4111B	1			62	60	2	No	No	No	No
S-4112B-2	1			63	61	2	No	No	No	No
S-4113B-3	1			66	64	2	No	No	No	No
S-4114B-4	1			70	67	3	No	No	No	No
S-4115B	1			63	60	3	No	No	No	No
S-4116B-2	1			64	61	3	No	No	No	No
S-4117B-3	1			66	64	2	No	No	No	No
S-4118B-4	1			70	67	3	No	No	No	No
S-4119B	1			61	58	3	No	No	No	No
S-4120B-2	1			61	59	2	No	No	No	No
S-4121B-3	1			65	63	2	No	No	No	No
S-4122B-4	1			69	67	2	No	No	No	No
S-4123B	1			58	55	3	No	No	No	No
S-4124B-2	1			60	55	5	Yes	No	No	No
S-4125B-3	1			63	59	4	No	No	No	No
S-4126B-4	1			68	64	4	No	No	No	No

S-4127B	1			0	58	55	3	No	No	No	No
S-4128B-2	1			0	60	55	5	Yes	No	No	No
S-4129B-3	1			0	62	59	3	No	No	No	No
S-4130B-4	1			0	68	65	3	No	No	No	No
S-4131B	1			0	64	61	3	No	No	No	No
S-4132B-2	1			0	66	64	2	No	No	No	No
S-4133B-3	1			0	68	67	1	No	No	No	No
S-4134B-4	1			0	72	71	1	No	No	No	No
S-4135B	1			0	60	57	3	No	No	No	No
S-4136B-2	1			0	61	58	3	No	No	No	No
S-4137B-3	1			0	64	62	2	No	No	No	No
S-4138B-4	1			0	69	67	2	No	No	No	No
S-4139B	1			0	58	54	4	No	No	No	No
S-4140B-2	1			0	60	56	4	No	No	No	No
S-4141B-3	1			0	63	59	4	No	No	No	No
S-4142B-4	1			0	69	67	2	No	No	No	No
S-4143B	1	Yes	1	69	63	6	Yes	No	Yes	No	No
S-4144B-2	1			0	72	65	7	Yes	Yes	No	No
S-4145B-3	1			0	75	67	8	Yes	Yes	No	No
S-4146B-4	1			0	79	71	8	Yes	Yes	No	No
S-4147B	1	Yes	1	69	64	5	Yes	No	Yes	No	No
S-4148B-2	1			0	72	65	7	Yes	Yes	No	No
S-4149B-3	1			0	75	68	7	Yes	Yes	No	No
S-4150B-4	1			0	79	71	8	Yes	Yes	No	No
S-4151B	1	Yes	1	69	64	5	Yes	No	Yes	No	No
S-4152B-2	1			0	72	66	6	Yes	No	No	No
S-4153B-3	1			0	75	68	7	Yes	Yes	No	No
S-4154B-4	1			0	79	72	7	Yes	Yes	No	No
S-4155B	1	Yes	1	69	63	6	Yes	No	Yes	No	No
S-4156B-2	1			0	72	66	6	Yes	No	No	No
S-4157B-3	1			0	75	68	7	Yes	Yes	No	No
S-4158B-4	1			0	79	73	6	Yes	No	No	No
S-4159B	1	Yes	1	69	64	5	Yes	No	Yes	No	No
S-4160B-2	1			0	72	66	6	Yes	No	No	No
S-4161B-3	1			0	75	69	6	Yes	No	No	No
S-4162B-4	1			0	79	74	5	Yes	No	No	No
S-4163B	1	Yes	1	70	64	6	Yes	No	Yes	No	No
S-4164B-2	1			0	72	67	5	Yes	No	No	No
S-4165B-3	1			0	75	71	4	No	No	No	No
S-4166B-4	1			0	79	75	4	No	No	No	No

Feasibility Factors:

of First-Row >=5 dBA Reduction: 37

% of First-Row >=5 dBA Reduction: 64%

Acoustic Feasibility (>=5 dBA reduction for >=50% of front-row): Yes

Reasonableness Factors:

of First-Row Design Goal >=7 dBA Reduction: 7

% of First-Row Design Goal >=7 dBA Reduction: 12%

Noise Abatement Design Goal (>=7dBA reduction for >=35% of front-row): No

of Benefited: 385

Cost of Noise Wall (Length x Height x \$20 per sq ft): \$1,458,529

Cost of any other items critical to safety: 0

Anticipated Cost of Noise Abatement: \$1,458,529

Allowable Cost (\$30,000 per benefited receptor): \$11,550,000

Cost Effective (Anticipated Cost < Allowable Cost): Yes

Feasible and Reasonable: No

This page is intentionally left blank